5a

RE

HAMMERSMITH CREEK

LONDON

1911 - 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Hammers …ological

20 ft. in.

in the County of Lon …vel 35 ft.

by …n

Shaftesbury Rd

…e 1/8 mile Direction N.W.

IMPORTANT NOTE …esult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.01	.58				.04					1
2	.18			.25	.15			.01			.20	.06	2
3	.02	.01			.10			.01			.07	.08	3
4	.02	.02	.07	.08						.05	.16	.18	4
5		.01		.03						.22	.03	.13	5
6	.27		.10									.18	6
7	.04									.67	.30	.16	7
8	.14		.15	.01							.17	.22	8
9	.11		.03	.03									9
10	.06	.13	.07								.07	.26	10
11	.22		.01		.04						.45		11
12	.04		.42		.12	.01			.05		.33		12
13			.07		.13				.43	.12	.02	.24	13
14		.07	.01		.24							.31	14
15		.05	.12							.01	.03	.01	15
16						.50					.34		16
17						.01					.23	.14	17
18		.15				.16					.52	.18	18
19					.03	.25			.18	.04	.18	.05	19
20		.02						.15	.07	.05		.36	20
21		.09				.01		.26	.63	.42		.06	21
22	.08		.13			.01		.10		.11		.31	22
23		.07	.06			.75			.25		.04	.10	23
24		.11				.12	.02			1.10		.17	24
25		.04	.05	.07	.01	.09	.52	.02	.01	.01		.01	25
26		.02	.03	.21	.03	.16	.06			.10	.03	.25	26
27		.33	.06	.06					.17		.02	.11	27
28		.13		.25			.15	.07					28
29				.10		.17	.10		.12	.19			29
30					.06			.11	.08	.13			30
31					*1.68								31 ✓
Total	1.24	1.25	1.39	1.67	2.59	2.24	.85	.77	1.39	2.62	3.21	3.52	TOTAL for year 22.74
No. of Rain Days.	12	15	16	11	11	12	5	9	10	14	18	22	155 ✓

W. 8,000, X. '11.

* 1" fell in 20 minutes

Sa

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

Kept at Hammersmith Creek
in the County of London 2
by

RAIN GAUGE
Pattern Meteorological
Diameter of top 8 in.
Height of top above Ground 20 ft. in.
" " " Sea Level 35 ft.
Time of Observation 9 a.m
Nearest Railway Station
Name Shaftesbury Rd
Distance 1/8 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·01	·58				·04					1
2	·18			·25	·15			·01			·20	·06	2
3	·02	·01			·10			·01			·07	·08	3
4	·02	·02	·07	·08						·05	·18	·18	4
5		·01		·03						·22	·03	·13	5
6	·27		·10									·18	6
7	·04									·67	·30	·16	7
8	·14		·15	·01							·17	·22	8
9	·11		·03	·03									9
10	·06	·13	·07								·07	·26	10
11	·22		·01		·04						·45		11
12	·04		·42		·12	·01			·05		·33		12
13			·07		·13				·43	·12	·02	·24	13
14		·07	·01		·24							·31	14
15		·05	·12							·01	·03	·01	15
16						·50					·34		16
17						·01					·23	·14	17
18		·15				·16					·52	·18	18
19					·03	·25			·18	·04	·18	·05	19
20		·02						·15	·07	·05		·36	20
21		·09				·01		·26	·63	·42		·06	21
22	·08		·13			·01		·10		·11		·31	22
23		·07	·06			·75			·25		·04	·10	23
24		·11				·12	·02			1.10		·17	24
25		·04	·05	·07	·01	·09	·52	·02	·01	·01		·01	25
26		·02	·03	·21	·03	·16	·06			·10	·03	·25	26
27		·33	·06	·06					·17		·02	·11	27
28		·13		·25			·15	·07					28
29				·10		·17	·10		·12	·19			29
30					·06			·11	·08	·13			30
31					*1.68								31 √
Total	1·24	1.25	1·39	1·67	2.59	2.24	.85	·77	1·39	2.62	3.21	3·52	TOTAL for year 2 22.74
No. of Rain Days.	12	15	16	11	11	12	5	9	10	14	18	22	155 √

W. 8,000, X. '11. * 1" fell in 20 minutes

FORM A.
BRITISH RAINFALL.
13 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hammersmith Creek
in the County of London 2
by The London County Council

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Ravenscourt Park
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 20 ft. - in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·02	·05	-	·07	·25	-	·07	·33	-	·19	1
2	-	-	·24	·02	-	·04	·29	·03	-	·02	-	-	2
3	·05	-	·13	-	-	·23	·01	·30	-	-	·02	·09	3
4	·25	-	·35	-	·11	·18	-	·04	-	-	·15	-	4
5	·15	·06	·02	-	-	-	-	·26	-	-	·03	-	5
6	·45	-	-	-	-	·10	-	·13	·03	-	-	-	6
7	-	-	-	-	·06	·80	·05	·19	-	-	-	-	7
8	·23	·20	·12	-	-	·08	-	·12	-	-	-	-	8
9	-	·06	-	·04	-	·30	·02	·06	-	-	-	·15	9
10	-	·04	-	-	-	·02	-	·45	-	-	·06	·24	10
11	·03	·27	-	-	-	·03	-	·03	·02	-	·01	·13	11
12	·05	·04	·08	-	·12	·16	-	·01	-	-	·06	-	12
13	-	-	-	-	-	-	-	·04	·02	-	·06	-	13
14	-	-	·02	-	·03	-	-	·16	-	·05	-	·02	14
15	-	·02	·11	-	·25	·53	-	·03	-	-	·02	·35	15
16	·25	-	·02	-	·09	·02	-	·04	-	·05	·07	-	16
17	·47	-	·21	-	-	·04	-	·05	-	-	-	-	17
18	·05	-	·12	-	-	-	-	·09	-	·03	·03	·09	18
19	·06	·04	·07	-	-	-	·08	·37	-	-	-	-	19
20	·02	·01	·08	-	·04	-	-	·11	-	·37	-	-	20
21	-	·02	·12	-	·04	-	-	·16	-	·07	·06	-	21
22	·23	·11	·07	-	·03	-	·09	·12	-	-	-	-	22
23	·34	·34	·27	-	-	-	·02	·38	-	·06	·14	·19	23
24	45	·03	·02	-	-	·48	-	·19	-	-	-	·11	24
25	·29	-	-	-	-	·13	·02	·68	-	·01	·25	·41	25
26	-	·02	-	-	-	-	·04	·32	-	·29	·29	·25	26
27	-	-	·01	-	-	·05	-	-	-	·13	-	·20	27
28	-	·04	-	-	-	·09	·22	·02	·06	·23	·29	·05	28
29	-	-	·01	-	-	·11	·18	·07	·70	·15	-	-	29
30	-		-	-	·41	-	-	·03	·88	·13	-	-	30
31	-		·29		-		·12	·11		-		-	31
Total	3.37	1.30 4.67	2.38 7.05	·11 7.16	1.18 8.34	3.46 11.80	1.39 13.19	4.59 17.78	1.78 19.56	1.92 21.48	1.54 23.02	2.47	YEAR'S TOTAL 25.49
Rain Days.	16	15	21	3	10	19	13	29	7	14	15	14	176

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
19 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hammersmith Creek E+R
in the County of London 2
by The London County Council

Lat. .... Long. ——
Time of Observation 9 a.m
Nearest Railway Station Ravenscourt Park
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 20 ft. – in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·12	·04	·11	–	–	–	–	·25	–	·07	·11	1
2	·07	·20	–	–	–	–	·05	–	·09	·05	·04	–	2
3			·05	·25	·29	–	–	–	–	–	–	·05	3
4	·14	–	–	–	·36	–	·05	–	–	·39	·02	·08	4
5	·17	–	–	·02	–	·05	·11	–	·31	·01	–	–	5
6	–	·02	·09	–	·07	·07	·18	–	–	·07	·03	·14	6
7	–	·07	–	–	·02	–	·03	·17	–	·36	·05	·01	7
8	–	·03	·04	–	·04	·10	–	–	–	·08	·02	–	8
9	–	·12	–	–	·03	–	–	–	·04	–	·02	–	9
10	–	–	·09	·14	–	–	·09	02	–	–	·31	–	10
11	·27	–	–	·35	·02	–	–	–	–	·49	·10	–	11
12	–	–	–	–	·05	–	–	–	–	–	·31	–	12
13	·08	–	·03	–	–	–	–	·02	·10	–	·24	–	13
14	·04	·03	·08	·06	–	–	·73	·08	–	·12	·04	·02	14
15	·15	·07	·23	·17	–	–	·17	–	·03	–	–	–	15
16	·09	–	·29	·13	–	–	–	–	·29	–	–	–	16
17	·10	–	·07	·08	–	–	·12	–	–	–	·02	·01	17
18	·05	–	·04	·13	–	–	–	–	–	–	·06	–	18
19	·11	–	·05	–	·01	·02	·13	–	·15	–	–		19
20	·09	–	·22	·03	–	–	–	–	–	·41	·03	–	20
21	·02	–	·22	·05	–	–	·05	–	–	·19	·72	–	21
22	·37	–	·14	·08	–	–	–	·08	·15	–	–	–	22
23	–	–	·02	·02	–	·03	–	·15	–	–	–	·31	23
24	–	–	–	–	–	·01	–	·05	–	–	–	–	24
25	–	·04	–	·15	–	–	–	–	–	–	–	·02	25
26	–	–	·18	·07	–	–	–	·07	–	·71	–	·14	26
27	–	–	–	·02	·05	–	–	–	–	·01	–	–	27
28	·22	–	·17	·09	–	–	–	–	–	·08	–	–	28
29	·04	–	·05	·52	·71	–	–	·06	–	·03	–	–	29
30	·15		–	·04	–	–	–	·14	–	·09	–	–	30
31	–		03		–		–	·55		·05		–	31
Total	2·18	·70	2·13	2·51	1·65	·28	1·71	1·39	1·41	3·14	2·08	·89	YEAR'S TOTAL 20·07
Rain Days.	18	9	20	20	11	6	11	11	9	16	16	·10	157

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
29 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hammersmith Creek
in the County of London 2 4 R
by The London County Council

Lat. Long.
Time of Observation 9.0 a.m
Nearest Railway Station Ravenscourt Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 20 ft. - in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·04	-	-	-	-	·12	-	-	·02	·05	1
2	-	-	-	-	-	-	·10	·07	-	-	·06	·12	2
3	-	-	·04	·12	·11	-	·13	-	-	-	·02	-	3
4	·07	-	·03	-	-	-	-	·03	-	-	·25	·12	4
5	-	-	·05	·14	·15	·04	·33	·97	-	-	-	-	5
6	-	·11	·02	·10	-	·20	-	·03	-	-	-	·05	6
7	-	·14	·15	·13	·88	·04	·07	·01	-	-	-	·05	7
8	·05	·32	·66	·02	·01	·13	·10	-	-	-	-	-	8
9	·15	-	·50	·11	-	-	-	-	·11	-	-	1.35	9
10	-	·08	·03	·04	·05	-	-	-	·16	-	-	·01	10
11	-	·22	·37	-	-	·06	-	-	·13	-	·24	·20	11
12	·01	·05	·09	-	-	-	·12	-	·15	-	·01	·41	12
13	-	·10	·11	-	-	-	-	-	·11	·07	·05	·30	13
14	·01	-	·16	-	-	·44	·18	-	-	·18	·05	·39	14
15	·05	·05	·12	-	-	-	·10	·01	-	-	·29	·04	15
16	·01	-	·03	-	-	-	-	-	·02	-	·01	-	16
17	-	·25	·06	-	-	-	-	-	·01	-	-	·09	17
18	-	·03	·14	-	-	·01	-	-	-	-	·01	·19	18
19	-	·03	·20	-	-	-	·04	-	·02	-	·14	·28	19
20	-	·14	·23	-	-	·03	-	-	·12	-	-	·06	20
21	-	·37	·08	-	-	·01	-	-	-	-	-	·02	21
22	-	·01	·06	-	·56	·31	·13	·02	-	·14	-	-	22
23	-	-	·14	-	·11	-	·14	-	-	·12	-	-	23
24	-	-	·12	·01	·01	-	·02	-	-	-	·12	-	24
25	·04	-	·10	-	-	-	·02	·11	-	·20	-	·07	25
26	-	-	·08	-	-	-	·02	·14	-	·05	·15	·45	26
27	·04	-	·02	-	-	-	-	-	-	-	·02	·10	27
28	·01	·03	-	-	·01	-	-	-	-	-	·41	·80	28
29	·03		·07	-	-	-	-	-	-	·17	·10	-	29
30	-	✕	·04	-	-	-	-	-	-	·03	·44	·13	30
31	-	✕	-	✕	·16	✕	-	-	✕	-	✕	·04	31
Total	·47	1.93	3.74	·67	2.05	1.27	1.50	1.51	·83	·96	2.39	5.32	YEAR'S TOTAL 22.64
Rain Days.	11	15	28	8	10	10	14	10	9	8	18	23	164

W. 8,000. X. 14.

✓

Esme

REGISTER OF RAINFALL IN 1915

4°

FORM A.
BRITISH RAINFALL.
24 JAN 1916

Kept at Hammersmith Creek
in the County of London 2
by The London County Council

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Ravens-court. Park
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 20 ft. - in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·10	·02	-	·02	-	-	·01	·08	·03	·25	·49	1
2	·37	·14	·19	·14	-	·01	-	·49	-	·03	-	·09	2
3	·25	-	·08	·14	·01	-	-	66	-	-	-	·41	3
4	·16	-	-	-	-	-	-	·20	-	-	-	·22	4
5	·03	·24	-	-	-	-	-	-	·03	-	·01	·17	5
6	·25	·02	-	·25	·33	-	·85	·05	-	-	-	·41	6
7	·43	·12	·02	-	-	-	·11	·02	-	-	-	·20	7
8	·13	·35	-	·09	-	-	·08	·03	-	-	-	·01	8
9	·01	·08	-	·09	-	·07	-	·03	-	·03	·30	·47	9
10	·17	-	·01	-	-	-	-	·37	-	-	-	·14	10
11	·06	-	·01	-	-	-	-	·03	-	-	·53	·05	11
12	·06	-	-	·25	·41	-	-	·62	-	-	·32	·01	12
13	-	·27	-	-	1·12	-	-	·33	-	-	-	-	13
14	-	·05	-	-	-	-	·48	·07	·04	-	-	·34	14
15	·07	·01	-	-	·04	-	-	·77	-	-	·16	·04	15
16	-	·12	-	-	-	-	·38	·03	-	-	-	·06	16
17	-	·31	-	-	·68	-	·03	·07	-	-	-	-	17
18	-	·20	·03	-	·11	-	-	-	-	-	·03	-	18
19	-	·12	-	-	·01	-	·05	-	-	·01	-	-	19
20	·32	-	-	-	-	-	-	-	-	-	-	·17	20
21	·17	-	-	-	-	-	-	-	-	·02	-	·05	21
22	·78	·12	·16	·01	-	-	·60	-	-	-	-	·08	22
23	-	·17	·03	-	-	·02	·09	-	·16	·41	-	·25	23
24	-	-	-	-	-	-	·06	-	·18	·20	-	·24	24
25	-	-	·05	·14	-	·02	·12	-	-	·02	-	·13	25
26	-	·05	-	-	-	·10	·16	-	-	-	-	·41	26
27	-	-	-	-	-	·13	·12	-	-	·21	-	·04	27
28	-	·03	-	-	-	·17	-	-	1·25	·06	-	-	28
29	-		-	-	-	-	·09	17	-	-	·10	-	29
30	·02	×	-	-	-	·07	-	·01	-	·03	·16	·01	30
31		×	-	×	-	×	-	·08	×	·70	×	·12	31
Total	3·48	2·50	·60	1·11	2·73	·59	3·22	4·04	1·74	1·75	1·86	4·61	YEAR'S TOTAL 28·23 ✓
Rain Days.	17	18	·10	8	9	8	14	19	6	12	9	25	155 ✓

W. 8,000. X. 15.

34

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Hammersmith Creek
in the County of 199. King St. Hammersmith W London
by London County Council

Lat. 51° 29′ 31″ N Long. 0° 13′ 56″ W
Time of Observation 9 a.m.
Nearest Railway Station Ravenscourt Park W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 15 ft. 4½ in.
" " " " Sea Level 34 ft.

18 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	–	0·02	–	0·32	0·01	0·01	–	0·25	0·08	0·30	–	1
2	0·33	0·01	0·09	–	0·26	–	–	–	0·25	0·35	0·01	–	2
3	–	0·23	0·11	–	0·01	–	0·04	–	0·11	0·18	0·56	–	3
4	0·14	0·07	–	–	–	0·21	0·02	–	0·11	0·01	0·30	–	4
5	0·01	–	–	0·01	0·11	0·13	–	–	–	0·05	0·26	0·01	5
6	–	0·06	0·22	0·19	0·04	0·01	0·26	–	–	–	0·22	–	6
7	0·04	–	0·16	–	0·12	0·14	0·12	–	–	–	0·54	0·07	7
8	–	–	0·07	–	0·17	0·01	–	–	–	0·01	0·01	0·16	8
9	–	–	–	–	0·13	0·02	–	–	–	0·06	–	0·03	9
10	–	0·15	0·08	0·05	–	0·34	0·09	–	–	–	–	0·16	10
11	0·02	0·11	0·02	0·14	–	0·38	–	–	–	–	–	0·02	11
12	0·02	0·02	0·01	0·03	0·33	0·14	0·02	0·04	–	0·06	–	–	12
13	–	0·24	0·25	0·09	0·01	0·11	0·10	0·16	0·02	0·02	–	–	13
14	–	0·18	0·07	0·03	0·08	–	–	0·75	–	0·03	–	0·05	14
15	–	0·16	0·18	–	–	–	0·10	0·52	–	0·01	–	–	15
16	0·01	0·03	0·18	0·15	0·01	–	0·14	0·25	–	–	–	–	16
17	0·07	0·09	–	0·02	–	–	0·02	0·09	0·24	0·41	–	–	17
18	0·01	0·06	0·02	0·23	–	–	–	–	0·12	0·15	0·65	–	18
19	0·06	0·02	0·15	0·12	–	–	–	–	0·07	–	0·45	0·02	19
20	0·12	–	0·22	–	–	–	–	–	–	–	0·01	0·25	20
21	0·02	–	0·39	0·04	–	–	0·26	–	–	–	0·01	–	21
22	–	–	0·05	–	0·01	–	–	–	–	–	–	0·29	22
23	0·02	0·20	–	–	–	0·08	–	0·02	–	0·02	0·03	0·08	23
24	–	0·07	–	–	0·07	0·02	–	0·03	–	0·08	0·03	0·26	24
25	–	0·46	0·21	–	–	–	–	0·21	–	0·11	0·08	–	25
26	–	0·19	0·03	–	–	0·08	–	0·87	–	0·04	–	–	26
27	0·04	0·02	0·67	–	–	0·04	–	0·70	0·04	0·48	–	–	27
28	–	0·30	0·17	–	–	0·01	–	0·02	0·03	0·01	–	0·14	28
29	–	0·04	0·01	–	–	0·26	–	0·91	0·03	0·16	–	0·11	29
30	–		–	–	0·01	–	–	0·07	–	0·36	–	–	30
31	–		–		–		–	0·06		0·17		0·01	31
Total	093 ✓	2·71 ✓	3·38 ✓	1·10 ✓	1·68 ✓	1·99 ✓	1·18 ✓	4.70 ✓	1·27 ✓	2·85 ✓	3,46 ✓	1·66 ✓	YEAR'S TOTAL 26·91 ✓
Rain Days.	15 ✓	21 ✓	23 ✓	12 ✓	15 ✓	17 ✓	12 ✓	15 ✓	11 ✓	22 ✓	15 ✓	15 ✓	193 ✓

W. 8,000, VIII. 16

34

FORM A.
BRITISH RAINFALL
16 JAN 1919

REGISTER OF RAINFALL IN 1917

Kept at Hammersmith Creek
in the County of London
by the London County Council

Lat. 51° 29' 31" N Long. 0° 13' 56" W
Time of Observation 9 a.m.
Nearest Railway Station Ravenscourt Park (District Rly)
Diameter of Funnel of Rain Gauge 8 ins
Height of top of Gauge above Ground 15 ft. 4½ in.
" " " " Sea Level 34·12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·01	0·13	—	—	—	1·07	0·02	—	0·05	—	1
2	—	—	—	0·29	—	0·05	—	0·04	—	—	0·12	—	2
3	0·01	—	—	0·03	—	—	—	0·25	—	0·19	0·02	—	3
4	—	0·13	0·08	—	—	—	0·30	0·17	—	0·33	—	—	4
5	0·23	—	0·06	0·23	—	—	—	0·01	0·45	0·13	0·07	—	5
6	—	—	0·08	0·08	—	0·06	—	0·10	0·19	0·02	0·04	—	6
7	0·15	—	—	—	—	—	0·09	—	—	0·12	—	0·02	7
8	0·10	—	—	0·09	—	—	0·89	—	0·02	0·19	0·12	0·28 ~~0·02~~	8
9	0·03	—	0·02	0·10	—	—	0·02	—	0·07	—	0·06	0·12 ~~0·28~~	9
10	0·14	—	0·07	0·18	—	—	—	—	—	—	0·01	0·04	10
11	0·12	—	0·40	0·19	—	—	—	—	0·29	0·18	—	—	11
12	0·14	—	0·04	0·04	—	—	—	0·04	—	0·35	—	—	12
13	0·02	—	0·16	0·02	—	—	—	0·04	0·03	—	—	—	13
14	—	—	—	0·17	—	—	—	0·28	—	—	—	—	14
15	0·01	—	—	—	—	—	0·04	—	—	0·03	—	—	15
16	0·06	0·16	—	0·22	0·15	2·75	0·07	—	—	0·32	—	0·26	16
17	—	0·01	—	0·07	0·61	—	0·28	0·06	0·38	0·27	—	—	17
18	0·03	0·05	—	0·06	0·06	0·90	0·09	0·01	0·15	0·07	—	—	18
19	0·02	0·10	0·08	—	0·36	0·04	—	—	0·17	—	—	—	19
20	0·02	0·12	0·04	—	0·54	—	0·05	0·04	—	—	0·05	—	20
21	0·04	—	0·02	—	—	0·01	—	—	—	0·01	0·02	—	21
22	—	—	0·04	—	—	—	—	0·08	—	0·05	—	—	22
23	—	0·11	—	—	0·08	—	—	0·07	—	0·06	—	0·02	23
24	—	0·02	—	—	—	0·14	—	0·01	—	0·13	0·05	0·01	24
25	—	0·01	0·06	—	—	~~0·14~~	—	—	—	—	0·08	—	25
26	—	—	0·03	—	—	—	—	0·18	0·04	—	0·35	—	26
27	—	—	—	—	—	0·02	—	0·63	—	—	—	—	27
28	—	—	0·01	—	—	1·25	—	0·10	—	—	—	0·04	28
29	—		0·06	—	0·22	0·05	0·26	0·02	—	0·21	—	0·15	29
30	—		0·31	—	—	—	1·41	0·05	—	0·01	—	0·02	30
31	0·02		0·08		—		0·36	0·03		—		0·01	31
Total	1·14	0·71	1·65	1·90	2·02	5·27 5·27	3·86	3·28	1·81	2·67	1·04	0·97	YEAR'S TOTAL 26·32
Rain Days.	16	9	19	15	7	10	12	21	11	18	13	11	162

W. 8,000, IX. 17.

30

REGISTER ExML OF RAINFALL IN 1918

FORM A2. BRITISH RAINFALL.

Kept at 199. King Street Hammersmith, W.

in the County of London

by London County Council.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 15 ft. 4½ in.
,, ,, ,, Sea Level 34·12 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Ravenscourt Park (District Rly)
Distance 400 yds Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·13	—	—	—	0·01	—	—	0·10	0·08	1
2	—	0·06	—	0·04	—	—	—	0·23	—	0·02	0·10	0·14	2
3	—	0·01	0·03	0·01	0·45	—	—	0·22	—	—	0·62	0·01	3
4	—	0·03	0·13	—	—	—	—	0·04	0·52	—	0·30	0·01	4
5	—	0·02	—	—	0·07	—	—	0·05	0·23	0·11	—	—	5
6	0·19	0·08	—	0·21	0·15	—	—	—	—	—	—	0·05	6
7	0·03	0·10	—	0·10	0·16	—	—	—	0·07	0·19	0·07	—	7
8	—	0·02	—	—	—	—	0·02	—	0·12	0·02	0·07	0·01	8
9	—	0·04	—	0·05	—	0·02	0·31	—	0·31	0·09	—	0·19	9
10	—	—	—	0·13	—	—	0·45	—	0·01	0·01	0·02	0·38	10
11	—	—	—	0·03	0·04	—	0·66	—	0·04	0·17	0·10	0·11	11
12	—	0·03	—	—	0·17	—	0·08	—	0·01	—	—	0·01	12
13	0·03	—	—	—	0·11	—	0·17	—	0·19	—	—	0·01	13
14	0·11	—	0·02	—	—	0·30	0·01	—	0·36	0·08	—	0·20	14
15	0·92	—	—	0·68	—	—	0·03	—	0·01	—	—	0·05	15
16	0·32	—	0·01	0·20	—	0·10	—	—	0·27	—	—	0·01	16
17	0·18	—	—	0·19	—	0·19	0·43	0·05	—	—	—	0·11	17
18	0·45	—	—	—	—	0·17	0·03	—	1·40	0·21	—	0·03	18
19	0·02	—	0·03	0·04	—	0·02	0·27	—	0·04	0·05	—	0·06	19
20	0·03	0·10	—	0·41	—	0·01	0·07	—	0·11	0·14	—	0·01	20
21	0·06	—	—	0·31	—	—	0·02	—	0·52	0·04	—	—	21
22	0·04	—	—	—	0·14	—	0·19	—	0·11	—	—	0·16	22
23	0·03	—	—	0·02	0·18	—	0·33	0·05	0·07	—	—	0·07	23
24	—	0·19	—	—	—	0·03	0·75	—	0·05	—	0·03	—	24
25	—	—	—	—	—	—	0·55	0·10	—	0·01	0·01	—	25
26	—	—	—	—	—	—	0·44	0·13	—	0·04	0·17	0·11	26
27	—	0·01	—	0·07	—	—	0·02	0·11	0·05	0·01	0·10	0·01	27
28	—	0·05	0·38	—	—	—	—	0·01	—	—	0·18	0·12	28
29	—		—	—	—	—	—	—	0·96	—	0·01	—	29
30	—		0·47	—	—	—	—	—	0·01	—	0·01	0·09	30
31	—		—		—		—	0·10		0·03		—	31
Total	2·41	0·74	1·07	2·62	1·47	0·84	4·83	1·10	5·46	1·22	1·89	2·03	TOTAL for year. 25·68
No. of Rain Days.	13	13	7	16	9	8	19	12	22	16	15	24	174

100—(25883—3C—C.14)—6.1.12—6997

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

27 FEB 20

REGISTER OF RAINFALL IN 1919.

Kept at Hammersmith

in the County of London

by the London County Council

Lat. Long. Information

Time of Observation already given.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.22	-	-	0.02	0.02	-	0.27	-	-	0.01	-	0.80	1
2	0.37	-	-		0.12	-	0.32	-	0.30	0.01	0.09	0.06	2
3	0.24	-	0.25		0.01	-	0.22	-	0.14		0.02	0.36	3
4	0.07	0.09	0.35			0.06	0.15	0.01	-		0.01	0.12	4
5	0.01	0.26	0.46				0.14		0.07		0.02	0.25	5
6	0.01		0.05								-	0.03	6
7	0.02		0.28								0.02	-	7
8	0.05		0.04	0.02							-	-	8
9	0.08		0.01	0.08	0.04						0.01	-	9
10	0.50		0.04	-						0.01	0.04	0.02	10
11	0.01		0.05	0.24			0.29			-		0.01	11
12	0.03		0.04	0.02		0.04	0.06			0.09		-	12
13	0.01	0.02	-	0.20			0.03			0.05		-	13
14	0.16	-	-	0.20			0.05		0.50			-	14
15	0.19	-	0.14	0.09			-		-		0.01	0.27	15
16	0.04	0.45	-				-		-		0.09	0.05	16
17	-	0.33	0.03				-		-		0.12	0.01	17
18	-	0.20	0.05				-		0.20		0.09	0.07	18
19	0.04	0.12	0.69			0.28	0.29	0.16	0.03		0.06	0.01	19
20	0.21	0.05	0.07			0.76	0.22	0.12	0.01		0.02	0.01	20
21	0.14	0.20	0.01			0.07	0.07	-	-		0.02	0.02	21
22	-	0.08				-	0.12	-	0.14			0.25	22
23	-	-				0.03	.	0.03	0.03		0.02	0.01	23
24	-	-		0.21		0.01	0.10	0.02	-	0.14	0.04	0.02	24
25	0.02	0.01		-		0.01		0.18	-		-	0.01	25
26	0.06	0.20	0.12	0.08		-		0.04	0.13		-	0.27	26
27	0.33	0.02	0.03	1.18		-		0.41	-		0.01	0.05	27
28	-	-	0.20	0.02		-		0.67	-		0.18	0.28	28
29	0.02	-	-	0.02		-		0.30	-	0.21	0.04	0.03	29
30	0.01	×	-	0.25		0.16		0.13	-	0.01	0.17	0.21	30
31	0.02	×	0.03	×		×	0.01	-	×	-	×	0.02	31
TOTAL	2.86	2.03	2.94	2.63	0.19	1.42	2.34	2.07	1.37	0.53	1.08	3.24	YEAR'S TOTAL 22.70
Days with ·01 in. or more	25	13	20	14	4	9	15	11	10	8	20	25	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Good 9 to

28

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

22 JAN 1921

Kept at Hammersmith

in the County of London

by London County Council

Lat. Long.

Time of Observation 9

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

[illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	—	—	0.24	0.02	—	0.26	—	—	0.32	0.17	0.18	1
2	—	—	0.04	0.01	0.01	—	—	0.70	0.06	—	—	0.17	2
3	—	0.05	—	0.04	—	—	—	—	0.11	—	—	0.08	3
4	—	0.04	0.02	0.03	—	—	0.26	0.02	—	0.12	—	0.03	4
5	0.01	—	0.11	—	0.03	—	0.54	—	0.01	—	—	0.02	5
6	—	—	0.12	0.01	0.12	—	0.35	—	—	—	—	0.05	6
7	0.02	—	—	0.20	0.02	—	0.15	—	—	—	—	0.04	7
8	—	0.03	—	0.14	0.13	—	0.01	—	—	—	—	—	8
9	0.27	0.01	—	0.01	—	—	—	0.01	—	—	—	—	9
10	0.48	0.02	0.04	—	—	0.06	0.04	—	—	—	—	—	10
11	0.17	—	0.06	0.14	—	—	0.13	—	—	—	—	—	11
12	0.08	—	—	0.06	—	0.67	—	—	—	—	—	0.34	12
13	0.17	—	0.10	0.14	—	—	—	—	0.01	—	—	—	13
14	—	—	0.21	0.17	—	0.10	—	—	0.15	0.08	0.04	—	14
15	0.02	0.03	0.07	0.17	—	—	0.04	—	0.66	0.14	0.15	0.04	15
16	—	—	—	0.22	—	0.02	—	—	0.09	0.22	0.15	—	16
17	0.02	—	—	—	0.11	0.05	—	—	0.37	0.03	—	—	17
18	0.02	—	—	—	—	—	—	0.65	0.03	—	—	0.01	18
19	0.13	—	—	0.22	—	0.04	—	—	—	—	—	0.02	19
20	0.05	0.11	—	0.13	—	0.52	—	—	0.15	—	—	0.04	20
21	—	—	—	0.02	—	—	0.80	0.02	0.37	—	—	—	21
22	—	—	—	0.26	—	—	—	—	0.03	—	—	0.05	22
23	—	—	—	—	—	—	0.36	—	—	—	—	0.36	23
24	—	—	0.05	—	—	—	—	—	—	—	—	0.34	24
25	—	0.02	0.01	—	—	—	0.15	—	—	—	—	0.02	25
26	0.01	—	0.06	—	1.30	0.01	0.08	—	—	—	—	0.01	26
27	0.12	0.05	0.01	0.23	—	0.09	0.08	—	—	—	—	0.02	27
28	0.34	—	0.05	0.16	—	—	0.10	—	—	—	0.59	0.08	28
29	0.20	—	0.05	—	0.01	—	—	—	—	—	—	0.03	29
30	0.03	✕	—	—	0.09	—	0.25	—	0.39	—	0.04	0.15	30
31	—	✕	—	✕	0.01	✕	—	—	✕	0.17	✕	0.07	31
TOTAL	2.18	0.36	1.00	2.60	1.85	1.56	3.70	1.40	2.43	1.08	1.14	2.15	YEAR'S TOTAL 21.45
Days with ·01 in. or more	18	9	15	20	11	9	16	5	13	7	6	22	151
Days with ·04 in. or more	11	4	12	15	5	7	15	2	9	6	6	14	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Jup 50

28.

HAMMERSMITH CEMETERY
MARGRAVINE RD.

1911 – 1920

IN 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Wes

in the County of

by

…ttern Snowdon
…ameter of top 5 in.
…ight of top above Ground 1 ft. — in.
" " " Sea Level Not Known ft.
…servation 9 A.M.
…ilway Station { Name Baron's Court
Distance ¼ mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											–	·07 –	1
2											·17	·07 ·17	2
3											·07	— ·07	3
4											·20	·21 ·20	4
5											·01	·12 ·01	5
6											–	·20 –	6
7											·30	·17 ·30	7
8											·21	·22 ·21	8
9											—	·02 –	9
10											·06	·37 ·06	10
11											·53	— ·53	11
12											·36	— ·36	12
13											–	·24 —	13
14										—	–	·40 —	14
15										·01	·02	·01 ·02	15
16										—	·35	·02 ·35	16
17										—	·26	·015 ~~·05~~ ·26	17
18										—	·48	·17 ·48	18
19										·09	·16	·07 ·16	19
20										·05	–	·49 –	20
21										·51	–	·04 –	21
22										·20	–	·35 –	22
23										—	·03	·09 ·03	23
24										1·09	–	·25 –	24
25										·01	–	— –	25
26										·08	·02	·26 ·02	26
27										–	·03	·10 ·03	27
28										–	–	— –	28
29										·21	–	— –	29
30										·16	–	— –	30
31										—		—	31
Total										2.41	3.26	4.09	TOTAL for year
No. of Rain Days										from 14th 10	17 RAIN DAYS	23 RAIN DAYS	✓

9,000, IX. '10.

IN 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at West Lodge Hammersmith Cemetery
in the County of London W. 2
by J. Robertson

Rain Gauge:
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level Not Known ft.

Time of Observation 9 A.M.

Nearest Railway Station:
Name Baron's Court
Distance ¼ mile Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											–	·07 –	1
2											·17	·07 ·17	2
3											·07	– ·07	3
4											·20	·21 ·20	4
5											·01	·12 ·01	5
6											–	·20 –	6
7											·30	·17 ·30	7
8											·21	·22 ·21	8
9											–	·02 –	9
10											·06	·37 ·06	10
11											·53	– ·53	11
12											·36	– ·36	12
13											–	·24 –	13
14										–	–	·40 –	14
15										·01	·02	·01 ·02	15
16										–	·35	·02 ·35	16
17										–	·26	·015 ~~·05~~ ·26	17
18										–	·48	·17 ·48	18
19										·09	·16	·07 ·16	19
20										·05	–	·49 –	20
21										·51	–	·04 –	21
22										·20	–	·035 –	22
23										–	·03	·09 ·03	23
24										1·09	–	·25 –	24
25										·01	–	– –	25
26										·08	·02	·26 ·02	26
27										–	·03	·10 ·03	27
28										–	–	– –	28
29										·21	–	– –	29
30										·16	–	– –	30
31										–		–	31
Total										2·41	3·26	4·09	TOTAL for year ✓
No. of Rain Days										from 14th 10	17 Rain Days	23 Rain Days	✓

9,000, IX. '10.

✓ ~~W~~ D.L. Cor. for auth. 31.III.13.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

1 JAN 1913

Kept at Hammersmith Cemetery

in the County of London 2

by J. Robertson

RAIN GAUGE
Pattern Snowdon
Diameter of top 6 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 16 ft. [illegible]

Time of Observation 9 AM

Nearest Railway Station
Name Barons Court
Distance ¼ Mile Direction N° E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	·04	—	·07	·18	—	·06	·32	—	·20	1
2	—	—	·28	·01	—	·03	·27	·05	—	·02	—	·01	2
3	·04	·01	·06	—	—	·20	—	·30	—	—	—	·10	3
4	·25	—	·44	—	·13	·18	—	·03	—	—	·15	—	4
5	·15	·03	·03	—	—	—	—	·27	—	—	·02	·01	5
6	·47	·01	—	—	—	·19	—	·16	·02	—	—	·01	6
7	—	—	·02	—	·06	·69	·06	·23	—	—	—	·01	7
8	·28	·27	·11	—	—	06	—	·12	—	—	—	—	8
9	—	·09	—	·05	—	·14	·01	·05	—	—	—	·16	9
10	—	·04	—	—	—	·01	—	·45	—	—	·06	·25	10
11	·02	·30	—	—	—	·02	—	·01	·01	—	·01	·14	11
12	·04	·04	·10	—	·12	·15	—	·01	—	—	·03	·01	12
13	—	—	—	—	—	—	—	·03	·01	—	·04	·02	13
14	—	—	—	—	·06	—	—	·15	—	04	·01	·02	14
15	—	·02	·08	—	·20	·53	—	·03	—	—	·01	·34	15
16	·31	·01	·03	—	·07	·01	—	·04	—	—	·06	—	16
17	·52	—	·22	—	—	·04	—	·05	—	—	·01	—	17
18	·02	—	·12	—	—	—	—	·12	—	—	·02	·09	18
19	·06	·04	·08	—	—	—	·15	·48	—	—	—	—	19
20	—	—	·10	—	·01	—	—	·06	—	·41	—	—	20
21	—	·01	·13	—	·07	—	—	·14	—	·07	·05	—	21
22	·26	·14	·06	—	·01	—	·06	·14	—	·04	—	·08	22
23	·31	·38	·30	—	—	—	03	·37	—	·04	·16	·15	23
24	·52	·03	·02	—	—	·38	·02	·20	—	—	—	·16	24
25	·29	—	—	—	—	·18	—	·70	—	—	·27	·49	25
26	—	·02	—	—	—	·09	01	·26	—	·34	·33	·34	26
27	—	—	—	—	—	—	—	—	—	·16	—	·23	27
28	—	04	—	—	—	·16	·21	·03	·05	·25	·33	·08	28
29	—	·01	—	—	~~40~~	·06	·20	·26	·91	·18	·03	·01	29
30	—		—	—	·40	—	—	09	·97	·14	—	—	30
31	—		28	·18	—		12	·12		—		—	31
Total	3.54	1·49	2·53	0·10	1·13.	3·19	1·32	~~5·03~~	2·03	2·01	1·59	2·91	TOTAL for year ~~[illegible]~~
No. of Rain Days.	15 Rain Days	18 Rain Days	19 Rain Days	3 Rain Days	10 Rain Days	19 Rain Days	12 Rain Days	29 Rain Days	7 Rain Days	12 Rain Days	17 Rain Days	22 Rain Days	183 Rain Days
						3·19		4·95					26·79

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Ex 95

REGISTER OF RAINFALL IN 1913.

Kept at Hammersmith Cemetery
in the County of London. ~~Middlesex~~ ?
by R. J. Brown (Superintendent)

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Barons Court
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·21	·03	·11	—	—	—	—	·24	—	·15	·10	1
2	·083	·16	—	·05	—	—	·05	—	·10	·05	·04	·01	2
3	—	·01	·04	·27	·30	—	—	—	—	—	—	·03	3
4	·17	—	—	·02	·37	—	·08	—	—	·28	·01	·04	4
5	·20	—	—	—	·01	·06	·09	—	·32	—	— ~~·03~~	·05	5
6	·01	·02	·08	·01	·15	·05	·16	—	—	·12	·0~~7~~3	·08	6
7	—	·11	—	—	·02	·01	·02	·20	—	·35	·04	—	7
8	—	·02	·02	—	·05	·16	—	—	—	·08	—	—	8
9	—	·13	—	—	·03	—	·01	—	·03	—	·02	·02	9
10	—	·01	·10	·12	—	—	·07	·02	—	—	·30	—	10
11	·28	—	—	·40	·08	—	—	—	—	·53	·10	—	11
12	—	·01	—	—	·06	—	—	—	—	—	·43	—	12
13	·06	—	·03	—	—	—	—	·01	·06	—	·25	—	13
14	·04	·01	·08	·06	—	—	·58	·05	—	·12	·04	—	14
15	·18	·06	·24	·23	—	—	·14	—	·02	—	—	—	15
16	·10	—	·34	·16	—	—	—	—	·35	—	—	—	16
17	·03	·03	·06	·05	—	—	·12	—	—	—	·01	—	17
18	—	—	·06	·12	—	—	—	—	—	—	·04	—	18
19	·15	—	·04	—	·01	·01	·12	—	·20	—	—	—	19
20	·10	—	·28	·02	—		—	—	—	·56	·02	—	20
21	—	·02	·20	·04	—	—	·04	—	—	·18	·70	—	21
22	·43	—	·16	·10	—	—	—	·10	·17	—	—	—	22
23	—	—	·01	—	—	·04	—	·17	·01	—	—	·34	23
24	01	—	—	·02	—	·01	—	·02	—	—	—	—	24
25	—	—	—	·14	—	—	—	—	—	—	—	·01	25
26	—	·01	·18	·06	—	—	—	·07	—	·71	—	·15	26
27	—	—	·01	·05	·03	—	—		—	—	—	—	27
28	·73	—	·24	·10	—	—	—	—	—	·10	—	—	28
29	·03		—	·50	·66	—	—	·04	—	·02	—	—	29
30	·19		—	·04	—	—	—	·11	—	·10	—	—	30
31	—		·05		—		—	·49		·02		—	31
Total	2·~~34~~26	·81	2·2~~4~~5	2·67	1·67	·34	1·48	1·28	1·50	3·22	2·08	·83	YEAR'S TOTAL 20·39
Rain Days.	18 RAIN DAYS	14 RAIN DAYS	20 RAIN DAYS	22	12	7	12	11	10	14	15	10	165

W. 7,500, XI. 12

Examined LGWC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 JAN 1915

Kept at Hammersmith Cemetery, Margravine Road, Fulham. W.
in the County of London 2
by R. J. Brown (Superintendent)

Lat. – Long. –
Time of Observation 9 a.m.
Nearest Railway Station Barons Court, West Kensington W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. – in.
" " " " Sea Level – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	–	–	–	–	·16	–	–	·02	·03	1
2	–	–	–	–	–	–	·11	·14	–	–	·08	·15	2
3	–	–	·05	–	·12	–	·18	·02	–	–	·04	–	3
4	·05	–	·01	·14	–	–	·01	·04	–	–	·24	·20	4
5	·03	–	·06	·14	·15	·02	·30	·72	–	–	–	–	5
6	–	·10	·01	·10	–	·20	·01	·02	–	–	·10	·07	6
7	–	·18	·19	·12	·80	·03	·08	–	–	–	–	·06	7
8	·06	·33	·70	·01	·01	·18	·10	·09	·01	–	–	·01	8
9	·16	–	·53	·11	–	·10	–	–	·09	–	–	1·58	9
10	–	·08	·02	·02	·03	–	–	–	·12	–	–	·02	10
11	–	·28	·37	–	–	·06	–	–	·18	–	·23	·24	11
12	·01	·10	·10	–	–	–	·10	–	·15	–	·02	·44	12
13	–	·14	·14	–	–	–	–	–	·11	·07	·06	·40	13
14	–	·06	·27	–	–	·43	·15	–	–	·15	·04	·43	14
15	·02	–	·14	–	–	–	·10	–	–	·01	·35	·04	15
16	·01	–	·01	–	–	–	–	–	·02	–	–	–	16
17	–	·28	·06	–	–	–	–	–	–	–	–	·12	17
18	–	·03	·12	–	–	–	–	–	–	–	–	·24	18
19	–	·02	·21	–	–	·10	·02	–	–	–	·15	·43	19
20	–	·20	·25	–	–	·02	·01	–	·12	–	–	·05	20
21	–	·47	·07	–	–	–	–	·01	–	·01	–	·02	21
22	–	–	·03	–	·48	·33	·14	·01	–	·14	–	–	22
23	–	–	·12	–	·14	·01	·12	–	–	·12	–	–	23
24	–	–	·08	·01	–	–	·01	–	–	–	·12	–	24
25	·02	–	·09	–	–	–	·01	·12	–	·24	·01	·06	25
26	–	–	·08	–	–	–	·01	·11	–	·05	·16	·54	26
27	·03	–	–	–	–	–	–	–	–	–	·03	·12	27
28	–	·02	–	–	·01	–	–	–	–	·05	·52	·90	28
29	·02	×	·07	–	–	–	–	–	–	·19	·10	–	29
30	–	×	·04	–	–	–	–	–	–	·02	·60	·15	30
31	–	×	–	×	·14	×	·02	–	×	–	×	·04	31
Total	·41	2·29	3·85	·65	1·88	1·48	1·48	1·44	·80	1·05	2·87	6·34	YEAR'S TOTAL 24·54
Rain Days.	10	14	27	8	9	11	18	11	8	11	18	24	169

W. 8,000. X. 14.

cnd by B. 21·11·16 IV [illegible]

42

FORM A.
BRITISH RAINFALL.
8. JAN. 1916

REGISTER OF RAINFALL IN 1915.

Kept at Hammersmith Cemetery

in the County of London 2

by R. J. Brown (Supt)

Lat. 51° 29' 5" N. Long. 0° 12' 40" W.

Time of Observation 9 a.m

Nearest Railway Station Barons Court

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·12	·03	–	·02	–	–	·02	·05	·02	·28	·52	1
2	·40	·20	·22	·14	–	·01	–	·53	–	·03	–	·10	2
3	·30	·01	·09	·16	·02	–	–	·47	–	–	–	·42	3
4	·04	–	–	–	–	–	–	·18	–	–	–	·24	4
5	·04	·35	–	–	–	–	–	–	–	·01	·01	·20	5
6	·32	·02	–	·30	·76	–	·75 ·75	·01	–	–	–	·39	6
7	·40	·20	·02	–	–	–	·12	·02	–	–	–	·25	7
8	·14	·54	·01	·08	–	–	·05	·03	–	–	–	–	8
9	–	·04	–	·09	–	·07	–	·04	–	·03	·33	·56	9
10	·22	–	·01	–	–	–	–	·31	–	–	–	·15	10
11	·07	–	·02	–	–	–	–	–	–	–	·59	·06	11
12	·06	·01	·02	·26	·48	–	–	·35	–	–	·28	·01	12
13	·01	·35	–	–	1·24	–	–	·42	–	–	–	–	13
14	–	·04	–	–	–	–	·49	·04	·05	–	–	·44	14
15	·09	·01	–	–	·04	–	–	·45	–	–	·20	·08	15
16	–	·18	–	–	–	–	·47	·02	–	–	–	·10	16
17	–	·36	–	–	·78	–	·01	·04	–	–	–	–	17
18	–	·26	·04	–	·12	–	–	–	–	–	·02	–	18
19	–	·16	–	–	·01	–	·05	–	–	·01	–	–	19
20	·35	–	–	·02	–	–	–	–	–	–	–	·20	20
21	·06	–	–	–	–	–	·01	–	–	·01	–	·05	21
22	·85	·07	·15	·03	–	–	·67	–	–	–	–	·10	22
23	–	·18	·04	–	–	·02	·18	–	·14	·46	–	·26	23
24	–	·01	·01	·01	–	–	·07	–	·19	·21	–	·25	24
25	–	–	·08	·18	–	·02	·12	–	–	·01	–	·14	25
26	·02	·07	–	–	–	·10	·27	–	–	–	–	·46	26
27	–	–	–	–	–	·14	·14	–	–	·24	–	·05	27
28	–	·05	–	–	–	·21	–	–	1·37	·06	–	–	28
29	–		·01	–	–	–	·04	·20	–	–	·09	–	29
30	·03	✕	–	–	–	·05	–	–	–	·02	·19	–	30
31	·01	✕	–	✕	–	✕	–	·01	✕	·77	✕	·16	31
Total	3·84	3·23	·75	1·27	3·47	·62	3·44 ✓	3·14	1·80	1·88	1·99	5·19	YEAR'S TOTAL 30·62
Rain Days.	19	21	14	10	9	8	15	17	5	13	9	23	163

W. 8,000. X. 15.

✓ Ex 121

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at West Lodge, Hammersmith Cemetery Margravine Road. W.
in the County of London
by R. J. Brown (Superintendent)

Lat. 51° 29' 5" N. Long. 0° 12' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Barons Court.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	·01	–	·33	–	·01	–	·25	·08	·34	–	1
2	·43	·01	·09	–	·27	–	·01	–	·18	·38	·02	–	2
3	–	·40	·14	–	·01	·01	·03	–	·15	·22	·62	–	3
4	·18	·10	–	–	·01	·23	·01	–	·10	·02	·38	–	4
5	·01	–	·01	–	·10	·12	–	–	–	·05	·37	–	5
6	–	·06	·22	·20	·02	·03	·33	–	–	·01	·29	–	6
7	·03	–	·30	–	·12	·12	·12	–	–	–	·52	·08	7
8	–	–	·04	–	·19	–	–	–	–	–	–	·20	8
9	–	–	–	–	·17	·01	–	–	–	·07	–	·05	9
10	–	·16	·08	·05	–	·30	·04	–	–	–	–	·15	10
11	·01	·12	·01	·14	–	·62	–	–	–	–	–	·01	11
12	·02	·02	·01	·04	·25	·13	·01	·04	·01	·07	–	–	12
13	–	·25	·28	·08	·01	·11	·10	·15	–	·02	–	–	13
14	–	·34	–	·02	·09	–	–	·74	–	·03	–	·06	14
15	–	·21	·22	–	–	–	·10	·24	–	–	–	–	15
16	–	·03	·18	·16	·01	–	·12	·21	–	–	–	–	16
17	·06	·09	–	·02	–	–	·02	·12	·28	·50	–	–	17
18	·01	·07	·02	·24	–	–	–	·34	·12	·16	·76	–	18
19	·08	·02	·14	·15	–	–	–	·01	·10	–	·57	–	19
20	·15	–	·22	–	–	–	–	–	–	–	·01	·36	20
21	·02	–	·42	·04	–	–	·25	–	–	–	–	·30	21
22	–	–	·06	–	–	–	–	–	–	·01	–	·41	22
23	·01	·15	·01	–	–	·10	–	·01	–	·02	·03	·09	23
24	–	·10	–	–	·07	·01	–	·02	–	·12	·02	·31	24
25	–	·54	·23	–	·01	–	–	·20	–	·04	·08	·01	25
26	–	·24	·02	–	–	·06	–	·76	–	·07	–	–	26
27	·04	·01	·98	–	–	·03	–	·74	·04	·55	–	–	27
28	–	·38	·26	–	–	·01	–	·03	·02	·01	–	·14	28
29	–	·04	–	–	–	·30	–	1·04	·03	·18	–	·12	29
30	–	X	–	–	–	–	–	·07	–	·39	–	–	30
31	–	X	–	X	–	X	–	·06	X	·22	X	·01	31
Total	1·08	3·34	3·95	1·14	1·66	2·19	1·15	4·78	1·28	3·22	4·01	2·30	YEAR'S TOTAL 30·10 in ✓
Rain Days.	14	21	23	11	15	16	13	17	11	22	13	15	191 ✓

W. 8,000, VIII. 16

√ 35

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Full

Kept at "West Lodge" Hammersmith Borough Cemetery, Margravine Road. W. 6.
in the County of London
by R. J. Brown (Superintendent)

Lat. 51° 29' 5" N Long. 0° 12' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Barons Court
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·21	-	-	-	1·10	·02	-	·05	-	1
2	-	·01	-	·39	-	·06	-	·05	-	-	·17	-	2
3	·01	-	-	·04	-	-	-	·32	-	·25	·05	-	3
4	-	·16	·15	-	-	-	·30	·17	-	·38	-	-	4
5	·27	-	·05	·24	-	-	-	·01	·56	·14	·07	-	5
6	-	-	·09	·06	-	·04	-	-	·19	·03	·03	-	6
7	·18	-	-	-	-	-	·09	-	-	·15	-	·02	7
8	·11	-	-	·09	-	-	·92	·09	·03	·22	·13	·30	8
9	·01	-	·03	·09	-	-	·83	·11	·05	-	·07	·16	9
10	·20	·01	·07	·19	-	-	-	-	-	-	·01	·05	10
11	·12	-	·41	·26	-	-	-	-	·25	·21	-	-	11
12	·12	-	·06	·04	-	-	-	·06	-	·39	-	-	12
13	·02	-	·20	·02	-	-	-	·03	·02	·02	-	·01	13
14	-	-	·01	·16	-	-	-	·23	-	-	-	-	14
15	·02	-	-	-	-	-	·04	-	-	·03	-	-	15
16	·06	·17	-	·22	·16	3·10	·02	-	-	·42	-	·34	16
17	-	·01	-	·08	·64	-	·36	·08	·40	·28	-	-	17
18	·02	·06	-	·09	·06	·82	·10	·02	·16	·07	-	-	18
19	·01	·14	·07	-	·41	·01	-	-	·16	-	-	-	19
20	·01	·16	·04	-	·60	-	·04	-	-	-	·04	-	20
21	·01	-	·02	-	·01	·01	-	-	-	·01	·01	-	21
22	·02	-	·04	-	-	-	-	·07	-	·06	-	-	22
23	-	·10	·02	-	·10	-	-	·07	-	·05	-	·02	23
24	-	·02	-	-	-	·18	-	·01	-	·15	·07	·02	24
25	-	·01	·06	-	-	-	-	-	-	-	·06	-	25
26	-	-	·05	-	-	-	-	·20	·04	-	·44	-	26
27	-	-	·02	-	-	-	-	·84	-	-	-	-	27
28	-	-	-	-	-	1·52	-	·12	-	-	-	·04	28
29	-	-	·05	-	·18	·07	·23	·02	-	·22	-	·15	29
30	-	✕	·28	-	-	-	1·65	·07	-	·01	-	·02	30
31	·03	✕	·08	✕	-	✕	·38	·03	✕	-	✕	-	31
Total	1·22	·85	1·80	2·18	2·16	5·81	4·16	3·70	1·88	3·09	1·20	1·13	YEAR'S TOTAL 29·18
Rain Days.	17	11	20	15	8	9	12	21	11	19	13	11	167

W. 8,000, IX. 17.

3·73

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
[illegible] 1. 19

Kept at Hammersmith Cemetery, Margravine Road W. 6.
in the County of London
by R. J. Brown (Supt)

Lat. 51° 29' 5" N. Long. 0° 12' 40" W
Time of Observation 9 a.m.
Nearest Railway Station Barons Court
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	-	·08	-	-	-	-	-	-	·13	·05	1
2	·01	·05	-	·02	-	-	-	·25	·01	·01	·11	·13	2
3	-	-	·03	·01	·48	-	-	·19	-	-	·72	·02	3
4	-	·04	·16	-	-	-	-	·03	·39	-	·44	-	4
5	-	·02	·01	-	·08	-	-	·05	·36	·08	-	-	5
6	·20	·12	-	·29	·17	-	-	·01	-	-	-	·05	6
7	·02	·11	-	·08	·17	-	-	-	·06	·16	·07	-	7
8	-	·03	-	·02	-	-	-	-	·09	·02	·06	·02	8
9	·01	·03	-	·05	-	·02	·44	-	·29	·09	-	·15	9
10	-	-	-	·12	-	-	·55	-	·02	·05	·03	·41	10
11	-	-	-	·02	·01	-	·88	-	·02	·18	·11	·12	11
12	-	·02	-	-	·22	-	·08	-	-	-	-	·01	12
13	·01	-	-	-	·08	-	·18	-	·20	-	-	-	13
14	·12	-	·02	-	-	·29	·02	-	·38	·08	-	·21	14
15	1·15	-	-	·74	-	-	·15	-	·01	-	-	·07	15
16	·24	-	-	·23	-	·20	-	-	·26	-	-	·01	16
17	·22	-	-	·19	-	·38	·35	·04	·01	-	-	·14	17
18	·55	-	-	-	-	·26	·02	-	1·40	·20	-	·03	18
19	·02	-	·03	·05	-	·02	·30	-	·03	·07	-	·06	19
20	·02	·12	-	·52	-	·01	·08	-	·12	·17	-	·01	20
21	·08	·01	-	·36	-	-	·02	-	·55	·05	-	-	21
22	·05	-	-	-	·21	-	·20	-	·15	-	-	·16	22
23	·03	-	-	-	·20	-	·36	·05	·07	-	-	·09	23
24	-	·20	-	-	-	·02	·73	-	·06	-	·05	-	24
25	-	-	-	-	-	-	·65	·12	-	-	·01	-	25
26	-	-	-	-	-	-	·49	·09	-	·05	·16	·12	26
27	-	·01	-	·07	-	-	·04	·12	·05	-	·11	·02	27
28	-	·02	·35	-	-	-	-	·01	-	-	·17	·15	28
29	-		-	-	-	-	-	-	1·02	-	·01	-	29
30	-	X	·44	-	-	-	-	-	·01	-	·04	·10	30
31	-	X	-	X	-	X	-	·10	X	·04	X	·01	31
Total	2·73	·79	1·04	2·85	1·62	1·20	5·54	1·06	5·56	1·25	2·22	2·14	YEAR'S TOTAL 28 in.
Rain Days.	15	14	7	16	9	8	18	12	23	14	15	23	174 days

W. 6,500, VII. 18. w w'c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Hammersmith Cemetery, Margravine Road, Hammersmith, W. 6.
in the County of London
by R. J. Brown (Superintendent)

Lat. 51° 29' 5" N. Long. 0° 12' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Barons Court
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·03	-	·01	·03	-	·32	-	-	·02	·01	·82	1
2	·41	-	-	-	·11	-	·44	-	·27	·01	·11	·11	2
3	·25	-	·27	-	·01	-	·31	-	·14	-	·02	·36	3
4	·06	·11	·42	-	-	·08	·20	-	-	-	·01	·10	4
5	·01	·28	·61	-	-	-	·03	-	·05	-	·01	·26	5
6	·01	-	·05	-	-	-	-	-	-	-	-	·03	6
7	·01	-	·25	-	-	-	-	-	-	-	·02	-	7
8	·05	-	·04	·02	-	-	-	-	-	-	-	-	8
9	·05	-	-	·05	·06	-	-	-	-	-	·01	-	9
10	·47	-	·04	-	-	-	-	-	-	·01	·05	·01	10
11	·03	-	·05	·26	-	-	·32	-	-	-	-	-	11
12	·01	-	·02	·01	-	·04	·06	-	-	·10	-	-	12
13	-	-	-	·19	-	-	·04	-	-	·04	-	·01	13
14	·20	-	-	·22	-	-	·06	-	·45	-	-	·01	14
15	·19	·02	·21	·09	-	-	-	-	-	-	-	·27	15
16	·03	·50	-	-	-	-	-	-	-	-	·10	·03	16
17	-	·39	·02	·01	-	-	-	-	-	-	·15	·01	17
18	-	·19	·05	-	-	-	-	-	·03	-	·10	·07	18
19	·04	·12	·65	-	-	·28	·35	·20	·02	-	·06	·01	19
20	·21	·05	·06	-	-	·85	·26	·11	-	-	·04	·01	20
21	·15	·21	·01	-	-	·06	·07	-	-	-	·01	·02	21
22	-	·09	-	-	-	-	·11	-	·14	-	·01	·27	22
23	-	-	-	-	-	·03	-	·03	·03	-	·02	·02	23
24	-	-	-	·23	-	·01	·09	·01	-	·14	·04	·02	24
25	·02	·01	-	-	-	·02	-	·16	-	-	-	·01	25
26	·05	·21	·12	·08	-	-	-	·01	·13	-	-	·28	26
27	·39	·02	·02	1·24	-	-	-	·41	-	-	·01	·06	27
28	-	-	·23	·02	-	-	-	·70	-	-	·18	·28	28
29	·02		-	·02	-	-	·01	·30	-	·21	·02	·02	29
30	-		-	·24	-	·16	-	·14	-	·02	·23	·23	30
31	·02		·03		-		-	-		·01		·01	31
TOTAL	2·93	2·23	3·15	2·69	·21	1·53	2·67	2·07	1·26	·56	1·21	3·33	YEAR'S TOTAL 23·84
Days with ·01 in. or more	23	14	19	15	4	9	15	10	9	9	21	26	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd WRS

30

6 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hammersmith Cemetery Margravine Road Hammersmith W.6
in the County of London
by R. J. Brown (Superintendent)

Lat. 51° 29' 5" N Long. 0° 12' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Barons Court
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	·26	·03	–	·28	·01	·01	·30	–	·17	1
2	–	–	·02	·01	·01	–	·02	·75	·06	·07	–	·06	2
3	·01	·05	–	·03	–	–	–	–	·11	·01	–	·02	3
4	–	·03	–	·03	–	–	·08	·03	·01	·11	–	·05	4
5	–	–	·13	–	·02	–	·50	·01	·01	–	–	·04	5
6	–	–	·12	–	·14	–	·39	–	–	–	–	·02	6
7	·01	–	–	·17	·04	–	·18	–	–	–	–	·01	7
8	–	·03	–	·15	·15	–	·03	·01	–	–	–	–	8
9	·29	·01	–	·02	–	–	–	–	–	–	–	–	9
10	·55	·02	·05	–	–	·07	·06	–	–	–	–	–	10
11	·14	–	·06	·15	·02	·02	·26	–	–	–	–	·17	11
12	·08	–	·01	·07	–	·75	–	–	–	·01	–	–	12
13	·17	–	·10	·17	–	–	–	–	–	–	·03	–	13
14	–	·01	·25	·26	–	·19	–	–	·17	·01	·16	·01	14
15	·01	·01	·08	·16	–	–	·06	–	·69	·10	·16	–	15
16	–	–	–	·28	–	·04	–	–	·10	·25	–	–	16
17	·01	–	–	–	·28	·08	·01	–	·53	·01	–	·02	17
18	·02	–	–	·01	·01	–	–	·70	·07	–	–	·04	18
19	·13	–	–	·20	–	·06	–	·01	–	–	–	·05	19
20	·05	·17	–	·12	–	·45	–	–	·10	–	–	–	20
21	–	–	–	·01	–	–	·85	·02	·48	–	–	·03	21
22	–	–	–	·27	–	–	–	·01	·04	–	·01	·39	22
23	–	–	–	–	–	–	·33	–	–	–	·01	·38	23
24	·01	·07	·06	–	–	–	–	·07	–	–	–	·02	24
25	–	·03	–	–	–	–	·15	–	·01	–	–	–	25
26	·01	–	·07	–	1·26	·01	·10	–	–	–	–	·02	26
27	·12	·05	·01	·25	–	·11	·03	–	–	–	·69	·07	27
28	·34	·01	·07	·17	·02	·01	·11	–	–	–	–	·02	28
29	·23	–	·05	–	·01	·01	·01	[illegible]	–	–	·02	·17	29
30	·02	×	–	–	·08	–	·24	–	·43	–	·17	·11	30
31	–	×	–	×	·02	×	–	–	×	·19	×	·08	31
Total	2·24	·43	1·08	2·79	2·09	1·80	3·69	1·56	2·82	1·06	1·25	1·95	Year's Total 22·76
Days with ·01 in. or more	19	12	14	20	14	12	19	10	15	10	8	22	175
Days with ·04 in. or more	11	3	11	14	6	8	14	2	11	6	4	13	103

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HA~~MP~~STEAD
KIDDERPORE RES
LONDON
1911 - 1920

DL 5d

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

5

R

Kept at Kidderp

in the County of M

by Met. Water

ft. in.

el ft.

Direction

IMPORTANT NO … esult entered to the previous day. If an Observer prefers not to conform to this … rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·65									1
2	·14			·26	·06						·15	·14	2
3		·03			·10						·07	·08	3
4	·05		·05	·10						·04	·18	·30	4
5	·02			·05				·03		·21		·07	5
6	·30		·12	·02								·18	6
7	·02									·10	·24	·23	7
8	·10		·18								·20	·14	8
9	·07		·02										9
10	·04	·10	·10	·02	·20						·02	·34	10
11	·21										·60		11
12	·02		·45		·08	·08			·03		·31		12
13			·06		·15				·50	·16	·01	·17	13
14		·06			·20							·28	14
15		·03	·13							·02	·03	·02	15
16						·45					·29	·02	16
17			·04								·28	·13	17
18		·18	·02			·06					·50	·14	18
19					·02	·20		·15	·20	·08	·16	·05	19
20		·02	·02					·21	·10	·04		·45	20
21		·07						·22	·12	·42		·10	21
22	·06		·08			·04		·01		·01		·40	22
23		·06	·08			·82			·24		·03	·12	23
24		·13	·01			·08		·02		1.10		·26	24
25		·03		·06		·14	·50			·03			25
26		·02	·06	·20		·07	·04			·12	·03	·37	26
27		·30							·11		·01	·10	27
28		·15	·08	·26	·02		·14	·06					28
29				·04		·18	·09		·20	·25			29
30				·02	·05	·02		·10		·16			30
31					·40								31
Total	1.07	1.18	1.50	1.68	1.28	2.14	·77	·80	1.50	2.74	3.11	4.09	TOTAL for year 21.86
No. of Rain Days	12	13	16	11	10	11	4	8	8	14	17	22	146

9,000, IX. '10.

8L 5

R

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

5

Kept at Kidderpore Res.

in the County of N. of Thames 2

by Met: Water Board

RAIN GAUGE:
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station:
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·65									1
2	·14			·26	·06						·15	·14	2
3		·03			·10						·07	·08	3
4	·05		·05	·10						·04	·18	·30	4
5	·02			·05				·03		·21		·07	5
6	·30		·12	·02								·18	6
7	·02									·10	·24	·23	7
8	·10		·18								·20	·14	8
9	·07		·02										9
10	·04	·10	·10	·02	·20						·02	·34	10
11	·21										·60		11
12	·02		·45		·08	·08			·03		·31		12
13			·06		·15				·50	·16	·01	·17	13
14		·06			·20							·28	14
15		·03	·13							·02	·03	·02	15
16						·45					·29	·02	16
17			·04								·28	·13	17
18		·18	·02			·06					·50	·14	18
19					·02	·20		·15	·20	·08	·16	·05	19
20		·02	·02					·21	·10	·04		·45	20
21		·07						·22	·12	·42		·10	21
22	·06		·08			·04		·01		·01		·40	22
23		·06	·08			·82			·24		·03	·12	23
24		·13	·01			·08		·02		1.10		·26	24
25		·03		·06		·14	·50			·03			25
26		·02	·06	·20		·07	·04			·12	·03	·37	26
27		·30							·11		·01	·10	27
28		·15	·08	·26	·02		·14	·06					28
29				·04		·18	·09		·20	·25			29
30				·02	·05	·02		·10		·16			30
31					·40								31
Total	1·07	1·18	1·50	1·68	1·28	2·14	·77	·80	1·50	2·74	3·11	4·09	TOTAL for year 21·86
No. of Rain Days	12	13	16	11	10	11	4	8	8	14	17	22	146

9,000, IX. '10.

DL

E. & C.

18

FORM A2.
BRITISH RAINFALL.
20 JAN 1913.

REGISTER OF RAINFALL IN 1912

Kept at Kidderpore M. W. B.

in the County of Thames, ~~Right~~ Left Bank

by H. F. Rutter

RAIN GAUGE: Pattern	
Diameter of top	in.
Height of top above Ground	ft. in.
" " " Sea Level	ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·02		·28	·10		·08	·27		·13	1
2			·22			·02	·21	·02		·01			2
3	·08	·02	·13		·10	·21		·27				·06	3
4	·25		·42		·16	·14		·02			·12		4
5	·20	·08	·03			·02		·20			·03		5
6	·57					·17		·05				·02	6
7			·01		·05	·60		·12				·01	7
8	·33	·33	·11			·02		·18					8
9		·08				·38	·02	·04				·15	9
10		·05						·14			·05	·21	10
11	·02	·26				·05			·02			·12	11
12	·06	·08	·10		·16	·16					·06		12
13		·01									·07	·01	13
14					·04			·06		·07		·01	14
15		·01			·20	·38		·01			·01	·33	15
16	·37		·04		·02	·03		·05		·04	·09		16
17	·52		·20			·06		·03				·01	17
18	·05		·15					·09			·01	·09	18
19	·10	·05	·05				·08	·40					19
20			·07		·04			·21		·33			20
21		·05	·22		·02			·11		·05	·04		21
22	·19	·17	·06		·01		·12	·13		·01		·03	22
23	·45	·39	·28				·18	·45		·01	·12	·14	23
24	·45					·14	·02	·12				·14	24
25	·10	·02				·23		·70			·22	·24	25
26		·01					·07	·21		·42	·23	·27	26
27										·18		·20	27
28		·03				·10	·15	·05	·02	·26	·30	·08	28
29		·02				·20	·27	·20	·85	·27	·03		29
30					·34	·01		·01	·77	·14			30
31			·31				·10	·15					31
Total	3·74	1·66	2·47	·02	1·14	3·20	1·32	4·02	1·74	2·06	1·38	2·25	TOTAL for year 25·00
No. of Rain Days.	15	17	17	1	11	19	11	26	5	13	14	19	168

5

W. 8,000, X. '11.

82 √

REGISTER OF RAINFALL IN 1913

18

FORM A.
BRITISH RAINFALL.

Kept at Kidderpore
in the County of London √
by H. F. Rutter, M. W. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.18	.04	.24					.28		.04	.11	1
2	.06	.12	.01				.05		.12		.02		2
3			.01	.13	.25							.05	3
4	.18				.31		.12			.15	.03	.05	4
5	.14					.05	.21		.23	.03		.07	5
6		.02	.18		.06	.10	.64			.15	.02	.09	6
7		.10			.01		.04	.10		.41	.09		7
8		.02	.02		.05	.10				.10	.02		8
9		.17		.01	.03				.04		.03	.05	9
10	.01		.10	.11	.05		.04	.09			.32		10
11	.59			.45						.46	.14		11
12					.04						.36		12
13	.08		.01					.02	.06		.25		13
14	.05	.01	.09	.04			.87	.07		.18	.07		14
15	.25	.05	.19	.18			.19						15
16	.10		.36	.16					.41				16
17	.02	.01	.03	.05			.18				.02	.01	17
18			.05	.15							.05		18
19	.12		.06		.05		.12		.32			.01	19
20	.08		.03	.06						.49	.02		20
21	.01	.01	.16	.12			.03			.19	.58		21
22	.40		.17					.06	.19				22
23			.01					.12	.02			.25	23
24			.01	.05		.01		.03			.01		24
25		.01		.14		.01		.09					25
26		.02	.18	.05						.71		.15	26
27			.01										27
28	.19		.22	.08						.10			28
29	.06		.04	.44	.64			.04		.03			29
30	.22			.10				.15		.09			30
31			.03					.39		.02			31
Total	2.58	.72	2.01	2.56	1.49	.27	2.49	1.16	1.67	3.11	2.07	.84	YEAR'S TOTAL 2097
Rain Days.	18	12	23	18	10	5	11	11	9	14	17	10	158

W. 7,500, XI. 12

82 referred 15.III.15

W MX

Corrd. by Observer 19.III.15

REGISTER OF RAINFALL IN 1914

28 JAN 1915

FORM A. BRITISH RAINFALL.

17

Kept at Kidderpore Reservoir

in the County of London L. Bank 2

by H. F. Rutter M. W. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09					·16			·02	·01	1
2	·01						·14	·18			·08	·14	2
3			·05		·13		·04				·04		3
4	·10		·01	·20				·05			·25	·13	4
5	·02		·06	·23	·12	·04	·36	·63			·01		5
6		·09		·02	·01	·15	·09	·02			·17	·10	6
7		·15	·30	·05	·90	·20	·05	·01				·07	7
8	·10	·32	·45	·04	·02	·16	·11	·11	·02		·02	·01	8
9	·15		·47	·11		·30			·12			1·40	9
10	·01	·06		·05	·06				·13			·01	10
11		·25	·37		·01	·12			·11		·37	·32	11
12		·05	·09				·13		·18	·01	·01	·26	12
13		·15	·08						·10	·12	·04	·27	13
14	·02	·06	·41				·11			·12	·08	·25	14
15	·05		·07					·01		·04	·22	·08	15
16			·01				·14		·03		·01		16
17		·22	·05						·04			·13	17
18		·03	·14									·15	18
19		·04	·14			·10	·04		·03		·15	·20	19
20		·15				·03			·16			·12	20
21		·32	·05			·06				·02		·04	21
22					·50	·11	·11	·05		·16			22
23			·10		·17		·02			·08		·01	23
24			·08	·02	·02						·11		24
25	·04		·10					·14		·25		·07	25
26			·03				·05	·09		·06	·13	·52	26
27	·04										·02	·12	27
28		·02			·01					·05	·27	·85	28
29	·03		·08							·22	·07		29
30			·05							·03	·63	·08	30
31					·12		·02					·02	31
Total	·57	1·91	3·28	·72	2·07	1·27	1·41	1·45	·92	1·16 ~~1·26~~	2·70	5·36	YEAR'S TOTAL 22·82
Rain Days.	11	14	23	8	12	10	14	11	10	12	20	25	170

W.7,000, XI. 18

8L ✓ 65

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Kidderpore
in the County of London Thames L. Bank 2
by Met: Water Board H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·09							·04	·02	·35	·42	1
2	·30	·13	·19	·06	·03			·45		·03		·13	2
3	·22		·06	·17					·01			·33	3
4	·06							·15				·20	4
5	·03	·25						·01		·03		·17	5
6	·24	·02		·14	·31		·80					·48	6
7	·63	·10	·03				·45	·03				·16	7
8	·04	·30	·01	·04			·02	·01					8
9		·08				·06		·09			·37	·50	9
10	·22							·23				·09	10
11	·02		·02					·05			·60		11
12	·06	·03		·21	·34			·49		·01	·25		12
13		·35			·87			·08					13
14		·03					·98		·06			·42	14
15	·06				·06		·01	·21			·10	·08	15
16		·17					·59	·03				·05	16
17		·29			·62		·02	·10					17
18		·21	·05		·07						·08		18
19							·11						19
20	·18			·05								·16	20
21	·15											·05	21
22	·65	·12	·15	·02			·83					·06	22
23		·26	·06			·02			·17	·20		·25	23
24			·01			·01	·02		·20	·26		·18	24
25			·04	·08		·03	·25			·02		·12	25
26		·08				·10	·10					·35	26
27						·10	·42			·30		·03	27
28		·03	·01			·11	·01		1·08	·12			28
29			·03			·11	·29	·15			·07	·01	29
30	·03	×				·01					·12		30
31		×		×		×		·02	×	·82	×	·06	31
Total	3·17	2·54	·66	·77	2·30	·55	4·90	2·10	1·56	1·81	1·94	4·30	YEAR'S TOTAL 26·60
Rain Days.	16	17	12	8	7	9	15	15	6	10	8	22	145

W. 8,000. X. 14.

DL Exc DL 59

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Kidderpore Reservoir
in the County of London L. Bank
by H. F. Rutter Met. Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·01		·32				·17	02	·37		1
2	·22	·02	·08		·26				·22	·28			2
3		·24	·10				·05		·18	·22	·54		3
4	·11	·10				·27	·04		·04	·05	·43		4
5	·01		·01			·23	·01			·05	·25		5
6		·05	·26	·18	·10	·17	·34			·06	·17		6
7	·08		·22		·06	·26	·21				·57	·05	7
8					·17							·20	8
9					·16					·04			9
10		·15		·12		·25	—	—				·11	10
11	04	·10	·02	·12		·11				—			11
12	·03	·02	·01	·03	·23	·11	·02	·08	—	·05			12
13		·25	·37	·14	·02	·09	·18	·12					13
14		·38	·02	·03	·07			·40		·04		·19	14
15		·17	·32					·16					15
16			·10	·15	·01		·14	·35			—		16
17	·06	·07					·02	·59	·14	·55			17
18	04	·07	·03	·03				·48	·08	·06	·54		18
19	·03	·05	·15	·12					·08		·50	·04	19
20	·08		·15									·28	20
21	·01		·45				·03					·31	21
22		·02	·05							·02	·01	·32	22
23	·01	·23			·05	·09				·01	·03		23
24		·06			·04	·07		·03		·03	·03	·20	24
25		·52	·10		·05			·18		·02	·06		25
26		·22	·05			·06		·10		·01			26
27	06		·97			·08		·33	·13	·40			27
28		·30	·22			·09			·03			·18	28
29		·03				·27		·95	·02	·38		·12	29
30		X		·05		·02		·03		·50			30
31		X		X		X		·04	X	·12	X		31
Total	·82	3·05	3·69	·97	1·54	2·17	1·04	3·84	1·09	2·91	3·50	2·00	YEAR'S TOTAL 26·62
Rain Days.	14	20	21	10	13	15	10	14	10	20	12	11	170

W. 8,000. X. 15.

8h

56

REGISTER ~~OF~~ Ex Ds OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1918

Kept at Kidderpore
in the County of London L. B. Thames
by M. W. B. H. F. Rutter

Lat.............. Long..............
Time of Observation..............
Nearest Railway Station..............
Diameter of Funnel of Rain Gauge.............. in.
Height of top of Gauge above Ground.............. ft. .... in.
" " " " Sea Level.............. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·25				·37			·08		1
2		·01		·26				·03			·13		2
3				·07				·14		·21	·24		3
4		·14	·16				·07	·23		·17			4
5			·04					·09	·66	·09	·10		5
6	·20			·36		·03			·12	·05	·08		6
7	·10						·02			·18		·03	7
8	·10			·06				·01		·19	·15	·05	8
9	·01		·05	·10			·61	·01	·04		·03	·43	9
10			·06	·19			·02					·03	10
11	·30		·33	·05						·19			11
12	·09		·03	·03				·08		·27			12
13			·09	·19				·04	·02				13
14				·20				·12					14
15	·08						·19	·03		·03			15
16	·06	17		·09	·10	1·30	·11			·30		·24	16
17		·01		·07	·50		·24	·02	·34	·23			17
18	·03	·05		·06	·09	·30	·12		12	·06			18
19		·11	·03		·11	·02			·18				19
20		·15	·01		·55		·03				·03		20
21	·08		·04		·04	·02				·01	·01		21
22			·01			·01		·06		·05			22
23		10	·04		·09			·07				·01	23
24		·05	·02			·05		·15		·12			24
25			·05								·08		25
26								·14	·03		·47		26
27						·01		·54				·03	27
28						1·20		·08				·05	28
29					·79	·03	·27	·06		·15		·18	29
30	·01	X	·34				1·22	·02		·01		·02	30
31	·04	X	·05	X		X	·21		X		X		31
													YEAR'S TOTAL
Total	1·14	·79	1·35	1·98	2·27	2·97	3·11	2·29	1·51	2·31	1·40	1·07	22·19
Rain Days.	13	9	16	14	8	10	12	20	8	17	11	10	148

W. 8,000, VIII. 16

Dl Ex Dl

~~49~~ 53

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27.1.19

Kept at Kidderpore
in the County of London, Thames R. B.
by M. W. B. H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·06							·12	·12	1
2	·01			·02				·44		·02	·32	·23	2
3		·04	·04	·01	·50			·44			·37		3
4		·06	·20					·07	·51		·48	·01	4
5		·02			·10			·10	·10	·12			5
6	·15	·14		·28	·18			·03				·10	6
7	·03	·06		·16	·13			·02	·18	·11	·09		7
8		·04					·02		·12	·02		·03	8
9		·04		·05			·33		·42	·13		·21	9
10	·03			·10			·88		·02	·02	·02	·35	10
11				·02	·10		·78		·11	·16	·08	·10	11
12		·05			·18		·10					·02	12
13					·19		·35		·28			·02	13
14	·16		·02			·18	·02		·35	·18		·27	14
15	1·16			·69			·05		·01			·10	15
16	·19			·41		·05			·27				16
17	·21			·25	·05	·16	·40	·01				·15	17
18	·46					·22	·08		1·50	·18		·05	18
19	·04		·05	·09		·10	·32		·02	·07		·13	19
20	·03	·13		·65		·02	·09		·14	·19		·03	20
21	·07	·01		·23			·15		·44	·06		·01	21
22	·05				·28		·40		·14			·15	22
23	·03				·30		·22	·06	·04			·02	23
24		·18				·05	·37		·06		·03		24
25						·07	·42	·12		·02	·02		25
26							·05	·10	·01	·01	·25	·15	26
27								·18			·10	·03	27
28		·06	·19	·12		·09					·22	·27	28
29			·01						1·15		·01		29
30			·45						·01		·03	·06	30
31								·09		·05		·01	31
Total	2·62	·85	·96	3·14	2·01	·94	5·03	1·66	5·88	1·34	2·14	2·62	YEAR'S TOTAL 29·19
Rain Days.	14	13	7	15	10	9	18	12	21	15	14	24	172

W. 8,000, VIII. 16

8L

Ex 8L

51
~~100~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Kidderpore Reservoir
in the County of London L. Bank
by N. W. B. H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39		-	·03	·08		·18			·02			1
2	·34				19		·35		26	·06			2
3	·30		·30		·02		·08		·02				3
4	·09	·15	·33			·08		·09					4
5		·35	·40				17		·11				5
6			·09				·03						6
7	·03		·36										7
8	·07		·05	·02									8
9	·23		·03	·20	·10								9
10	·48		·05	·01						·01			10
11	·03		·09	·25			·35						11
12			·04	·01		·05	·05			·08			12
13	·01			·31					·02	·02			13
14	·26			·25			·06		5·6	·03			14
15	·20		·18	·28									15
16	·03	·67											16
17		47	·03										17
18		·15	·06					·19	·06				18
19	·05	·18	·96			·29	·29	·38	·07				19
20	·30	·07	·09			·85	·20	·15	·02				20
21	·18	·32	·03			·05	·10						21
22		·03				·04			·15				22
23							·18		·09				23
24				·14		·01	·08	·06		·20			24
25				·10		·03		·18					25
26	·12	·19	·14	·12				·11	·11				26
27	·55	·02	·04	1·09				·49					27
28			·17	·03				·75					28
29	·04			·08				·25		·22			29
30			·03	·23		·22		·10		·02			30
31			·05				·01						31
Total	3·70	2·60	3·52	3·15	·39	1·62	2·13	2·75	1·47	·66			YEAR'S TOTAL
Rain Days.	19	11	21	16	4	9	14	11	11	9			

W. 6,500, VII. 18. W W C

~~[illegible]~~ 97 L and Sdon

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Kidderpore Reservoir

in the County of ~~Middlesex~~ London

by W R Meale

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Finchley Rd

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·32			·35			·41		·19	1
2			·03		·06			·95	·09			·07	2
3		·09							·06	·06		·02	3
4		·02		·07			·28	·07		·17			4
5			·09		·05		·46	·02	·02			·06	5
6					·11		·35					·06	6
7	·03		·17	·26			·25					·03	7
8	·04	·03		·10			·05	·01					8
9	·35			·05	·08			·02 ~~·07~~					9
10	·56	·06	·10			·12							10
11	·24		·08	·22	·01	·02	·29						11
12	·11			·11						·02			12
13	·15	·02		·22		·44							13
14			·35	·23		·11		·~~2~~	·23	·07	(·30 ~~·25~~)	·24	14
15	·01		·12	·20			·01		·60	·13	~~·12~~		15
16			·01	·19					·11		·14	·02	16
17	·01				·17				·35	·43		·07	17
18	·02				·02			·73					18
19	·16			·24					·19			·08	19
20	·07	·19		·15		·66			·15			·06	20
21							·98		·50				21
22				·33				·01	~~·75~~ ·15			·35	22
23							·44					·40	23
24	·01		·07									·07	24
25		·02	·03	·03			·15					·02	25
26	·02		·09	·01	77		·06						26
27	·18	·09		·34		·09						·11	27
28	·40		·12	·10	·03	·01	·08				(·96 ~~·66~~)	·01	28
29	·35 ·08 ·25		·09								·04	·30	29
30		X			·12		·58		·63		·18 ~~·28~~	·20	30
31	·05	X	·01	X	·04	X			X	·18	X	·09	31
TOTAL	~~2·66~~ 2·76	·52	~~1·27~~ 1·36	3·17	1·46	1·45	4·33	~~1·80~~ 1·81	~~3·38~~ 3·08	1·47	~~1·30~~ 1·42	2·45	YEAR'S TOTAL ~~25·16~~ 25·28
Days with ·01 in. or more	~~2·66~~ 18	~~·52~~ 8	~~1·27~~ 15	~~3·17~~ 18	~~1·46~~ 11	~~1·45~~ 7	~~4·33~~ 14	~~1·80~~ 7	~~3·38~~ 12	~~1·47~~ 8	~~1·30~~ 5	~~2·45~~ 20	142

(44,283). Wt.21,958—218/7500. 10/19. Gp.132. A.&E.W.

2.76 .52 1.36 3.17 1.46 1.45 4.33 1.81 3.08 1.47 1.42 2.45 = 25.28

HAMPSTEAD

LONDON

1911 - 1920

FORM A2.
BRITISH RAINFALL.

8 - APR 1912

R

Kept at Hampstead ... 1 ft. 0 in.

in the County of Lond ... el 451 ft.

by E. L. Hawke F.R. ... Hampstead Tube

¼ m. Direction SE

IMPORTANT NOT ... sult entered to the previous day. If an O ... ule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·61	-	-	·01	·06	-	-	-	-	1
2	·13	-	-	·36	·18	-	-	-	-	-	·17	·14	2
3	·01	·02	-	-	·15	-	-	-	-	-	·09	·09	3
4	·05	·02	·08	·09	-	-	-	-	·01	·04	·20	·26	4
5	·01	-	-	·02	-	-	-	-	-	·22	01	·13	5
6	·31	-	·16	·01	-	-	-	-	-	-	-	·21	6
7	·04	-	·01	·01	-	-	-	-	-	·16	·29	·24	7
8	·16	-	·17	-	-	-	-	-	-	-	·21	·20	8
9	·11	-	·02	·02	-	-	-	-	-	-	-	·01	9
10	·04	·11	·11	·02	-	-	-	-	-	-	·02	·41	10
11	·25	-	-	-	·17	-	-	-	-	-	·64	-	11
12	·02	-	·41	-	·07	·09	-	-	·04	-	·34	-	12
13	-	-	·09	-	·12	-	-	-	·44	·25	-	·21	13
14	-	·07	·02	-	·28	-	-	-	-	-	-	·38	14
15	-	·06	·16	-	-	-	-	-	-	·02	·05	·02	15
16	-	-	-	-	-	·47	-	-	-	-	·38	·03	16
17	-	-	·04	-	-	·02	-	-	-	-	·36	·14	17
18	-	·17	·02	-	-	·09	-	-	-	-	·52	·18	18
19	-	-	-	-	·01	·20	-	·09	·21	·11	·23	·08	19
20	-	·03	·02	-	-	·01	-	·28	·08	·07	-	·49	20
21	·01	·08	-	-	-	-	-	·17	·06	·43	-	·11	21
22	·09	-	·09	-	-	·02	-	-	-	·04	-	·40	22
23	-	·08	·10	-	-	·80	-	-	·30	-	·04	·15	23
24	-	·14	·02	-	-	·05	·02	·05	-	1·21	-	·27	24
25	-	·05	·02	·07	-	·16	·34	-	·01	·01	-	·01	25
26	-	·02	·02	·23	-	·08	·05	-	-	·14	·03	·28	26
27	-	·37	·08	·02	-	-	-	-	·12	-	·04	·10	27
28	-	·21	-	·25	·01	-	·26	·06	-	-	-	-	28
29	-	X	-	·04	-	·18	·08	-	·20	·26	-	-	29
30	-	X	-	·03	·05	·02	-	·07	·02	·19	-	·01	30
31	-	X	-	X	·28	X	-	-	X	-	X	-	31
Total	1·27	1·43	1·64	1·78	1·32	2·19	·76	·78	1·49	3·15 ~~3·19~~	3·62	4·55	TOTAL for year ~~[illegible]·02~~ 2398
No. of Rain Days	14	14	19	14	10	13	6	7	11	14	17	25	164

9,000, IX. '10.

F

FORM A2.
BRITISH RAINFALL.

8 - APR 1912

2

Kept at Hampstead Observatory
in the County of London
by E. L. Hawke F.R.Met.Soc. (for the Hampstead Sci. Soc.)

RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 451 ft.

Time of Observation 9 am

Nearest Railway Station
Name Hampstead Tube
Distance 1/4 m. Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·61	-	-	·01	·06	-	-	-	-	1
2	·13	-	-	·36	·18	-	-	-	-	-	·17	·14	2
3	·01	·02	-	-	·15	-	-	-	-	-	·09	·09	3
4	·05	·02	·08	·09	-	-	-	-	·01	·04	·20	·26	4
5	·01	-	-	·02	-	-	-	-	-	·22	·01	·13	5
6	·31	-	·16	·01	-	-	-	-	-	-	-	·21	6
7	·04	-	·01	·01	-	-	-	-	-	·16	·29	·24	7
8	·16	-	·17	-	-	-	-	-	-	-	·21	·20	8
9	·11	-	·02	·02	-	-	-	-	-	-	-	·01	9
10	·04	·11	·11	·02	-	-	-	-	-	-	·02	·41	10
11	·25	-	-	-	·17	-	-	-	-	-	·64	-	11
12	·02	-	·41	-	·07	·09	-	-	·04	-	·34	-	12
13	-	-	·09	-	·12	-	-	-	·44	·25	-	·21	13
14	-	·07	·02	-	·28	-	-	-	-	-	-	·38	14
15	-	·06	·16	-	-	-	-	-	-	·02	·05	·02	15
16	-	-	-	-	-	·47	-	-	-	-	·38	·03	16
17	-	-	·04	-	-	·02	-	-	-	-	·36	·14	17
18	-	·17	·02	-	-	·09	-	-	-	-	·52	·18	18
19	-	-	-	-	·01	·20	-	·09	·21	·11	·23	·08	19
20	-	·03	·02	-	-	·01	-	·28	·08	·07	-	·49	20
21	·01	·08	-	-	-	-	-	·17	·06	·43	-	·11	21
22	·09	-	·09	-	-	·02	-	-	-	·04	-	·40	22
23	-	·08	·10	-	-	·80	-	-	·30	-	·04	·15	23
24	-	·14	·02	-	-	·05	·02	·05	-	1·21	-	·27	24
25	-	·05	·02	·07	-	·16	·34	-	·01	·01	-	·01	25
26	-	·02	·02	·23	-	·08	·05	-	-	·14	·03	·28	26
27	-	·37	·08	·02	-	-	-	-	·12	-	·04	·10	27
28	-	·21	-	·25	·01	-	·26	·06	-	-	-	-	28
29	-	X	-	·04	-	·18	·08	-	·20	·26	-	-	29
30	-	X	-	·03	·05	·02	-	·07	·02	·19	-	·01	30
31	-	X	-	X	·28	X	-	-	X	-	X	-	31
Total	1·27	1·43	1·64	1·78	1·32	2·19	·76	·78	1·49	3·15 ~~3·19~~	3·62	4·55	TOTAL for year ~~24·02~~ 2398
No. of Rain Days	14	14	19	14	10	13	6	7	11	14	17	25	164

9,000, IX. '10.

ex H

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

30 JUN 1913

Kept at Hampstead Observatory

in the County of London

by E. L. Hawke

Lat. 51° 34' N. Long. 0° 11' W.

Time of Observation 9 am

Nearest Railway Station Hampstead (Tube)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 451 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·08	·03	-	·25	·14	-	·07	·30	-	·18	1
2	-	-	·24	·03	·01	·03	·28	·02	·01	·01	-	-	2
3	·08	-	17·9	-	·09	·31	·01	·38	·01	-	-	08·68	3
4	·30	-	·59	-	·20	·15	-	·06	-	-	·16	-	4
5	·17	·07	·05	-	-	-	-	·15	-	-	·05	-	5
6	·67	·02	·01	-	-	·16	-	07·09	·01	-	-	·02	6
7	-	-	-	-	·06	·76	·01	·13	-	-	-	·02	7
8	·40	·34	·14	-	-	·03	-	·14	-	·01	-	-	8
9	·01	·08	-	·03	-	·26	·02	·05	-	-	-	·19	9
10	-	·05	-	-	-	·01	-	·14	·01	·01	·05	·21	10
11	·03	·30	·01	-	-	05·[illegible]	-	-	·02	·01	·01	15·[illegible]	11
12	·08	·06	·10	-	·16	·18	-	-	-	·01	·06	-	12
13	-	·01	-	-	-	-	-	-	-	-	08·[illegible]	·02	13
14	-	-	·01	-	·06	-	-	·09	-	·06	-	·02	14
15	-	·03	·08	-	·21	47·[illegible]	-	·02	-	-	-	·34	15
16	·34	-	05·15	-	·02	·10	-	08·[illegible]	-	·06	·02	-	16
17	·48	-	27·[illegible]	-	-	·08	-	05·68	-	-	·10	-	17
18	·08	-	·14	-	-	-	-	07·09	-	·01	-	·12	18
19	·15	·08	·10	-	-	-	·06	·46	-	-	-	-	19
20	·01	-	·11	-	·02	-	-	·22	-	·34	·01	-	20
21	·01	·06	·24	-	·03	-	-	·13	-	·06	-	-	21
22	·19	·19	·06	-	·01	-	·19	·15	-	·01	06 [illegible]	·05	22
23	·48	·38	37·[illegible]	-	-	-	·24	·56	-	·02	-	17·[illegible]	23
24	·49	·02	-	-	-	·13	·02	·16	-	-	·14	17·[illegible]	24
25	·10	-	-	-	-	·29	-	·70	-	-	-	·40	25
26	-	·02	·01	-	-	-	·11	·31	-	·44	25·[illegible]	29·[illegible]	26
27	-	-	·01	-	-	·07	-	-	-	·19	·30	·23	27
28	-	·05	-	-	-	·05	·15	·06	·03	·29	-	·11	28
29	-	·03	-	-	-	·26	·37	·26	1·05	·23	·35	~~-~~	29
30	-	X	-	-	·31	-	-	-	87 [illegible]	·13	·05	-	30
31	·01	X	·35	X	-	X	12 ·[illegible]	·20	X	-	X	·01	31
Total	4·08	1·79	3·19	·09	1·18	3·64	1·72	4·66	2·08	2·17	1·69	2·78	YEAR'S TOTAL 29·07
Rain Days.	19	17	22	3	12	19	18	25	9	18	15	19	191 ✓

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 JUN 1914

Kept at Hampstead Observatory NW.
in the County of London 2
by E. L. Hawke F. R. Met. Soc Eric hg

Lat. 51° 34' N Long. 0° 11' W.
Time of Observation 9 am
Nearest Railway Station Hampstead (Tube)
Diameter of Rain Gauge 8·0 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 451 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·22	·05	·25	-	-	-	-	·32	-	·08	·12	1
2	·03	·12	·	·	·	·	·07	·	·14	-	·03	-	2
3	-	·	·02	15·	35·	·	·	·	-	·	-	·08	3
4	·23	·	-	·01	36·	·	·14	·	·	·15	·04	04·	4
5	15·	·	·	·	-	·09	·22	-	·23	-	-	·03	5
6	·	02	·18	·	·07	·14	·61	·	·	·14	·01	·08	6
7	·	·11	-	·	05·	·02	·04	·10	·	·42	·09	·	7
8	·	·04	·03	·	·08	·10	·	-	·	·08	·04	-	8
9	-	·17	-	·08	·04	·	-	·	·05	-	·04	·05	9
10	·01	·	·11	·09	-	·	·09	·11	·	-	·34	·	10
11	·58	·	-	·46	·09	·	·	·01	·	·48	·17	·	11
12	-	·	·	·	·05	·	·	-	·	·	42·	-	12
13	·07	-	·02	-	-	·	·	·04	·06	-	29·	·	13
14	·06	·01	·11	·07	-	·	·81	·08	·02	19	·10	·	14
15	·20	·06	·23	·23	-	·	·22	·	·03	·	·	·	15
16	14	·	·37	·16	-	·	-	·	·41	·	-	·	16
17	·03	·	·03	07·	-	-	·17	·01	-	·	·03	·01	17
18	·02	·	·05	20·	·01	·	·	·	·	·	·06	-	18
19	·14	·	·07	·03	·05	-	·13	·	·30	·	·	·01	19
20	·09	·	·06	·05	·	·03	-	·	·	·59	·04	·	20
21	·01	·01	24·	·15	·	-	·04	·	-	·19	74·	-	21
22	·41	-	·23	-	·	·	-	·07	·19	·	-	-	22
23	-	·	·01	·	·	·01	·	·14	·02	·	-	·26	23
24	·01	·	·	07	·	·01	-	·03	-	·	·	-	24
25	·	·02	·	·15	·	·01	·	-	·	-	·	·	25
26	·	·02	·21	·07	·	-	·	·10	-	·70	·	·15	26
27	·	-	·01	·07	·05	-	·	-	·	·02	·	·	27
28	·23	·	·24	·10	-	·	·	-	·	·09	·	·	28
29	·07	X	·06	·45	·58	·	·	·06	·	06·	-	·	29
30	·25	X	-	·08	·	·	·	·17	·	09	·01	·	30
31	·	X	04	X	·	X	·	·44	X	·03	X	·	31
Total	2.75	·80	2.37	2.92	1.78	·41	2.54	1.36	1.77	3.23	2.53	·83	YEAR'S TOTAL 23.29
Rain Days.	20	11	21	21	12	8	11	13	11	14	17	10	169

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

27 MAY 1915

REGISTER OF RAINFALL IN 1914

Kept at Hampstead Observatory. E.L.M.C.

in the County of London 2

by E. L. Hawke

Lat. 51° 34′ N. Long. 0° 11′ W

Time of Observation 9 am

Nearest Railway Station Hampstead Tube

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 451 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·11	-	-	-	-	·26	-	·	·03	·02	1
2	-	·	-	-	-	·	·13	·20	-	·	·10	·16	2
3	-	·	·07	·01	·18	·	·24	-	-	-	·07	-	3
4	·11	·	·02	·22	-	·	-	·03	-	-	·34	·20	4
5	·03	·	·10	·27	·16	·04	·42	·72	-	-	·01	-	5
6	-	·12	-	·02	·01	·19	·04	·02	·	·	·16	·15	6
7	-	·18	·36	·06	88	·24	·06	-	-	-	-	·07	7
8	·07	·34	·71	·05	·02	·18	·14	·15	·02	·	-	·01	8
9	·16	-	·45	·20	-	·32	-	·	·13	-	-	1·37	9
10	-	·09	-	·05	06	·	-	-	·19	-	-	·01	10
11	-	·28	·37	·	·01	·12	-	·	·12	-	·40	·30	11
12	·	·05	·12	·	-	·	·12	·	·18	·	-	·43	12
13	-	·23	·11	·	·	·	-	·	·14	·13	·07	·41	13
14	-	·06	·41	·	-	·	·20	-	-	·14	·11	·34	14
15	·07	·	·14	·	·	·	-	·	-	·04	·21	·06	15
16	·	·	·02	·	-	·	·20	-	·04	-	-	-	16
17	-	·37	·06	·	-	·	·	·	·05	-	-	·16	17
18	-	·03	·14	-	·	·	·	·	-	·	-	·35	18
19	·01	·04	·19	·	-	·16	·05	·	·03	-	·18	·37	19
20	·	·19	·37	·	-	·07	-	·	·11	-	-	·13	20
21	·	·47	·07	·	·	·05	-	·	-	·02	-	·04	21
22	·	-	-	·	·45	·09	·11	·05	-	15	-	-	22
23	·	·	·16	·	·16	·01	·02	·	·	08	-	-	23
24	-	·	·09	·02	·02	·	-	·	-	-	·14	-	24
25	03	·	·15	·	-	·	-	·15	·	·33	-	·08	25
26	-	·	·01	·	-	·	·05	·14	·	·06	·16	·76	26
27	·04	·	·	·	·	·	·	·	·	-	·02	·15	27
28	-	·04	·	·	·01	·	·	·	·	·04	·43	1·08	28
29	·04	X	·11	·	-	·	·	·	·	26	·12	·	29
30	-	X	·06	·	-	·	·	·	·	·03	·77	·17	30
31	·01	X	-	X	·16	X	·04	·	X	-	X	·10	31
Total	·57	2·49	4·40	·90	2·07	1·43	1·82	1·72	1·01	1·28	3·32	6·92	YEAR'S TOTAL 27·93
Rain Days.	10	14	24	9	12	11	14	9	10	11	17	24	165

W. 7,500, XI. ·12

67

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
10 FEB 1916

Kept at Hampstead Observatory
in the County of London
by E. L. Hawke B.A., F.R.Met.Soc. for the Hampstead Scientific Society

Lat. 51° 34' N Long. 0° 11' W.
Time of Observation 9 am
Nearest Railway Station Hampstead (Tube St.)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 451 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·15	·01	-	·05	-	-	-	·05	·03	·41	·50	1
2	·31	·14	·24	·12	-	-	-	·66	-	·04	-	·12	2
3	·30	-	·07	·19	-	-	-	·31	·01	-	-	·43	3
4	·13	-	-	-	-	-	-	·20	-	-	-	·28	4
5	·04	·36	-	-	-	-	-	·01	-	·04	·01	·25	5
6	·27	-	-	·21	·77	-	·80	·02	-	-	-	·59	6
7	·78	·21	·04	-	-	-	·56	·04	-	-	-	·20	7
8	·05	·45	-	·07	-	-	·01	·05	-	-	-	-	8
9	-	·07	-	·11	-	·08	-	·05	-	-	·36	·77	9
10	·31	-	-	-	-	-	-	·18	-	-	-	·13	10
11	·02	-	·03	-	-	-	-	·05	-	-	·70	trace	11
12	·08	·02	-	·28	·46	-	-	·72	-	·01	·36	·02	12
13	-	·34	-	-	1·21	-	-	·10	-	-	-	-	13
14	-	·12	-	-	-	-	1·15	·01	·07	-	-	·68	14
15	·09	-	-	-	·08	-	-	·27	-	-	·23	·19	15
16	-	·28	-	-	-	-	·74	·03	-	-	-	·06	16
17	-	·34	-	-	1·03	-	·07	·03	-	-	-	trace	17
18	-	·24	·05	-	·11	-	-	-	-	-	·05	-	18
19	-	·11	-	-	-	-	·12	-	-	-	-	-	19
20	·33	-	-	·06	-	-	-	-	-	-	-	·25	20
21	·07	-	-	-	-	-	·01	-	-	trace	-	·06	21
22	·94	·12	·22	·03	-	-	1·00	-	-	-	-	·09	22
23	·09	·41	·10	-	-	·06	·37	-	·18	·39	trace	·27	23
24	-	-	·02	-	-	·01	·03	-	·27	·13	-	·24	24
25	-	-	·08	·15	-	·03	·23	-	-	·02	-	·15	25
26	-	·08	-	-	-	·18	·19	-	-	-	-	·45	26
27	-	-	-	-	-	·10	·39	-	-	·35	-	·08	27
28	-	·03	-	-	-	·13	-	·01	1·57	·15	-	-	28
29	-	✕	·04	-	-	·10	·29	·14	-	-	·11	·01	29
30	·03	✕	-	-	-	·02	-	-	-	trace	·15	trace	30
31	·01	✕	-	✕	-	✕	-	·01	✕	1·10	✕	18·	31
Total	4·25	3·47	·90	1·22	3·71	·71	5·96	2·89	2·15	2·26	2·38	6·00	YEAR'S TOTAL 35·90
Rain Days.	18	17	11	9	7	9	15	19	6	10	9	23	153

W. 8,000. X. 15.

Exd CSE

61

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
8 MAY 1917

Kept at Hampstead Observatory NW.

in the County of London

by E L Hawke (for the Hampstead Scientific Society)

Lat. 51° 34′ N Long. 0° 11′ W.

Time of Observation 9 am GMT

Nearest Railway Station H.T.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 451 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	-	-	-	·30	·01	-	-	·20	·02	·45	-	1
2	·47	·03	·10	-	·27	-	trace	-	·23	·39	trace	-	2
3	-	·36	·11	-	-	·01	·04	-	·17	·28	·68	-	3
4	·24	·11	-	-	trace	·39	·04	-	·03	·05	·45	-	4
5	·01	-	·01	-	·08	·33	trace	-	-	·06	·49	trace	5
6	trace	·06	·28	·22	·05	·21	·41	-	trace	·08	·42	-	6
7	·10	-	·27	-	·14	·28	·23	-	-	·01	·83	·06	7
8	-	-	·62	-	·29	-	-	-	-	-	trace	·26	8
9	trace	-	-	-	·27	·05	-	-	-	·05	-	·09	9
10	trace	·17	·07	·06	-	·31	·02	-	-	-	trace	·10	10
11	·05	·13	·02	·18	-	·11	-	-	·01	-	trace	trace	11
12	·04	·02	·01	·04	·32	·16	·03	·06	·01	·07	trace	-	12
13	-	·41	·45	·26	·02	·11	·22	·13	·01	·02	trace	-	13
14	-	·41	·02	·04	·11	-	-	·46	trace	·02	-	·14	14
15	trace	·26	·45	·02	-	-	·05	·19	-	-	-	·01	15
16	trace	·01	·16	·19	trace	-	·17	·33	-	-	-	·03	16
17	·10	·09	-	·03	-	-	·02	·58	·33	·65	trace	-	17
18	·05	·12	·04	·11	-	-	-	·49	·09	·06	·66	-	18
19	·06	·05	·19	·21	-	-	-	-	·11	-	·82	·04	19
20	·14	-	·19	·05	-	-	-	-	-	-	·02	·32	20
21	·01	-	·65	·01	-	-	·02	-	-	-	-	·32	21
22	-	·01	·06	-	trace	trace	-	-	-	·02	trace	·43	22
23	·02	·35	trace	-	·03	·06	-	·01	-	·01	·05	·07	23
24	-	·20	·01	-	·10	·08	-	·02	-	·08	·04	·30	24
25	-	·54	·25	-	·02	-	-	·22	-	·04	·10	trace	25
26	-	·27	·02	-	-	·05	-	·10	trace	·04	-	-	26
27	·07	·01	·95	-	-	·02	-	·27	·13	·60	-	-	27
28	-	·36	·25	-	-	·08	-	·01	·03	trace	trace	·23	28
29	-	·06	-	-	-	·33	-	1·31	·01	·35	-	·14	29
30	-	X	-	·05	-	trace	-	·08	-	·66	-	trace	30
31	-	X	-	X	-	X	-	·07	X	·11	X	·04	31
Total	1·42	4·03	4·58	1·47	2·00	2·59	1·25	4·43	1·36	3·67	5·01	2·58	YEAR'S TOTAL 34·39
Rain Days.	14	22	23	14	13	17	11	16	13	22	12	16	193
T. rain 1/1/16	1·42	5·45	10·03	11·50	13·50	16·09	17·34	21·77	23·13	26·80	31·81	34·39	including "trace" 222

W. 8,000. X. 15.

E4dC7

✓ made

58

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hampstead Observatory N.W.

in the County of London

by F. L. Hawke (for Hampstead Scientific Society) B.A., F.R.Met.Soc.

Lat. 51° 34′ N Long. 0° 11′ W

Time of Observation 9h S.M.T.

Nearest Railway Station Hampstead (Tube)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·14	-	-	-	·93	·07	-	·12	-	1
2	✱	·01	-	·42	-	·02	-	·08	-	✱	·16	-	2
3	-	-	-	·05	-	-	-	·41	-	·28	·32	-	3
4	-	·16	·12	-	-	-	·07	·24	-	·40	-	-	4
5	·22	-	·06	·49	-	-	-	·08	·94	·12	·12	-	5
6	-	-	·01	·01	-	·03	-	-	·20	·02	·15	-	6
7	·18	-	-	-	-	-	·10	-	-	·28	·02	·04	7
8	·14	-	-	·09	-	-	·85	·08	✱	·26	·21	·31	8
9	·01	-	·04	·12	-	-	·05	·12	·03	-	·05	·13	9
10	·23	-	·09	·20	-	-	-	·02	-	-	·02	·02	10
11	·12	✱	·39	·16	-	-	-	-	-	·24	-	-	11
12	·10	-	·03	·10	-	-	-	·05	-	·36	✱	✱	12
13	·03	✱	·12	·03	-	-	-	·04	·03	·01	✱	·01	13
14	✱	-	✱	·26	-	-	-	·10	-	-	✱	-	14
15	·01	-	-	·62	-	-	·28	·05	-	·04	✱	·02	15
16	·11	·17	-	·14	·16	1·39	·13	-	-	·41	✱	·08	16
17	-	·01	-	·09	·59	-	·28	·10	·42	·31	-	-	17
18	·04	·08	-	·10	·10	·63	·15	·02	·17	·11	-	-	18
19	✱	·18	·05	✱	·13	✱	-	✱	·27	-	✱	-	19
20	·02	·24	·05	-	·69	-	·02	·01	-	-	·07	-	20
21	✱	✱	·02	·01	·02	✱	-	-	-	·02	·03	·02	21
22	✱	-	·02	-	-	·03	-	·09	-	·08	·01	-	22
23	✱	·13	·02	-	·12	✱	-	·12	-	-	-	·01	23
24	✱	·06	·01	-	-	·08	-	·19	-	·23	·02	·02	24
25	-	·02	·02	-	-	-	-	-	-	·01	·07	-	25
26	-	✱	·06	-	-	✱	-	·29	·05	-	·47	✱	26
27	✱	-	-	-	-	-	-	99·~~99~~	-	-	-	·02	27
28	-	-	✱	-	-	1·59	-	·15	-	-	-	·05	28
29	-		·01	-	1·19	·10	·29	·05	-	·25	-	·14	29
30	✱		·31	-	-	-	1·75	·06	-	·01	✱	·01	30
31	·04		·07		-		·43	06 ~~·06~~		-		✱	31
Total	1·25	1·06	1·50	2·43	3·00	3·87	4·40	4·33	2·18	3·44	1·84	·88	YEAR'S TOTAL 30·18
Rain Days.	13	10	19	17	8	8	12	24	9	19	15	14	168
	1·25	2·31	3·81	6·24	9·24	13·11	19·51	21·84	24·02	27·46	29·30	30·18	30·18

W. 8,000, VIII. 16

✱ = trace

FORM A. BRITISH RAINFALL.

1. 7. 19

REGISTER OF RAINFALL IN 1918

Kept at Hampstead Observatory
in the County of London
by E. L. Hawke (for the Hampstead Scientific Socy)

Lat. 51°34′ N. Long. 0°11′ W.
Time of Observation 9 am. G.M.T.
Nearest Railway Station Hampstead (Tube)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 451 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	-	·07	-	-	-	-	-	-	·11	·08	1
2	·02	·06	-	·03	-	-	-	·37	-	tr.	·17	·23	2
3	-	·01	·03	·02	·50	-	-	·24	tr.	tr.	·53	·01	3
4	tr.	·07	·20	·02	-	-	-	·07	·59	-	·43	·01	4
5	-	·02	tr.	-	·11	-	-	·09	·13	·08	-	tr.	5
6	·18	·19	-	·34	·19	-	-	·04	·01	·03	-	·09	6
7	·03	·10	-	·08	·12	-	-	·01	·20	·10	·09	-	7
8	-	·05	-	tr.	-	-	tr.	-	·07	·01	·05	·03	8
9	·02	·04	tr.	·04	-	·06	·48	-	·38	·11	-	·18	9
10	·02	-	-	·09	-	-	·68	-	·01	·02	·03	·38	10
11	Tr.	-	-	·01	·08	-	·71	-	·11	·17	·07	·10	11
12	-	·07	-	-	·17	-	·10	-	-	-	-	·02	12
13	tr.	·01	-	-	·18	-	·26	-	·21	-	-	·01	13
14	·16	-	·02	-	-	·18	·06	-	·39	·18	-	·28	14
15	1·15	-	-	·74	-	·01	·04	-	·02	-	-	·08	15
16	·20	-	-	·29	-	·10	-	-	·24	·01	-	·01	16
17	·21	-	-	·26	·03	·12	·39	·04	tr.	-	-	·12	17
18	·57	-	-	-	-	·23	·05	-	1·78	·15	-	·05	18
19	·04	·01	·06	·13	-	·11	·36	-	·01	·07	-	·12	19
20	·02	·13	-	·55	-	·02	·08	-	·13	·18	tr.	·02	20
21	·08	·02	-	·26	-	-	·01	-	·42	·05	tr.	·01	21
22	·06	-	-	·02	·27	-	·14	-	·14	tr.	·01	·14	22
23	·04	-	-	·02	·31	-	·43	·05	·03	-	-	·03	23
24	-	·23	-	-	-	·06	·22	-	·07	-	·03	-	24
25	-	-	-	-	-	·09	·37	·12	-	·01	·05	-	25
26	-	-	-	-	-	-	·46	·14	tr.	·02	·21	·13	26
27	tr.	·01	tr.	·10	-	-	·05	·16	·05	-	·10	·02	27
28	tr.	·06	·19	·03	-	·04	-	tr.	-	-	·23	·17	28
29	tr.	×	tr.	-	-	-	-	-	1·17	-	·01	-	29
30	tr.	×	·47	-	-	-	-	-	·01	tr.	·04	·07	30
31	tr.	×	-	×	-	×	-	·07	×	·04	×	·02	31
Total	2·80	1·09	·97	3·10	1·96	1·02	4·89	1·50	6·17	1·23	2·16	2·41	YEAR'S TOTAL 29·30
Rain Days.	15	17	6	19	10	11	18	12	22	16	16	26	188

W, 6,500, VII. 18. w w c

53

9 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hampstead

in the County of London

by

Lat. 51° 34′ N Long. 0° 11′ W.
Time of Observation 9 h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	0·03	-	0·02	0·07	-	0·17	-	-	0·03	0·01	0·81	1
2	·36	-	-	-	0·19	-	0·29	0·01	0·33	0·07	0·10	0·12	2
3	·28	-	0·30	-	0·02	-	0·07	-	0·02	-	0·04	0·37	3
4	·09	0·08	0·34	-	-	0·07	0·17	0·10	-	-	0·02	0·12	4
5	·01	0·28	0·38	-	-	-	0·03	-	0·10	-	0·01	0·26	5
6	·01	-	0·08	-	-	-	-	-	-	-	0·01	0·02	6
7	·03	-	0·35	-	-	-	-	-	-	-	0·02	-	7
8	·06	-	0·06	0·02	-	-	-	-	-	-	0·03	-	8
9	·19	-	0·01	0·18	0·07	-	-	-	-	-	0·01	-	9
10	·41	-	0·06	0·02	-	-	-	-	-	-	0·03	0·04	10
11	·03	-	0·09	0·25	-	-	0·34	-	-	-	0·01	0·01	11
12		-	0·04	0·01	-	0·05	0·04	-	-	0·07	0·02	-	12
13	·02	-	-	0·32	-	-	-	-	0·01	0·02	-	0·01	13
14	·23	0·02	-	0·29	-	-	0·06	-	0·54	-	-	0·02	14
15	·21	0·01	0·19	0·32	-	-	-	-	-	0·03	0·02	0·37	15
16	·03	0·64	-	0·01	-	-	-	-	-	-	0·12	0·03	16
17		0·32	0·06	0·01	-	-	-	-	-	-	0·21	0·02	17
18		0·13	0·07	-	-	-	-	0·01	0·07	-	0·07	0·04	18
19	·06	0·17	0·83	-	-	0·29	0·32	0·37	0·10	0·01	0·12	0·02	19
20	·30	0·06	0·07	-	-	0·85	0·21	0·15	0·01	-	-	0·01	20
21	·18	0·32	0·03	-	-	0·03	0·16	-	-	-	0·01	0·10	21
22		0·13	-	-	-	-	0·12	-	0·15	-	0·03	0·28	22
23		-	-	-	-	0·02	-	0·01	0·11	-	0·02	0·01	23
24		-	-	0·16	-	0·01	0·05	0·05	-	0·19	0·02	0·02	24
25	·03	-	-	0·11	0·01	0·03	-	0·18	-	-	-	0·01	25
26	·07	0·19	0·14	0·10	-	-	-	0·08	0·11	-	-	0·31	26
27	·55	0·02	0·04	1·68	-	-	-	0·53	-	-	0·01	0·03	27
28		-	0·45	0·04	-	-	-	0·68	-	-	0·16	·31	28
29	·03		-	0·06	-	-	-	0·27	-	0·22	0·05	·03	29
30			-	0·24	-	·23	-	0·10	-	0·02	0·23	·25	30
31			-		-		0·02	-		-		·01	31
TOTAL	3·54	2·40	3·59	3·84	0·36	1·58	2·05	2·54	1·55	0·66	1·38	3·63	YEAR'S TOTAL 27·12
Days with ·01 in. or more	22	14	19	18	5	9	14	13	11	9	25	27	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from 101 3202.

Encd 970

52

Form A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hampstead

in the County of London

by E. L. Hawke, M.A. for the Hampstead Scientific Society

Lat. 51°34'N Long. 0°11'W

Time of Observation 9h G.M.T.

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0·34	0·06	-	0·31	-	-	0·40	0·01	0·20	1
2	-	-	0·03	-	0·01	-	-	·90	0·10	0·17	-	0·07	2
3	-	0·09	-	-	-	-	-	-	0·07	0·01	-	0·02	3
4	-	0·03	-	0·08	-	-	0·30	·07	-	0·18	-	0·02	4
5	-	-	0·09	-	0·05	-	0·52	·03	0·03	-	-	0·04	5
6	-	-	0·17	-	0·11	-	0·23	·01	-	-	-	0·05	6
7	0·02	-	0·01	0·26	-	-	0·21	-	-	-	-	0·04	7
8	0·04	0·03	-	0·13	0·08	-	0·05	·01	-	0·01	-	-	8
9	0·32	0·01	-	0·04	-	-	-	-	-	-	-	-	9
10	0·52	0·05	0·09	-	-	0·15	0·07	-	-	-	-	0·01	10
11	0·19	-	0·07	0·32	0·02	0·03	0·24	-	-	0·01	-	0·17	11
12	0·10	-	-	0·11	-	0·39	-	-	-	-	-	-	12
13	0·14	0·02	0·11	0·21	-	-	-	-	-	0·01	0·12	-	13
14	-	0·01	0·27	0·23	-	0·17	-	-	0·24	0·05	0·16	0·05	14
15	0·01	0·03	0·08	0·21	-	-	0·02	-	0·56	0·12	0·11	0·01	15
16	-	-	0·01	0·20	-	-	-	-	0·20	0·46	-	-	16
17	-	-	-	-	0·17	-	-	-	0·34	0·01	-	0·04	17
18	0·02	-	-	0·02	-	-	-	·74	0·21	-	-	0·03	18
19	0·15	-	-	0·23	-	0·07	-	-	-	-	-	0·04	19
20	0·06	0·17	-	0·17	-	0·61	-	-	0·16	-	-	-	20
21	-	-	-	-	-	-	1·14	·03	0·54	-	0·01	0·06	21
22	-	-	-	0·33	-	-	-	-	0·18	0·01	-	0·30	22
23	-	-	-	-	-	-	0·44	-	-	-	-	0·35	23
24	0·02	-	0·07	-	-	-	-	-	-	-	-	0·07	24
25	-	0·02	0·03	0·02	-	-	0·15	-	0·02	-	-	-	25
26	0·02	-	0·08	0·01	0·62	-	0·05	-	-	0·01	-	0·02	26
27	0·16	0·07	0·01	0·33	-	0·10	-	-	-	-	0·58	0·11	27
28	0·38	-	0·12	0·07	0·03	0·01	0·07	-	-	-	0·01	0·01	28
29	0·22	-	0·10	-	-	-	-	-	-	-	0·04	0·31	29
30	0·03		-	-	0·14	0·01	0·53	-	0·53	-	0·19	0·17	30
31	0·03		-		0·03		0·01	-		0·21		0·11	31
TOTAL	2·43	0·53	1·34	3·31	1·32	1·54	4·34	1·79	3·18	1·66	1·23	2·30	YEAR'S TOTAL 24·97
Days with ·01 in. or more	18	11	16	19	11	9	16	7	13	14	9	24	167

(44,283). Wt. 21,958—2B. 7500. 10/19. Gp. 132. A.&E.W.

Copied from 3202.

11 11 16 7 6 14 3 11 7 6 17 112

Dl
Ins 5a
W Hawke 28.III.12

REG

HAMPSTEAD
AKENSIDE RD
1911

FORM A2.
BRITISH RAINFALL.
4
23 JAN 1912

Kept at Hampstead
in the County of N. of
by E. L. Hawke

in.
round ft. in.
a Level ft.
me
stance Direction

IMPORTANT NOTE.— measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·67									1
2	·17			·35	·17								2
3	·01				·15								3
4	·06		·09	·10									4
5	·01			·02									5
6	·32		·17	·01									6
7	·04		·01	·01									7
8	·16		·17										8
9	·11		·02	·03									9
10	·04		·11	·01									10
11	·25				·37								11
12	·04		·44		·07	·07							12
13			·09		·12								13
14			·04		·28								14
15			·16										15
16						·55							16
17			·02			·02							17
18			·02			·17							18
19					·01	·23							19
20			·03			·01							20
21	·01												21
22	·09		·10			·01							22
23			·10			·84							23
24			·05			·05	·02						24
25			·02	·07		·15	·26						25
26			·01	·22		·08	·06						26
27			·09	·02									27
28				·25	·05		·60						28
29				·04		·19	·07						29
30				·04	·05	·02							30
31					·41								31
Total	1·35		1·74	1·84	1·68	2·39	1·01						TOTAL for year 2505
No. of Rain Days	14		19	14	10	13	5						

9,000, IX. '10.

Ind 52a

28.III.12

REC

4

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Hampstead, Akenside Rd

in the County of N of Thames 2

by E. L. Hawke

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·67									1
2	·17			·35	·17								2
3	·01				·15								3
4	·06		·09	·10									4
5	·01			·02									5
6	·32		·17	·01									6
7	·04		·01	·01									7
8	·16		·17										8
9	·11		·02	·03									9
10	·04		·11	·01									10
11	·25				·37								11
12	·04		·44		·07	·07							12
13			·09		·12								13
14			·04		·28								14
15			·16										15
16						·55							16
17			·02			·02							17
18			·02			·17							18
19					·01	·23							19
20			·03			·01							20
21	·01												21
22	·09		·10			·01							22
23			·10			·84							23
24			·05			·05	·02						24
25			·02	·07		·15	·26						25
26			·01	·22		·08	·06						26
27			·09	·02									27
28				·25	·05		·60						28
29				·04		·19	·07						29
30				·04	·05	·02							30
31					·41								31
Total	1·35		1·74	1·84	1·68	2·39	1·01						TOTAL for year 2505
No. of Rain Days	14		19	14	10	13	5						

9,000, IX. '10.

HAMPSTEAD

SOUTHEND RD

1911

FORM A2.
BRITISH RAINFALL.
8 - APR 1912

RE… …1

Kept at Southend …

in the County of Lond…

by J. E. Whiting…

…d

…5 in.

…e Ground 1 ft. 6 in.

Sea Level 240 ft.

Name Hampstead Heath

Distance — Direction — opposite

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·58	·03	-	-	·05	-	-	-	-	1
2	·16	-	·02	·41	·18	-	-	-	-	-	·17	·10	2
3	-	·02	-	-	·15	-	-	·01	-	·02	·10	·07	3
4	·06	·02	·08	·03^{s}	-	-	-	-	-	·03	·06	·23	4
5	·01	·01	-	·11^{s}	-	-	-	-	·09	·7	·03	·15	5
6	·36	-	·16	·05^{s}	-	-	-	-	-	-	-	·23	6
7	·05	-	-	-	-	-	-	-	-	·16	·28	·21	7
8	·16	-	·17	-	-	-	-	-	-	-	·22	·19	8
9	·11	-	·03	·04	-	-	-	-	-	-	-	-	9
10	·05	·10	·10	·04	-	-	-	-	-	-	·03	·02	10
11	·26	-	·01	-	·36	-	-	-	-	-	·78	·43	11
12	·03	-	·45	-	·16	·08	-	-	·05	-	·35	-	12
13	-	-	·10	-	·12	-	-	-	·47	·32	·02	·20	13
14	-	·12	·01	-	·26	-	-	-	-	-	-	·40	14
15	-	·08	·20	-	-	-	-	-	-	·03	·04	·02	15
16	-	-	·01	-	-	·55	-	-	-	-	·41	·63	16
17	-	-	·05	-	-	·02	-	-	-	-	·35	·12	17
18	-	·18	·02	-	-	·17	-	-	-	-	·55	·16	18
19	-	-	-	-	·02	·25	-	·03	·17	·09	·22	·10	19
20	-	·01	·02	-	-	-	-	·29	·05	·08	·01	·48	20
21	·01	·12	-	-	-	-	-	·15	·03	·50	-	·09	21
22	·08	-	·12	-	-	·03	-	·02	-	·04	-	·40	22
23	·01 *	·10	·11	-	-	·73	-	-	·27	-	-	·13	23
24	-	·14	·01^{s}	-	-	·07	·03	·08	-	1·20	-	·23	24
25	-	·05	-	·08	-	·19	·26	-	·01	·06	-	·02	25
26	-	·01	·08	·25	-	·08	·07	-	-	·12	·08	·26	26
27	-	·38	·09	·04	-	-	-	·02	·11	-	·05	·09	27
28	-	·22	-	·23	·04	-	·63	·05	-	-	-	-	28
29	-		-	·08	-	·19	·08	-	23	·25	-	-	29
30	-		-		·06	·03	-	-	-	·20	·01	-	30
31	-				·02		-	-		-		-	31
Total	1·33	1·56	1·84	1·94	1·74	2·39	1·07	·70	1·48	3·27	3·86	4·36	TOTAL for year 25·54
No. of Rain Days	14	15	20	12	11	12	5	9	10	15	19	24	166

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
8 - APR 1912

REGISTER OF RAINFALL IN

Kept at Southend Road, Hampstead

in the County of London 2

by J. E. Whiting Esq.

RAIN GAUGE
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 240 ft.

Time of Observation 9am

Nearest Railway Station
Name Hampstead Heath
Distance — Direction — Opposite

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·58	·03	-	-	·05	-	-	-	-	1
2	·16	-	·02	·41	·18	-	-	-	-	-	·17	·10	2
3	-	·02	-	-	·15	-	-	·01	-	·02	·10	·07	3
4	·06	·02	·08	·03 s	-	-	-	-	-	·03	·16	·23	4
5	·01	·01	-	·11 s	-	-	-	-	·09	·17	·03	·15	5
6	·30	-	·16	·05 s	-	-	-	-	-	-	-	·23	6
7	·05	-	-	-	-	-	-	-	-	·16	·28	·21	7
8	·16	-	·17	-	-	-	-	-	-	-	·22	·19	8
9	·11	-	·03	·04	-	-	-	-	-	-	-	-	9
10	·05	·10	·10	·04	-	-	-	-	-	-	·03	·02	10
11	·26	-	·01	-	·36	-	-	-	-	-	·78	·43	11
12	·03	-	·45	-	·10	·08	-	-	·05	-	·35	-	12
13	-	-	·10	-	·12	-	-	-	·47	·32	·02	·20	13
14	-	·12	·01	-	·26	-	-	-	-	-	-	·40	14
15	-	·08	·20	-	-	-	-	-	-	·03	·04	·02	15
16	-	-	·01	-	-	·55	-	-	-	-	·41	·03	16
17	-	-	·05	-	-	·02	-	-	-	-	·35	·12	17
18	-	·18	·02	-	-	·17	-	-	-	-	·55	·16	18
19	-	-	-	-	·02	·25	-	·03	·17	·09	·22	·10	19
20	-	·01	·02	-	-	-	-	·29	·05	·08	·01	·48	20
21	·01	·12	-	-	-	-	-	·15	·03	·50	-	·09	21
22	·08	-	·12	-	-	·03	-	·02	-	·04	-	·40	22
23	·01 *	·10	·11	-	-	·73	-	-	·27	-	-	·13	23
24	-	·14	·01 s	-	-	·07	·03	·08	-	1·20	-	·23	24
25	-	·05	-	·08	-	·19	·26	-	·01	·06	-	·02	25
26	-	·01	·08	·25	-	·08	·07	-	-	·12	·08	·26	26
27	-	·38	·09	·04	-	-	-	·02	·11	-	·05	·09	27
28	-	·22	-	·23	·04	-	·63	·05	-	-	-	-	28
29	-		-	·08	-	·19	·08	-	·23	·25	-	-	29
30	-		-		·06	·03	-	-	-	·20	·01	-	30
31	-				·42		-	-		-		-	31
Total	1·33	1·56	1·84	1·94	1·74	2·39	1·07	·70	1·48	3·27	3·86	4·36	TOTAL for year 25·54
No. of Rain Days	14	15	20	12	11	12	5	9	10	15	19	24	166

9,000, IX. '10.

Sa W.D. RE

I-17

1

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

HAMPSTEAD

ARKWRIGHT RD

1911 - 1913

Kept at 12. Arkw

in.

e Ground ft. in.

in the County of Mi

Sea Level ft.

by Edgar F

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	Nil	0·17	Nil	0·08	0·36	Nil	Nil	Nil	Nil	Nil	Nil	1
2	Nil	Nil	Nil	0·90	Nil	Nil	Nil	0·04	Nil	Nil	0·17	0·02	2
3	0·17	Nil	Nil	0·08	0·17	Nil	Nil	Nil	Nil	Nil	Nil	0·06	3
4	Nil	0·01	Nil	0·03	0·15	Nil	Nil	Nil	0·01	Nil	0·11	0·10	4
5	0·05	0·02	0·07	0·15	Nil	Nil	Nil	Nil	Nil	0·04	0·26	0·35	5
6	0·02	Nil	Nil	0·04	Nil	Nil	Nil	Nil	Nil	0·19	Nil	Nil	6
7	0·30	Nil	0·15	0·04	Nil	Nil	Nil	Nil	Nil	0·02	0·27	0·40	7
8	0·04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·15	Nil	Nil	8
9	0·20	Nil	0·19	0·01	Nil	Nil	Nil	Nil	Nil	Nil	0·23	0·21	9
10	0·08	Nil	0·01	0·05	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·18	10
11	0·05	0·11	0·10	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·02	0·26	11
12	0·23	0·01	Nil	Nil	0·34	Nil	Nil	Nil	Nil	Nil	0·68	Nil	12
13	0·63	Nil	0·46	Nil	0·06	0·06	Nil	Nil	0·03	Nil	0·32	Nil	13
14	Nil	Nil	0·07	Nil	0·32	Nil	Nil	Nil	0·45	0·29	Nil	0·18	14
15	Nil	0·06	0·08	Nil	0·06	Nil	Nil	Nil	Nil	Nil	Nil	0·39	15
16	Nil	0·06	0·10	Nil	Nil	Nil	Nil	Nil	Nil	0·03	0·35	Nil	16
17	Nil	0·01	Nil	Nil	Nil	0·47	Nil	Nil	Nil	Nil	Nil	0·04	17
18	Nil	Nil	0·04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·48	0·14	18
19	Nil	0·17	0·02	Nil	Nil	0·27	Nil	Nil	Nil	Nil	0·52	0·12	19
20	Nil	Nil	Nil	Nil	0·01	0·16	Nil	0·07	0·21	0·15	0·20	0·38	20
21	Nil	0·04	Nil	Nil	Nil	Nil	Nil	0·28	0·08	Nil	Nil	0·24	21
22	Nil	0·08	Nil	Nil	Nil	Nil	Nil	0·08	0·05	0·45	Nil	0·05	22
23	0·08	0·04	0·09	Nil	Nil	0·02	Nil	0·01	Nil	0·03	Nil	0·40	23
24	Nil	0·03	0·08	Nil	Nil	0·81	Nil	Nil	0·28	Nil	0·03	0·23	24
25	Nil	0·17	0·05	Nil	Nil	0·16	0·01	0·06	Nil	0·85	Nil	0·15	25
26	Nil	0·05	0·02	0·07	Nil	0·05	0·25	Nil	Nil	0·17	Nil	0·04	26
27	Nil	0·12	0·06	0·15	Nil	0·09	Nil	Nil	Nil	Nil	0·06	0·23	27
28	Nil	0·31	0·06	0·10	Nil	Nil	Nil	Nil	0·12	Nil	0·03	0·10	28
29	Nil		Nil	0·22	0·05	Nil	0·35	0·05	Nil	Nil	Nil	Nil	29
30	Nil		Nil	Nil	Nil	0·18	0·06	Nil	0·22	0·25	Nil	Nil	30
31	Nil		Nil	~~0·08~~	0·06		Nil	0·09		0·20		Nil	31
Total	~~1·32~~ 1·25	47 ~~1·29~~ 1·46	~~1·82~~ 1·65	·08 ~~1·84~~ 1·92	·36 ~~1·30~~ 1·58	~~2·63~~ 2·27	0·67	0·68	1·45	2·75	3·57	4·27	TOTAL for year 23·59
No. of Rain Days.	~~12~~ 11	~~16~~ 17	~~18~~ 17	~~12~~ 13	10	~~11~~ 10	4	8	9	13	15	22	150

W. 8,000, X. '11.

Sa W.D.

I-14

RE OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at 12. Arkwright Rd. Hampstead.

in the County of Middlesex 2

by Edgar Farmiloe

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	nil	0·17	nil	0·08	0·36	nil	nil	nil	nil	nil	nil	1
2	nil	nil	nil	0·90	nil	nil	nil	0·04	nil	nil	0·17	0·02	2
3	0·17	nil	nil	0·08	0·17	nil	nil	nil	nil	nil	nil	0·06	3
4	nil	0·01	nil	0·03	0·15	nil	nil	nil	0·01	nil	0·11	0·10	4
5	0·05	0·02	0·07	0·15	nil	nil	nil	nil	nil	0·04	0·16	0·35	5
6	0·02	nil	nil	0·04	nil	nil	nil	nil	nil	0·19	nil	nil	6
7	0·30	nil	0·15	0·04	nil	nil	nil	nil	nil	0·02	0·27	0·40	7
8	0·04	nil	nil	nil	nil	nil	nil	nil	nil	0·15	nil	nil	8
9	0·20	nil	0·19	0·01	nil	nil	nil	nil	nil	nil	0·23	0·21	9
10	0·08	nil	0·01	0·05	nil	nil	nil	nil	nil	nil	nil	0·18	10
11	0·05	0·11	0·10	nil	nil	nil	nil	nil	nil	nil	0·02	0·26	11
12	0·23	0·01	nil	nil	0·34	nil	nil	nil	nil	nil	0·68	nil	12
13	0·63	nil	0·46	nil	0·06	0·06	nil	nil	0·03	nil	0·32	nil	13
14	nil	nil	0·07	nil	0·32	nil	nil	nil	0·45	0·22	nil	0·18	14
15	nil	0·06	0·08	nil	0·06	nil	nil	nil	nil	nil	nil	0·39	15
16	nil	0·06	0·10	nil	nil	nil	nil	nil	nil	0·03	0·35	nil	16
17	nil	0·01	nil	nil	nil	0·47	nil	nil	nil	nil	nil	0·04	17
18	nil	nil	0·04	nil	nil	nil	nil	nil	nil	nil	0·48	0·14	18
19	nil	0·17	0·02	nil	nil	0·27	nil	nil	nil	nil	0·52	0·12	19
20	nil	nil	nil	nil	0·01	0·16	nil	0·07	0·21	0·15	0·20	0·38	20
21	nil	0·04	nil	nil	nil	nil	nil	0·28	0·08	nil	nil	0·24	21
22	nil	0·08	nil	nil	nil	nil	nil	0·08	0·05	0·45	nil	0·05	22
23	0·08	0·04	0·09	nil	nil	0·02	nil	0·01	nil	0·03	nil	0·40	23
24	nil	0·03	0·08	nil	nil	0·81	nil	nil	0·28	nil	0·03	0·23	24
25	nil	0·17	0·05	nil	nil	0·16	0·01	0·06	nil	0·85	nil	0·15	25
26	nil	0·05	0·02	0·07	nil	0·05	0·25	nil	nil	0·17	nil	0·04	26
27	nil	0·12	0·06	0·15	nil	0·09	nil	nil	nil	nil	0·06	0·23	27
28	nil	0·31	0·06	0·10	nil	nil	nil	nil	0·12	nil	0·03	0·10	28
29	nil		nil	0·22	0·05	nil	0·35	0·05	nil	nil	nil	nil	29
30	nil		nil	nil	nil	0·18	0·06	nil	0·22	0·25	nil	nil	30
31	nil		nil	~~0·08~~	0·06		nil	0·09		0·20		nil	31
Total	~~1·32~~	47 ~~1·29~~	~~1·82~~	·08 ~~1·84~~	·36 ~~1·30~~	~~2·63~~	0·67	0·68	1·45	2·75	3·57	4·27	TOTAL for year 23·59
No. of Rain Days.	1·25 ~~12~~ 11	1·46 ~~16~~ 17	1·65 ~~18~~ 17	1·92 ~~12~~ 13	1·58 10	2·27 ~~11~~ 10	4	8	9	13	15	22	150

W. 8,000, X. '11.

cor. for W.D. 31.1.13

REGISTER OF RAINFALL IN 1912

Ex

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at ~~Twelve Midday~~ Arkwright Road Hampstead

in the County of Middlesex 2

by Edgar Farmiloe

Lat. Long.

Time of Observation noon

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	Nil	Nil	0·04	0·34	Nil	Nil	Nil	0·09	0·26	0·85	Nil	Nil	1
2	Nil	Nil	0·09	Nil	Nil	0·34	0·18	Nil	0·09	0·28	Nil	0·20	2
3	Nil	Nil	0·30	Nil	Nil	Nil	0·27	0·04	Nil	Nil	Nil	Nil	3
4	0·03	0·02	0·07	Nil	0·25	0·30	Nil	0·40	Nil	Nil	Nil	0·08	4
5	0·29	Nil	0·55	Nil	Nil	0·13	Nil	0·03	Nil	Nil	0·19	Nil	5
6	0·48	0·09	0·04	Nil	Nil	0·05	Nil	0·10	Nil	Nil	Nil	Nil	6
7	0·36	0·01	0·01	Nil	0·08	0·30	Nil	0·06	Nil	Nil	Nil	0·02	7
8	Nil	0·30	Nil	Nil	0·02	0·41	0·02	0·13	Nil	Nil	Nil	Nil	8
9	0·36	0·03	0·15	Nil	Nil	0·28	Nil	0·15	Nil	Nil	Nil	0·19	9
10	Nil	0·08	Nil	0·02	Nil	0·01	0·01	0·06	Nil	Nil	Nil	Nil	10
11	Nil	0·08	Nil	Nil	Nil	Nil	Nil	0·25	Nil	Nil	0·06	0·21	11
12	0·03	0·33	Nil	Nil	0·15	0·04	Nil	Nil	Nil	Nil	Nil	0·15	12
13	0·08	0·06	0·10	Nil	Nil	0·17	Nil	Nil	Nil	Nil	Nil	Nil	13
14	Nil	0·07	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·02	14
15	Nil	Nil	0·03	Nil	0·05	Nil	Nil	0·07	Nil	0·06	Nil	0·02	15
16	0·05	0·02	0·03	Nil	0·21	0·53	Nil	Nil	Nil	Nil	Nil	0·34	16
17	0·37	Nil	0·15	Nil	0·05	0·04	Nil	0·10	Nil	0·06	Nil	Nil	17
18	0·56	Nil	0·21	Nil	Nil	0·07	Nil	Nil	Nil	Nil	Nil	Nil	18
19	Nil	Nil	0·15	Nil	Nil	Nil	Nil	0·05	Nil	Nil	Nil	0·12	19
20	0·21	0·05	0·06	Nil	0·01	Nil	0·05	0·45	Nil	0·25	0·25	Nil	20
21	0·01	0·02	0·20	Nil	Nil	Nil	Nil	0·25	Nil	0·07	Nil	Nil	21
22	Nil	0·08	0·14	Nil	0·04	Nil	Nil	0·15	Nil	Nil	Nil	Nil	22
23	0·20	0·15	0·09	Nil	Nil	Nil	0·17	0·34	Nil	Nil	Nil	0·11	23
24	0·48	0·35	0·30	Nil	Nil	0·16	0·18	0·31	Nil	Nil	0·20	0·20	24
25	0·43	0·02	Nil	Nil	Nil	0·16	Nil	0·18	Nil	Nil	0·26	0·19	25
26	0·15	Nil	Nil	Nil	Nil	0·18	Nil	0·67	Nil	Nil	Nil	0·49	26
27	Nil	0·01	Nil	Nil	Nil	Nil	0·10	0·32	Nil	0·44	0·53	0·26	27
28	Nil	Nil	Nil	Nil	Nil	0·07	0·09	Nil	Nil	0·21	Nil	0·23	28
29	Nil	0·03	Nil	Nil	Nil	0·19	0·12	0·25	0·03	0·26	0·40	0·10	29
30	Nil		Nil	Nil	Nil	0·21	0·30	Nil	1·00	0·22	Nil	Nil	30
31	Nil		Nil		0·33		0·09	Nil		0·13		Nil	31
	–	·04	·34	–	–	–	·09	·26	·85	–	–	·03	YEAR'S TOTAL
Total	~~4·09~~ 4·99	~~1·80~~ 1·84	~~2·71~~ 3·01	~~0·36~~ ·02	~~1·19~~ 1·19	~~3·64~~ 3·64	~~1·44~~ 1·53	~~4·45~~ 4·62	~~1·38~~ 1·97	~~2·83~~ 1·98	~~1·89~~ 1·89	~~2·93~~ 2·96	~~28·71~~ ins 28·74
Rain Days.	16	~~19~~ 20	19	~~2~~ 1	10	19	~~12~~ 13	22	4	~~11~~ 10	7	~~17~~ 18	~~158~~ 159

W. 7,500, XI. 12

corr for wrong day - 27.IV.14

√

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-6 FEB 1914

Ex. Hole

Kept at 12. Arkwright Rd. Hampstead

in the County of ~~Middlesex~~ London 2

by E. Farmiloe

~~Lat.~~ Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·03	Nil	nil	0·04			nil	Nil	0·56	Nil	nil	0·08	1
2	nil	0·23	0·04	0·26			nil	Nil	0·30	Nil	0·18	0·03	2
3	nil	0·13	nil	Nil			0·11	Nil	·14 0·44	Nil	nil	nil	3
4	nil	Nil	0·01	Nil			nil	Nil	nil	Nil	nil	0·09	4
5	0·23	Nil	nil	0·02			0·13	Nil	nil	0·12	0·06	0·07	5
6	0·16	Nil	nil	Nil			0·23	Nil	0·44 ~~[illegible]~~	Nil	nil	0·02	6
7	nil	0·02	0·13	Nil			0·32	Nil	nil	0·40	nil	0·08	7
8	nil	0·50	nil	Nil			0·04	0·12	nil	0·19	0·08	nil	8
9	nil	0·04	0·02	Nil			nil	nil	nil	0·07	nil	nil	9
10	nil	0·16	nil	0·02			0·06	nil	0·05	nil	0·05	0·06	10
11	0·05	Nil	0·11	0·09			0·03	0·08	nil	nil	0·35	nil	11
12	0·52	Nil	nil	0·44			nil	nil	nil	0·43	0·15	nil	12
13	nil	Nil	nil	Nil			nil	nil	nil	nil	0·37	nil	13
14	0·10	Nil	0·02	Nil			nil	0·08	0·05	nil	0·30	nil	14
15	0·04	Nil	0·10				0·79	0·01	nil	0·19	0·04	nil	15
16	0·16	Nil	0·09				·014	nil	0·03	nil	nil	nil	16
17	0·15	Nil	0·30				nil	nil	0·45	nil	nil	nil	17
18	0·01	Nil	0·02				0·05	nil	nil	nil	nil	nil	18
19	nil	Nil	nil				0·28	nil	nil	nil	0·06	nil	19
20	0·20	Nil	nil				nil	nil	0·29	nil	nil	nil	20
21	0·05	Nil	0·10				nil	nil	nil	0·60	0·06	nil	21
22	0·01	0·01	0·24				0·06	nil	nil	0·19	0·73	nil	22
23	0·38	Nil	0·10				nil	0·21	0·20	nil	nil	[illegible]	23
24	nil	Nil	0·02				nil	nil	nil	nil	nil	0·27	24
25	nil	Nil	nil				nil	0·01	nil	nil	nil	nil	25
26	nil	0·01	nil				nil	nil	nil	nil	nil	nil	26
27	nil	0·01	0·21				nil	0·10	nil	0·68	nil	0·05	27
28	nil	Nil	0·06				nil	Nil	nil	0·02	nil	nil	28
29	0·24		0·20				nil	0·05	nil	0·08	nil	nil	29
30	0·10		0·20				nil	Nil	nil	0·04	nil	0·01	30
31	0·25		nil				nil	0·22		nil		nil	31
Total	~~2·68~~ 2·65	·71	·04 ~~1·97~~ 2·01	2·78	1·78	·38	– 2·24	·56 ~~·88~~ 1·42	7 ~~2·31~~ 1·75	– 3·01	·08 ~~2·43~~ 2·51	– ~~·86~~ ·78	YEAR'S TOTAL 22·02
Rain Days.	15	9	19	18 ✓	12	6	12	10	9	12	13	9	144

W. 7,500, XI. ·12

[illegible]

REC

HAMPSTEAD
NEW END SQ
1911 - 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at 1 New En

5 in.

in the County of Midd

round 1 ft. in.

ea Level ft.

by W Pikesley

rm

ame

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	Nil	*	.49	Nil	Nil	*	.07	Nil	Nil	Nil	Nil	1
2	.11	Nil	Nil	.32	.19	Nil	Nil	Nil	Nil	Nil	.16	.13	2
3	.01	*	Nil	*	.15	Nil	Nil	*	Nil	*	.10	.09	3
4	.05	.03	.06	.10	Nil	Nil	Nil	Nil	*	.05	.17	.26	4
5	.27	.02	Nil	.04	Nil	Nil	Nil	*	Nil	.18	*	.12	5
6	.03	.02	.14	.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.22	6
7	.15	Nil	Nil	.02	Nil	Nil	Nil	Nil	Nil	.16	.28	.23	7
8	.09	Nil	.16	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.20	.20	8
9	.03	Nil	.03	.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil	*	9
10	.22	.10	.10	.02	Nil	Nil	Nil	Nil	Nil	Nil	.03	.52	10
11	*	Nil	Nil	Nil	.22	Nil	Nil	Nil	Nil	Nil	.58	Nil	11
12	.27	Nil	.41	Nil	.06	Nil	Nil	Nil	.04	Nil	.29	Nil	12
13	.03	Nil	.05	Nil	.15	.07	Nil	Nil	.42	.22	.05	.19	13
14	Nil	.06	Nil	Nil	.26	Nil	Nil	Nil	Nil	Nil	Nil	.37	14
15	Nil	.06	.12	Nil	Nil	Nil	Nil	Nil	Nil	.05	.05	.03	15
16	Nil	*	Nil	Nil	Nil	.42	Nil	Nil	Nil	Nil	.38	.03	16
17	Nil	Nil	.06	Nil	Nil	.02	Nil	Nil	Nil	Nil	.38	.14	17
18	Nil	.18	.03	.01	Nil	.12	Nil	Nil	.20	Nil	.55	.17	18
19	Nil	Nil	Nil	Nil	.01	.18	Nil	.07	.08	.09	.23	.10	19
20	Nil	Nil	~~.04~~ .03	Nil	Nil	*	Nil	.28	.06	.10	Nil	.45	20
21	Nil	.09	~~.14~~ Nil	Nil	Nil	Nil	Nil	.15	Nil	.43	Nil	.10	21
22	*	Nil	~~.03~~ .04	Nil	Nil	.02	Nil	*	Nil	.05	Nil	.37	22
23	.09	.08	~~.02~~ .14	Nil	Nil	.78	Nil	Nil	.30	Nil	.04	.16	23
24	Nil	.14	~~.09~~ .03	Nil	Nil	.06	.02	.05	Nil	1.10	Nil	.25	24
25	Nil	.04	~~.09~~ .02	.05	Nil	.20	.37	*	.01	.03	Nil	*	25
26	Nil	*	~~Nil~~ .06 .04	.21	*	.09	.06	Nil	Nil	.13	.03	.27	26
27	Nil	.38	.09	.02	Nil	Nil	Nil	Nil	.11	Nil	.06	.11	27
28	Nil	.21	Nil	.19	.02	Nil	.30	.05	Nil	Nil	Nil	Nil	28
29	Nil		Nil	.05	Nil	.18	.07	Nil	.19	.26	Nil	Nil	29
30	Nil		Nil	.05	.04	.03	Nil	.05	.02	.18	Nil	Nil	30
31	Nil		Nil		.29		Nil	Nil		Nil		*	31
Total	1.39	1.41	1.55	1.61	1.39	2.17	.82	.72	1.43	3.03	3.58	4.51	Total for year 22.55
No. of Rain Days.	1.39 ~~15~~ 13	~~16~~ 13	~~18~~ 17	~~16~~ 15	~~11~~ 10	~~13~~ 12	~~6~~ 5	~~11~~ 7	1.43 ~~11~~ 10	~~15~~ 14	~~18~~ 17	~~25~~ 22	~~176~~ 155

W. 8,000, X. '11. * not measureable

for made

REC

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

IV. 1806

Kept at 1 New End Square
Hampstead

in the County of Middlesex 2

by W Pikesley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9. am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	Nil	*	.49	Nil	Nil	*	.07	Nil	Nil	Nil	Nil	1
2	.11	Nil	Nil	.32	.19	Nil	Nil	Nil	Nil	Nil	.16	.13	2
3	.01	*	Nil	*	.15	Nil	Nil	*	Nil	*	.10	.09	3
4	.05	.03	.06	.10	Nil	Nil	Nil	Nil	*	.05	.17	.26	4
5	.27	.02	Nil	.04	Nil	Nil	Nil	*	Nil	.18	*	.12	5
6	.03	.02	.14	.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.22	6
7	.15	Nil	Nil	.02	Nil	Nil	Nil	Nil	Nil	.16	.28	.23	7
8	.09	Nil	.16	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.20	.20	8
9	.03	Nil	.03	.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil	*	9
10	.22	.10	.10	.02	Nil	Nil	Nil	Nil	Nil	Nil	.03	.52	10
11	*	Nil	Nil	Nil	.22	Nil	Nil	Nil	Nil	Nil	.58	Nil	11
12	.27	Nil	.41	Nil	.06	Nil	Nil	Nil	.04	Nil	.29	Nil	12
13	.03	Nil	.05	Nil	.15	.07	Nil	Nil	.42	.22	.05	.19	13
14	Nil	.06	Nil	Nil	.26	Nil	Nil	Nil	Nil	Nil	Nil	.37	14
15	Nil	.06	.12	Nil	Nil	Nil	Nil	Nil	Nil	.05	.05	.03	15
16	Nil	*	Nil	Nil	Nil	.42	Nil	Nil	Nil	Nil	.38	.03	16
17	Nil	Nil	.06	Nil	Nil	.02	Nil	Nil	Nil	Nil	.38	.14	17
18	Nil	.18	.03	.01	Nil	.12	Nil	Nil	.20	Nil	.55	.17	18
19	Nil	Nil	Nil	Nil	.01	.18	Nil	.07	.08	.09	.23	.10	19
20	Nil	Nil	.03 ~~.04~~	Nil	Nil	*	Nil	.28	.06	.10	Nil	.45	20
21	Nil	.09	Nil ~~.14~~	Nil	Nil	Nil	Nil	.15	Nil	.43	Nil	.10	21
22	*	Nil	.04 ~~.03~~	Nil	Nil	.02	Nil	*	Nil	.05	Nil	.37	22
23	.09	.08	.14 ~~.02~~	Nil	Nil	.78	Nil	Nil	.30	Nil	.04	.16	23
24	Nil	.14	.03 ~~.04~~	Nil	Nil	.06	.02	.05	Nil	1.10	Nil	.25	24
25	Nil	.04	.02 ~~.09~~	.05	Nil	.20	.37	*	.01	.03	Nil	*	25
26	Nil	*	.04 .06 ~~Nil~~	.21	*	.09	.06	Nil	Nil	.13	.03	.27	26
27	Nil	.38	.09	.02	Nil	Nil	Nil	Nil	.11	Nil	.06	.11	27
28	Nil	.21	Nil	.19	.02	Nil	.30	.05	Nil	Nil	Nil	Nil	28
29	Nil		Nil	.05	Nil	.18	.07	Nil	.19	.26	Nil	Nil	29
30	Nil		Nil	.05	.04	.03	Nil	.05	.02	.18	Nil	Nil	30
31	Nil		Nil		.29		Nil	Nil		Nil		*	31
Total	1.39	1.41	1.55	1.61	1.39	2.17	.82	.72	1.43	3.03	3.58	4.51	22.55
No. of Rain Days.	1.39 ~~15~~ 13	~~16~~ 13	~~18~~ 17	~~16~~ 15	~~11~~ 10	~~13~~ 12	~~6~~ 5	~~11~~ 7	1.43 ~~11~~ 10	~~15~~ 14	~~18~~ 17	~~25~~ 22	~~176~~ 155

W. 8,000, X. '11.

* not measureable

Amade

cor by mon. stats 31-1-13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

3 - JAN 1913

Kept at 18 New End Square

in the County of Hampstead N.W.2

by William Pikesley

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Ham Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	Nil	.01	.12	.03	Nil	.23	.09	Nil	.05	.30	Nil	.21	1
2	Nil	Light snow	.25	.03	*	.05	.25	Nil	*	.29	Nil	Nil	2
3	.08		.18	*	.09	.30	Nil	.03	.01	*	Nil	.10	3
4	.28		.58	Nil	.19	.13	Nil	.35	Nil	Nil	.20	Nil	4
5	.16	.12	.04	Nil	Nil	Nil	Nil	.07	Nil	Nil		Nil	5
6	.62	Nil	.01	Nil	*	.18	Nil	.14	*	Nil	Nil	.02	6
7	Nil	Nil	*	Nil	.07	.72	*	.07	Nil	Nil	Nil	.01	7
8	.36	.33	.15	Nil	Nil	.03	*	.12	Nil	Nil	Nil	Nil	8
9	.02	.09	Nil	Nil	Nil	.28	.91	.13	Nil	Nil	Nil	.19	9
10	Nil	.05	*	.01	Nil	*	Nil	.05	*	Nil	.05	.20	10
11	.02	.35	Nil	Nil	Nil	.08	Nil	.15	.05	Nil	*	.17	11
12	.04	.07	.10	Nil	.14	.18	Nil	Nil	Nil	Nil	.05	Nil	12
13	Nil	.04	.01	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.05	.02	13
14	Nil	Nil	.01	Nil	.05	Nil	Nil	.09	Nil	.05	.05	.02	14
15	Nil	.04	.08	Nil	.09	.45	Nil	.02	Nil	Nil	*	.33	15
16	.33	*	.07	Nil	.02	.08	Nil	.08	Nil	.05	.02	Nil	16
17	.66	Nil	.28	Nil	Nil	.11	Nil	.05	Nil	Nil	.10	Nil	17
18		Nil	.13	Nil	Nil	Nil	Nil	.09	Nil	.01	Nil	.09	18
19	.15	.07	.10	Nil	Nil	Nil	Nil	.47	Nil	Nil	Nil	Nil	19
20	.04	Nil	.13	Nil	.01	Nil	.05	.21	Nil	.32	Nil	Nil	20
21	Nil	.07 .70	.22	Nil	.03	Nil	*	.13	Nil	.07	.05	Nil	21
22	.18	.20	.06	Nil	.01	Nil	.19	.18	Nil	.03	Nil	.05	22
23	.46	.36	.35	Nil	Nil	Nil	.26	.56	Nil	.01	.14	.17	23
24	.47	.03	Nil	Nil	Nil	.21	.02	.16	Nil	Nil	Nil	.15	24
25	.10	Nil	Nil	Nil	Nil	.30	Nil	.58	Nil	Nil	.22	.35	25
26	Nil	.02	*	Nil	Nil	Nil	.12	.26	Nil	.45	.32 Nil	.33	26
27	Nil	Nil	*	Nil	Nil	.06	Nil	Nil	Nil	.15	.35	.15	27
28	Nil	.06	Nil	Nil	Nil	.08	.15	.04	.03	.32	.07	.11	28
29	Nil	.06	Nil	*	Nil	.27	.34	.30	1.05	.21	Nil	Nil	29
30	Nil		Nil	Nil	.29	Nil	Nil		.[illegible]5	.12	Nil	Nil	30
31	.01		.33		.01		.15	.20		Nil		*	31
Total	4.03	1.95	3.20	.07	1.10	3.74	1.63	4.83 4.53	2.04	3.38 2.38	1.67	2.67	YEAR'S TOTAL 29.01
Rain Days.	18	18 17	24 20	6 3	14 12	19 18	14 11	26	9 6	15 14	16 14	19 18	177

W. 7,500, XI. 12

N B * not measureable

8 made ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at 18 New End Square
in the County of Hampstead ~~Mdx~~ London
by William Pickersley

Lat. Long.
Time of Observation 9 am
Nearest Railway Station ~~Hstd~~ Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.22	.07	.24	Nil	Nil	Nil	Nil	.30	Nil	.09	.11	1
2	.02	.11	Nil	Nil	Nil	Nil	.09	Nil	.16	Nil	.04	Nil	2
3	Nil	Nil	.01	.15	.39	Nil	Nil	Nil	Nil	Nil	Nil	.08	3
4	.23	Nil	Nil	.03	.36	Nil	.15	Nil	Nil	.14	.03	.03	4
5	.16	Nil	Nil	Nil	Nil	.09	.22	Nil	.22	Nil	Nil	.04	5
6	Nil	.02	.18	Nil	.07	.13	.60	Nil	Nil	.14	*	.08	6
7	Nil	.12	Nil	Nil	.07	.02	.05	.10	Nil	.44	.09	Nil	7
8	Nil	.04	.02	Nil	.06	.10	Nil	Nil	Nil	.09	.05	Nil	8
9	Nil	.18	Nil	*	.04	Nil	Nil	Nil	.08	Nil	.04	.05	9
10	.01	Nil	.08	.08	Nil	Nil	.10	.11	Nil	Nil	.34	Nil	10
11	.61	Nil	Nil	.50	.09	Nil	Nil	*	Nil	.46	.16	Nil	11
12	Nil	Nil	Nil	Nil	.05	Nil	Nil	Nil	Nil	Nil	.40	Nil	12
13	.08	Nil	.02	Nil	Nil	Nil	Nil	.03	.07	Nil	.28	Nil	13
14	.06	Nil	.01	.08	Nil	Nil	.80	.08	.03	.17	.10	Nil	14
15	.20	.07	.24	.23	Nil	Nil	.22	Nil	.02	Nil	Nil	Nil	15
16	.14	Nil	.37	.20	Nil	Nil	Nil	Nil	.40	Nil	Nil	Nil	16
17	.04	*	.03	.05	Nil	Nil	.17	.01	Nil	Nil	.03	.01	17
18	.01	Nil	.05	.18	.02	Nil	Nil	Nil	Nil	Nil	.06	Nil	18
19	.14	Nil	.08	.03	.04	Nil	.13	Nil	.30	Nil	Nil	.01	19
20	.10	Nil	.06	.04	Nil	.03	Nil	Nil	Nil	.60	.05	Nil	20
21	.01	.01	.25	.15	Nil	Nil	.04	Nil	Nil	.16	.72	Nil	21
22	.43	Nil	.22	Nil	Nil	Nil	Nil	.07	.19	Nil	Nil	Nil	22
23	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.14	.03	Nil	Nil	.15	23
24	*	Nil	Nil	.06	Nil	.01	Nil	.03	Nil	Nil	Nil	Nil	24
25	Nil	.02	Nil	.17	Nil	.03	Nil	Nil	Nil	Nil	Nil	Nil	25
26	Nil	.02	.20	.06	Nil	Nil	Nil	.10	Nil	.69	Nil	.13	26
27	Nil	.01	.02	.06	.04	Nil	Nil	Nil	Nil	.01	Nil	Nil	27
28	.24	Nil	.24	.09	Nil	Nil	Nil	Nil	Nil	.09	Nil	Nil	28
29	.07		.06	.44	.56	Nil	Nil	.07	Nil	.04	Nil	Nil	29
30	.27		Nil	.08	Nil	Nil	Nil	.16	Nil	.10	Nil	Nil	30
31	Nil		.05		Nil		Nil	.43		.03		Nil	31
Total	2.84	.82	2.26	2.92	1.79	.41	2.57	1.33	1.77	3.16	2.48	.69	YEAR'S TOTAL 23.04
Rain Days.	~~20~~ 19	12 11	20	~~21~~ 20	12	8 7	11	13 12	11	14	16 15	10	168

162

N. B * not measureable

W. 7,500, XI. 12

Slip made 3/3/15

Card. 3.11.15

W.L.W.C.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at 18 New End Square

in the County of Hampstead Middlesex 2

by William Pikesley

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Hstd Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	.09	Nil	Nil	Nil	Nil	.24	Nil	Nil	.04	.03	1
2	Nil	Nil	Nil	*	Nil	*	.13	.18	Nil	Nil	.12	.15	2
3	Nil	Nil	.06	Nil	.15	Nil	.24	Nil	Nil	Nil	.07	Nil	3
4	.10	Nil	.02	.22	Nil	Nil	Nil	.04	Nil	Nil	.30	.20	4
5	.03	Nil	.09	.26	.16	.04	.35	.72	Nil	Nil	Nil	Nil	5
6	Nil	.12	*	.02	.01	.20	.02	.02	Nil	Nil	.15	.16	6
7	Nil	.17	.33	.08	.79	.24	.06	Nil	Nil	Nil	Nil	.08	7
8	.07	.38	.65	.05	.02	.15	.14	.15	.02	Nil	Nil	.01	8
9	.14	Nil	.46	.20	Nil	.27	Nil	Nil	.12	Nil	Nil	1.28	9
10	.02	.07	*	.05	.07	Nil	Nil	Nil	.18	Nil	Nil	.01	10
11	Nil	.30	.37	Nil	*	.11	Nil	Nil	.29	Nil	.35	.29	11
12	Nil	.07	.10	Nil	Nil	Nil	.10	Nil	.18	*	.01	.43	12
13	.02	.24	.11	Nil	Nil	Nil	Nil	Nil	.15	.12	.06	.40	13
14	Nil	.07	.42	Nil	Nil	Nil	.19	Nil	Nil	.14	.11	.33	14
15	.07	Nil	.16	Nil	Nil	Nil	Nil	Nil	Nil	.06	.22	.06	15
16	Nil	Nil	.02	Nil	Nil	Nil	.14	*	.02	Nil	Nil	Nil	16
17	Nil	.37	.06	Nil	Nil	Nil	Nil	Nil	.08	Nil	Nil	.18	17
18	Nil	.04	.13	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.26	18
19	Nil	.04	.19	Nil	Nil	.16	.05	Nil	.03	Nil	.17	.27	19
20	Nil	.18	.37	Nil	Nil	.03	Nil	Nil	.10	.01	Nil	.11	20
21	Nil	.44	.08	Nil	Nil	.05	Nil	Nil	Nil	.02	Nil	.04	21
22	Nil	Nil	*	.01	.38	.09	.09	.05	Nil	.13	Nil	Nil	22
23	Nil	*	.18	Nil	.16	.02	.03	Nil	Nil	.10	Nil	Nil	23
24	Nil	Nil	.08	.04	.03	Nil	Nil	Nil	Nil	.01	.15	Nil	24
25	.04	Nil	.13	Nil	Nil	Nil	Nil	.12	Nil	.38	Nil	.10	25
26	Nil	Nil	.02	Nil	Nil	Nil	.05	.16	Nil	.07	.17	.58	26
27	.03	Nil	*	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.04	.17	27
28	Nil	.05	Nil	Nil	.02	Nil	Nil	Nil	Nil	.04	.44	.91	28
29	.03		.10	Nil	Nil	Nil	Nil	Nil	Nil	.25	.14	Nil	29
30	Nil	X	.05	Nil	Nil	Nil	Nil	Nil	Nil	.04	.66	.17	30
31	.01	X	Nil	X	.15	X	.03	Nil	X	Nil	X	.04	31
Total	.56	2.54	4.27	.93	1.94	1.36	1.62	1.68	1.17	1.37	3.20	6.26	YEAR'S TOTAL 26.89 26.90
Rain Days.	11	~~15~~ 14	~~28~~ 24	~~10~~ 9	~~12~~ 11	~~12~~ 11	14	~~10~~ 9	10	~~14~~ 13	17	24	~~177~~ 167

W. 8,000. X. 14. N.B. * not measureable

~~8 made~~ HAMPSTEAD ✓

Ckd for arith 21.11.16

66

FORM A.
BRITISH RAINFALL
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 18 New End Square

in the County of Hampstead N.W. 2

by William Pikesley

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Hampstead Heath N.L.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.		Date.
1	.40	.01	.01	Nil	.04	Nil	Nil	Nil	.06	.04	47	.48		1
2	.30	.15	.24	Nil	Nil	*	Nil	.57	Nil	.07	*	.12		2
3	.34	.15	.07	.10	Nil	Nil	Nil	.29	.02	Nil	Nil	.42		3
4	.06	Nil	Nil	.20	Nil	Nil	Nil	.18	Nil	Nil	Nil	.26		4
5	.04	Nil	Nil	Nil	Nil	Nil	Nil	.02	Nil	.05	.01	.23		5
6	.26	.32	Nil	.22	.41	Nil	.72	.05	Nil	Nil	Nil	.56		6
7	.73	.02	.05	Nil	Nil	Nil	.50	.05	Nil	Nil	Nil	.19		7
8	.05	.22	Nil	.06	Nil	Nil	.02	.07	Nil	Nil	Nil	Nil		8
9	Nil	} .50	Nil	.09	Nil	.07	Nil	.67	Nil	.02	.35	.65		9
10	.32		Nil	Nil	Nil	Nil	Nil	.17	Nil	Nil	Nil	.11		10
11	.01	Nil	.05	Nil	Nil	Nil	Nil	.05	Nil	Nil	.67	.02		11
12	.10	Nil	Nil	.25	.40	Nil	Nil	.64	Nil	.01	.36	Nil		12
13	.01	.02	Nil	Nil	1.44	Nil	Nil	.09	Nil	Nil	Nil	Nil		13
14	Nil	.34	Nil	Nil	Nil	Nil	.98	.01	.07	Nil	Nil	.64		14
15	.10	.05	Nil	Nil	.07	Nil	.01	.23	Nil	Nil	.19	.17		15
16	*	Nil	Nil	*	Nil	Nil	.85	.04	Nil	Nil	Nil	.05		16
17	Nil	.32	Nil	Nil	.89	Nil	.12	.03	Nil	Nil	Nil	Nil		17
18	Nil	.37	.05	Nil	.12	Nil	Nil	Nil	Nil	Nil	.05	Nil		18
19	Nil	.24	Nil	Nil	Nil	Nil	.12	Nil	Nil	Nil	Nil	.22		19
20	.31	.11	Nil	.06	Nil	Nil	Nil	Nil	Nil	.01	Nil	.06		20
21	.13	Nil	Nil	Nil	Nil	Nil	.01	Nil	Nil	Nil	Nil	.09		21
22	.88	.12	.19	.03	Nil	Nil	.74	Nil	Nil	.36	Nil	.24		22
23	Nil	.38	.09	Nil	Nil	.06	.35	Nil	.22	.15	Nil	.22		23
24	Nil	Nil	.02	Nil	Nil	.02	.04	Nil	.26	.03	Nil	.14		24
25	Nil	Nil	.09	.09	Nil	.03	.20	Nil	Nil	Nil	Nil	.14		25
26	Nil	.09	Nil	Nil	Nil	.18	.19	Nil	Nil	.36	Nil	.44		26
27	Nil	*	Nil	Nil	Nil	.13	.36	Nil	Nil	.15	Nil	.06		27
28	Nil	.04	Nil	Nil	Nil	.11	*	.01	1.35	.03	Nil	Nil		28
29	Nil		.03	Nil	Nil	.27	.23	.13	Nil	Nil	.10	.01		29
30	.04	X	Nil	Nil	Nil	.02	Nil	Nil	Nil	.02	.15	.04		30
31	.01	X	Nil	X	Nil	X	Nil	.01	X	.95	X	.18		31
Total	4.09	3.45	.89	1.10	3.37	.89	5.44	2.71	1.98 1.92	2.25 2.22	2.35	5.74 5.75	YEAR'S TOTAL 34.28 34.78	
Rain Days.	18 19	19 20	11	9 10	7	9 10	16 17	19	6 5	~~13~~ 14	10 9	25	162 ~~166~~ 162	

W. 8,000. X. 15. N.B. * not measureable

Smade

60

REGISTER n/ DL OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at 18 New End Square Hampstead NW
in the County of Middlesex
by William Pikesley

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Hampstead Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	Nil	Nil	Nil	·28	Nil	Nil	Nil	·18	·02	·40	Nil	1
2	·44	·03	·12	Nil	·25	Nil	·04	Nil	·25	·37	*	Nil	2
3	Nil	·39	·17	Nil	Nil	·01	·05	Nil	·17	·28	·67	Nil	3
4	·22	·09	Nil	Nil	Nil	·34	·05	Nil	·04	·05	·45	Nil	4
5	·02	·01	·01	Nil	·07	·22	Nil	Nil	Nil	·06	·47	*	5
6	·01	·07	·23	·20	·05	·16	·34	Nil	*	·07	·42	Nil	6
7	·08	Nil	·23	Nil	·15	·19	·23	Nil	Nil	·01	·83	·06	7
8	Nil	Nil	·02	Nil	·28	Nil	Nil	Nil	Nil	Nil	·01	·24	8
9	Nil	Nil	Nil	Nil	·24	·04	Nil	Nil	Nil	·05	Nil	·11	9
10	Nil	·14	·09	·08	Nil	·27	·02	Nil	Nil	Nil	·01	·09	10
11	·04	·14	·04	·16	·01	·10	Nil	Nil	·01	Nil	Nil	·02	11
12	·04	·03	·02	·04	·28	·15	·03	·05	·01	·07	Nil	Nil	12
13	Nil	·39	·39	·22	·04	·10	·04	·16	·45	·02	Nil	Nil	13
14	Nil	·37	·03	·05	·10	Nil	·18	·44	*	(·02) *	Nil	·15	14
15	Nil	·23	·38	·01	Nil	Nil	·05	·16	Nil	Nil	Nil	Nil	15
16	*	·01	·12	·09	Nil	Nil	·13	·31	Nil	·67	Nil	Nil	16
17	·09	·09	Nil	·02	Nil	Nil	·04	·54	·33	·05	Nil	Nil	17
18	·01	·10	·04	·11	Nil	Nil	Nil	·49	·08	Nil	·69	Nil	18
19	·07	·05	·15	·18	Nil	Nil	Nil	~~·53~~ ·01	·10	Nil	·73	·02	19
20	·13	Nil	{·80}	·05	Nil	Nil	Nil	Nil	Nil	Nil	·04	·30	20
21	·01	Nil		Nil	Nil	Nil	·02	Nil	Nil	·03	Nil	·29	21
22	Nil	Nil	·06	Nil	Nil	Nil	Nil	Nil	Nil	·01	Nil	·36	22
23	·02	·28	·10	Nil	·02	·06	Nil	·01	Nil	·06	·05	·08	23
24	Nil	·20	·02	Nil	·10	·08	Nil	·03	Nil	·06	·04	·29	24
25	Nil	·49	·24	Nil	·02	Nil	Nil	·19	Nil	·04	·10	Nil	25
26	Nil	·25	·03	Nil	Nil	·04	Nil	·10	Nil	·58	Nil	Nil	26
27	·07	*	·85	Nil	Nil	·03	Nil	·34	·13	*	Nil	Nil	27
28	*	·33	·30	Nil	Nil	·08	Nil	·01	·05	·29	Nil	·24	28
29	Nil	·10	Nil	Nil	Nil	·29	Nil	1·06	·03	·56	Nil	·11	29
30	Nil	✕	Nil	·04	Nil	·01	Nil	·08	Nil	·10	Nil	*	30
31	Nil	✕	Nil	✕	Nil	✕	Nil	·07	✕	Nil	✕	·03	31
Total	1·34	3·89 3·79	4·44	1·35 1·25	1·89	2·17	1·22	4·05	1·83	3·47	4·91	2·49 2·39	YEAR'S TOTAL 32·97 32·75
Rain Days.	15	21	24	13	14	17	13	17	13	22	14	15	198

W. 8,000, VIII. 16

N B * not measureable

made 57

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at 18 New End Square Hampstead
in the County of Middlesex London
by William Pikesley

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Hampstead Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	.08	Nil	.15	Nil	Nil	Nil	.94	.07	Nil	.12	*	1
2	Nil	.02	Nil	.38	Nil	.02	Nil	.08	Nil	*	[illegible]	Nil	2
3	Nil	Nil	Nil	.04	Nil	Nil	Nil	.40	Nil	.28	.32	Nil	3
4	Nil	Nil	.13	Nil	Nil	Nil	.07	.24	Nil	.39	Nil	Nil	4
5	.21	.14	.05	.39	Nil	Nil	Nil	.08	.79	.11	.09	Nil	5
6	Nil	Nil	.03	.04	Nil	.04	Nil	Nil	.20	.02	.15	Nil	6
7	.17	Nil	.01	Nil	Nil	Nil	.09	Nil	Nil	.28	.02	.02	7
8	.13	Nil	Nil	.06	Nil	Nil	.35	.08	.01	.25	.18	.25	8
9	.04	Nil	.05	.08	Nil	Nil	.05	.11	.04	.01	.06	.17	9
10	.22	Nil	.08	.19	*	Nil	Nil	.02	Nil	Nil	.02	.04	10
11	.15	Nil	.38	.20	Nil	Nil	Nil	Nil	Nil	.23	Nil	Nil	11
12	.09	Nil	.04	.10	Nil	Nil	Nil	.04	Nil	.32	*	Nil	12
13	.02	Nil	.12	.03	Nil	Nil	Nil	.04	.04	.01	Nil	*	13
14	Nil	Nil	.01	.24	Nil	Nil	Nil	.11	Nil	Nil	Nil	Nil	14
15	.01	Nil	Nil	Nil	Nil	Nil	.23	.05	Nil	.04	Nil	Nil	15
16	Nil	.15	Nil	.14	.12	1.38	.10	Nil	Nil	.38	Nil	.23	16
17	Nil	.01	Nil	.10	.58	Nil	.25	.10	.43	.25	Nil	Nil	17
18	.05	.08	Nil	.10	.09	.63	.13	.02	.14	.09	Nil	Nil	18
19	.01	.18	.04	Nil	.10	*	Nil	*	.26	Nil	Nil	Nil	19
20	.05	.24	.06	Nil	.56	Nil	.03	.01	*	Nil	.05	Nil	20
21	*	Nil	.04	*	.04	.04	Nil	Nil	Nil	.01	.03	Nil	21
22	Nil	.13	.03	Nil	Nil	Nil	Nil	.08	Nil	.08	*	Nil	22
23	Nil	.05	.03	Nil	.10	Nil	Nil	.12	Nil	Nil	Nil	Amount .10 light	23
24	Nil	.01	Nil	Nil	Nil	.09	Nil	.19	Nil	.19	.01		24
25	Nil	Nil	.03	Nil	Nil	.01	Nil	Nil	Nil	*	.05		25
26	Nil	Nil	.03	Nil	Nil	Nil	Nil	.29	.04	Nil	.45		26
27	Nil	Nil	.01	Nil	Nil	Nil	Nil	.96	Nil	Nil	*		27
28	Nil	Nil	*	Nil	Nil	1.56	Nil	.15	Nil	Nil	Nil		28
29	Nil		.01	Nil	1.09	.07	.29	.05	Nil	.23	Nil	.16	29
30	Nil	X	.26	Nil	Nil	Nil	1.48	.07	Nil	.03	*	.03	30
31	.04	X	.08	X	Nil	X	.43	.06	X	Nil	X	Nil	31
Total	1.30	1.09	1.57	2.24	2.68	3.94	4	4.29	2.02 2.02	3.20	1.70	1.00 1.01	YEAR'S TOTAL 28.93
Rain Days.	15 14	11	22 21	16 15	9 8	10 9	12	25 24	11 10	21 19	18 14	14 9	166

W. 8,000, IX. 17.

NB Rainfall taken at 10 am Summertime

* not Measureable

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at 18 New End Square Hampstead
in the County of Middlesex London
by William Pikeley

Lat. ____ Long. ____
Time of Observation 9 am
Nearest Railway Station Hd Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ____ in.
" " " " Sea Level ____ ft.

4 . 1 . 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ____

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	Nil	.08	Nil	Nil	Nil	Nil	Nil	Nil	.12	.24	1
2	.02	.07	Nil	.02	Nil	Nil	Nil	.38	Nil	.01	.08	.27	2
3	Nil	.01	.05	.02	.50	Nil	Nil	.35	*	*	.62	.01	3
4	Nil	.07	.23	.02	Nil	Nil	Nil	.08	.64	Nil	.49	.01	4
5	Nil	.02	*	Nil	.11	Nil	Nil	.09	.14	.11	Nil	Nil	5
6	.17	.18	Nil	.35	.17	Nil	Nil	.05	.03	Nil	Nil	.09	6
7	.03	.07	Nil	.08	.13	Nil	Nil	.02	.11	.10	.09	Nil	7
8	Nil	.05	Nil	Nil	Nil	Nil	Nil	Ammonia in Receiver from 8th to 28th	.13	.01	.07	.03	8
9	.03	.04	Nil	.05	Nil	.06	.41		.42	.13	Nil	.15	9
10	.02	Nil	Nil	.10	Nil	Nil	.84		.03	.17	.03	.64	10
11	.01	Nil	Nil	.03	.05	Nil	(.64)		.11	Nil	.09	.10	11
12	Nil	.07	Nil	*	.18	Nil	.10		.20	Nil	Nil	.03	12
13	.02	.01	.02	Nil	.20	Nil	.25		.18	.19	Nil	.02	13
14	.15	Nil	Nil	Nil	Nil	.16	.08		.45	Nil	Nil	.27	14
15	1.09	Nil	Nil	.80	Nil	Nil	.06		.62	.22	Nil	.09	15
16	.30	Nil	*	.62	Nil	.08	*		.25	Nil	Nil	*	16
17	(.34)	Nil	.05		.05	.12	.40		*	.16	Nil	.15	17
18	.48	Nil	Nil	Nil	Nil	.25	.04		1.67	.07	Nil	.06	18
19	.04	.01	Nil	.17	Nil	.14	.41		.02	(.09)	Nil	.07	19
20	.02	.16	Nil	.56	Nil	.01	.09		.14	.05	Nil	.06	20
21	.04	.02	Nil	.26	Nil	Nil	.02		.48	Nil	Nil	*	21
22	.08	Nil	Nil	.02	.27	Nil	.13		.16	Nil	Nil	.18	22
23	.04	Nil	Nil	.02	.29	Nil	.44		.05	Nil	Nil	.03	23
24	Nil	.22	Nil	Nil	Nil	.05	.28		.07	.02	.04	Nil	24
25	Nil	Nil	Nil	Nil	Nil	.10	.35		Nil	.02	.05	Nil	25
26	.01	Nil	Nil	Nil	*	Nil	.45		.02	Nil	.25	.16	26
27	Nil	.01	Nil	.11	Nil	Nil	.05		.06	Nil	.11	.03	27
28	Nil	.06	*	.03	Nil	Nil	Nil	.42	Nil	Nil	.25	.16	28
29	.01		.21	Nil	Nil	Nil	Nil	Nil	1.15	Nil	.02	Nil	29
30	Nil	X	.01	Nil	Nil	Nil	Nil	Nil	.02	Nil	.02	.06	30
31	.01	X	.50	X	Nil	X	Nil	.08	X	.04	X	Nil	31
Total	2.88	1.07	1.07	3.34	1.95	.97	5.02	1.47	7.15	1.36	2.43 2.83	2.71	YEAR'S TOTAL ~~31.22~~ 31.32
Rain Days.	20	16	~~10~~ 7	20 9	10	9	18	12	26 4	17	15	23	~~166~~ 188

W. 8,000, IX. 17.

N B * Not Measureable

Brodie

crd fr antta ~~W. H~~

2052

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 18 New End Square Hstd

in the County of Middlesex

by William Pikesley

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Hampstead Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	.11	Nil	.02	.04	Nil	.17	Nil	Nil	.03	*	.94	1
2	.38	Nil	*	Nil	.22	Nil	.27	.02	.33	.07	.15	.08	2
3	.32	Nil	.33	Nil	.02	Nil	.08	Nil	.02	Nil	.07	.40	3
4	.10	*	.30	Nil	Nil	.07	.17	.10	*	Nil	.02	.12	4
5	*	.48	.59	*	Nil	Nil	.03	Nil	.10	Nil	.01	.30	5
6	.02	Nil	.09	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.02	.02	6
7	.03	Nil	.37	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.03	Nil	7
8	.09	Nil	.06	.04	Nil	Nil	Nil	Nil	Nil	Nil	.03	Nil	8
9	.18	Nil	.03	.20	Nil	Nil	Nil	Nil	Nil	Nil	.84	Nil	9
10	.44	Nil	.08	.03	.06	Nil	Nil	Nil	Nil	Nil	Nil	.05	10
11	.04	Nil	.09	.26	*	Nil	.24	Nil	Nil	Nil	*	.01	11
12	Nil	Nil	.05	.02	Nil	.04	.12	Nil	Nil	.08	*	Nil	12
13	.02	Nil	Nil	.31	Nil	Nil	Nil	Nil	.03	.02	Nil	.02	13
14	.28	Nil	Nil	.34	Nil	Nil	.05	8	.55	Nil	Nil	.02	14
15	.25	.03	.21	.27	Nil	Nil	Nil		Nil	.03	.03	.42	15
16	.04	.68	Nil	.02	Nil	Nil	Nil		Nil	Nil	.14	.04	16
17	Nil	.73	.06	.01	Nil	Nil	Nil		Nil	Nil	.22	.02	17
18	Nil		.08	Nil	Nil	Nil	*		.07	Nil	.02	.04	18
19	.03	.17	.90	*	Nil	.20	.28		.08	Nil	.12	.02	19
20	.35	.07	.10	Nil	Nil	1.06	.20		.02	Nil	Nil	.01	20
21	.19	.37	.03	Nil	Nil	.03	.14		Nil	Nil	.10	.10	21
22	Nil	.13	*	Nil	Nil	.01	.13		.15	Nil	.03	.34	22
23	Nil	Nil	Nil	Nil	Nil	.02	Nil		.10	Nil	.03	Nil	23
24	Nil	Nil	Nil	.17	Nil	.01	.05		Nil	.21	.03	.03	24
25	.05	Nil	Nil	.10	.01	.03	Nil		Nil	Nil	*	.02	25
26	.09	.19	.11	.10	Nil	Nil	Nil		.10	Nil	Nil	.02	26
27	.59	.03	.03	1.16	Nil	Nil	Nil		Nil	Nil	Nil	.38	27
28	Nil	Nil	.22	.04	Nil	Nil	Nil	2.62	Nil	*	.19	.37	28
29	*		Nil	.06	Nil	Nil	Nil	.25	Nil	.24	.01	.03	29
30	Nil		.03	.27	Nil	.23	Nil	.12	Nil	.02	.30	.29	30
31	*		.05		Nil		.01	Nil		.01		.01	31
TOTAL	3.91	2.99	3.81 ~~3.91~~	3.42	.35	1.70	1.94	3.11	1.55	.71	1.65	4.10	YEAR'S TOTAL 29.24 ~~29.34~~
Days with ·01 in. or more	~~23~~ 20	~~13~~ 12	~~23~~? 21	20?	6?	10	15?	16?	12?	10?	24?	26	~~198~~?

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

N B * not measureable {Absent from Home 14 days

~~W~~ Ans and pr ...te

FORM A. 1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at 18 New End Square
in the County of Middlesex ~~London~~ Hampstead
by William Pikerly

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Hd Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~12~~ ft. 12 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	Nil	.32	.06	Nil	.36	.01	*	.46	Nil	.22	1
2	Nil	Nil	.03	Nil	.01	Nil	Nil	.96	.10	.21	Nil	.09	2
3	Nil	.09	Nil	*	Nil	Nil	Nil	Nil	.07	.01	Nil	.02	3
4	Nil	.05	Nil	.08	Nil	Nil	.26	.06	Nil	.18	Nil	.04	4
5	Nil	Nil	.10	Nil	.05	Nil	.52	.03	.04	Nil	Nil	.05	5
6	Nil	Nil	.20	Nil	.12	Nil	.34	*	Nil	Nil	Nil	.04	6
7	.15	Nil	.02	.28	Nil	Nil	.23	Nil	Nil	Nil	Nil	Nil	7
8	.05	.03	Nil	.17	.09	Nil	.06	.01	Nil	.01	Nil	Nil	8
9	.40	*	Nil	.04	Nil	Nil	*	.01	Nil	Nil	Nil	Nil	9
10	.68	.06	.10	Nil	Nil	.14	.08	Nil	Nil	Nil	*	.02	10
11	.23	*	.09	.42	.03	.03	.26	Nil	Nil	Nil	Nil	.22	11
12	.11	*	Nil	.12	Nil	.40	*		Nil	Nil	Nil	Nil	12
13	.16	.03	.12	.22	Nil	Nil	Nil		.17	Nil	.13	Nil	13
14	.01	.01	.34	.24	Nil	.16	Nil		.65	.07	.17	.05	14
15	.01	.02	.08	.24	Nil	Nil	.01		.17	.12	.13	*	15
16	Nil	Nil	.01	.18	.17	*	Nil		.37	.47	.01	.01	16
17	.01	Nil	Nil	*	*	Nil	*		.19	.02	Nil	.07	17
18	.02	Nil	Nil	.02	Nil	Nil	Nil	× ✓	Nil	Nil	Nil	.05	18
19	.16	Nil	Nil	.27	Nil	.07	Nil		.10	Nil	Nil	.06	19
20	.08	.20	Nil	.17	Nil	.64	Nil		.64	Nil	Nil	*	20
21	Nil	Nil	Nil	Nil	Nil	Nil	1.15	×	.22	Nil	Nil	.04	21
22	Nil	Nil	Nil	.39	Nil	Nil	Nil		Nil	Nil	Nil	.34	22
23	Nil	Nil	Nil	Nil	Nil	Nil	.42		Nil	Nil	Nil	.42	23
24	.03	*	.08	*	Nil	Nil	Nil		.03	Nil	Nil	.07	24
25	Nil	.03	.04	.02	Nil	*	.17	.75	Nil	Nil	Nil	Nil	25
26	.02	Nil	.08	*	.46	.10	.06	Nil	Nil	Nil	Nil	Nil	26
27	.21	.06	*	.33	Nil	*	*	Nil	Nil	Nil	.60	.13	27
28	.42	Nil	.13	.08	.03	Nil	.08	Nil	Nil	Nil	.05	.01	28
29	.27	Nil	.10	Nil	*	*	.01	Nil	Nil	Nil	Nil	.33	29
30	.06		Nil	Nil	.12	Nil	.60	Nil	.60	Nil	.20	.20	30
31	.01		*		.03		Nil	Nil		.23		.10	31
TOTAL	2.99	.58	1.52	3.59	1.17	1.54	4.61	1.83	3.35	1.78	1.29	2.58	YEAR'S TOTAL 26.8~~0~~3
Days with ·01 in. or more	20	10	15	18	11	7	16	8	13	10	7	22	15~~8~~7
Days with ·04 in. or more	13	5	12	16	7	6	14	3	12	7	6	18	119

N B * Not measurable

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

attach to A

18 New End Square
Hampstead
NW 3
4-4-21

APR 1921

Dear Sir

I am very sorry I was in error respicten, Height of Rain gauge it is 12 in from Ground not 12 Feet

Yours Faithfully

W Pikesley

805

HAMPTON
MANOR HOUSE

LOND | MIDDX

1919-20

Form A. 2. METEOROLOG GANIZATION.

REGI 19.

0·21 W

Kept at Hampton, Th

in the County of Midd

by J. Hughes

Rain Gauge 5 in.

bove Ground ft. in.

„ Sea Level 43 ft.

IMPORTANT NOTE.—Ra entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6·7			·2			4·2					22·1	1
2	10·7				1·0		1·0		7·3	2·0	2·6	2·1	2
3	6·4		7·7		·2		4·2		·7		·5	7·8	3
4	1·8		9·7			1·2	3·9	2·3			·2	2·9	4
5			10·7				·6		3·8		·9	5·5	5
6	1·4		·9									1·7	6
7	·9		8·1								·6		7
8	1·9		1·7										8
9	1·3										·3		9
10	18·4		1·0	·4						·4	1·0	·4	10
11	·2		1·5	5·1			8·2						11
12			1·3	·5		·3	3·4			2·4			12
13				6·7					·2	1·0			13
14	4·8			6·1			2·5		17·4			·2	14
15	5·2		2·7	2·8								9·0	15
16	1·0	13·4		1·1							2·4	·7	16
17		6·9	·2								3·1	·2	17
18		5·5	1·5						1·0		1·4	·2	18
19		2·1	11·9			5·3	12·9	3·5	·5		1·5		19
20	3·7	·7	3·3			18·4	6·7	2·4	1·6		·2		20
21	4·8	5·0	·4			1·7	·7				·2	·4	21
22		1·3					5·0		2·5			7·1	22
23						·2		·9	·4			·3	23
24				4·6		·4	3·5	·4		4·2	·6		24
25	·7	·4				·3		4·9					25
26	1·2	4·2	2·2	1·6			1·0	4·6	1·1			6·3	26
27	8·7	·5	·8	24·3			·3	8·9			2·9	1·1	27
28	3·5		4·9								7·4	6·2	28
29	·7			·6				15·3		3·4		·3	29
30				5·5		3·4		8·0		·5	4·7	6·4	30
31			·6				1·1	4·7				1·7	31
Total	84·0	40·0	71·1	59·5	1·2	31·2	59·2	55·9	36·5	13·9	30·5	82·6	Year's Total 565·6
Days with 0·2 mm. or more	20	10	19	13	2	9	16	11	11	7	17	21	156

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

805

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hampton, The Manor House

in the County of Middlesex

by J. Hughes

Lat. 51.25 N. Long. 0.21 W.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 43 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.7			.2			4.2					22.1	1
2	10.7				1.0		1.0		7.3	2.0	2.6	2.1	2
3	6.4		7.7		.2		4.2		.7		.5	7.8	3
4	1.8		9.7			1.2	3.9	2.3			.2	2.9	4
5			10.7				.6		3.8		.9	5.5	5
6	1.4		.9									1.7	6
7	.9		8.1								.6		7
8	1.9		1.7										8
9	1.3										.3		9
10	18.4		1.0	.4						.4	1.0	.4	10
11	.2		1.5	5.1			8.2						11
12			1.3	.5		.3	3.4			2.4			12
13				6.7					.2	1.0			13
14	4.8			6.1			2.5		17.4			.2	14
15	5.2		2.7	2.8								9.0	15
16	1.0	13.4		1.1							2.4	.7	16
17		6.9	.2								3.1	.2	17
18		5.5	1.5						1.0		1.4	.2	18
19		2.1	11.9			5.3	12.9	3.5	.5		1.5		19
20	3.7	.7	3.3			18.4	6.7	2.4	1.6		.2		20
21	4.8	5.0	.4			1.7	.7				.2	.4	21
22		1.3					5.0		2.5			7.1	22
23						.2		.9	.4			.3	23
24				4.6		.4	3.5	.4		4.2	.6		24
25	.7	.4				.3		4.9					25
26	1.2	4.2	2.2	1.6			1.0	4.6	1.1			6.3	26
27	8.7	.5	.8	24.3			.3	8.9			2.9	1.1	27
28	3.5		4.9								7.4	6.2	28
29	.7			.6				15.3		3.4		.3	29
30				5.5		3.4		8.0		.5	4.7	6.4	30
31			.6				1.1	4.7				1.7	31
Total	84.0	40.0	71.1	59.5	1.2	31.2	59.2	55.9	36.5	13.9	30.5	82.6	Year's Total 565.6
Days with 0·2 mm. or more	20	10	19	13	2	9	16	11	11	7	17	21	156

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

126A

Feltham

760

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

✓ Kept at Hampton, The Manor House

in the County of Middlesex

by J. Hughes

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 43 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·7			7·0	1·1		6·0		·5	22·4		5·6	1
2			·8					21.5	1·1	2·4		5·1	2
3		·9		1·2			1·2		·6	·4		·2	3
4		1·0		2·4			22·9	·7		6·2		1·2	4
5			3·0	·2	·4		14·9	·2				·9	5
6			3·5		1·9		8·7					·8	6
7				2·4	·7		2·8						7
8		·2		1·9	3·1		1·5					·2	8
9	6·3	·3		1·0			·4						9
10	8·0		·8				1·4				·7		10
11	2·9		1·5	2·7	·4	2·5	6·4					+✓	11
12	1·2			2·1		·6							12
13	3·0		2·6	2·4		20·0							13
14			5·6	5·0					2·2	11·3	5·6	5·0	14
15			·7	6·6		2·2			12·3	3·8	1·8		15
16				2·3					8·5	·2			16
17					3·2				6·9			·9	17
18	·6					10·0		17·4	4·0			·5	18
19	1·5			4·4				·3				·5	19
20	1·2	2·6		3·4		·9			·3				20
21				·5		13·2	18·9		14·2			1·0	21
22				7·6					·7			10·6	22
23							10·1					7·8	23
24		1·0	1·0										24
25		·3					4·3						25
26	·5		1·6		·5		5·1					·5	26
27	4·2	1·1		4·9			5·4				15·4	1·4	27
28	7·6		2·4	1·4	·7	2·6	1·7				·9	·2	28
29	5·7		2·0	1·1	·2						·6	3·2	29
30	·3	✕			1·1		3·2		9·0		4·0	2·8	30
31		✕		✕		✕			✕	11·5	✕	1·5	31
TOTAL	43·7	7·4	25·5	60·5	13·3	52·0	114·9	40·1	60·3	58·2	29·0	49·9	YEAR'S TOTAL 554·8
Days with 0·2 mm. or more	14	8	12	20	11	8	17	5	12	8	7	22	144
10	10	4	9	18	5	6	16	2	8	6	4	11 12	99

HAMPTON

(METRO WATER BOARD WORKS)

LOND / MIDDX

1911–20

REG 11

FORM A2. BRITISH RAINFALL.

9 - JAN 1912

Kept at Metro: Water B 8 in.

ve Ground 1 ft. 0 in.

in the County of Mi Sea Level 45 ft.

A.M

by H. K. W. D Name Hampton

Distance ¼ Mile Direction N.E

IMPORTANT NOTE. nd the result entered to the previous day. If an Obse niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01			·9			·02	·08					1
2	·15			·22	·18						·14	·05	2
3				·01	·09						·05	·08	3
4	·03	·01	·05	·04						·06	·12	·28	4
5	·01	·01		·01					·02	·18	·03	·05	5
6	·19		·16									·25	6
7	·01			·02						·09	·26	·15	7
8	·11		·15								·18	·31	8
9	·13		·03	·01								·13	9
10	·03	·14	·05	·02							·08	·22	10
11	·25										·58		11
12	·03		·43		·37						·24		12
13			·06		·11				·02	·37		·29	13
14		·06			·23				·36	·02		·39	14
15		·05	·10								·02		15
16						·48					·38	·02	16
17			·01			·02					·26	·10	17
18		·09									·55	·13	18
19						·22				·09	·19	·07	19
20	·01	·02	·01					·08	·14	·04		·51	20
21	·01	·10						·34	·24	·39		·13	21
22	·10	·04	·22			·01				·16		·37	22
23		·04	·11			·65			·15		·05	·08	23
24		·10	·04			·03	·01	·03		1·08		·26	24
25		·01	·02	·05		·10	·76	·01	·01	·08			25
26		·01	·03	·20	·20	·22	·09			·09	·01	·25	26
27		·24	·08	·03			·01		·11		·01	·16	27
28		·09		·20				·10					28
29				·15		·17	·09		·13	·16			29
30				·05					·01	·11			30
31					·61			·17		·03			31
Total	1·07	1·04	1·55	1.94	1·79	1·90	·98	·81	1·19	2·95	3·10	4·28	TOTAL for year 22·60
No. of Rain Days.	14	15	16	14	7	9	6	7	10	15	17	22	22·60

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGISTER OF RAINFALL 11

Kept at Metro: Water Board, Hampton

in the County of Middlesex

by H. K. P. Stent

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 45 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Hampton
Distance ¼ Mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01			·9			·02	·08					1
2	·15			·22	·18						·14	·05	2
3				·01	·09						·05	·08	3
4	·03	·01	·05	·07						·06	·12	·28	4
5	·01	·01		·01					·02	·18	·03	·05	5
6	·19		·16									·25	6
7	·01			·02						·09	·26	·15	7
8	·11		·15								·18	·31	8
9	·13		·03	·01								·13	9
10	·03	·14	·05	·02							·08	·22	10
11	·25										·58		11
12	·03		·43		·37						·24		12
13			·06		·11				·02	·37		·29	13
14		·06			·23				·36	·02		·39	14
15		·05	·10								·02		15
16						·48					·38	·02	16
17			·01			·02					·26	·10	17
18		·09									·55	·13	18
19						·22				·09	·19	·07	19
20	·01	·02	·01					·08	·14	·04		·51	20
21	·01	·10						·34	·24	·39		·13	21
22	·10	·04	·22			·01				·16		·37	22
23		·04	·11			·65			·15		·05	·08	23
24		·10	·04			·03	·01	·03		1·08		·26	24
25		·01	·02	·05		·10	·76	·01	·01	·08			25
26		·01	·03	·20	·20	·22	·09			·09	·01	·25	26
27		·24	·08	·03			·01		·11		·01	·16	27
28		·09		·20				·10					28
29				·15		·17	·09		·13	·16			29
30				·05					·01	·11			30
31					·61			·17		·03			31
Total	1·07	1·04	1·55	1·94	1·49	1·90	·98	·81	1·19	2·95	3·10	4·28	TOTAL for year 22·60
No. of Rain Days.	14	15	16	14	7	9	6	7	10	15	17	22	22·60 152

W. 8,000, X. '11.

cod by Obr 21·11·13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

21 JAN 1913

Kept at Metro: Water Board Hampton

in the County of Middlesex

by H. B. W. Stent

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Hampton L. & S. W. Rly

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·11		·02	·07		·13	·45	·01	·16	1
2			·14			·10	·29	·05	·10	·03			2
3			·07				·15	·02				·05	3
4	·17	·01	·29		·09	·12		·22			·19		4
5	·20		·04			·15		·01			·01		5
6	·30	·05	·03			·01		·46				·01	6
7	·10				·08	·80	·25	·18					7
8	·28	·18	·16			·37	·02	·32				·01	8
9	·01		·01			·05	·01	·01				·12	9
10		·23	·01	·02		·05		31 ·21			·11	·25	10
11	·01	·04				·01		·18				·16	11
12		·25			·20	·10	·07	·05			·03	·01	12
13	·04		·05								·03	·02	13
14								·06		·02		·01	14
15	·01		·12		·12	·04				·02	·02	·25	15
16	·12		·01		·18	·74		·03		·04	·08		16
17	·41		·21			·01		·05					17
18	·50		·16					·03			·02	·10	18
19	·06	·01	·06				·19	·71		·01			19
20	·01	·04	·04					·17		·37			20
21			·16					·07		·08	·10		21
22	·01	·14	·02		·08		·05	·02		·02		·05	22
23	·14	·28	·25				·01	·19		·09	·14	·14	23
24	·79	·12	·06			·24		·49				·11	24
25	·17	·02				·13		·60		·01	·16	·48	25
26		·02						·30		·32	·27	·20	26
27										·15		·16	27
28						·04	·07		·05	·25	·40	·07	28
29		·04				·17	·30	·25	·30	·24	·04		29
30								·01	1·41	·10			30
31			·24		·46		·15	·11					31
Total	3·33	1·43	2·23	·13	1·21	3·15	1·65	4·90 4·90	2·29	2·20	1·61	2·36	YEAR'S TOTAL 26·44
Rain Days.	18	14	21	2	7	18	13	26	5	16	15	19	174

W. 7,500, XI. 12

Crd by C. 24.11.14

FORM A. BRITISH RAINFALL
1- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hampton Works
in the County of Middlesex
by H B W Stent

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Hampton L. & S. W. Ry
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·24	·03	·20					·35	·01	·06	·13	1
2	·05	·12					·11		·01	·43	·08		2
3			·01	·28	·35					·01		·02	3
4	·18			·01	·38		·02			·30	·01	·05	4
5	·16					·03	·10		·40			·01	5
6		·01	·11		·05	·05	·06			·30	·16	·17	6
7		·10			·02	·01				·34	·07		7
8		·03		·01	·08	·07				·15			8
9		·15			·02				·09			·05	9
10	·02		·14	·08			·09	·01			·34		10
11	·25			·39				·02		·65	·12		11
12					·02						·22		12
13	·02		·02						·07		·14		13
14	·05	·01	·05	·07			1·07	·15		·10	·02		14
15	·13	·06	·25	·13			·28		·16				15
16	·16		·28	·06					·23				16
17	·02	·10	·03	·05			·17					·01	17
18	·01		·15	·06	·01		·16		·02		·01		18
19	·15		·08		·02		·16		·25				19
20	·15 ·01		·32	·02	·04	·06				·34			20
21	·39		·15	·07			·03			·19	·79		21
22			·10	·03				·12	·17				22
23			·01			·04	·01	·13	·01			·38	23
24				·02		·01							24
25				·18								·01	25
26			·18	·04				·07		·74		·16	26
27			·01	·04	·26					·01			27
28	·29		·24	·07						·08			28
29	·05		·07	·46	·64			·16		·04			29
30	·18			·04				·16		·11			30
31			·04					·62		·07			31
Total	2·28 ✓	·82	2·27	2·31	1·89	·27	2·10	1·44	1·76	3·90	1·96	·99	YEAR'S TOTAL 21·99 ✓
Rain Days.	~~18~~ 19	9	20	21	12	7	11	9	11	17	12	10	157

W.7,000, XI. 13

Esc m.g.

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 19 JAN 1915

Kept at Hampton Works.

in the County of Middlesex

by Metropolitan Water Board.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 8." in.

Height of top of Gauge above Ground 1. ft. 0. in.

" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03.					·14.				·04	1
2	·01.					·01	·17.	·10.			·05	·13	2
3			·05.		·13		·19.	·01.			·01.	·01.	3
4	·06.		·01.	·12.			·02.	·10.			·24	·16	4
5	·05.		·03.	·13.	·05.	·06.	·28.	·77.					5
6		·12.	·01.	·08.		·11.	·04	·01.			·09	·06	6
7		·15.	·20.	·16	·35	·10.	·18.					·05	7
8	·07.	·30.	·73.		·08.	·07.	·05.	·07.				·02	8
9	·17.		·61.	·16.		·10.			·10			1·58	9
10		·10.	·03.	·02.	·05.	·05.			·18.			·01	10
11		·22.	·35.						·05		·11	·27	11
12	·01.	·10.	·11.				·29.		·15	·01.		·31	12
13		·14.	·11.						·14		·03	·37	13
14		·05	·13.			1·88.	·10.			·33.	·02	·40	14
15	·05.		·08.				·36.	·03			·48	·03	15
16			·03.						·02				16
17		·32.	·07.									·05	17
18		·02.	·15.									·18	18
19		·07.	·29.			1·26	·08.				·17	·37	19
20		·17.	·35.						·18			·05	20
21		·44.	·04							·02		·03	21
22			·02.		·23	·05.	·23	·02.		·23			22
23		·07.	·10.		·17.	·09.	·05			·11			23
24	·01.		·08.	·01			·01	·01.			·08		24
25	·01.		·20.				·01	·11.		·19		·12	25
26			·18.				·04	·05.		·05	·12	·33	26
27	·04.		·01.								·02	·09	27
28		·02.			·01.					·10	·43	·77	28
29	·03.		·06.							·21.	·06		29
30		X	·02.							·04.	·36	·20	30
31		X		X	·13.	X	·02		X		X	·03	31
Total	·51.	2·29	4·08	·68	1·20	3·78.	2·12	1·42.	·82	1·29	2·27.	5·66	YEAR'S TOTAL 26·12
Rain Days.	11.	15.	28.	7.	9.	11.	17.	12.	7.	10.	15	25	167.

W. 8,000. X. 14.

Exd F.W.

913

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

25 FEB 1916

Kept at Hampton.
in the County of Middlesex.
by Metro' Water Board.

Lat. Long.
Time of Observation
Nearest Railway Station Hampton. L.S.W.R.
Diameter of Funnel of Rain Gauge 8. in.
Height of top of Gauge above Ground 1. ft. 0 in.
" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·10.	·04.		·05		0·02	0·02.		0·03.	0·17	0·45.	1
2	·38.	·13.	·20.	·12.		0-03		0·75.	0·03.	0·05.		0·15.	2
3	·39.		·06.	·09.	·01.			0·14.	0·02.			0·44	3
4	·03.							0·02.				0·19	4
5	·04.	·36.						0·01.		0·07.		0·25.	5
6	·33.	·10.	·03.	·18.			0·71	0·01.				0·42.	6
7	·18.	·15.	·03.				0·13.	0·03.				0·20.	7
8	·10.	·38.	·01.	·04.			0·04	0·05.					8
9	·01.	·11.		·20.		0·07		0·04		0·03.	0·30	0·61.	9
10	·13.	·14.						0·53.				0·14.	10
11	·02		·04.					0·03.		0·05.	0·67.	0·04	11
12	·05.	·05.		·31.	·45.			0·03.			0·26	0·02.	12
13		·36.			1·20.			0·23					13
14		·03.					0·35	0·03.	0·03.			0·27	14
15	·06	·02			·07		0·01	0·07			0·15	0·06	15
16		·16.			·05		0·40	0·04				0·04	16
17		·32.			1·07								17
18		·26.	·04.		·19.						0·03		18
19		·07.			·03.		0·05.			0·02.			19
20	·23			·05								0·17.	20
21	·22.						0·02			0·03		0·05.	21
22	1·03.	·19.	·14.	·02.			0·56.					0·09	22
23		·08.	·05.			0·01	0·15.		0·29	0·66		0·27.	23
24			·01.	·03.			0·04		0·37.	0·29		0·40	24
25			·02.	·13.			0·26.					0·12	25
26		·02.				0·23.	0·27.					0·51	26
27						0·22.	0·10.			0·25		0·03.	27
28		·03.				0·04			1·45.	0·08.			28
29			·01.			0·01.	0·23.	0·10.		0·02	0·11	0·01.	29
30	·03.	X				0·71.				0·12.	0·19	0·01.	30
31		X		X		X		0·01	X	1·10.	X	0·13.	31
Total	3·63.	3·06.	0·68	1·17.	3·12.	1·32.	3·34.	2·14.	2·19	2·80	1·88.	5·07	YEAR'S TOTAL 30·40.
Rain Days.	17.	20.	13.	10.	9.	8.	16.	18.	6.	14.	8.	25.	164.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Hampton

in the County of Middlesex.

by Metropolitan Water Board.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Hampton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03.	0.01.	0.04		0.52.	0.01			0.23	0.04	0.33		1
2	0.18.	0.03.	0.10.		0.20.		0.01		0.13	0.38	0.02		2
3		0.28.	0.12.		0.01.	0.01.	0.04		0.14	0.25	0.37		3
4	0.17.	0.06	0.01.			0.17.			0.18		0.32		4
5	0.02.			0.02	0.12.	0.24				0.05	0.24		5
6			0.05	0.15	0.02.	0.18.	0.30			0.02	0.22		6
7	0.06.	0.04	0.75		0.13.	0.13.	0.36			0.02	0.42	0.06	7
8			0.03		0.21.	0.04.						0.12	8
9	0.01.				0.12.					0.02		0.07	9
10		0.18	0.09	0.04	0.01.	0.18.	0.03					0.14	10
11	0.03.	0.13	0.06	0.13.		0.27					0.01	0.04	11
12	0.02.	0.02		0.02.	0.49	0.10		0.04	0.01	0.05	0.01		12
13	0.03.	0.16	0.34	0.13.		0.06	0.25	0.12	0.05	0.01			13
14		0.32	0.01	0.01.	0.05.		0.01	0.32		0.01		0.12	14
15	0.01	0.15.	0.20				0.10	0.12		0.06			15
16	0.01	0.03.	0.43	0.10.			0.21	0.37					16
17	0.06	0.11.		0.04.			0.02	0.03	0.27	0.43			17
18	0.01.	0.07	0.04	0.23.				0.24	0.14	0.47	0.68	0.02	18
19	0.04.		0.18.	0.20.					0.10		0.43		19
20	0.13.		0.19								0.04	0.40	20
21			0.38.				0.13				0.01	0.24	21
22	0.02	0.01.	0.05.		0.01					0.13		0.35.	22
23	0.03.	0.22.	0.01.			0.03		0.01		0.09	0.02	0.05	23
24		0.05.			0.06.	0.02		0.02		0.15	0.03	0.31.	24
25		0.56.	0.19					0.13		0.03	0.06		25
26		0.20	0.06			0.08.		0.26		0.13			26
27	0.01.		0.86			0.06.		0.40	0.06	0.42			27
28		0.35	0.34			0.01.		0.02	0.24	0.01	0.01	0.08.	28
29		0.07	0.01			0.20.		0.93	0.04	0.21		0.13.	29
30		X						0.06		0.36			30
31		X		X		X		0.05	X	0.16	X	0.08.	31
Total	0.87	3.05.	4.54	1.07	1.95.	1.79	1.46	3.12	1.59	3.50	3.22	2.21	YEAR'S TOTAL 28.37
Rain Days.	18.	21.	24.	11.	13.	17.	11.	16.	12.	23.	17.	15.	198.

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.
1918

Kept at Hampton.

in the County of Middlesex.

by METROPOLITAN WATER BOARD.

Lat. Long.

Time of Observation

Nearest Railway Station Hampton.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·02	0·13.				1·13.	0·01		0·06		1
2				0·22.		0·05.		0·05.		0·01.	0·14		2
3				0·05.			0·18	0·26.		0·17.	0·03		3
4		Snow. 0·30.	0·05.				0·40.	0·15.		0·30.			4
5	0·20		0·05.	0·23.		0·01		0·03.	0·24	0·17.	0·06		5
6			0·17.	0·02.		0·04			0·22.	0·04	0·03		6
7	0·12.						0·19.			0·24.		0·01	7
8	0·13.			0·10.			0·82.	0·13.	0·07.	0·19.	0·11.	0·35	8
9	0·05,		0·02	0·03.	0·02		0·04	0·11.	0·06.		0·05.	0·13.	9
10	0·18.		0·06.	0·17.				0·04.			0·02		10
11	0·05.		0·39.	0·22.		0·13.			0·45	0·17.			11
12	0·06.		0·06	0·01.				0·05.		0·33.	0·01.		12
13	0·03.		0·18.	0·01.				0·09.	0·02.	0·09.			13
14			0·01	0·10.				0·27.					14
15	0·03.			0·02.			0·08.	0·03.		0·01.		0·01.	15
16	0·07.	0·11.		0·12.	0·08.	0·21	0·09.	0·01.		0·37.		0·55.	16
17				0·08.	0·59.		0·24.	0·08.	0·32	0·23.			17
18	0·04	0·06.		0·07.	0·09.	0·63.	0·08.	0·04	0·16.	0·05.			18
19	0·01.	0·11.	0·03.						0·10.				19
20	0·01.	0·10.	0·05.		0·66.		0·26		0·03.		0·03		20
21			0·05.	0·02		0·04					0·02		21
22	0·04	0·09.	0·11.					0·07.		0·05.			22
23		0·02.	0·01.		0·10	0·04		0·09.		0·05.		0·02	23
24		0·03.				0·17.	0·01	0·01.		0·14.	0·02		24
25			0·04							0·08.	0·07.		25
26			0·06					0·15	0·03.	0·01.	0·27.		26
27								0·61.					27
28			0.02			1·50		0·04				0·05	28
29			0·01		0·01	0·10.	0·76	0·01.		0·15.		0·11.	29
30		X	0·32.				1·98.	0·06				0·02	30
31	0·02	X	0·03.	X		X	0·36.	0·01	X		X		31
Total	1·04	0·82.	1·74	1·60	1·55.	2·92.	5·49.	3·52	1·71	2·85	0·92	1·25	YEAR'S TOTAL 25·41.
Rain Days.	15.	8.	21.	17.	7.	11.	14.	24.	12.	20.	14	9.	172.

W. 8,000, IX. 17.

Exd E.F.E.

4

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

3. 1. 19

Kept at HAMPTON WORKS.

in the County of MIDDLESEX.

by METROPOLITAN WATER BOARD.

Lat.

Long.

Time of Observation

Nearest Railway Station Hampton L.S.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01			0·04							0·18	0·06	1
2		0·06		0·04				0·24		0·02	0·22	0·07	2
3			0·05.	0·03.	0·47			0·11.			0·45	0·17	3
4		0·04	0·14.					0·02.	0·16		0·36.		4
5					0·08			0·04.	0·50	0·05			5
6	0·18.	0·02		0·27	0·23			0·08.	0·01.			0·06	6
7	0·01.	0·09.		0·12	0·35.			0·01.	0·15.	0·07.	0·08		7
8		0·07		0·02					0·10.	0·04	0·09.	0·03	8
9		0·05		0·05		0·12	0·30		0·29.	0·06		0·22	9
10		0·02		0·15.			0·54		0·03.	0·01.	0·04	0·35	10
11	0·02			0·04	0·03.		0·85		0·01.	0·23.	0·10.	0·14	11
12					0·17.		0·06		0·05.		0·01.	0·01.	12
13	0·03.	0·02			0·07.		0·24		0·10.			0·01.	13
14	0·10.		0·02			0·21	0·01.		0·21.	0·10.		0·20.	14
15	1·13			0·62			0·04.		0·01.			0·05.	15
16	0·27.		0·02	0·26		0·19			0·19.			0·02.	16
17	0·18.			0·17.	0·04		0·23.	0·02				0·10.	17
18	0·48.					0·13.	0·11.		1·28.	0·15.		0·05.	18
19	0·03.		0·04	0·09.	0·01.	0·04	0·26	0·02		0·10.		0·03.	19
20	0·03.	0·08.		0·50.		0·03.	0·09.		0·13.	0·17.			20
21	0·10.	0·01.		0·47.			0·02		0·53.	0·03			21
22	0·06				0·21		0·24		0·12	0·01		0·14	22
23	0·02			0·01.	0·11.		0·30	0·05	0·05.			0·05.	23
24		0·25				0·08.	0·59.		0·08.		0·03		24
25							0·18	0·08.		0·01	0·02		25
26							0·45	0·01.		0·02	0·06.	0·10.	26
27	0·01	0·01.	0·01	0·06.			0·13.	0·15.	0·09.		0·11.		27
28	0·01.	0·03	0·18	0·01.							0·12.	0·10.	28
29								0·04	1·11.		0·01.		29
30		X	0·42						0·07.		0·02	0·15	30
31		X		X		X			X	0·06	X	0·01.	31
Total	2·67	0·75	0·88.	2·95.	1·77	0·80.	4·64	0·87.	5·27	1·13.	1·90.	2·12	YEAR'S TOTAL 25·75
Rain Days	17.	13.	8.	18.	11.	7.	18.	13.	22.	16.	16.	22.	181.

W, 6,500, VII. 18. w w c

St Rh

804

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Hampton.

in the County of MIDDLESEX.

by METROPOLITAN WATER BOARD.

Lat. Long.

Time of Observation

Nearest Railway Station Hampton.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·23	0·02.		0·02.	0·04		0·18.			0·01.	0·01.	0·82	1
2	0·41.				0·05.		0·05.		0·25.	0·12.	0·11.	0·07.	2
3	0·27.	0·06.	0·34		0·02.		0·18.		0·04.		0·03.	0·28.	3
4	0·07.		0·39.			0·06.	0·14.	0·07.		0·01.	0·01.	0·14.	4
5		0·27.	0·43.	0·02.			0·06.		0·16.		0·06	0·19.	5
6	0·07.		0·04.									0·09.	6
7	0·02.		0·26.								0·02.		7
8	0·05.		0·06.	0·03.									8
9	0·07.			0·02.							0·02.		9
10	0·68.		0·05.							0·02.	0·05.	0·02	10
11	0·02.		0·06.	0·20.	0·01.		0·42.					0·01.	11
12	0·01.		0·04.	0·04.		0·02.	0·04.			0·09.	0·01.		12
13				0·22.					0·02.	0·06.			13
14	0·15.			0·21.			0·09.		0·69.			0·02.	14
15	0·18.	0·01.	0·14.	0·14.							0·01.	0·35.	15
16	0·04.	0·52.		0·05							0·08.	0·03.	16
17		0·32.	0·02	0·01.							0·13.	0·01.	17
18		0·20.	0·07.						0·06.		0·05.	0·01.	18
19	0·04.	0·08.	0·50.			0·26.	0·59.	0·13.	0·04.		0·05.		19
20	0·11.	0·02.	0·14.			0·68.	0·23.	0·10.	0·06.		0·01.		20
21	0·18.	0·17.	0·03.			0·03.	0·08.				0·01.	0·02	21
22		0·06.					0·19.		0·10		0·02.	0·26.	22
23						0·04.		0·06.	0·01.		0·01.	0·01.	23
24				0·25.		0·02.	0·14.			0·16.	0·03.	0·01.	24
25	0·05.	0·02			0·02.	0·03.		0·15.				0·01.	25
26	0·06.	0·18.	0·08.	0·05			0·06.	0·18.	0·06.			0·19.	26
27	0·51.	0·03.	0·04.	1·02.			0·02.	0·41.			0·08.	0·05.	27
28			0·24.	0·01.			0·01.	0·50.			0·33.	0·23.	28
29	0·03.			0·05.				0·35.		0·15.	0·01.	0·02.	29
30		×		0·22.		0·13.		0·19.		0·03.	0·17.	0·20.	30
31	0·03.	×	0·04.	×		×	0·05.		×		×	0·08.	31
TOTAL	3·28.	1·96.	2·97.	2·56.	0·14.	1·27.	2·53.	2·14.	1·49.	0·65.	1·31.	3·12.	YEAR'S TOTAL 23·42.
Days with ·01 in. or more	22.	14.	19.	17.	5.	9.	17.	10.	11.	9.	23.	24.	180.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

759

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hampton

in the County of Middlesex.

by METROPOLITAN WATER BOARD.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hampton. L.S.W. Rly
Diameter of **Funnel** of Rain Gauge 8. in.
Height of top of Gauge above Ground 1. ft. 0 in.
" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·05.			0·27.	0·04		0·20.	0·01	0·03	0·61.		0·20	1
2			0·05.	0·01.	0·01.		0·01.	0·78.	0·04.	0·08.		0·03.	2
3		0·06.		0·05.			0·09.		0·04.	0·02.		0·01.	3
4		0·04.		0·12.			1·02	0·03		0·21.		0·07.	4
5			0·10.	0·01.	0·02		0·60	0·02.				0·05.	5
6			0·12.		0·08.		0·28.					0·05.	6
7			0·01.	0·10.	0·10.		0·09.						7
8		0·01.		0·14.	0·12.		0·17.						8
9	0·25.	0·01.		0·01.			0·06	0·01					9
10	0·30.	0·02.	0·03.	0·01.		0·08	0·06				0·02		10
11	0·10.		0·06.	0·12.	0·03.	0·03.	0·24					0·18.	11
12	0·04			0·08.		0·76				0·01.			12
13	0·13.		0·09.	0·10.							0·01.		13
14			0·20.	0·17.		0·10.			0·14	0·33.	0·16.	0·02.	14
15		0·03.	0·05.	0·24.					0·63	0·20.	0·04.		15
16			0·01.	0·09.		0·03.			0·08.	0·01.			16
17	0·01.			0·01.	0·12.	0·16.	0·01.		0·32.			0·05	17
18	0·02.				0·01.			0·67.	0·08.			0·03.	18
19	0·06.			0·13.		0·04.		0·01.				0·03.	19
20	0·05	0·10.		0·14.		0·47.			0·13.				20
21				0·02.			0·70.	0·01.	0·46.			0·03.	21
22				0·28.			0·01.	0·01.	0·04.			0·41.	22
23							0·38	0·04				0·30.	23
24	0·01.	0·03.	0·04.	0·01.								0·01.	24
25		0·01.					0·15.						25
26	0·02.		0·06.	0·01.			0·10.					0·03.	26
27	0·12.	0·06.		0·19.		0·11.	0·18.				0·78	0·05.	27
28	0·29.		0·10.	0·10.	0·03.	0·01.	0·06.				0·04	0·02.	28
29	0·18.		0·08.	0·06.	0·03.						0·03.	0·10.	29
30	0·01.				0·05.		0·11.		0·33.		0·14.	0·10.	30
31										0·50.		0·06.	31
Total	1·64.	0·37	1·00.	2·47.	0·64.	1·79.	4·52.	1·59.	2·32.	1·97.	1·22.	1·83.	YEAR'S TOTAL 21·36.
Days with ·01 in. or more	16.	10.	14.	25.	12.	10.	20.	10	12	9.	8.	21.	167.
Days with ·04 in. or more	11.	4	11.	17.	6.	7.	17.	3.	11.	6.	5.	12.	110.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Remade

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

RE … 1.

HAMPTON WICK

PARK HSE

1911 - 1915

Kept at Hampto…

in the County of Mid…

by Arthur T…

…retti & Zambra

…5 in.

…e Ground 1 ft. — in.

Sea Level 28 ft.

a. m

Name Hampton Wick

Distance 200 yds Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	00	01	85	00	00	00	07	00	00	00	00	1
2	18	00	00	26	19	00	02	00	00	00	14	00	2
3	06	02	00	00	14	00	00	00	00	00	06	16	3
4	03	02	05	09	00	00	00	00	00	07	18	19	4
5	02	00	00	02	00	00	00	00	00	17	05	18	5
6	21	00	16	00	00	00	00	00	00	00	00	26	6
7	04	00	00	00	00	00	00	00	00	05	28	17	7
8	12	00	15	00	00	00	00	00	01	00	22	34	8
9	16	00	03	02	00	00	00	00	01	00	00	06	9
10	03	15	06	03	00	00	00	00	00	00	08	48	10
11	27	00	00	00	02	00	00	00	00	00	61	00	11
12	03	00	42	00	32	00	00	00	04	00	20	00	12
13	00	00	07	00	08	00	00	00	38	21	03	28	13
14	00	08	00	00	27	00	00	00	00	00	00	44	14
15	00	05	10	00	00	00	00	00	00	02	00	02	15
16	00	00	00	00	00	65	00	00	00	00	40	03	16
17	00	00	03	00	00	03	00	00	00	00	30	14	17
18	00	10	00	00	00	01	00	00	00	00	53	19	18
19	00	00	00	00	01	24	00	00	18	08	16	11	19
20	02	00	02	00	00	00	00	07	12	07	00	53	20
21	01	14	00	00	00	00	00	36	00	45	00	12	21
22	0.9	00	20	00	00	00	00	00	00	14	00	41	22
23	00	10	10	00	00	74	00	00	23	00	00	10	23
24	00	10	00	00	00	05	02	00	00	1·07	00	34	24
25	01	00	05	04	00	12	49	04	02	12	04	00	25
26	00	02	04	20	21	15	08	00	00	09	00	25	26
27	00	32	08	06	00	00	07	00	12	00	04	15	27
28	00	10	00	09	00	00	00	11	00	00	00	00	28
29	00		00	25	00	20	10	00	15	22	00	00	29
30	00		00	04	00	04	00	35	00	18	00	00	30
31	00		00		84		00	00		04		00	31
Total	1·28	1.20	1.57	1.95	2.08	2.23	-78	1-00	1·26	2-98	3-32	4·95	TOTAL for year
No. of Rain Days.	15	12	16	12	9	10	6	6	10	15	16	22	24·60 ✓

W. 8,000, X. '11.

140

Remade

RE[illegible]11.

FORM A2. BRITISH RAINFALL. 4 - JAN 1912

Kept at Hampton Wick PARK H[illegible]

in the County of Middlesex

by Arthur Thorter.

RAIN GAUGE	Pattern	Negretti & Zambra
	Diameter of top	5 in.
	Height of top above Ground	1 ft. — in.
	,, ,, ,, Sea Level	28 ft.

Time of Observation 9 a. m

Nearest Railway Station	Name	Hampton Wick
	Distance	200 yds Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00	00	01	85	00	00	00	07	00	00	00	00	1
2	18	00	00	26	19	00	02	00	00	00	14	00	2
3	06	02	00	00	14	00	00	00	00	00	06	16	3
4	03	02	05	09	00	00	00	00	00	07	18	19	4
5	02	00	00	02	00	00	00	00	00	17	05	18	5
6	21	00	16	00	00	00	00	00	00	00	00	26	6
7	04	00	00	00	00	00	00	00	00	05	28	17	7
8	12	00	15	00	00	00	00	00	01	00	22	34	8
9	16	00	03	02	00	00	00	00	01	00	00	06	9
10	03	15	06	03	00	00	00	00	00	00	08	48	10
11	27	00	00	00	02	00	00	00	00	00	61	00	11
12	03	00	42	00	32	00	00	00	04	00	20	00	12
13	00	00	07	00	08	00	00	00	38	21	03	28	13
14	00	08	00	00	27	00	00	00	00	00	00	44	14
15	00	05	10	00	00	00	00	00	00	02	00	02	15
16	00	00	00	00	00	65	00	00	00	00	40	03	16
17	00	00	03	00	00	03	00	00	00	00	30	14	17
18	00	10	00	00	00	01	00	00	00	00	53	19	18
19	00	00	00	00	01	24	00	00	18	08	16	11	19
20	02	00	02	00	00	00	00	07	12	07	00	53	20
21	01	14	00	00	00	00	00	36	00	45	00	12	21
22	0.9	00	20	00	00	00	00	00	00	14	00	41	22
23	00	10	10	00	00	74	00	00	23	00	00	10	23
24	00	10	00	00	00	05	02	00	00	1·07	00	34	24
25	01	00	05	04	00	12	49	04	02	12	04	00	25
26	00	02	04	20	21	15	08	00	00	09	00	25	26
27	00	32	08	06	00	00	07	00	12	00	04	15	27
28	00	10	00	09	00	00	00	11	00	00	00	00	28
29	00		00	25	00	20	10	00	15	22	00	00	29
30	00		00	04	00	04	00	35	00	18	00	00	30
31	00		00		84		00	00		04		00	31
Total	1.28	1.20	1.57	1.95	2.08	2.23	-78	1-00	1.26	2-98	3-32	4.95	TOTAL for year
No. of Rain Days.	15	12	16	12	9	10	6	6	10	15	16	22	24·60 ✓

W. 8,000, X. '11.

140

Copd by mm. stats 7.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

Kept at Hampton Wick
in the County of Middlesex
by Arthur Shorter

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 25 ft.

Time of Observation 9 a. m

Nearest Railway Station
Name Hampton Wick
Distance 200 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.10	.01	—	.10	.23	—	.16	.44	—	.18	1
2	—	—	.30	—	—	—	.35	.13	.03	.03	—	—	2
3	—	—	.107	—	—	.15	.01	.24	—	—	—	.08 .88	3
4	.21	—	.42	—	.10	.22	—	.04	—	—	—	—	4
5	.24	.07	.06	—	—	—	—	.40	—	—	.15	—	5
6	.40	—	—	—	—	—	—	.15	—	—	.05	.02	6
7	—	—	.02	—	.09	.98	.24	.17	—	—	—	.01	7
8	.32	.31	.19	—	—	—	.03	.33	—	—	—	.01	8
9	—	.09	—	.03	—	.24	—	.06	—	—	—	.14	9
10	.01	—	.02	—	—	.01	—	.41	—	—	.18	.25	10
11	.03	.24	—	—	—	.03	—	.22	—	—	—	.18	11
12	.04	—	.06	—	.22	.17	.03	.02	—	—	.08	—	12
13	—	.07	—	—	—	—	—	—	.02	.03	—	.03	13
14	—	—	—	—	.03	—	—	.05	—	.04	.01	.02	14
15	.01	.02	.10	—	.20	.71	—	.02	—	—	—	.31	15
16	.35	—	.03	—	—	.07	—	.04	—	.03	.10	—	16
17	.59	—	.24	—	.07	.03	—	.07	—	—	—	.02 .42	17
18	.05	—	.14	—	—	—	—	.15	—	.02 .42	—	.10	18
19	.06	.06	—	—	—	—	.14	.49	—	—	.03	—	19
20	.02	.02	.21	—	—	—	—	.08	—	.42	.01	—	20
21	—	.02	.13	—	.03	—	—	.08	—	.10	.08	—	21
22	.16	.16	.01	—	.10	—	.07	.14	—	.04	.01	.05	22
23	.35	.42	.13	—	—	—	—	.41	—	.07	.17	.18	23
24	.53	—	.01	—	—	.25	—	.39	—	—	—	.17	24
25	.18	.02	—	—	—	.15	—	.69	—	—	.20	.56	25
26	—	.04	—	—	—	—	.01	.40	—	.34	.37	.34	26
27	—	—	—	—	—	.06	—	—	—	.18	—	.18	27
28	—	.07	—	—	—	.10	.19	.03 .43	.05	.30	.40	.07	28
29	—	.01	—	—	—	.15	.34	.25	1.12	.18	.07	—	29
30	—		—	—	.55	—	—	.01	.13	.14	—	—	30
31	—		.25		.01		.12	.03		—		—	31
Total	3.55	1.62	2.49	.04	1.40	3.42	1.76	5.50 ✓	2.51	2.36 ✓	1.91 ✓	2.90 ✓	TOTAL for year 29·46
No. of Rain Days.	17	15	19	2	10	16	12	28	6	15	15	20	175

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Park House Hampton Wick
in the County of Middlesex
by Arthur Shorter.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Hampton Wick
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level Twentyeight ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·24	·03	·21	·00	·00	·00	·00	·73	·03	·00	·15	1
2	·08	·17	·00	·00	·00	·00	·05	·00	·02	1·31	·00	·01	2
3	·01	·00	·00	·30	·35	·00	·00	·00	·00	·00	·00	·00	3
4	·24	·00	·00	·01	·46	·00	·03	·00	·00	·23	·03	·09	4
5	·00	·00	·00	·00	·00	·05	·11	·00	136	·01	·06	·05	5
6	·00	·04	·15	·00	·04	·07	·11	·00	·00	·10	·09	·15	6
7	·00	·11	·00	·00	·04	·00	·02	·02	·02	·50	·08	·02	7
8	·00	·03	·01	·00	·09	·10	·00	·00	·00	·15	·00	·00	8
9	·00	·16	·00	·00	·00	·01	·00	·00	·08	·00	·03	·00	9
10	·00	·00	·16	·08	·00	·00	·12	·02	·00	·00	·37	·05	10
11	·22	·00	·00	·39	·04	·00	·00	·00	·00	·66	·11	·00	11
12	·00	·03	·00	·00	·02	·00	·00	·00	·00	·00	·41	·00	12
13	·05	·00	·00	·00	·00	·00	·00	·00	·11	·00	·19	·00	13
14	·05	·02	·09	·08	·00	·00	·70	·16	·00	·11	·05	·00	14
15	·26	·06	·38	·20	·00	·00	·50	·00	·09	·00	·00	·00	15
16	·13	·00	·30	·15	·00	·00	·00	·00	·30	·00	·00	·00	16
17	·04	·12	·05	·05	·00	·00	·19	·00	·01	·00	·00	·00	17
18	·00	·00	·13	·06	·03	·00	·02	·00	·00	·00	·05	·00	18
19	·19	·00	·12	·01	·01	·00	·16	·00	·24	·00	·00	·00	19
20	·20	·00	·38	·03	·03	·09	·03	·00	·00	·54	·00	·00	20
21	·02	·00	·16	·09	·00	·00	·00	·00	·01	·21	·70	·00	21
22	·41	·00	·16	·08	·00	·00	·00	·09	·16	·00	·00	·00	22
23	·00	·00	·02	·00	·00	·06	·00	·30	·00	·00	·00	·38	23
24	·00	·00	·02	·05	·00	·00	·00	·00	·00	·00	·00	·00	24
25	·00	·01	·00	·15	·00	·02	·00	·00	·00	·00	·01	·00	25
26	·00	·00	·18	·00	·00	·00	·00	·07	·00	·75	·00	·19	26
27	·00	·00	·02	·11	·15	·00	·00	·00	·00	·02	·00	·00	27
28	·31	·00	·24	·12	·00	·00	·00	·00	·00	·09	·00	·00	28
29	·05		·00	·52	·73	·00	·00	·13	·00	·00	·00	·00	29
30	·25		·00	·08	·00	·00	·00	·13	·00	·16	·00	·02	30
31	·00		·09		·00		·00	·66		·07		·00	31
Total	2-53	·99	2·69	2·77	1·99	·40	2-04	1·58	2-13	4·94	2·18	1·11	YEAR'S TOTAL 25·35
Rain Days.	17	11	19	20	12	7	12	9	12	16	13	10	158

W. 7,500, XI. ·12

Slip made 2/3/15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 - JAN 1915

Kept at Hampton Wick 1st RR
in the County of Middlesex
by Arthur Shorter

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Hampton Wick
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00	00	04	00	00	00	00	16	00	00	03	02	1
2	01	00	00	00	00	00	17	02	00	00	07	26	2
3	00	00	06	00	15	00	09	00	00	00	00	00	3
4	05	00	04	13	00	00	04	01	00	00	28	30	4
5	06	00	06	15	13	05	27	1·26	00	00	00	00	5
6	00	13	01	10	00	11	06	00	00	00	06	08	6
7	00	25	23	29	28	15	18	00	00	00	00	06	7
8	08	38	74	01	05	12	11	11	00	00	00	02	8
9	19	00	58	19	00	07	00	00	14	00	00	1·60	9
10	00	10	02	04	06	00	00	00	13	00	00	00	10
11	00	30	40	00	00	04	00	00	14	00	16	30	11
12	00	09	11	00	00	00	30	00	16	00	00	44	12
13	00	18	16	00	00	00	00	00	16	00	00	38	13
14	00	07	14	00	00	2-32	11	00	00	25	09	41	14
15	04	01	16	00	00	00	19	00	00	01	00	04	15
16	00	07	04	00	00	00	00	00	00	00	00	00	16
17	00	34	08	00	00	00	00	00	03	00	00	07	17
18	00	05	20	00	00	00	00	00	00	00	00	25	18
19	00	06	28	00	00	04	13	00	00	00	64	38	19
20	00	23	39	00	00	02	00	00	14	00	00	05	20
21	00	57	06	00	00	00	00	00	00	00	00	04	21
22	00	00	01	00	36	06	20	00	00	38	00	00	22
23	00	00	09	00	11	08	05	00	00	12	00	00	23
24	00	00	02	00	00	00	00	00	00	00	09	00	24
25	00	00	19	00	00	00	00	14	00	25	00	00	25
26	00	00	01	00	00	00	08	11	00	07	18	64	26
27	08	00	01	00	00	00	00	00	00	00	00	14	27
28	00	05	05	00	00	00	00	00	00	08	50	90	28
29	06		06	00	00	00	00	00	00	22	12	00	29
30	00	X	03	00	00	00	00	00	00	04	60	22	30
31	01	X	00	X	16	X	02	00	X	00	X	05	31
Total	·58 ✓	2.88 ✓	4·27 ✓	·91 ✓	1·30 ✓	3·06 ✓	2·00 ✓	1·81 ✓	·90 ✓	1·42 ✓	2·82 ✓	6·65 ✓	YEAR'S TOTAL 28.60
Rain Days.	9 ✓	16	29 ✓	7 ✓	8 ✓	11 ✓	15 ✓	7 ✓	7 ✓	9 ✓	12	22	152

W. 8,000. X. 14.

FORM A. BRITISH RAINFALL. 13 JAN 1916

914

REGISTER OF RAINFALL IN 1915

Kept at Hampton Wick

in the County of Middlesex

by Arthur Shorter

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station H. W. Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 28 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.37	.14	.17	.00	.05	.03	.00	.03	.00	.03	.21	.00	1
2	.59	.16	.22	.12	.01	.00	.00	.79	.00	.00	.00	.60	2
3	.34	.00	.08	.13	.00	.00	.00	.13	.00	.00	.00	.52	3
4	.10	.00	00	.00	.00	.00	.00	.02	.00	.00	.00	.26	4
5	.04	.42	00	.01	.00	.00	.00	.01	.00	.12	.00	.27	5
6	.33	.05	01	.25	.00	.00	.95	.00	.00	.00	.00	.29	6
7	21	.21	.04	.00	.00	.00	.12	.00	.00	.00	.00	.23	7
8	.11	.68	.00	.05	.00	.09	.05	.05	.00	.00	.00	.00	8
9	.04	.04	.00	.22	.00	.00	.00	.06	.00	.02	.35	.65	9
10	.17	.00	.00	.00	.00	.00	.00	.53	.00	.00	.00	.18	10
11	.01	.00	.02	00	.00	.00	.00	.00	.00	.00	.78	.04	11
12	.04	.16	.00	.34	.48	.00	.00	.03	.00	.00	.16	.03	12
13	.00	.47	.00	.00	1.20	.00	.00	.10	.00	.00	.00	.00	13
14	.01	.00	.00	.00	.00	.00	.41	.07	.04	.00	.00	.38	14
15	.05	.00	.00	.00	.06	.00	.00	.24	.00	.00	.00	.09	15
16	.00	.24	.00	.00	.00	.00	.55	.03	.00	.00	.00	.05	16
17	.00	.29	.00	.00	1.09	.00	.00	.01	.00	.00	.00	.00	17
18	.00	.33	.00	.00	.23	.00	.00	.00	.00	.00	.00	.00	18
19	.00	14	.00	.00	.02	.60	.08	.00	.00	.00	.00	.00	19
20	.27	.00	.04	.05	.00	.00	.00	.00	.00	.00	.00	.20	20
21	00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	21
22	1.32	.09	.14	.11	.00	.00	.68	.00	.00	.00	.00	.10	22
23	.00	.15	.00	.00	.00	.00	.37	.00	.10	.72	.00	.28	23
24	.00	.00	.04	.00	.00	.00	.23	.00	.56	.28	.00	.48	24
25	.00	.00	.02	.16	.00	.00	.61	.00	.00	.00	.00	.14	25
26	.00	.04	.00	.00	.00	.05	.35	.00	.00	.00	.00	.50	26
27	.00	.00	.00	.00	.00	.35	.10	.00	.00	.26	.00	.00	27
28	00	.00	.00	.00	.00	.00	.00	.11	1.69	15	.00	.00	28
29	.00	.00	.00	.00	.00	.02	.19	.00	.00	.00	.35	.02	29
30	.00	✕	.00	.00	.00	.35	.00	.00	.00	.00	.25	.01	30
31	.00	✕	.00	✕	.00	✕	.00	.00	✕	1.12	✕	.18	31
Total	4.00	3.61	.78	1.44	3.14	.89	469	2.21	2.39	2.70	2.10	5.55	YEAR'S TOTAL 33.50
Rain Days.	16	16	10	10	8	6	13	15	4	8	6	23	135

W. 8,000. X. 15.

Form A. 1. **METEOROLO** … **GANIZATION.**

RE … 0.

HANWELL

OAKLANDS RD

1920

4 JAN 1921

Kept at 110, Oakla … 20' W.

… 30 A.M.

in the County of Mi … Hanwell [G. W. R].

… ain Gauge 5 in.

by R. G. Davi … bove Ground 1 ft. 0 in.

„ Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·25	·05	—	·30	—	·01	·75	—	·18	1
2	—	—	·02	—	—	—	·02	·75	·07	·07	—	·08	2
3	—	·08	—	·01	—	—	·04	—	·09	—	—	·02	3
4	—	·05	·01	·01	—	—	·17	—	—	·15	—	·17	4
5	—	—	·07	·04	·04	—	·62	—	·01	—	—	·03	5
6	—	—	·26	·26	·13	—	·40	—	—	—	—	·04	6
7	·03	—	—	·01	·10	—	·19	—	—	—	—	—	7
8	—	·04	—	·10	·17	—	·05	·02	—	—	—	—	8
9	·34	·01	—	·04	—	—	—	·03	—	—	—	—	9
10	·52	·04	·06	—	—	·09	·06	—	—	—	—	—	10
11	·19	—	·07	·09	·03	·02	·22	—	—	—	—	·12	11
12	·10	—	—	·10	—	·81	—	—	—	·03	—	—	12
13	·18	—	·10	·19	—	—	—	—	—	—	·06	—	13
14	—	—	·23	·24	—	·02	—	—	·09	·20	·15	—	14
15	·02	·05	·14	·20	—	—	·01	—	·44	·30	·13	—	15
16	—	—	—	·24	—	·05	—	—	·29	·01	—	—	16
17	·02	—	—	—	·14	·25	·01	—	·16	·09	—	·05	17
18	·02	—	—	—	·01	—	—	·68	·31	—	—	·02	18
19	·13	—	—	·19	—	·03	—	—	—	—	—	·04	19
20	·06	·06	—	·18	—	·63	—	—	·02	—	—	—	20
21	—	—	—	—	—	—	1·01	·02	·39	—	—	·07	21
22	—	—	—	·29	—	—	—	—	·06	—	—	·36	22
23	—	·01	—	—	—	—	·37	·01	—	—	—	·41	23
24	·01	—	·06	—	—	—	—	—	—	—	—	·05	24
25	—	·04	·03	—	—	—	·14	—	—	—	—	—	25
26	·05	·01	·08	—	3·16	—	·10	—	—	—	—	·02	26
27	·17	·06	—	·23	—	·13	·11	—	—	—	·56	·09	27
28	·36	·01	·08	·11	·02	·01	·15	—	—	—	·02	·02	28
29	·25	—	·05	—	—	—	—	—	—	—	·04	·18	29
30	·01		—	—	·11	—	·40	—	·30	—	·29.	·08	30
31	·03		—		·01		·01	—		·23		·07.	31
Total	2·49.	·46.	1·26.	2·78.	3·97.	2·04.	4·38.	1·51.	2·24.	1·83.	1·25.	2·10.	Year's Total 26·31.
Days with ·01 in. or more	18	12.	14	19.	12.	10.	20.	6	13.	9.	7.	20.	160
Days with ·04 in. or more	11	8.	11	16	8	6	16	2.	10	7.	6.	15.	116.

Form A. 1. **METEOROLO … ANIZATION.**

RE … 0.

4 JAN 192

Kept at 110, Oaklands Rd. Hanwell.

in the County of Middlesex

by R. G. Davies

Lat. … 20' W.

Time of Observation 8. 30 A.M.

Nearest Railway Station Hanwell [G. W. R].

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 81 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·25	·05	–	·30	–	·01	·75	–	·18	1
2	–	–	·02	–	–	–	·02	·75	·07	·07	–	·08	2
3	–	·08	–	·01	–	–	·04	–	·09	–	–	·02	3
4	–	·05	·01	·01	–	–	·17	–	–	·15	–	·17	4
5	–	–	·07	·04	·04	–	·62	–	·01	–	–	·03	5
6	–	–	·26	·26	·13	–	·40	–	–	–	–	·04	6
7	·03	–	–	·01	·10	–	·19	–	–	–	–	–	7
8	–	·04	–	·10	·17	–	·05	·02	–	–	–	–	8
9	·34	·01	–	·04	–	–	–	·03	–	–	–	–	9
10	·52	·04	·06	–	–	·09	·06	–	–	–	–	–	10
11	·19	–	·07	·09	·03	·02	·22	–	–	–	–	·12	11
12	·10	–	–	·10	–	·81	–	–	–	·03	–	–	12
13	·18	–	·10	·19	–	–	–	–	–	–	·06	–	13
14	–	–	·23	·24	–	·02	–	–	·09	·20	·15	–	14
15	·02	·05	·14	·20	–	–	·01	–	·44	·30	·13	–	15
16	–	–	–	·24	–	·05	–	–	·29	·01	–	–	16
17	·02	–	–	–	·14	·25	·01	–	·16	·09	–	·05	17
18	·02	–	–	–	·01	–	–	·68	·31	–	–	·02	18
19	·13	–	–	·19	–	·03	–	–	–	–	–	·04	19
20	·06	·06	–	·18	–	·63	–	–	·02	–	–	–	20
21	–	–	–	–	–	–	1·01	·02	·39	–	–	·07	21
22	–	–	–	·29	–	–	–	–	·06	–	–	·36	22
23	–	·01	–	–	–	–	·37	·01	–	–	–	·41	23
24	·01	–	·06	–	–	–	–	–	–	–	–	·05	24
25	–	·04	·03	–	–	–	·14	–	–	–	–	–	25
26	·05	·01	·08	–	3·16	–	·10	–	–	–	–	·02	26
27	·17	·06	–	·23	–	·13	·11	–	–	–	·56	·09	27
28	·36	·01	·08	·11	·02	·01	·15	–	–	–	·02	·02	28
29	·25	–	·05	–	–	–	–	–	–	–	·04	·18	29
30	·01		–	–	·11	–	·40	–	·30	–	·29.	·08	30
31	·03		–		·01		·01	–		·23		·07.	31
Total	2·49.	·46.	1·26.	2·78.	3·97.	2·04.	4·38.	1·51.	2·24.	1·83.	1·25.	2·10.	Year's total 26·31.
Days with ·01 in. or more	18	12.	14.	19.	12.	10.	20.	6	13.	9.	7.	20	160
Days with ·04 in. or more	11	8	11	16	8	6	16	2.	10	7.	6.	15.	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dilk… 1/3/15

REGIS

HARE~~F~~IELD

HARE FIELD HSE

1914 - 1920

N

°30'0" N

FORM A.
BRITISH RAINFALL.
13 FEB 1915

Kept at Harefield House

in the County of Middlesex

by Walter J B Byl

…ham G W R, G C R

in.

Ground ~~[illegible]~~ ft. 8 in.

Sea Level 290 ft.

IMPORTANT NOTE. … he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·48 (taken 6 p.m. first)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·02				·13			·08	·06	1
2				·02				·33			·07	·17	2
3			·06		·22		·22				·12	·03	3
4			·03	·21	·13		·48				·31	·35	4
5			·12	·16	·05		·12	·75				~~·22~~	5
6	·22	·14			·06	·08	·36	·04			·19	·22	6
7		·21	·44	·19	·79							·13	7
8	·11	·21	·73	·05	·08	·13	·13	·16				·04	8
9			·72	·10	[illegible]	·05	·05		·12			1·45	9
10	·11			·11	·11	·19	[illegible]	·02	·21				10
11		·39	·53		·04	·75	[illegible]		·06		·33	·25	11
12		·08	·09			·49	·29		·25		·08	·40	12
13	·03	·31	·19						·20	·04	·09	·50	13
14		·10	·73							·34	·12	·38	14
15	·10		·19						·10	·02	·05	·05	15
16			·08				·15		·20		·02		16
17		·49	·10						·02				17
18			·14									·43	18
19		·11	·10								·13	·19	19
20		·22	·30				·10					·23	20
21		·46	·05			·21	[illegible]			·08		·15	21
22		·21	·02		·13	·06	·14	·05		·40		·49	22
23		·10	·13		·20					·12			23
24			·09		·07					·12	·14		24
25			·12					·20		·31			25
26			·02				·08	·05		·08	·22	·22	26
27			·05								·07	·29	27
28	·08				·05					·11	·37	1·00	28
29			·09							·26	·16		29
30			·13							·09	·38	·44	30
31	·07				·10		·04						31
Total	·72	3·03	5·30	·86	2·03	1·96	1·98	1·73	1·16	1·97	2·93	7·47	YEAR'S TOTAL 31·14
Rain Days.	7	13	26	8	14 13	8	10	9	8	12	18	22	155

W. 8,000. X. 14.

154

[illegible]

REGIS

N

FORM A.
BRITISH RAINFALL
13 FEB 19[illegible]

Kept at Harefield House, Harefield

in the County of Middlesex G H M

by Walter J B Byles

Lat. 51 38 0 Long. 0°30′0″ W

Time of Observation 10 a.m.

Nearest Railway Station Denham G W R, G C R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ ft. 8 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·48 (taken 6 p.m. first)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·02				·13			·08	·06	1
2				·02				·33			·07	·17	2
3			·06		·22		·22				·12	·03	3
4			·03	·21	·13		·48				·31	·35	4
5			·12	·16	·05		·12	·75				~~·22~~	5
6	·22	·14			·06	·08	·36	·04			·19	·22	6
7		·21	·44	·19	·79							·13	7
8	·11	·21	·73	·05	·08	·13	·13	·16				·04	8
9			·72	·10	[illegible]	·05	[illegible]		·12			1·45	9
10	·11			·11	·11	·19	[illegible]	·02	·21				10
11		·39	·53		·04	·75	[illegible]		·06		·33	·25	11
12		·08	·09			·49	·29		·25		·08	·40	12
13	·03	·31	·19						·20	·04	·09	·50	13
14		·10	·73							·32	·12	·38	14
15	·10		·19						·10	·02	·05	·05	15
16			·08				·15		·20		·02		16
17		·49	·10						·02				17
18			·14									·43	18
19		·11	·10								·13	·19	19
20		·22	·30				·10					·23	20
21		·46	·05			·21	[illegible]			·08		·15	21
22		·21	·02		·13	·06	·14	·05		·40		·49	22
23		·10	·13		·20					·12			23
24			·09		·07					·12	·14		24
25			·12					·20		·31			25
26			·02				·08	·05		·08	·22	·22	26
27			·05								·07	·29	27
28	·08				·05					·11	·37	1·06	28
29			·09							·26	·16		29
30		✕	·13							·09	·38	·44	30
31	·07	✕		✕	·10	✕	·04		✕		✕		31
Total	·72	3·03	5·30	·86	2·03	1·96	1·98	1·73	1·16	1·97	2·93	7·47	YEAR'S TOTAL 31·14
Rain Days.	7	13	26	8	14 13	8	10	9	8	12	18	22	155

W. 8,000. X. 14.

154

Cont Lysons Stats. 27.2.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

940

5 JAN 1916

Kept at Harefield House, Harefield
in the County of Middlesex
by Walter J Barnard Byles

Lat. 51° 34′ 0″ N Long. 0° 30′ 0″ W
Time of Observation 10 a m
Nearest Railway Station Denham (G W R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·18	·08						·34		·62		1
2	·10	·23	·25	·02				·65		·13		~~·2[illegible]~~	·68 2
3	·35		·10	·20			·03	·85	·25			~~·[illegible]~~	·34 3
4	·08											~~·34~~	·30 4
5		·36		·03				·05		·05		·28	5
6	·20	·06	·05	·28				·03				·24	6
7		·30					1·04	·08				·30	7
8		·61					·05	·13					8
9	·12	·11		·11		·06		·03			·29	·63	9
10	·42		·07					·19				·10	10
11								·41				·04	11
12	·16			·27	·50						·70		12
13		·52			1·10						·45		13
14		·03					·94	·07	·11			·87	14
15	·17				·06			·04			·16	·13	15
16							·76	·30			~~·16~~	·10	16
17		·60			·11		·87						17
18		·19			·70						·04		18
19		·08	·08				·17						19
20	·33			·05								·20	20
21	·11						·08						21
22	·73	·09	·32				·79					·28	22
23		·31	·11				·20		·54	·55		·29	23
24						·03	·34		·62	·21		·30	24
25						·03	·15			·05		·11	25
26							·22					·48	26
27		·13	·04			·52	·28			·44		·10	27
28		·05				·09			1·09	·10			28
29							·09	·19			·15	·03	29
30		X				·04				·19	·18	·05	30
31	·08	X		X		X			X	·59	X	·16	31
Total	3·33	3·85	1·10	·96	2·47	·77	5·21	3·02	2·95	2·31	2·59	5·99	YEAR'S TOTAL 34·55
Rain Days.	13	16	9	7	5	6	15	13	6	9	8	22	129

W. 8,000. X. 15.

~~W~~ FW

913

FORM A.
BRITISH RAINFALL.

2 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Harefield House, Harefield

in the County of Middlesex

by Walter J B Byles

Lat. 51° 36' 0" N Long. 0° 30' 0" W

Time of Observation 10 a.m.

Nearest Railway Station Denham G W R

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. 10 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27				·33				·28	·07	·31		1
2	·48				·12				·11	·45	·02		2
3		·58	·19						·11	·27	·26		3
4	·29	·19				·46			·12	·18	·60		4
5	·03	·07				·10				·12	·62		5
6	·02	·03		·18						·10	·38		6
7	·10				·16	·24	·72				·72		7
8			1·02		·25	·12							8
9					·27	·09				·13		·29	9
10			·05			·19	·10						10
11	·06	·30		·10	·25	·24					·03	·14	11
12	·05	·04	·23	·23	·09	·14	·08	·22	·02				12
13		·45	·30	·06		·05	·38	·72	·04	·09			13
14		·42						·31	[illegible]	·09			14
15		·32	·25				·15	·17	[illegible]	·03			15
16			·50	·16			·17	·21	[illegible]				16
17	·11			·05			·02	·31	·32	·45			17
18		·22	·05	·20				·32	·13	·23	·77		18
19	·14		·20	·24					·31		·63		19
20	·18		·15	·06							·03	·50	20
21			·69				·04					·60	21
22								·04	[illegible]	·10		·45	22
23						·06					·05		23
24		·35				·36		·06	[illegible]			·43	24
25			·14		·09	·12		·23		·20	·23		25
26		·99						·10					26
27	·09		1·0			·09		·21	·11	·26			27
28		·34	·23			·04			·13	·03		·30	28
29		·08				(·26)		1·63	·03	·42	·04	·17	29
30		X				·03		·06		·40		·04	30
31		X		X		X			X	·15	X		31
Total	1·82	4·38	5·00	1·28	1·56	2·59	1·66	4·59	1·71	3·77	4·69	2·92	YEAR'S TOTAL 35·97
Rain Days.	12	14	15⊠	9	8	16	8	14	12	19	14	9	150

[x Part of rain fall, such is form of snow, spread in part over three days 7th to 9th, exact day of measurement doubtful]

W. 8,000, VIII. 16

⊠ See note as regards fall 7th – 9th.

ansd 2.11.17

Telephone
Kensington 3750

3 Princes Gardens,
S.W.

Attach to A

Feb 1st /17

Dear Sir.

I beg to enclose herewith the record of the rainfall for 1916 at Harefield House Harefield Middlesex, taken by myself or in my absence by Mr Franklin the gardener. I am unable to state the exact diameter of the funnel of the guage at the present moment, I could however obtain the exact measurement if necessary, it is the same guage that I have used for some years past, and I have given the exact measurement in previous returns

I have noted a slight complication as regards the rainfall March 7th - 9th, by some oversight the gardener measured it in one amount, but the fall was in fact distributed over about three days, much of it snow. I have made an unfortunate mistake in filling the Aug & Sept columns inadvertently using the wrong column for August, but I trust the inevitable correction has not made the amounts illegible. I regret not to have seen your usual article on the rainfall in the Times, I'm afraid I must somehow have overlooked it.

Yrs faithfully
Walter J B Byles.

Dr H. R. Mill.

881

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

W D [illegible]

Kept at Harefield House, Harefield, Middlesex
in the County of Middlesex.
by Walter J Barnard Byles.

Lat. 51° 36′ 0″ Long. 0° 30′ 0″ W
Time of Observation 10 a m
Nearest Railway Station Denham (GWR, GCR
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. 10 in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·03	·06	[illegible]	·11		1
2				·58		·11		·05					2
3								·40			·12		3
4			·05				·02	·12					4
5	·32								·15	·68	·16		5
6		·30	·30	·34		·03			·13	·11			6
7	·28	prow	·05			·26				·28	·09		7
8	·29			·09			·86	·35		·32	·22	·18	8
9							·16	·10	·02		·10	·12	9
10			·14					·07			·04		10
11	·41		·35	·41						·43			11
12			·07					·34		·50			12
13	·13		·08					·27	·03	·04			13
14				·37				·13		·03			14
15							·21	·02					15
16		·09		·23		·21	·08			·72		·36	16
17					·80		·23		·50	·31			17
18	·13	·13		·21	·09	·25	·18	·08	·27	·11			18
19				·06		·04			·48				19
20		·35	·11		·39		·05				·10		20
21					·20	·03				·04			21
22					·11	·09		·08		·08			22
23		·12	·14			·05		·14					23
24						·05		·06		·43		(·30)	24
25							·03						25
26						·02		·38	·06		·42		26
27						·08		·86					27
28			·07			·46	·91	·25					28
29					·07	1·84		·04		·36			29
30		×	·28				1·25	·11				·31	30
31		×		×		×	·35		×		×		31
Total	1·56	·99	1·64	2·29	1·66	3·52	4·33	4·78	1·70	4·44	1·36	1·27	YEAR'S TOTAL 29·54
Rain Days.	6	8(?)	11	8	6	14	12	20	9	15.	9	4	122.

W. 8,000, IX. 17.

91
298

3 Princes Gardens,
S.W. 7

Jan 8th /18.

Sir Walter J Barnard Byles begs to enclose herewith his rainfall record for 1917 taken at Harefield House, Middlesex. The record for the early part of February ~~is~~ can, as far at least as the number of days on which rain fell is concerned, only be approximately stated, as the rainfall represents melted snow.

28

FORM A.
BRITISH RAINFALL.

REGISTER Copy OF RAINFALL IN 1918

Kept at Harefield House, Harefield
in the County of Middlesex.
by Walter J. Barnard Byles.

Lat. 51°36′0″ N Long. 0°30′0″ W
Time of Observation 10 am
Nearest Railway Station Denham G.W.R. & G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·21							·19	·12	1
2		·15		·15				·36	~~·36~~	·03		·23	2
3			·05		·56			·09	~~·18~~		·83	·03	3
4		·07	·06	·08					·36		·43	·02	4
5		·23			·10			·19	·18	·11			5
6				·27				·09				·12	6
7	·17			·11	·32				·21	·09			7
8		·15	·07						·26		·20		8
9	·04	·07		·06		·14	·38		·37	·28			9
10		·14		·09			·61		·04			·43	10
11				·04	·06		·47		·25			·14	11
12					·09		·16		·05	·54			12
13		·14			·29								13
14	·26					·23	·22		·55			·25	14
15						·05	·18			·21		·12	15
16	1·48 [snow & rain]			1·35	{snow & rain]	·13			1·06			·03	16
17				·32			·22					·12	17
18	·62					·27	·09		·40			·10	18
19	·11			·06			·25	·08	·05				19
20		·17		·75	{snow & rain]	·08	·13		·11	·38		·11	20
21	·17			·95					·39	·05			21
22	·12				·09		·10		·09			·19	22
23	·05				·40		·83	·03					23
24		·22					·06			·06	·28		24
25							·10	·18	·09				25
26							·32				·19	·19	26
27		·10						·29				·05	27
28			·21	·11				·06	·08			·21	28
29									1·26		·23	·03	29
30	·02	✕	·42						·13				30
31		✕	·05	✕		✕		·05	✕	·07	✕	·06	31
Total	3·04	1·44	·86	4·55	1·91	·90	4·12	1·42	5·93	1·82	2·35	2·55	YEAR'S TOTAL. 30·89
Rain Days.	10	10	6	14	8	6	15	10	19	10	7	19	~~134~~

W, 6,500, VII. 18. W W C

831

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Harefield House, Harefield
in the County of Middlesex.
by W J Barnard Byles

Lat. 51°36'0" N Long. 0°30'0" W
Time of Observation 10 a.m.
Nearest Railway Station Denham G.W.R., G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 10 in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·21			·08		·44			·06	·11	1·00	1
2	·24		·04		·25		·06	·04	·13	·12	·27	·81	2
3	·30		·30				·22		·07	[illegible]	·06	·42	3
4	·08		·34			·08	·07	·08	·07	[illegible]	·05	·16	4
5		·34	·64				·09		·20			·29	5
6	·04		·09								·03	·03	6
7	·08		·56								·06		7
8	·22		·06										8
9	·05		·04								·04		9
10	·11		·08	·11							·05		10
11	·06		·09			·08						·16	11
12			·27				·30			·09			12
13									·02	·10			13
14	·36			·85			·06		·43		·05	·04	14
15	·37		·11	·27						·03		·47	15
16	·15	·74									·14	·07	16
17		·22									·27	·04	17
18		·62	·10					·03	·07			·07	18
19		·15	·80				·41	·14			·32		19
20	·40	·09	·13			·95	·15	·21	·03				20
21	·26	·34					·08	·02				·11	21
22		·24				·07	·14		·53		·05	·30	22
23			·03					·07	·07	·07	·06	·07	23
24				·14			·16	·09		·26	·13	·04	24
25	·03				·02							·03	25
26	·18	·25		·13				·59	·12			·44	26
27	·50	·02		1·20			·03	·49				·06	27
28	·18		·34	·08				·66		·03		·33	28
29				·12				·21		·15		·06	29
30		×	·02	·19			·05	·10		·03	·08	·40	30
31	·02	×	·01	×		×			×		×	·07	31
Total	4·11	3·22	3·99	3·09	·35	1·18	2·26	2·73	1·74	·94	1·77	5·47	Year's Total 30·85
Days with ·01 in. or more	20	11	19	9	3	4	14	13	11	10	16	23	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W~~ MZ　cnd for Anlt　786

17 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192[illegible].

Kept at Harefield House Harefield
in the County of Middlesex
by Walter J. Barnard Byles.

Lat. 51° 36' 0" N Long. 0° 30' 0" W
Time of Observation 9 a.m.
Nearest Railway Station Denham GWR, GCR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
„ „ „ „ Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·56	·16		·44		·03	·32			1
2							·18	·85	·08	·03		·21	2
3				·59			·05		·08	·06		·16	3
4		·10		·10			·07	·15		·26		·13	4
5			·13				·80	·04	·03	·02		·04	5
6			·20		·23		·47						6
7	·03			·22			·15						7
8		·05		·15	·06		·13	·11		·02			8
9	·40			·19			·15	·04					9
10	·65	·02	·10			·11	·10						10
11	·25		·06	·25			·22						11
12	·09	·02		·17		1·12	·03						12
13	·16	·03	·11	·30							·11		13
14			·30	·18		1·52	·10		·22	·11	·20		14
15	·04	·06	·27	·21			·03		·28	·27	·07	·11	15
16				·24		·05			·09	·14			16
17	·03				·22		·04		·32	·04			17
18					·04			·60	·20			·12	18
19	·20			·11				·03					19
20	·07~~20~~	·10		·32		·66							20
21							·58	·04	·48			·17	21
22				·32			·04	·02	·08			·31	22
23							1·08	·05				·45	23
24	·05	·06	·10									·06	24
25			·08				·31						25
26	·06		·09		·52	·16	·08						26
27	·22	·09		·33			·20				·49	·19	27
28	·40		·19	·26	·12		·17				·08	5 ·34 40	28
29	·21	·02					·04		·28		·19		29
30			·04		·05		·45			·05	·25	·18	30
31	·09									·30		·20	30·31 47
TOTAL	2·95	·55	1·67	4·50	1·40 ~~1·45~~	3·62	6·00	1·93	2·17	1·62	1·39	2·67	YEAR'S TOTAL ~~30·52.~~
Days with ·01 in. or more	~~18~~ 16	10	12	17	8	6	24	10	12	12	7	14	~~150~~ 148
Days with ·04 in. or more	14 ~~16~~	6	12	17	8	6	22 ~~23~~	8	10	9	7	14	~~136~~ 133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HARLEY GDNS

LONDON

1920

FORM A. 1. **METEOROL ATION.**

R

18 JAN 1921

Kept at 7, Har m.

in the County of 5 in.

by Mrs Han nd 1 ft. 5 in.

Level 29 ft.

IMPORTANT NOTI to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·29	·02	-	·28	-	-	·20	-	·17	1
2	-	-	·05	-	·01	-	·02	·85	·06	·10	-	·05	2
3	·01	·08	-	·01	-	-	-	-	·13	·01	-	·04	3
4	-	·03	·02	·07	-	-	·07	·03	-	·12	-	·03	4
5	-	-	·14	-	·04	-	·50	·04	·02	·01	-	·06	5
6	-	-	·12	-	·12	-	·39	-	-	-	-	·03	6
7	·01	-	-	·14	·05	-	·22	-	-	-	-	·05	7
8	-	·02	-	·18	·17	-	·08	·02	-	-	-	-	8
9	·28	·02	-	·02	-	-	-	-	-	-	-	-	9
10	·49	·04	·06	·02	-	·06	·07	-	-	-	-	-	10
11	·10	-	·06	·15	·02	·02	·41	-	-	-	-	·15	11
12	·08	-	-	·08	-	·60	-	-	-	-	-	-	12
13	·18	-	·10	·15	-	-	-	-	-	-	·02	-	13
14	-	·01	·23	·17	-	·68	-	-	·15	·01	·11	·02	14
15	·01	·02	·05	·13	-	-	·04	-	·68	·08	·12	-	15
16	-	-	-	·31	-	·02	-	-	·14	·33	-	-	16
17	-	-	-	-	·12	·11	·01	-	·54	·02	-	·03	17
18	·03	-	-	·03	-	-	-	·77	·07	-	-	·05	18
19	·17	-	-	·19	-	·06	-	-	-	-	-	·05	19
20	·06	·21	-	·11	-	·53	-	-	·11	-	-	-	20
21	-	-	-	-	-	-	·80	-	·59	-	-	·03	21
22	-	-	-	·27	-	-	-	·03	·05	-	-	·39	22
23	-	-	-	-	-	-	-	·01	-	-	-	·38	23
24	·01	-	·05	-	-	-	·34	-	-	-	-	·02	24
25	-	·06	-	-	-	-	·12	-	·03	-	-	-	25
26	-	-	·07	·01	·60	-	·12	-	·03	-	-	·02	26
27	·13	·06	·04	·25	-	·12	·02	-	-	-	·62	·06	27
28	·35	-	·11	·22	·03	-	·11	-	-	-	-	·02	28
29	·27	-	·07	-	-	-	·01	-	-	-	·04	·18	29
30	·02	×	-	-	·06	-	·27	-	·70	-	·23	·12	30
31	-	×	-	×	·05	×	-	-	×	·16	×	·06	31
TOTAL	2·24	·55	1·17	2·80	1·29	2·20	3·88	1·75	3·30	1·04	1·14	2·01	YEAR'S TOTAL 23·37
Days with ·01 in. or more	17	10	14	20	12	9	19	7	14	10	6	22	160
Days with ·04 in. or more	11	5	13	15	8	7	15	3	11	6	5	14	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at 7, Harley Gardens S.W.
in the County of London
by Mrs Hamlyn Price

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 29 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	·29	·02	–	·28	–	–	·20	–	·17	1
2	–	–	·05	–	·01	–	·02	·85	·06	·10	–	·05	2
3	·01	·08	–	·01	–	–	–	–	·13	·01	–	·04	3
4	–	·03	·02	·07	–	–	·07	·03	–	·12	–	·03	4
5	–	–	·14	–	·04	–	·50	·04	·02	·01	–	·06	5
6	–	–	·12	–	·12	–	·39	–	–	–	–	·03	6
7	·01	–	–	·14	·05	–	·22	–	–	–	–	·05	7
8	–	·02	–	·18	·17	–	·08	·02	–	–	–	–	8
9	·28	·02	–	·02	–	–	–	–	–	–	–	–	9
10	·49	·04	·06	·02	–	·06	·07	–	–	–	–	–	10
11	·10	–	·06	·15	·02	·02	·41	–	–	–	–	·15	11
12	·08	–	–	·08	–	·60	–	–	–	–	–	–	12
13	·18	–	·10	·15	–	–	–	–	–	–	·02	–	13
14	–	·01	·23	·17	–	·68	–	–	·15	·01	·11	·02	14
15	·01	·02	·05	·13	–	–	·04	–	·68	·08	·12	–	15
16	–	–	–	·31	–	·02	–	–	·14	·33	–	–	16
17	–	–	–	–	·12	·11	·01	–	·54	·02	–	·03	17
18	·03	–	–	·03	–	–	–	·77	·07	–	–	·05	18
19	·17	–	–	·19	–	·06	–	–	–	–	–	·05	19
20	·06	·21	–	·11	–	·53	–	–	·11	–	–	–	20
21	–	–	–	–	–	–	·80	–	·59	–	–	·03	21
22	–	–	–	·27	–	–	–	·03	·05	–	–	·39	22
23	–	–	–	–	–	–	–	·01	–	–	–	·38	23
24	·01	–	·05	–	–	–	·34	–	–	–	–	·02	24
25	–	·06	–	–	–	–	·12	–	·03	–	–	–	25
26	–	–	·07	·01	·60	–	·12	–	·03	–	–	·02	26
27	·13	·06	·04	·25	–	·12	·02	–	–	–	·62	·06	27
28	·35	–	·11	·22	·03	–	·11	–	–	–	–	·02	28
29	·27	–	·07	–	–	–	·01	–	–	–	·04	·18	29
30	·02	×	–	–	·06	–	·27	–	·70	–	·23	·12	30
31	–	×	–	×	·05	×	–	–	×	·16	×	·06	31
TOTAL	2·24	·55	1·17	2·80	1·29	2·20	3·88	1·75	3·30	1·04	1·14	2·01	YEAR'S TOTAL 23·37
Days with ·01 in. or more	17	10	14	20	12	9	19	7	14	10	6	22	160
Days with ·04 in. or more	11	5	13	15	8	7	15	3	11	6	5	14	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

943

9 JAN

FORM A. 1. **METEOROLO ... GANIZATION.**

RE ... 19.

HARRINGAY

1919 - 1920

Kept at Harring

in the County of

by L. R. B.

0°

9. a.m.

Harringay. G.N.R.

in Gauge 5 in.

ove Ground 1 ft – in.

Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
–

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·04	...	...	·11	...	·29	...	...	·01	...	·86	1
2	·39	...	...	...	·10	...	·09	·01	·08	·06	·08	·10	2
3	·24	...	·28	...	·01	...	·06	...	·02	...	·03	·33	3
4	·10	...	(·27)	...	...	·06	·20	·02	...	...	·01	·13	4
5	·01	·40	·52	...	...	...	...	...	·03	...	·01	·25	5
6	·01	...	·07	...	...	...	...	...	...	...	...	·02	6
7	·02	...	·36	...	...	...	...	...	...	·11	·03	...	7
8	·05	...	·04	·01	...	...	...	...	...	...	·02	...	8
9	·10	...	·01	·10	·04	...	...	...	...	...	·05	...	9
10	·32	...	·04	·01	...	...	...	...	...	...	·01	·01	10
11	·02	...	·09	·26	...	...	·31	...	...	...	...	·01	11
12	·01	...	·05	·01	...	·04	·03	...	...	·05	...	...	12
13	...	...	...	·47	...	...	...	...	...	·02	...	·01	13
14	·25	...	...	·21	...	...	·06	...	·55	...	...	·02	14
15	·20	·01	·12	·21	...	...	...	...	...	·05	·01	·22	15
16	·02	·65	...	·01	...	...	...	...	...	...	·09	·03	16
17	...	·48	·03	·01	...	...	...	...	...	...	·19	...	17
18	...	(·20)	·05	...	...	...	...	...	·02	...	·05	·04	18
19	·02	·19	·77	...	...	·22	·15	·30	·04	...	·16	·01	19
20	·33	·06	·06	...	...	·81	·13	·13	·01	...	...	...	20
21	·18	·34	·02	...	...	·01	·14	...	...	...	...	·09	21
22	...	·12	...	...	...	·01	·10	...	·16	...	·02	·29	22
23	...	...	...	...	...	·01	...	·01	·19	...	·01	·01	23
24	...	...	...	·17	...	·02	·03	·04	...	·16	·02	·01	24
25	·01	...	...	·11	·03	...	...	·15	...	...	...	·03	25
26	·07	·14	·09	·02	...	...	·02	·10	·08	...	...	·32	26
27	·53	·01	·03	1·32	...	...	...	·47	...	...	...	·02	27
28	·01	...	·14	·02	...	...	...	·71	...	...	·14	·29	28
29	·02		...	·01	...	...	...	·26	...	·20	·06	·02	29
30	...		·02	·21	...	·21	...	·13	...	·02	·22	·19	30
31	·01		...		...		·02	...		...		·01	31
TOTAL	3·32	2·64	3·06	3·16	·29	1·39	1·63	2·33	1·18	·57	~~1·11~~ 1·21	3·32	YEAR'S TOTAL ~~24·00~~ 24·10
Days with ·01 in. or more	24	12	20	17	5	9	14	12	10	8	19	25	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8 JAN

FORM A. 1. **METEOROLO ANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Harringay
in the County of Middlesex
by L. R. Bennett

Lat. 51°35'1"N Long. 0°
Time of Observation 9. a.m.
Nearest Railway Station Harringay. G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·04	...	...	·11	...	·29	...	...	·01	...	·86	1
2	·39	...	...	...	·10	...	·09	·01	·08	·06	·08	·10	2
3	·24	...	·28	...	·01	...	·06	...	·02	...	·03	·33	3
4	·10	...	(·27)	...	...	·06	·20	·02	...	...	·01	·13	4
5	·01	·40	·52	...	...	...	...	...	·03	...	·01	·25	5
6	·01	...	·07	...	...	...	...	...	...	...	...	·02	6
7	·02	...	·36	...	...	...	...	...	...	·11	·03	...	7
8	·05	...	·04	·01	...	...	...	...	...	·11	·02	...	8
9	·10	...	·01	·10	·04	...	...	...	...	...	·05	...	9
10	·32	...	·04	·01	...	...	...	...	...	...	·01	·01	10
11	·02	...	·09	·26	...	...	·31	...	...	...	...	·01	11
12	·01	...	·05	·01	...	·04	·03	...	...	·05	...	...	12
13	...	...	...	·47	...	...	...	...	...	·02	...	·01	13
14	·25	...	...	·21	...	...	·06	...	·55	...	...	·02	14
15	·20	·01	·12	·21	...	...	...	...	...	·05	·01	·22	15
16	·02	·65	...	·01	...	...	...	...	...	...	·09	·03	16
17	...	·48	·03	·01	...	...	...	...	...	...	·19	...	17
18	...	(·20)	·05	...	...	...	...	...	·02	...	·05	·04	18
19	·02	·19	·77	...	...	·22	·15	·30	·04	...	·16	·01	19
20	·33	·06	·06	...	...	·81	·13	·13	·01	...	...	...	20
21	·18	·34	·02	...	...	·01	·14	...	...	...	...	·09	21
22	...	·12	...	...	...	·01	·10	...	·16	...	·02	·29	22
23	...	...	...	...	...	·01	...	·01	·19	...	·01	·01	23
24	...	...	...	·17	...	·02	·03	·04	...	·16	·02	·01	24
25	·01	...	...	·11	·03	...	...	·15	...	...	...	·03	25
26	·07	·14	·09	·02	...	...	·02	·10	·08	...	...	·32	26
27	·53	·01	·03	1·32	...	...	...	·47	...	...	...	·02	27
28	·01	...	·14	·02	...	...	...	·71	...	...	·14	·29	28
29	·02		...	·01	...	...	...	·26	...	·20	·06	·02	29
30	...		·02	·21	...	·21	...	·13	...	·02	·22	·19	30
31	·01		...		...		·02	...		...		·01	31
TOTAL	3·32	2·64	3·06	3·16	·29	1·39	1·63	2·33	1·18	·57	~~1·11~~ 1·21	3·32	YEAR'S TOTAL ~~24·00~~ 24·10
Days with ·01 in. or more	24	12	20	17	5	9	14	12	10	8	19	25	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

798

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

12 JAN 1921

Kept at Harringay

in the County of Middlesex

by L. R. Bennett

Lat. 51° 35′ 1″ N Long. 0° 6′ 19″ W

Time of Observation 9 a.m.

Nearest Railway Station Harringay.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	...	·35	·05	...	·31	...	...	·28	...	·20	1
2	...	...	·02	...	...	...	...	·85	·07	·03	...	·08	2
3	...	·07	...	...	...	...	...	...	·07	·11	...	·02	3
4	...	·01	·01	·06	...	...	·15	·05	...	...	...	·03	4
5	...	...	·09	...	·02	...	·36	·02	·05	...	...	·05	5
6	...	...	·28	...	·08	...	·37	...	...	...	...	·03	6
7	·02	...	·03	·23	...	...	·10	...	...	...	...	·03	7
8	·05	·01	...	·10	·10	...	·08	·01	...	...	...	...	8
9	·37	·01	...	·03	...	...	...	·01	...	...	...	...	9
10	·49	·03	·09	...	...	·06	·05	...	...	...	...	·01	10
11	·14	...	·06	·36	·01	·03	·27	...	...	...	...	·20	11
12	·08	...	...	·10	...	·40	...	...	...	...	...	...	12
13	·11	·01	·10	·16	...	...	...	...	...	...	·08	·01	13
14	...	·01	·29	·24	...	·57	...	...	·23	·12	·14	·01	14
15	...	·02	·09	·17	...	...	·01	...	·63	·09	·10	...	15
16	...	...	·01	·16	...	·07	...	...	·15	·33	...	...	16
17	...	...	...	·02	·15	...	...	...	·35	...	...	·03	17
18	·02	...	...	·01	·01	...	...	·72	·09	...	...	·03	18
19	·13	...	...	·20	...	·06	...	...	...	...	...	·02	19
20	·04	·19	...	·15	...	·56	...	...	·17	...	...	...	20
21	...	...	...	...	...	...	·86	·02	·55	...	...	·05	21
22	...	...	...	·34	...	...	...	...	·19	...	...	·28	22
23	...	...	...	...	...	...	·41	...	...	...	...	·39	23
24	·01	...	·05	·01	...	...	...	...	...	...	...	·05	24
25	...	·02	·02	·04	...	...	·17	...	·03	...	...	...	25
26	·01	...	·06	·01	·15	...	·02	...	...	...	...	·01	26
27	·14	·08	·03	·27	...	·08	·04	...	...	...	·50	·08	27
28	·39	...	·19	·05	·01	...	·05	...	...	...	...	·01	28
29	·21	...	·06	...	·10	...	...	...	...	...	·03	·36	29
30	·02	✕	...	...	·09	...	·36	...	·51	...	·14	·19	30
31	·02	✕	...	✕	·05	✕	...	...	✕	·14	✕	·11	31
TOTAL	2·25	·46	1·48	3·06	·82	1·83	3·61	1·68	3·09	1·10	·99	2·28	YEAR'S TOTAL 22·65
Days with ·01 in. or more	17	11	17	21	12	8	16	7	13	7	6	24	159
Days with ·04 in. or more	11	3	11	16	8	7	14	3	12	6	5	12	108

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG

HARRINGAY

WIGHTMAN ROAD DEPOT

LONDON MIDDX

1911-20

FORM A2.
BRITISH RAINFALL.

-3 MAY 1912

Kept at The Wightma
Finsbur
in the County of Midd
The Corporat
by (Mr. E. J. Le
Borough Eng

n.
nd ..... ft. ..... in.
Level ..... ft.
e
nce ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1912
.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.00	.00	.59	.00	.00	.02	.02	.00	.00	.00	.00	1
2	.13	.00	.00	.36	.15	.00	.00	.00	.00	.00	.14	.11	2
3	.02	.01	.00	.00	.10	.00	.00	.00	.00	.00	.04	.05	3
4	.04	.01	.05	.08	.00	.00	.00	.00	.00	.02	.22	.21	4
5	.00	.01	.00	.02	.00	.00	.00	.00	.00	.18	.00	.14	5
6	.25	00	.12	.00	.00	.00	.00	.00	.00	.00	.00	.17	6
7	.01	.00	.00	.03	.00	.00	.00	.00	.00	.06	.22	.25	7
8	.11	.00	.12	.00	.00	.00	.00	.00	.00	.00	.23	.16	8
9	.07	.00	.03	.03	.00	.00	.00	.00	.00	.00	.00	.00	9
10	.03	.10	.05	.00	.00	.00	.00	.00	.00	.00	.05	.34	10
11	.26	.00	.00	.00	.06	.00	.00	.00	.00	.00	.72	.00	11
12	.01	.00	.39	.00	.22	.11	.00	.00	.03	.00	.34	.00	12
13	.00	.00	.04	.00	.10	.00	.00	.00	.46	.14	.02	.19	13
14	.00	.09	.00	.00	.32	.00	.00	.00	.00	.00	.00	.36	14
15	.00	.04	.16	.00	.00	.00	.00	.00	.00	.00	.01	.00	15
16	.00	.00	.00	.00	.00	.61	.00	.00	.00	.00	.33	.02	16
17	.00	.00	.17	.00	.00	.01	.00	.00	.00	.00	.29	.08	17
18	.00	.16	.01	.00	.00	.04	.00	.00	.00	.00	.39	.11	18
19	.00	.00	.00	.00	.00	.17	.00	.13	.15	.12	.16	.05	19
20	.00	.02	.01	.00	.00	.00	.00	.28	.09	.06	.00	.45	20
21	.00	.05	.02	.00	.00	.00	.00	.23	.00	.47	.00	.07	21
22	.07	.00	.07	.00	.00	.02	.00	.00	.00	.01	.00	.39	22
23	.00	.06	.19	.00	.00	.93	.00	.00	.26	.00	.02	.10	23
24	.00	.10	.03	.00	.00	.02	.03	.03	.00	1.02	.00	.27	24
25	.00	.02	.01	.06	.00	.12	.10	.00	.00	.04	.00	.00	25
26	.00	.01	.03	.18	.00	.08	.00	.00	.00	.13	.05	.24	26
27	.00	.30	.06	.00	.00	.00	.00	.00	.11	.00	.07	.07	27
28	.00	.18	.00	.20	.00	.00	.66	.03	.00	.00	.00	.00	28
29	.00		.00	.04	.00	.14	.08	.00	.15	.19	.00	.00	29
30	.00		.00	.05	.03	.02	.00	.00	.03	.13	.00	.00	30
31	.00		.00		.02		.00	.00		.00		.00	31
Total	1.03	1.16	1.56	1.64	1.00	2.27	.89	.72	1.28	2.58	3.30	3.83	TOTAL for year 21.26
No. of Rain Days.	1.03 12	2.19 15	3.45 18	5.39 11	6.39 8	8.66 12	9.55 5	10.27 6	11.55 8	14.13 13	17.43 17	21.26 21	146

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

- 3 MAY 1912

REGISTER OF RAINFALL IN 1911

Kept at The Wightman Road Depot
Finsbury Park N 2
in the County of Middlesex
by The Corporation of Hornsey
(Mr E. J. Lovegrove,
Borough Engineer & Surveyor

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1912
.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.00	.00	.59	.00	.00	.02	.02	.00	.00	.00	.00	1
2	.13	.00	.00	.36	.15	.00	.00	.00	.00	.00	.14	.11	2
3	.02	.01	.00	.00	.10	.00	.00	.00	.00	.00	.04	.05	3
4	.04	.01	.05	.08	.00	.00	.00	.00	.00	.03	.22	.21	4
5	.00	.01	.00	.02	.00	.00	.00	.00	.00	.18	.00	.14	5
6	.25	00	.12	.00	.00	.00	.00	.00	.00	.00	.00	.17	6
7	.01	.00	.00	.03	.00	.00	.00	.00	.00	.06	.22	.25	7
8	.11	.00	.12	.00	.00	.00	.00	.00	.00	.00	.23	.16	8
9	.07	.00	.03	.03	.00	.00	.00	.00	.00	.00	.00	.00	9
10	.03	.10	.05	.00	.00	.00	.00	.00	.00	.00	.05	.34	10
11	.26	.00	.00	.00	.06	.00	.00	.00	.00	.00	.72	.00	11
12	.01	.00	.39	.00	.22	.11	.00	.00	.03	.00	.34	.00	12
13	.00	.00	.04	.00	.10	.00	.00	.00	.46	.14	.02	.19	13
14	.00	.09	.00	.00	.32	.00	.00	.00	.00	.00	.00	.36	14
15	.00	.04	.16	.00	.00	.00	.00	.00	.00	.00	.01	.00	15
16	.00	.00	.00	.00	.00	.61	.00	.00	.00	.00	.33	.02	16
17	.00	.00	.17	.00	.00	.01	.00	.00	.00	.00	.29	.08	17
18	.00	.16	.01	.00	.00	.04	.00	.00	.00	.00	.39	.11	18
19	.00	.00	.00	.00	.00	.17	.00	.13	.15	.12	.16	.05	19
20	.00	.02	.01	.00	.00	.00	.00	.28	.09	.06	.00	.45	20
21	.00	.05	.02	.00	.00	.00	.00	.23	.00	.47	.00	.07	21
22	.07	.00	.07	.00	.00	.02	.00	.00	.00	.01	.00	.39	22
23	.00	.06	.19	.00	.00	.93	.00	.00	.26	.00	.02	.10	23
24	.00	.10	.03	.00	.00	.02	.03	.03	.00	1.02	00	.27	24
25	.00	.02	.01	.06	.00	.12	.10	.00	.00	.04	.00	.00	25
26	.00	.01	.03	.18	.00	.08	.00	.00	.00	.13	.05	.24	26
27	.00	.30	.06	.00	.00	.00	.00	.00	.11	.00	.07	.07	27
28	.00	.18	.00	.20	.00	.00	.66	.03	.00	.00	.00	.00	28
29	.00		.00	.04	.00	.14	.08	.00	.15	.19	.00	.00	29
30	.00		.00	.05	.03	.02	.00	.00	.03	.13	.00	.00	30
31	.00		.00		.02		.00	.00		.00		.00	31
Total	1.03	1.16	1.56	1.64	1.00	2.27	.89	.72	1.28	2.58	3.30	3.83	TOTAL for year 21.26
No. of Rain Days.	1.03 12	2.19 15	3.75 18	5.39 11	6.39 8	8.66 12	9.55 5	10.27 6	11.55 8	14.13 13	17.43 17	21.26 21	146

W. 8,000, X. '11.

Ex F.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
-5 APR 1913

Kept at The Wightman Road Depôt (Harringay) 2
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer & Surveyor

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·00	·00	·04	·00	·00	·09	·44	·00	·03	·31	·00	·16	1
2	·00	·00	·19	·00	·00	·03	·22	·03	·00	·00	·00	·00	2
3	·04	·00	·19	·00	·01	·15	·02	·42	·00	·00	·00	·04	3
4	·24	·02	·50	·00	·23	·09	·00	·02	·00	·00	·10	·00	4
5	·16	·09	·06	·00	·00	·00	·00	·14	·00	·00	·02	·00	5
6	·57	·01	·00	·00	·00	·14	·00	·22	·00	·00	·00	·00	6
7	·00	·00	·00	·00	·02	·65	·00	·12	·00	00	·00	·01	7
8	·37	·28	·09	·00	·00	·00	·00	·06	·00	·00	·00	·00	8
9	·00	·07	·00	·03	·00	·18	·01	·03	·00	·00	·00	·10	9
10	·00	·04	·00	·00	·00	·00	·00	·11	·00	·00	·03	·19	10
11	·02	·30	·00	·00	·00	·04	·00	·00	·00	·00	·00	·10	11
12	·08	·06	·06	·00	·15	·09	·00	·00	·00	·00	·02	·00	12
13	·01	·00	·00	·00	·00	·00	·03	·00	·00	·00	·05	·00	13
14	·00	·00	·00	·00	·03	·00	·00	·09	·00	·06	·00	·00	14
15	·00	·00	·10	·00	·16	·45	·00	·04	·00	·00	·00	·31	15
16	·21	·00	·02	·00	·03	·03	·00	·06	·00	·03	·08	·00	16
17	·46	·00	·18	·00	·00	·04	·00	·04	·00	·00	·00	·00	17
18	·04	·00	·12	·00	·00	·00	·00	·06	·00	00	·01	·11	18
19	·17	·05	·11	·00	·00	·00	·04	·47	·00	·00	·00	·00	19
20	·03	·00	·12	·00	·00	·00	·00	·18	·00	·31	·00	·00	20
21	·00	·05	·15	·00	·02	·00	·00	·07	·00	·04	·04	·00	21
22	·22	·13	08	·00	·00	·00	·19	·09	·00	·02	·00	·03	22
23	·36	·32	·27	·00	·00	·00	·02	·40	·00	·03	·12	·15	23
24	·40	·02	·00	·00	·00	·08	·01	·09	·00	·00	·00	·15	24
25	·04	·00	·00	·00	·00	·17	·00	·70	·00	·00	·19	·36	25
26	·00	·00	·00	·00	·00	·00	06	·20	·00	·44	·26	·26	26
27	·00	·00	·00	·00	·00	·07	·00	·00	·00	·12	·00	·19	27
28	·00	·04	·00	·00	·00	·03	·15	·02	·04	·22	·34	·07	28
29	·00	·01	·00	·00	·00	·19	·28	·22	1·02	·15	·08	·00	29
30	·00		·00	·00	·19	·00	·00	·00	·98	·09	·00	·00	30
31	·00		·27		·02		·06	·14		·00		·00	31
Total	3·42	1·49	2·55	·03	·84	2·52	1·53	4·02	2·07	1·82	1·34	2·23	YEAR'S TOTAL
Rain Days.	3·42 17	4·91 15	7·46 17	7·49 1	8·33 10	10·85 17	12·38 13	16·40 25	18·47 4	20·29 12	21·63 13	23·86 15	159

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

-2 MAR 1914

Kept at Wightman Road Sub Depôt Harringay 2
in the County of Middlesex
The Corporation of Hornsey
by Mr. E. J. Lovegrove
Borough Engineer & Surveyor

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Hornsey G. N. Ry
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 23 ft. 3 in.
" " " " Sea Level 113 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.18	.05	.23	.00	.00	.00	.00	.20	.00	.06	.09	1
2	.04	.10	.00	.00	.00	.00	.07	.00	.14	.18	.02	.00	2
3	.00	.00	.02	.12	.38	.00	.00	.00	.00	.00	.00	.02	3
4	.17	.00	.00	.01	.33	.00	.17	.00	.00	.17	.05	.03	4
5	.16	.00	.00	.00	.00	.05	.13	.00	.16	.01	.00	.03	5
6	.00	.00	.15	.00	.05	.12	.09	.00	.00	.16	.03	.05	6
7	.00	.05	.00	.00	.00	.00	.04	.04	.00	.34	.10	.00	7
8	.00	.03	.03	.00	.19	.10	.00	.00	.00	.06	.02	.00	8
9	.00	.14	.00	.01	.04	.00	.00	.00	.03	.00	.05	.05	9
10	.01	.00	.05	.13	.00	.00	.36	.06	.00	00	.29	.00	10
11	.68	.00	.00	.43	.00	.00	.00	.01	.00	.44	.60	.00	11
12	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.42	.00	12
13	.08	.00	.00	.00	.00	.00	.00	.01	.04	.00	.30	.00	13
14	.04	.00	.05	.05	.00	.00	.42	.06	.03	.14	.06	.00	14
15	.16	.06	.21	.12	.00	.00	.15	.00	.02	.00	.00	.00	15
16	.13	.00	.32	.11	.00	.00	.00	.00	.29	.00	.00	.00	16
17	.01	.00	.02	.07	.00	.00	.11	.01	.00	.00	.03	.00	17
18	.01	.00	.03	.11	.00	.00	.00	.00	.00	.00	.03	.00	18
19	.10	.00	.05	.01	.00	.00	.09	.00	.24	.00	.00	.00	19
20	.05	.00	.05	.04	.00	.26	.00	.00	.00	.39	.02	.00	20
21	.00	.00	.21	.09	.00	.00	.03	.00	.00	.16	.62	.00	21
22	.37	.00	.13	.00	.00	.00	.00	.05	.16	.00	.00	.00	22
23	.00	.00	.02	.00	.00	.02	.00	.21	.03	.00	.00	.20	23
24	.00	.00	.00	.02	.00	.00	.00	.02	.00	.00	.02	.00	24
25	.00	.01	.00	.12	.00	.02	.00	.00	.00	.00	.00	.00	25
26	.00	.05	.19	.02	.00	00	.00	.15	.00	.76	.00	.16	26
27	.00	.00	.04	.03	.00	.00	.00	.00	.00	.04	.00	.00	27
28	.18	.00	.15	.07	.00	.00	.00	.00	.00	.09	.00	.00	28
29	.05		.04	.40	.49	00	.00	.10	.00	.04	.00	.00	29
30	.17		.00	.16	.00	.00	.00	.20	.00	.11	.00	.00	30
31	.00		.04		.00		.00	.58		.05		.00	31
Total	2.42	.62	1.85	2.35	1.50	.57	1.66	1.50	1.34	3.14	2.72	.63	YEAR'S TOTAL 20.30
Rain Days.	18	8	20	21	7	6	11	13	11	16	17	8	156

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 FEB 1915

Kept at Wightman Road Sub-Depôt
Harringey
in the County of Middlesex
2
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer & Surveyor

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Hornsey
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 23 ft. 3 in.
" " " " Sea Level 113. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·29

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.10	.00	.00	.00	.00	.15	.00	.00	.03	.01	1
2	.01	.00	.00	.00	.00	.00	.10	.13	.00	.00	.32	.07	2
3	.00	.00	.08	.01	.10	.00	.02	.00	.00	.00	.12	.00	3
4	.10	.00	.00	.14	.00	.00	.00	.01	.00	.00	.27	.12	4
5	.03	.00	.06	.16	.10	.02	.40	.62	.00	.00	.00	.00	5
6	.00	.08	.00	.01	.00	.12	.02	.00	.00	.00	.19	.11	6
7	.00	.08	.23	.06	.72	.05	.05	.00	.00	.00	.00	.04	7
8	.02	.24	.54	.02	.03	.10	.04	.06	00	.00	.00	.01	8
9	.16	.00	.46	.14	.00	.29	.00	.00	.11	.00	.00	1.21	9
10	.01	.07	.00	.05	.03	.00	.00	.00	.10	.00	.00	.00	10
11	.00	.21	.33	.00	.00	.10	.00	.00	.10	.00	.17	.22	11
12	.02	.04	.12	.00	.00	.00	.10	.00	.15	.00	.00	.39	12
13	.00	.14	.10	.00	.00	.00	.00	.00	.08	.05	.06	.31	13
14	.00	.03	.29	.00	.00	.00	.09	.00	.00	.11	.08	.58	14
15	.05	.00	.11	.00	.00	.00	.00	.00	.00	.05	.17	.05	15
16	.00	.00	.03	.00	.00	.00	.06	.00	.03	.00	.03	.00	16
17	.00	.31	.04	.00	.00	.00	.00	.00	.04	.00	00	.09	17
18	.00	.03	.07	.00	.00	.00	.00	.00	.00	.00	00	.17	18
19	.00	.01	.18	.00	.00	.11	.02	.00	.03	.00	.15	.28	19
20	.00	.12	.26	.00	.00	.04	.00	.00	.08	.00	00	.09	20
21	.00	.43	.06	.00	.00	.03	.00	.00	.00	.02	.00	.04	21
22	.00	.00	.00	.03	.22	.04	.09	.00	.00	.07	00	.00	22
23	.00	.01	.15	.00	.11	.02	.00	.00	.00	.10	.00	.01	23
24	.00	.00	.07	.01	.00	.00	.00	.00	.00	.01	.12	.00	24
25	.02	.00	.16	.00	.00	.00	.00	.06	.00	.25	.00	.06	25
26	.00	.00	.02	.00	.00	.00	.10	.08	.00	.04	.14	.44	26
27	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.12	27
28	.00	.02	.00	.00	.00	.00	.00	.00	.00	.11	.37	.81	28
29	.02		.08	.00	.00	.00	.00	.00	00	.21	.06	.00	29
30	.00	X	.02	.00	.00	.00	.00	.00	00	.01	.53	.11	30
31	.00	X	.00	X	.15	X	.01	.00	X	.00	X	.01	31
Total	.46	1.82	3.56	.63	1.46	.92	1.10	1.11	.72	1.03	2.83	5.35	YEAR'S TOTAL 20.99
Rain Days.	11	15	23	10	8	11	13	7	9	12	17	24	160

W. 8,000. X. 14.

Esx JW

957

FORM A.
BRITISH RAINFALL.
12 FEB 1916

REGISTER OF RAINFALL IN 1915

Wightman Road Sub Depôt
Kept at Haringey
in the County of Middlesex
The Corporation of Hornsey
by Mr E J Lovegrove
Borough Engineer & Surveyor.

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Hornsey
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 23 ft. 3 in.
" " " " Sea Level 113 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·12	·06	·00	·03	·00	·00	·00	·05	·04	·31	·40	1
2	·28	·10	·20	·09	·00	·00	·00	·44	·00	·04	·00	·04	2
3	·35	·00	·03	·18	·00	·00	·00	·57	·00	·00	·00	·52	3
4	·03	·00	·00	·00	·00	·00	·00	·15	·00	·00	·00	·23	4
5	·02	·30	·00	·00	·02	·00	·00	·00	·00	·01	·00	·22	5
6	·23	·01	·00	·15	·19	·00	·73	·00	·00	·00	·00	·45	6
7	·66	·20	·03	·00	·00	·00	·42	·01	·00	·00	·00	·15	7
8	·04	·37	·00	·11	·00	·00	·06	·03	·00	·00	·00	·00	8
9	·00	·04	·00	·06	·00	·06	·00	·05	·00	·01	·28	·70	9
10	·25	·00	·02	·00	·00	·00	·00	·07	·00	·00	·00	·09	10
11	·04	·00	·00	·00	·00	·00	·00	·01	·00	·00	·70	·00	11
12	·05	·01	·00	·19	·46	·00	·00	·27	·00	·00	·35	·00	12
13	·00	·28	·00	·00	1·47	·00	·00	·00	·00	·00	·00	·00	13
14	·00	·02	·00	·00	·00	·00	1·14	·00	·03	·00	·00	·53	14
15	·08	·00	·00	·00	·06	·00	·05	·20	·00	·00	·79	·07	15
16	·01	·22	·00	·00	·00	·00	·63	·00	·00	·00	·00	·10	16
17	·00	·27	·00	·00	·88	·00	·04	·00	·00	·00	·00	·00	17
18	·00	·20	·02	·00	·09	·00	·00	·00	·01	·00	·02	·00	18
19	·00	·09	·00	·00	·00	·00	·08	·00	·00	·00	·00	·00	19
20	·27	·00	·01	·03	·00	·00	·00	·00	·00	·01	·00	·23	20
21	·05	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·03	21
22	·92	·09	·18	·02	·00	·00	·67	·00	·02	·00	·00	·08	22
23	·00	·15	·07	·00	·00	·14	·23	·00	·01	·31	·00	·26	23
24	·00	·00	·04	·00	·00	·01	·04	·00	·18	·07	·00	·22	24
25	·00	·00	·13	·06	·00	·01	·16	·00	·00	·01	·00	·08	25
26	·00	·06	·00	·00	·00	·10	·06	·00	·00	·00	·00	·37	26
27	·00	·00	·00	·00	·00	·12	·40	·00	·00	·35	·00	·04	27
28	·00	·03	·00	·00	·00	·10	·00	·00	1·25	·07	·00	·00	28
29	·00		·02	·00	·00	·00	·22	·12	·00	·00	·08	·00	29
30	·03	X	·00	·00	·00	·18	·00	·00	·01	·01	·14	·00	30
31	·02	X	·00	X	·00	X	·00	·01	X	·97	X	·11	31
Total	3·62	2·56	·81	·89	3·20	·72	4·93	1·93	1·56	1·90	2·07	4·92	YEAR'S TOTAL 29·11
Rain Days.	18	18	12	9	8	8	15	12	8	12	8	21	149

W. 8,000. X. 15.

925

FORM A.
BRITISH RAINFALL.

10 FEB 1917

REGISTER OF RAINFALL IN 1916

Wightman Road Sub Depot
Kept at Harringay
in the County of Middlesex
by The Corporation of Hornsey
Mr. E. J. Lovegrove
Borough Engineer & Surveyor

Lat. 51° 35′ 1″ Long. 0° 6′ 19″ W.
Time of Observation 9 a.m.
Nearest Railway Station Hornsey
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 23 ft. 3 in.
" " " " Sea Level 113 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.00	.00	.00	.19	.01	.00	.00	.18	.03	.33	.00	1
2	.36	.01	.05	.00	.21	.00	.01	.00	.21	.33	.00	.00	2
3	.00	.19	.15	.00	.00	.00	.03	.00	.25	.19	.59	.00	3
4	.18	.12	.00	.00	.00	.28	.00	.00	.01	.08	.34	.00	4
5	.01	.00	.01	.00	.07	.23	.00	.00	.00	.03	.25	.00	5
6	.00	.03	.26	.27	.01	.10	.36	.00	.00	.03	.32	.00	6
7	.02	.00	.15	.00	.10	.21	.22	.00	.00	.01	.66	.02	7
8	.00	.00	.07	.00	.28	.00	.00	.00	.00	.00	.01	.32	8
9	.00	.00	.00	.00	.24	.00	.00	.00	.00	.04	.00	.08	9
10	.00	.15	.08	.07	.00	.35	.18	.00	.00	.00	.00	.11	10
11	.03	.12	.01	.08	.00	.11	.00	.00	.00	.00	.00	.00	11
12	.02	.01	.00	.02	.26	.08	.00	.02	.00	.04	.00	.00	12
13	.00	.38	.21	.08	.04	.10	.32	.13	.00	.00	.00	.00	13
14	.00	.36	.00	.00	.07	.00	.00	.28	.00	.02	.00	.11	14
15	.00	.21	.36	.01	.00	.00	.02	27	.00	.00	.00	.00	15
16	.00	.00	.15	.07	.00	.00	.15	.21	.00	.00	.00	.00	16
17	.04	.07	.00	.01	.00	.00	.02	.77	.23	.59	.00	.00	17
18	.00	.06	.03	.05	.00	.00	.00	.17	.04	.02	.57	.00	18
19	.02	.00	.09	.14	.00	.00	.00	.00	.16	.00	.69	.05	19
20	.11	.00	.23	.07	.00	.00	.00	.00	.00	.00	.02	.35	20
21	.02	.00	.75	.02	.00	.00	.03	.00	.00	.00	.00	.28	21
22	.00	.01	.05	.00	.00	.00	.00	.00	.00	.02	.00	.40	22
23	.01	.16	.00	.00	.01	.10	.00	.01	.00	.00	.03	.07	23
24	.00	.02	.00	.00	.12	.05	.00	.02	.00	.07	.02	.32	24
25	.00	.38	.20	.00	.00	.00	.00	.22	.00	.05	.09	.00	25
26	.00	.13	.02	.00	.00	.02	.00	.05	.00	.02	.00	.00	26
27	.06	.01	.92	.00	.00	.00	.00	.36	.06	.45	.00	.02	27
28	.00	.31	.19	.00	.00	.08	.00	.02	.06	.00	.00	.26	28
29	.00	.05	.00	.00	.00	.25	.00	1.62	.02	.27	.00	.09	29
30	.00	X	.00	.02	.00	.00	.00	.08	.00	.60	.00	.00	30
31	.00	X	.00	X	.00	X	.00	.03	X	.10	X	.03	31
Total	·90	2·78	3·98	·91	1·60	1·97	1·34	4·26	1·22	2·99	3·92	2·51	YEAR'S TOTAL 28·38
Rain Days.	13	20	20	13	12	14	10	16	10	20	13	15	176

W. 8,000, VIII. 16

Exd C59

540

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

27 FEB 1918

Kept at Wightman Road Depôt, Harringey

in the County of Middlesex

by The Corporation of Hornsey
Mr. E. J. Lovegrove
Borough Engineer & Surveyor.

Lat. 51°35'.1" Long. 0° 6'. 19".W

Time of Observation 9. a. m

Nearest Railway Station Hornsey

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 23 ft. 3" in.

" " " " Sea Level 113 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.00	.20	.00	.00	.00	.76	.03	00	.09	.00	1
2	.00	.00	.00	.32	.00	.03	.00	.07	.00	.00	.06	.00	2
3	.00	.00	.00	.04	.00	.00	.00	.42	.00	.22	.46	.00	3
4	.00	.14	.18	.00	.00	.00	.04	.10	.00	.34	.00	.00	4
5	.22	.00	.05	.40	.00	.00	.00	.09	.80	.08	.05	.00	5
6	.00	.00	.04	.04	.00	.04	.00	.00	.07	.00	.12	.00	6
7	.16	.00	.00	.00	.00	.00	.18	.00	.00	.28	.00	.01	7
8	.10	.00	.00	.10	.00	.00	.81	.12	.00	.19	.08	.24	8
9	.01	.00	.03	.05	.00	.00	.03	.07	.01	.00	.04	.14	9
10	.25	.00	.08	.15	00	.00	.00	.04	.00	.00	.00	.03	10
11	.05	.00	.39	.11	.00	.00	.00	.02	.13	.27	.00	.00	11
12	.07	.00	.02	.00	.00	.00	.00	.02	.00	.38	.00	.00	12
13	.01	.00	.11	.02	.00	.00	.00	.01	.01	.04	.00	.00	13
14	.00	.00	.01	.25	.00	.00	.00	.07	.00	.00	.00	.00	14
15	.03	.00	.00	.01	.00	.00	.21	.02	.00	.02	.00	.01	15
16	.03	.16	.00	.11	.21	1.14	.14	.00	.00	.25	.00	.15	16
17	.00	.00	.00	.17	.54	.00	.22	.05	.35	.23	.00	.00	17
18	.02	.08	.00	.04	.08	.36	.10	.00	.12	.05	.00	.00	18
19	.00	.08	.09	.00	.12	.00	.00	.01	.21	.00	.00	.00	19
20	.03	.23	.07	.00	.74	.00	.00	.00	.00	.00	.05	.00	20
21	.02	.00	.03	.00	.03	.00	.00	.00	.00	.00	.03	.00	21
22	.00	.00	.02	.00	.00	.04	.00	.08	.00	.05	.00	.00	22
23	.00	.10	.01	.00	.11	.03	.00	.09	.00	.00	.00	.00	23
24	.00	.03	.00	.00	.00	.05	.00	.09	.00	.26	.04	.00	24
25	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.06	.00	25
26	.00	.00	.04	.00	.00	.07	.00	.23	.03	.00	.38	.00	26
27	.00	.00	.02	.00	.00	.00	.00	.85	.00	.00	.00	.01	27
28	.00	.00	.00	.00	.00	1.07	.00	.10	.00	.00	.00	.04	28
29	.00		.00	.00	.01	.01	.13	.09	.00	.17	.00	.12	29
30	.00	X	.33	.00	.00	.00	1.30	.03	.00	.00	.00	.02	30
31	.04	X	.08	X	.00	X	.32	.04	X	.00	X	.00	31 ✓
Total	1.04 ✓	.82 ✓	1.63 ✓	2.01 ✓	1.84 ✓	2.84 ✓	3.48 ✓	3.47 ✓	1.76 ✓	2.83 ✓	1.46 ✓	.77 ✓	YEAR'S TOTAL 23.95
Rain Days.	14	7	19	15	8	10	11	24	10	15	12	10	155 ✓

W. 8,000, IX. 17.

37

FORM A.
BRITISH RAINFALL.

15 3 19

REGISTER OF RAINFALL IN 1918

Kept at The Wightman Rd Depot Finsbury Park
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer & Surveyor

Lat. 51° 35′ 1″ Long. 0° 6′ 19″ W
Time of Observation 9 a.m
Nearest Railway Station Hornsey
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 23 ft. 3 in.
" " " " Sea Level 113 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.
.30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.06	.00	.00	.00	.01	.00	.00	.09	.02	1
2	.00	.08	.00	.01	.00	.00	.00	.36	.00	.00	.05	.16	2
3	.00	.01	.03	.02	.45	.00	.00	.20	.00	.00	.49	.01	3
4	.00	.03	.18	.03	.00	.00	.00	.04	.64	.00	.33	.00	4
5	.00	.02	.00	.00	.11	.00	.00	.08	.08	.04	.00	.00	5
6	.13	.14	.00	.24	.16	.00	.00	.10	.00	.00	.00	.05	6
7	.03	.08	.00	.05	.09	.00	.00	.00	.06	.11	.08	.00	7
8	.00	.03	.00	.00	.00	.00	.00	.00	.10	.01	.03	.02	8
9	.02	.03	.00	.02	.00	.04	.18	.00	.37	.08	.00	.09	9
10	.04	.00	.00	.06	.00	.00	.52	.00	.00	.02	.02	.36	10
11	.00	.00	.00	.02	.05	.00	.54	.00	.11	.17	.06	.09	11
12	.00	.04	.00	.00	.15	.00	.05	.00	.09	.00	.00	.02	12
13	.00	.01	.00	.00	.11	.00	.19	.00	.21	.00	.00	.01	13
14	.12	.00	.01	.00	.00	.13	.05	.00	.26	.15	.00	.27	14
15	.20	.00	.00	.74	.00	.00	.14	.00	.00	.00	.00	.03	15
16	.19	.00	.00	.31	.00	.10	.00	.00	.25	.02	.00	.00	16
17	.19	.00	.01	.25	.29	.05	.54	.01	.00	.00	.00	.17	17
18	.60	.00	.00	.00	.00	.20	.13	.00	1.26	.15	.00	.06	18
19	.03	.00	.02	.08	.00	.48	.35	.00	.01	.04	.00	.15	19
20	.09	.09	.00	.59	.00	.02	.10	.00	.08	.14	.00	.05	20
21	.09	.00	.00	.19	.00	.00	.00	.00	.38	.03	.00	.00	21
22	.05	.00	.00	.04	.48	.00	.17	.00	.12	.00	.00	.13	22
23	.01	.00	.00	.01	.20	.00	.35	.07	.05	.00	.00	.05	23
24	.00	.20	.00	.00	.00	.03	.15	.00	.03	.00	.02	.00	24
25	.00	.00	.00	.02	.00	.03	.36	.13	.00	.00	.04	.00	25
26	.00	.00	.00	.00	.00	.00	.25	15 ~~.00~~	.00	.02	.16	.07	26
27	.00	.01	.00	.11	.00	.00	.00	13 ~~.00~~	.04	.00	.08	.00	27
28	.00	.01	.07	.02	.00	.00	.00	.00	.00	.00	.20	.08	28
29	.00		.00	.00	.00	.00	.00	.00	1.30	.00	.01	.00	29
30	.00	X	.48	.00	.00	.00	.00	.00	.01	.00	.03	.05	30
31	.00	X	.00	X	.00	X	.00	.04	X	.02	X	.01	31
Total	1.79	.78	.80	2.57	2.09	1.08	4.07	1.32	5.45	1.00	1.69	1.95	YEAR'S TOTAL 24.89
Rain Days.	14	14	7	20	10	9	16	12	20	14	15	22	173

W. 6,500. VII. 18. W W C

Cx ML

842

13 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wightman Road Sub Depot

in the County of Middlesex

by The Corporation of Hornsey Mr E J Lovegrove Borough Engineer & Surveyor

Lat. 51° 35′ 1″ Long. 0° 6′ 19″ W

Time of Observation 9 a.m

Nearest Railway Station Hornsey

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 23 ft. 3 in.

" " " " Sea Level 113 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.04	.00	.00	.07	.00	.30	.00	.00	.02	.01	.42	1
2	.37	.00	.00	.00	.10	.00	.11	.01	.00	.06	.09	.12	2
3	.27	.00	.29	.00	.01	.00	.06	.00	~~.20~~ .03	.00	.03	.31	3
4	.11	.04	.30	.00	.00	.07	.18	.07	~~.03~~ .08	.00	.02	.12	4
5	.01	.23	.45	.00	.00	.00	.00	.00	~~.00~~	.00	.01	.22	5
6	.01	.00	.06	.00	.00	.00	.00	.00	.00	.00	.00	.04	6
7	.02	.00	.29	.00	.00	.00	.00	.00	.00	.00	.04	.00	7
8	.04	.00	.05	.02	.00	.00	.00	.00	.00	.00	.02	.00	8
9	.10	.00	.03	.08	.05	.00	.00	.00	.00	.00	.06	.00	9
10	.30	.00	.04	.01	.00	.00	.00	.00	.00	.00	.02	.02	10
11	.02	.00	.07	.25	.00	.00	.24	.00	.00	.00	.00	.01	11
12	.02	.00	.06	.02	.00	.04	.04	.00	.00	.06	.00	.00	12
13	.02	.00	.00	.31	.00	.00	.00	.00	.00	.02	.00	.01	13
14	.18	.00	.00	.23	.00	.00	.07	.00	.62	.00	.00	.02	14
15	.16	.00	.13	.16	.00	.00	.00	.00	.00	.06	.01	.24	15
16	.03	.55	.00	.01	.00	.00	.00	.00	.00	.00	.09	.05	16
17	.00	.32	.04	.02	.00	.00	.00	.00	.00	.00	.15	.00	17
18	.00	.15	.06	.00	.00	.00	.00	.00	.02	.00	.05	.06	18
19	.01	.17	.76	.00	.00	.22	.12	.25	.04	.00	.14	.01	19
20	.30	.05	.07	.00	.00	.82	.08	.10	.01	.00	.00	.00	20
21	.16	.30	.02	.00	.00	.00	.13	.00	.00	.00	.01	.08	21
22	.00	.10	.00	.00	.00	.00	.08	.00	.13	.00	.02	.24	22
23	.00	.00	.00	.00	.00	.04	.00	.02	.13	.00	.00	.01	23
24	.00	.00	.00	.16	.00	.02	.03	.06	.00	.18	.03	.00	24
25	.01	.00	.00	.08	.05	.00	.00	.14	.00	.00	.00	.04	25
26	.07	.17	.07	.04	.00	.00	.02	.09	.07	.00	.00	.27	26
27	.45	.01	.03	.98	.00	.00	.00	.49	.00	.00	.00	.04	27
28	.00	.00	.14	.04	.00	.00	.00	.73	.00	.00	.16	.28	28
29	.03		.00	.01	.00	.00	.00	22	.00	.18	.08	.02	29
30	.00	╳	.02	.22	.00	.21	.00	.12	.00	.02	.18	.16	30
31	.02	╳	.00	╳	.00	╳	.02	.00	╳	.01	╳	.01	31
TOTAL	3.01	2.13	2.98	2.64	.28	1.42	1.48	2.30	1.33	.61	1.22	3.10	YEAR'S TOTAL 22.50 ✓
Days with ·01 in. or more	24	12	20	17	5	7	14	12	10	9	20	24	174 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

797

18 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wightman Road, Sub Depôt
Harringay
in the County of Middlesex
The Corporation of Hornsey
by Mr. E. J. Lovegrove
Borough Engineer & Surveyor

Lat. 51° 35′ 1″ Long. 0° 7′ 26′ W
Time of Observation 9. a. m
Nearest Railway Station Hornsey
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 23 ft. 3 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·26

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.00	.36	.05	.00	.26	.00	.00	.27	.00	.21	1
2	.00	.00	.03	.00	.01	.00	.01	.78	.05	.06	.00	.06	2
3	.00	.06	.00	.01	.00	.00	.01	.00	.07	.00	.00	.00	3
4	.00	.02	.02	.06	.00	.00	.09	.05	.00	.10	.00	.04	4
5	.00	.00	.10	.00	.03	.00	.39	.03	.04	.00	.00	.04	5
6	.00	.00	.16	.00	.07	.00	.27	.02	.00	.00	.00	.02	6
7	.01	.00	.05	.18	.00	.00	.11	.00	.00	.00	.00	.04	7
8	.06	.02	.00	.14	.09	.00	.06	.00	.00	.00	.00	.00	8
9	.31	.02	.00	.02	.00	.00	.00	.01	.00	.00	.00	.00	9
10	.36	.02	.07	.00	.00	.07	.05	.00	.00	.00	.00	.02	10
11	.16	.00	.05	.36	.02	.03	.26	.00	.00	.00	.00	.21	11
12	.06	.00	.00	.10	.00	.46	.00	.00	.00	.01	.00	.00	12
13	.11	.02	.09	.15	.00	.00	.00	.00	.00	.00	.07	.00	13
14	.00	.01	.30	.22	.00	.59	.00	.00	.21	.06	.10	.04	14
15	.00	.02	.06	.16	.00	.00	.01	.00	.64	.12	.07	.00	15
16	.00	.00	.01	.14	.00	.08	.00	.00	.16	.32	.00	.00	16
17	.00	.00	.00	.02	.13	.00	.00	.00	.26	.00	.00	.04	17
18	.02	.00	.00	.03	.00	.00	.00	.70	.15	.00	.00	.03	18
19	.13	.00	.00	.18	.00	.04	.00	.00	.00	.00	.00	.03	19
20	.04	.19	.00	.12	.00	.46	.00	.00	.18	.00	.00	.00	20
21	.00	.00	.00	.00	.00	.00	.85	.02	.55	.00	.00	.03	21
22	.00	.00	.00	.29	.00	.00	.00	.00	.25	.00	.00	.30	22
23	.00	.00	.00	.00	.00	.00	.40	.00	.00	.00	.00	.39	23
24	.01	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.03	24
25	.00	.04	.03	.04	.00	.00	.17	.00	.03	.00	.00	.00	25
26	.01	.00	.04	.01	.16	.00	.03	.00	.00	.00	.00	.01	26
27	.11	.06	.01	.25	.00	.07	.11	.00	.00	.00	.56	.08	27
28	.42	.00	.22	.04	.02	.00	.03	.00	.00	.00	.00	.01	28
29	.16	.00	.08	.00	.10	.00	.00	.00	.00	.00	.03	.30	29
30	.03	×	.00	.00	.10	.00	.33	.00	.51	.00	.15	.17	30
31	.02	×	.00	×	.04	×	.02	.00	×	.18	×	.07	31
TOTAL	2.02	.48	1.36	2.88	.82	1.80	3.46	1.62	3.10	1.12	.98	2.17	YEAR'S TOTAL 21.81
Days with ·01 in. or more	17 ~~6~~	11 ~~7~~	17 ~~5~~	21 ~~5~~	12 ~~4~~	8 X	19 ~~7~~	8 ~~5~~	13 ~~x~~	8 ~~x~~	~~8~~ 6	22 ~~8~~	162
Days with ·04 in. or more	11	4	12	16 ~~14~~	8	4	13	3	12	7	5	14	~~113~~ 112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

√

REGIS

HARROW-~~ON~~-THE-HILL

URBAN DISTRICT COUNCIL

LOND/ MIDDX

1911-20

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Harrow-on-the

in the County of Middlesex

of Harrow Urban District

J. P. Berrne

1 ft. — in.

el 215 ft.

Met & Gr Central

e 1/4 Mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·01	·56	·02		·04	·04					1
2	·10			·35	·22		·02				·23	·18	2
3	·03	·03			·20					·03	·09	·12	3
4	·07	·02	·07	·12						·05	·03	·32	4
5	·05			·07				·01		·11	·02	·07	5
6	·38		·13									·33	6
7	·16			·03						·08	·31	·30	7
8	·05		·25								·15	·18	8
9	·09		·03	·01							·01	·04	9
10	·04	·05	·13	·02							·02	·41	10
11	·29	—			·34						·61	·03	11
12	·07		·50		·08	·03			·05		·27	·02	12
13			·08		·57				·40	·09	·05	·32	13
14		·09	·02		·15							·40	14
15		·07	·11							·02	·04	·03	15
16						·39					·39	·05	16
17			·04			·15					·38	·20	17
18		·26	·03			·33					·45	·17	18
19					·01	·26		02	·20	·09	·20	·11	19
20		·03						25	·10	·07		·61	20
21		09						1·17		·48		·15	21
22	·10		·08			·02				·10	·01	·43	22
23		·10	·10			·59			·23			·15	23
24		·17	·02							·97		·17	24
25		·06	·05	·09		·07	·26	·02	·01			·02	25
26		·02	·01	·20		·18	·07	·01		·16	·03	·31	26
27		·44	·09	·05		·09		·02	·11		·01	·16	27
28		·36		·26			·04	·08			04	·01	28
29				·04		·20	·13		·20	·30			29
30					·08				·03	·17		·01	30
31					3·19								31
Total	1·48	1·79	1·75	1·80	4·86	2·31	·56	1·62	1·33	2·72	3·34	5·30	TOTAL for year 28·86
No. of Rain Days.	13.	14	18	12	10	11	6	9	9	14	20	28	164

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Harrow-on-the-Hill
in the County of Middlesex
by Harrow Urban District Council
J. P. Bennetts – Surveyor

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 215 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Met & Gr Central
Distance ¼ mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·01	·56	·02		·04	·04					1
2	·10			·35	·22		·02				·23	·18	2
3	·03	·03			·20					·03	·09	·12	3
4	·07	·02	·07	·12						·05	·03	·32	4
5	·05			·07				·01		·11	·02	·07	5
6	·38		·13									·33	6
7	·16			·03						·08	·31	·30	7
8	·05		·25								·15	·18	8
9	·09		·03	·01							·01	·04	9
10	·04	·05	·13	·02							·02	·41	10
11	·29				·34						·61	·03	11
12	·07		·50		·08	·03			·05		·27	·02	12
13			·08		·57				·40	·09	·05	·32	13
14		·09	·02		·15							·40	14
15		·07	·11							·02	·04	·03	15
16						·39					·39	·05	16
17			·04			·15					·38	·20	17
18		·26	·03			·33					·45	·17	18
19					·01	·26		02	·20	·09	·20	·11	19
20		·03						25	·10	·07		·61	20
21		09						1·17		·48		·15	21
22	·10		·08			·02				·10	·01	·43	22
23		·10	·10			·59			·23			·15	23
24		·17	·02							·97		·17	24
25		·06	·05	·09		·07	·26	·02	·01			·02	25
26		·02	·01	·20		·18	·07	·01		·16	·03	·31	26
27		·44	·09	·05		·09		·02	·11		·01	·16	27
28		·36		·26			·04	·08			04	01	28
29				·04		·20	·13		·20	·30			29
30					·08				·03	·17		·01	30
31					3·19								31
Total	1·48	1·79	1·75	1·80	4·86	2·31	·56	1·62	1·33	2·72	3·34	5·30	TOTAL for year 28·86
No. of Rain Days.	13.	14	18	12	10	11	6	9	9	14	20	28	164

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

Exe 28

REGISTER OF RAINFALL IN 1912

Kept at Harrow on the Hill

in the County of Middlesex

by Harrow Urban District Council

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Metropolitan
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·03		·08	·06		·07	·27		·07	1
2		·07	·11	·01		·04	·27	·17				·16	2
3	08		·18		·01	·20	·03	·26	·01			·09	3
4	·30	·01	·60		·15	·21		·05			·19		4
5	·20	·10	·08					·36			·03	·01	5
6	·61	·04				06		·11	·04			·06	6
7					·07	42	·03	·31				·03	7
8	·47	·35	·13			·01		·13				·04	8
9	·02	·18	·02	·04		·14	·04	·02				·21	9
10		·04				·04		·40			·08	·19	10
11	·10	·28				·02			·03		·01	·14	11
12	·08	·08	·12		·25	·12					·06		12
13	·01	·02	·02						·01		·09	·03	13
14			·04		·04			·19		·09		·02	14
15		·04	·14		·24	·47		·02			·01	·30	15
16	·35		·06		·06			·12			·03		16
17	·50		·27			·09		·10				·01	17
18	·06		·15					·14		·01		·15	18
19	·09	·07	·14			·01	·31	·42					19
20	·04	·02	·12				·03	·34		·36			20
21	·02	·08	·45		·05			·09		·07	·06		21
22	·26	19	·07		·08		·11	·13		05	·01	·05	22
23	·30	·36	·37				·17	·49		·03	·17	·15	23
24	·38	·01				·12		15				·14	24
25						17		·63			·32	·55	25
26		·03					·05	·30		41	·36	·34	26
27			·02							·15		·22	27
28		·07				·04	·03	·06		36	·39	·24	28
29		·03				·25	·36	·27	·02	51	·02		29
30			·34		·42		·16		1·39	15		·07	30
31			·33		·04			·23	(·88)	02	·14		31
Total	3·87	2·01	3·83	·08	1·41	2·49	1·65	5·49	2·45	2·48	1·97	3·27	YEAR'S TOTAL 31.00
Rain Days.	18	20	22	·3	·11	·18	·13	25	8	13	16	23	190

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3- JAN 1914

Kept at Harrow-on-the-Hill
in the County of Middlesex
by The Harrow Urban District Council

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Metropolitan
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 215. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·20	·07	·22		·01			·17		·08	·12	1
2	·04	·14	·01				·10		·03	·07	·03		2
3	·02		·03	·29	·48							·04	3
4	·18		·01	·01	·09	~~·02~~	·09			·10	·04	·07	4
5	·10				·01	·02	·13		·28	·03	·01	·05	5
6		·04	·05		·06	·14	·29		·03	·28	·05	·11	6
7		·12			·05	·01	·05	·14		·37	·10	·02	7
8		·05	·04	·02	·08	·18				·07	·07	·01	8
9		·20		·01	·02				·05		·03	·05	9
10			·08	·08	·02		·11	·09			·39		10
11	·51			·52	·05			·13		·47	·31		11
12		·01			·04						·29		12
13	·06	·01	·03					·01	·10	·01	·24		13
14	·05	·02	·13	·06			·39	·08		·15	·12	·01	14
15	·21	·06	·19	·24			·18		·16				15
16	·11		·29	·18					·18		·01		16
17	·02		·08	·05			·19				·05	·03	17
18	·01		·09	·14							·06		18
19	·26		·07	·04	·11		·13		·51			·04	19
20	·10		·05	·03	·01					·41	·01		20
21	·01	·01	·16	·04			·02			·16	·68		21
22	·43		·17	·12				·06	·19				22
23						·03		·13	·03		·01	·24	23
24	·01			·04		·01		·06			·02		24
25		·04		·20							·01	·01	25
26		·08	·18	·11				·06		·73		·18	26
27			·01	·06	·02					·03		[illegible]	27
28	·35		·20	·09						·07	·01		28
29	·05		·08	·55	·51			·08		·05		·01	29
30	·32			·04				·05		·10			30
31			·05					·33		·06			31
Total	2·87	·98	2·07	3·14	1·55	·40	1·68	1·22	1·73	3·16	2·62	0·99	YEAR'S TOTAL 22·41
Rain Days.	20	13	22	23	14	7	11	12	11	17	22	15	187

W.7,000, XI. 13

written 24·II·15

Cardy sum stats 23.11.15 W D11

FORM A. BRITISH RAINFALL.
7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Harrow-on-the Hill
in the County of Middlesex
by THE HARROW U.D. COUNCIL.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Metropolitan
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
Level 215 ft.

IMPORTA
previous day.
requested to ad
for it at the e
the selection ar
Organization are
Dr. H. R. Mili

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Alt ad. to A

HARROW URBAN DISTRICT COUNCIL.

ENGINEER AND SURVEYOR'S OFFICE,

HARROW.

TELEPHONE: 128 HARROW.

J. PERCY BENNETTS,
M.INST.M.CY.E., M.R.SAN.INST.,
ENGINEER AND SURVEYOR.

25th. February, 1915.

Dear Sir,

I thank you for your letter of the 24th. instant. The error crept in owing to the fact that members of my staff had enlisted, and matters were consequently somewhat upset.

Yours faithfully,

J. P. Bennetts

Engineer & Surveyor.

H.M. Mill Esq.,
62 Camden Square,
N.W.

Date	Jan.	Feb									Nov.	Dec.	Date.
1											.06	.45	1
2	.01										.05	.05	2
3												.11	3
4	.10										.32	.01	4
5	.06											.25	5
6		.12									.33		6
7		22										.20	7
8	.12	.29										.11	8
9	.17											.05	9
10	.02	.11										1.52	10
11		.27										.03	11
12		.06									40	.26	12
13		.27									01	.41	13
14		.08									06	.44	14
15	.07										.10	.32	15
16											10	.04	16
17		.40									06		17
18		.02										.14	18
19		.06										.32	19
20		.24									19	.22	20
21		.53										.12	21
22		.01										.06	22
23		.13	.09		.22	.02	.01			.10			23
24			.13	.01	.01					.09	.12	.01	24
25	.04		.08				.01	.13		.29	.01	=	25
26			.07				.10	.07		.05	.24	.57	26
27	.06		.02							.06	.02	.20	27
28	.01	.04		.03						.32	~~.02~~	1.28	28
29	.06		.11								.32		29
30		X	.06		.16					05	.12	.30	30
31	.01	X		X		X	.02		X	.05	~~.45~~	.03	31
Total	.73	2.85	4.61	.73	1.95	1.34 3	~~2.34~~ 1.74	1.15	1.06	1.64	~~2.55~~ 2.96	~~7.50~~ 7.05	YEAR'S TOTAL ~~28.43~~ 27.81
Rain Days.	12	16	25	9	13	10	17	11	10	13	18	26	~~180~~ 179

W. 8,000. X. 14.

written 24·II·15

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at A

in the County of ropolitan

in.

by THE HA

d 1 ft. – in.

evel 215 ft.

IMPORTA esult entered to the previous day. rule, he is earnestly requested to ad the space provided for it at the e of rain, the selection ar Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09					·12			·06	·45	1
2	·01			·01			·14	·24			·05	·05	2
3			·05		·18		·03	·02				·11	3
4	·10		·03	·24	·01			·07			·32	·01	4
5	·06		·10	·21	·16	·05	·43	·28				·25	5
6		·12		·01	·03	·13	·02	·01			·33		6
7		22	·39	·12	·60	·04	·07					·20	7
8	·12	·29	·67	·02	·05		·15	·13				·11	8
9	·17		·52	·07		·47			·18			·05	9
10	·02	·11		·04	·07				·11			1·52	10
11		·27	·44		·02	·22			·16			·03	11
12		·06	·12				·22		·20		·40	·26	12
13		·27	·10						·15	·02	·01	·41	13
14		·08	·57				·04			·31	·06	·44	14
15	·07		·14				·02	·03	·01	·03	·10	·32	15
16			·03				·14		·04		·10	·04	16
17		·40	·06						·13		·06		17
18		·02	·16				·01					·14	18
19		·06	·26			·24	·22		·01			·32	19
20		·24	·25			·01			·07		·19	·22	20
21		·53	·07			·06				·04		·12	21
22		·01			·41	·10	·11	·05		·23		·06	22
23		·13	·09		·22	·02	·01			·10			23
24			·13	·01	·01					·09	·12	·01	24
25	·04		·08				·01	·13		·29	·01	=	25
26			·07				·10	·07		·05	·24	·57	26
27	·06		·02							·06	·02	·20	27
28	·01	·04			·03					·32	~~·02~~	1·28	28
29	·06		·11								·32		29
30		✕	·06		·16					05	·12	·30	30
31	·01	✕		✕		✕	·02		✕	·05	~~·45~~	·03	31
Total	·73	2·85	4·61	·73	1·95	3 1·34	1·74 ~~2·34~~	1·15	1·06	1·64	2·96 ~~2·55~~	7·05 ~~7·50~~	YEAR'S TOTAL ~~28·43~~
Rain Days.	12	16	25	9	13	10	17	11	10	13	18	26	180 179

27·81

W. 8,000. X. 14.

Exd L.N

934

FORM A.
BRITISH RAINFALL.
10. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Harrow on the Hill

in the County of Middlesex

by Percy Bennetts: Surveyor
Harrow on the Hill U.D. Council

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Metropolitan
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·52	·15	·03		·02		·10		·13	·04	·33	·40	1
2	·30	·17	·25	·14		·01		·87	.	·05		·26	2
3	·33	-	·06	·16				·40				·35	3
4	·06	-	-	-				·28				·25	4
5	·03	·32	.	·01				·01		·02		·39	5
6	·24	·07	-	·22	·51		1·01					·35	6
7	·27	·23	·04	.			·55	·04				·18	7
8	·05	·38	·05	·05			·02	·05					8
9	-	·07	.	·10		·05		·05			·30	·68	9
10	·31	.	·01	.				·07				·17	10
11	·03	.	·03	.				·01		·01	·68		11
12	·10	·01	.	·35	·46			·31			·39	·03	12
13	·01	·42	.		1·35			·01					13
14	-	·05	.				1·18	·05	·07			·81	14
15	·12	·01	.		·06		·03	·50			·14	·14	15
16	.	·34	.				·70	·12			·02		16
17	.	·40	.		·64		·04	·19					17
18	.	·13	·06		·12						·02		18
19	.	·07	·02		·01		·14						19
20	·35	.		·08						·02		·19	20
21	·12	.					·01					·05	21
22	·91	·29	·26				·74					·12	22
23	·01	·36	·13			·01	·27		·32	·48		·28	23
24	.	·02					·36		·44	·19		·16	24
25	-	.	·02	·07		·03	·26			·01	01	·23	25
26	.	·07				·11	·24					·42	26
27	.	·02				·81	·07			·35		·10	27
28	-	·05				·22			1·18	·15			28
29	-		·01				·08	·15			·15	·01	29
30	·05	X				·03				·07	·18	·02	30
31	·01	X		X		X		·05	X	1·01	X	·18	31
Total	3·82	3·63	·97	1·18	3·17	1·27	5·80	3·16	2·14	2·40	2·22	5·77	YEAR'S TOTAL 35·53
Rain Days.	19	21	13	9	8	8	17	17	5	12	10	23	162

W. 8,000. X. 15.

909

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Harrow-on-the-Hill

in the County of Middlesex.

by J. Percy Bennetts Engineer and Surveyor
Harrow-on-the-Hill U. D. Council.

Lat. ______ Long. ______

Time of Observation 9 A. M.

Nearest Railway Station Metropolitan

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ______ in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·	·	·	·33	·01	·	·	·18	·01	·30	·	1
2	·57	·01	·13	·	·25	·	·	·	·12	·43	·01	·	2
3	·	·41	·19	·	·	·	·04	·	·17	·30	·40	·	3
4	·29	·14	·01	·01	·	·43	·42	·	·07	·12	·36	·	4
5	·02	·01	·	·	·07	·14	·	·	·	·06	·56	·	5
6	·01	·04	SNOW. ·31	·21	·02	·07	·37	·	·	·04	·41	·	6
7	·09	·	SNOW. ·25	·	·14	·31	·25	·	·	·01	·66	·06	7
8	·	·	SNOW. ·04	·	·31	·	·	·	·	·	·01	·25	8
9	·	·	·	·	·28	·07	·	·	·	·08	·	·04	9
10	·01	·15	SNOW. ·09	·06	·	·19	·05	·	·	·01	·01	·07	10
11	·03	·14	·02	·14	·01	·26	·	·	·	·	·	·09	11
12	·05	·03	·02	·05	·28	·15	·03	·23	·01	·04	·01	·	12
13	·	·41	·43	·19	·01	·04	·22	·16	·	·02	·	·	13
14	·	·40	·	·03	·09	·	·	·33	·	·03	·	·03	14
15	·	·38	·31	·01	·	·	·06	·07	·	·05	·	·05	15
16	·01	·01	·26	·16	·01	·	·21	·08	·	·	·	·	16
17	·08	·08	·	·04	·	·	·01	·26	·31	·56	·	·	17
18	·02	·12	·07	·16	·	·	·	·49	·25	·13	·67	·	18
19	·07	·02	·17	·20	·	·	·	·	·26	·	·78	·	19
20	·15	·	·18	·13	·	·	·	·	·	·	·07	·38	20
21	·01	·	·64	·	·	·	·18	·	·	·	·	·42	21
22	·	·02	·08	·	·01	·	·	·	·	·03	·01	·42	22
23	·02	SNOW. ·29	·	·	·	·09	·	·02	·	·	·03	·13	23
24	·	SNOW. ·03	·01	·	·01	·38	·	·02	·	·11	·02	·26	24
25	·	SNOW. ·57	·10	·	·08	·	·	·16	·	·10	·14	·06	25
26	·	·12	·03	·	·	·05	·	·08	·	·06	·	·	26
27	·06	SNOW. ·07	SNOW AND RAIN. 1·07	·	·	·07	·	·25	·12	·37	·	·	27
28	·	SNOW. ·36	SNOW. ·39	·	·	·04	·	1·71	·04	·	·	·25	28
29	·	SNOW. ·07	·	·	·	·23	·	·	·03	·34	·	·13	29
30	·	X	·	·07	·	·	·	·07	·	·48	·	·	30
31	·	X	·	X	·	X	·	·06	X	·16	X	·02	31
Total	1·70	3·88	4·80	1·46	1·90	2·53	1·84	3·99	1·56	3·54	4·45	2·66	YEAR'S TOTAL 34·31
Rain Days.	17	23	22	14	15	16	11	15	11	23	17	16	200

W. 8,000, VIII. 16

End 4/5

876

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Harrow on the Hill
in the County of Middlesex
by
Engineer & Surveyor: Harrow U.D. Council

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Met & G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	s ·26				·90	·03		·10	·01	1
2				s ·32		·07		·07			·09		2
3				·07				·31		·25	·31		3
4		s ·22	s ·14				·03	·15		·41			4
5	·26		·05	s ·29				·02	·28	·10	·14		5
6			·10	s ·07		·02			·12	·02	·18		6
7	·21					·16	·11			·21	·01	·02	7
8	·19			s ·09			·91	·62	·01	·28	·20	·26	8
9	·07		·04	·08			·07	·42	·02		·09	·11	9
10	s ·25		·13	s ·25				·16				·06	10
11	·16		·39	s ·15						·30			11
12	·11		·04	·05				·06		·48	·01		12
13	·04		·16					·26	·03	·01		·01	13
14	·01			26				·10					14
15	s ·02						·46	·37		·03			15
16	s ·04	·10		·18	·09	·15	·10			·65		·24	16
17				·11	·74		·26	·02	·46	·36			17
18	·04	·08		·08	·10	·23	·16	·07	·16	·11			18
19		·15	04		·08	·03		·05	·39		·01		19
20	·02	·20	·06		·54		·02	·02	·05		·05		20
21	·02		·03	·02	·04	·02				·02	·02		21
22			s ·12			·21		·09		·08			22
23		·11	s ·02		·13			·16				·08	23
24		·07				·05		·03		·47	·03	·07	24
25		·01	·05								·10		25
26			s ·08			·02		·21	·04		·36		26
27			s ·03					·97				·03	27
28			·02			1·45	1·25	·11				·04	28
29			·04		·04	·02	1·30	·03		·26			29
30	s ·01	X	s ·36				·47	·08		·02	·01	·05	30
31	s ·03	X	·07	X		X		·01	X	·01	X	·01	31
Total	1·48 ✓	·94 ✓	1·98 ✓	2·28 ✓	1·76 ✓	2·43 ✓	5·14 ✓	5·29 ✓	1·59 ✓	4·07 ✓	1·71 ✓	·99 ✓	YEAR'S TOTAL 29·66
Rain Days.	16 ✓	8 ✓	21 ✓	15 ✓	8 ✓	12 ✓	12 ✓	25 ✓	11 ✓	19 ✓	16 ✓	13 ✓	176

W. 8,000, IX. 17.

23

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Harrow-on-the-Hill
in the County of Middlesex.
by J.Percy Bennetts.
Engineer & Surveyor.Harrow D.C.

Lat. ……… Long. ………
Time of Observation 9.a.m.
Nearest Railway Station Met. & G.C.R,
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. … in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02		.09				.01		.04	.15	.04	1
2		.11		.04				.40		.01	.10	.10	2
3		.01		.02				.21	.04		.52	.21	3
4		.06	.09	.02	.48			.04	.36	.01	.50	.01	4
5		.04			.06			.09	.16	.08	[illegible]		5
6	.13	.20		.29	.09			.01	.01			.07	6
7	.02	.10		.13	.21			.01	.08	.07	.10		7
8		.07		.02		.02			.12	.04		.02	8
9	(.02)	.05		.06			.15		.39	.17		.22	9
10				.09		.08	.41		.01	.02	.02	.27	10
11				.03	.08		.38		.23	.35	.07	.10	11
12		.09			.15		.13					.02	12
13					.29		.17		.15			.01	13
14	.15						.14		.36	.15		.21	14
15	s 1.20			.87		.17	.12		.02			.12	15
16	s .20			.34		.04			.30	.08		.01	16
17	.21			.21	.08	.03	.21	.05	.02			.11	17
18	.56					.20	.11		.65	.12		.06	18
19	.04		.07	.05		.19	.26	.02	.07	.16		.09	19
20	.02	.15		.73		.20	.08		.06	.19		.03	20
21	.10	.01		.54		.03	.02		.46	.02		.01	21
22	.09				.17		.09		.14			.15	22
23	.04				.26		.16	.04	.01		.02	.01	23
24		.21					.22	.12	.05		.07		24
25						.02	.14	.09		.01			25
26					.10		.56	.22		.04	.25		26
27		.02		.06			.03		.04		.11	.04	27
28		S .06	.25	.06					1.24		.19	.21	28
29						.13		.05	.04				29
30		×										.04	30
31		×	.01	×		×			×	.07	×	.02	31
Total	2.78	1.20	.42	3.65	1.97	1.11	3.38	1.36	5.01	1.63	2.10	2.18	YEAR'S TOTAL 26.80
Rain Days.	13	15	4	18	11	11	18	14	24	18	12	25	183

W. 6,500, VII. 18. w w c

826

5 JAN

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Harrow-on-the-Hill

in the County of Middlesex

by J. Percy Bennetts
Engineer & Surveyor, Harrow U.D.C.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Met: & G.C. Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42				·02		·22			·03		1·03	1
2	·29	·03	·02		·25		·04		·29	·05	·13	·21	2
3	·33	·	·31		·01		·12		·07		·04	·35	3
4	·08	·12	·41			·06	·08	·05	·07		·07	·16	4
5	·01	·30	·48				·04		·18		·02	·29	5
6	·01	·03	·10	·10								·02	6
7	·02		·39								·04		7
8	·07		·06	·08							·01		8
9	·03		·02	·01	·06						·01		9
10	·30		·07	·04						·01	·02	·05	10
11	·04		·10	·25	·01		·10					·07	11
12	·		·06	·08		·06	·28					·01	12
13	·01	·01		·21						·07	·02	·01	13
14	·32			·36			·07		·45	·06		·01	14
15	·24	·07	·12	·25								·57	15
16	·07	·70									·13	·06	16
17		·35									·22	·02	17
18		·25	·07					·02	·04		·07	·06	18
19	·04	·16	·97			·72	·41	·24	·06		·20	·01	19
20	·30	·12	·07			·76	·26	·21	·01			·01	20
21	·36	·32	·03			·15	·09				·01	·09	21
22		·21					·14		·25		·03	·33	22
23						·04		·02	·04		·02	·04	23
24				·17			·10	·09		·19	·06	·02	24
25	·04			·02	·01			·33				·05	25
26	·11	·16		·12				·25	·12			·30	26
27	SNOW ·90	·04	·07	1·28				·36			·01	·04	27
28			·16	·03			·01	·86			·22	·32	28
29	·04		·03	·04				·18		·11	·10	·07	29
30		╳		·23		·16		·07		·02	·24	·35	30
31		╳		╳		╳	·03		╳	·01	╳	·02	31
TOTAL	4·03	2·87	3·54	3·27	·36	1·45	1·99	2·68	1·52	·55	1·61	4·57	YEAR'S TOTAL 28·44
Days with ·01 in. or more	22	15	19	16	6	7	15	12	11	9	21	28	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

780

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

7 JAN 192

REGISTER OF RAINFALL IN 1920.

Kept at HARROW-ON-THE-HILL

in the County of Middlesex.

by J. Percy Bennetts.
Engineer & Surveyor, Harrow U.D.C.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station MET & G.C. RLY.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·34

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·49	·09		·30			·63		·21	1
2							·15	·85	·07	·01		·11	2
3		·08		·05			·05		·05	·01		·03	3
4		·07		·08			·01	·06		·24		·07	4
5			·06		·06		·66	·02				·03	5
6			·13		·17		·40					·02	6
7	·03		·01	·27	·02		·20					·01	7
8	·04	·05		·14	·09		·27	·08					8
9	·35	·01	·02	·03				·06					9
10	·42	·05	·09			·05	·11						10
11	·21		·07	·13	·04	·03	·17			·03			11
12	·10	·01		·12		1·01					·02	SNOW ·17	12
13	·14		·13	·21						·44	·19		13
14			·25	·17		·10	·02		·13	·23	·09		14
15	·02	·01	·15	·26					·39	·19			15
16			·22	·17		·13			·26	·01		·05	16
17				·03	·16				·60			·03	17
18	·02							·65	·12			·02	18
19	·19			·17		·05		·02				·02	19
20	·07	·05		·15		·61						·01	20
21							·78	·01	·42			·08	21
22							·01		·23			·27	22
23				·28			1·07					·40	23
24	·02		·08	·01								·05	24
25	·01	·03	·05	·01			·16						25
26	·08		·13		·05		·06					·03	26
27	·20	·10		·30		·09	·06					·13	27
28	·46	·01	·11	·17	·13	·05	·12				·69	·02	28
29	·27		·04		·02						·09	·30	29
30	·04	✕			·05	·02	·46		·30	·17	·23	·05	30
31	·04	✕		✕	·02	✕			✕		✕	·16	31
TOTAL	2·41	·47	1·54	3·24	·90	2·14	5·06	1·45	2·57	1·96	1·31	2·27	YEAR'S TOTAL 25·92 ✓
Days with ·01 in. or more	19	11	15	20	12	10	19	8	10	10	6	23	163 ✓
Days with ·04 in. or more	14	6	13	16	9	8	16	5	10	6	5	13	121 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HARROW WEALD

WEALDSTONE HOUSE

LONDON | MIDDX

1911-20

1911

BRIT. RAINFALL
6 JUL 1912

Kept at Wea

in the County of

by

f top 5 in.

p above Ground ft. in.

" Sea Level ft.

tion Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·52			·02	·02					1
2	·12			·35	·21						·21	·18	2
3		·01			·18					·03	·12	·11	3
4	·06	·62	·06	·09						·05	·07	·31	4
5				·05						·10		·46	5
6	·40		·12										6
7	·03									·09	·28	·26	7
8	·14		·23								·12	·11	8
9	·06			·01								·01	9
10	·04	·05	·66	·02							·01	·41	10
11	·25				·08						·56		11
12	·075				·10	·01					·25		12
13					·38					·06		·20	13
14		·06	·01		·08							·38	14
15		·05	·11							·01	·04	·02	15
16						·36					·17	·05	16
17			·06			·12					·31	·18	17
18		·21				·20					·41	·28	18
19					·01	·27				·07	·18	·11	19
20		·03						·23		·04		·66	20
21	·01	·04				·01		·81		·52		·07	21
22	·08		·02			·02				·06		·42	22
23		·05	·12			·60					·01	·63	23
24		·15	·02			·07		·02		·92			24
25		·05	·02	·02		·24	·23			·04			25
26		·02	·01	·17		·08	·05	·02		·14			26
27		·36	·05	·03								·13	27
28		·30		·22	·03			·06					28
29				·02		·19	·10			·29			29
30					·04			·01		·11	·05	·01	30
31					1·27	·01							31
Total	1·28	1·40	1·49	1·50	2·38	2·18	·40	1·17	1·30	2·53	2·79	4·99	TOTAL for year 23·41
No. of Rain Days		2·68	4·17	5·67	8·05	10·23	10·63	11·80	13·10	15·63	18·42	23·41	
	12	14	?16	11	10	13	4	7	?				

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

BRIT RAINFALL
-6 JUL 1912

Kept at Wealdstone House

in the County of Middlesex

by R.R. Cobb

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·52			·02	·02					1
2	·12			·35	·21						·21	·18	2
3		·01			·18					·03	·12	·11	3
4	·06	·62	·06	·09						·05	·07	·31	4
5				·05						·10		·46	5
6	·40		·12										6
7	·03									·09	·28	·26	7
8	·14		·23								·12	·11	8
9	·06			·01								·01	9
10	·04	·05	·66	·02							·01	·41	10
11	·25				·08						·56		11
12	·075				·10	·01					·25		12
13					·38					·06		·20	13
14		·06	·01		·08							·38	14
15		·05	·11							·01	·04	·02	15
16						·36					·17	·05	16
17			·06			·12					·31	·18	17
18		·21				·20					·41	·28	18
19					·01	·27				·07	·18	·11	19 3·07
20		·03						·23		·04		·66	20
21	·01	·04				·01		·81		·52		·07	21
22	·08		·02			·02				·06		·42	22
23		·05	·12			·60					·01	·63	23
24		·15	·02			·07		·02		·92			24
25		·05	·02	·02		·24	·23			·04			25
26		·02	·01	·17		·08	·05	·02		·14			26
27		·36	·05	·03			·005	~~·11~~				·13	27
28		·30		·22	·03			·06					28
29				·02		·19	·10			·29			29
30					·04			·01		·11	·05	·01	30
31					1·27	·01							31
Total	1·28	1·40	1·49	1·50	2·38	2·18	·40	1·17	1·30	2·53	2·79	4·99	TOTAL for year 23·41
No. of Rain Days		2·68	4·17	5·67	8·05	10·23	10·63	11·80	13·10	15·63	18·42	23·41	
	12	14	?16	11	10	13	4	7	?				

9,000, IX. '10.

cod 7·11·13

REGISTER OF RAINFALL IN 1912

Form A2.

BRITISH RAINFALL
15 JAN 1913

Kept at Wealdstone House

in the County of Middlesex

by

Rain Gauge { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·17	·11		·06	·27		·13	1
2						·02	·26	·03				·07	2
3	·06		·11		·07	·17		·23	·01				3
4	·31		·62		·16	·23		·04			·21		4
5	·20	S						·31			·02	·01	5
6	·55	·11				·06		·23	·02			·06	6
7					·04	·37	·04	·45				·03	7
8	·44	·34						·17				·02	8
9		·11				·09	·03	·02				·20	9
10						·05		·34			·08	·16	10
11	·07	·32				·01					·02	·12	11
12		·06	·12		·20	·07					·04		12
13	·05	·02								·02	·08	·02	13
14			·01		·02			·16		·05		·01	14
15	·01		·12		·25	·47		·19		~~·07~~	·01	·24	15
16	·28		·03			·02				·07	·06		16
17	·22		·23			·10		·08				·01	17
18	·20		·13					·18	2·25		·01	·12	18
19	·11		·17					·44					19
20			·10				·02	·11		·35			20
21			·50		·07			·09		·06			21
22	·26	·79	·09		·05		·12	·13		·08		·03	22
23	·30		·32		·01			·51		·02	·15	·14	23
24	·40							·12					24
25						·20		·62			·26		25
26							·03	·31		·36	·38		26
27										·12		1·34	27
28								·05		·31	·39		28
29						·28	·16	·26		·38	·03		29
30					·39	·03				·17			30
31			·33		·02		·15	·20		·01		·06	31
Total	3·46	1·75	2·88	-	1·28	2·34	·92	5·27	2·34	2·27	1·74	2·77	TOTAL for year 27·02
No. of Rain Days.	15	?8	14	0	11	16	9	25	?3	14	14	?18	

W. 8,000

corr for auth 25-11-14

REGISTER OF RAINFALL IN 1913

ORM A. ISH RAINFALL
19 JAN 1914

Kept at Wealdstone House

in the County of Middlesex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·18	·07	·17							·10	·09	1
2	·04	·12					·12			·01	·05		2
3		·02	·04	·22	·46					·01		·03	3
4	·19				·09		·09			·10	·04	·06	4
5	·08					·16	·09			·03		·06	5
6		·07	·05	·01	·05		·21			·21	·03	·10	6
7					·03	·01	·04	·11		·41	·10		7
8		·02	·03		·08	·07				·10	·04	·01	8
9		·18	·06		·01						·02	·04	9
10				·13	·03		·21	·09			·34		10
11	·48			R. S. ·38	·06			·05		·43	·23		11
12					·03						·34		12
13	·04		·02								·30		13
14	·08		·09	·04			·46	·10		·13	·02		14
15	·14	·07	·20	·30			·15						15
16	·10		·36	·12									16
17	·01		·04	·04			·14				·03	·04	17
18	·01		·15	·12	·03						·04		18
19	·32		·02		·04		·11						19
20	·07		·08	·04						·38			20
21			·18	·04	X					·15	·65		21
22	some snow ·46		·15	·06									22
23			·01			·13		·18				·19	23
24				·04				·04	1·48				24
25		·05		·14									25
26		·01	·17	·10				·06		·66	·02		26
27			·01	·07	·02					·04			27
28	·31		·19	·11						·06			28
29	·03		·06	·58	·46			·06		·05			29
30	·23			·04				·06		·08	·06		30
31			·04					·23					31
Total	2·59	·72	1·96	2·67	1·39	·27	1·62	·98	1·48	2·85	2·31 2·41	·62	YEAR'S TOTAL 18·56 19·56
Rain Days.	16	9	21	20	13	5	10	10	?	16	17	10	

12

Cor. by own stats & for arith. 28.V.15

17 MAY 1915

BRITISH ... ALL

REGISTER OF RAINFALL IN 1914

Kept at Wealdstone House

in the County of Middlesex

by Miss H O E Cobb

Lat. 51° 36' 19" N Long. 0° 20' 19" W

Time of Observation 9 A.M

Nearest Railway Station Harrow L & N W Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07					·09			·05	·10	1
2							·01	·24			·04	·22	2
3			·03		·17		·04						3
4	·17		·01	·22	·04			·06			·28	·32	4
5			·10	·15	·08	·04	·49	·27					5
6		·13	·03		·02	·10	·01	·03			·28	·23	6
7		·17	·33	·20	·62	·07	·11	·03				·11	7
8	·06	·21	·57	·03	·04	·16		·10				·04	8
9	·16		·49	·10		·42			·11				9
10		·17		·04	·06				·21			1.50	10
11		·19	·40		·02	·26			·05		·30	·27	11
12		·07	·14				·32		·22	·02	·02	·41	12
13	·01 S	·28	·10						·16	·48		·40	13
14		·07	·56				·03				·19	·35	14
15	·05		·17					·05				·04	15
16			·03				·10		·14		·11		16
17		·43	·05						·02			·20	17
18		·29	·14				·04					·26	18
19			·27			·02	·10				·18	·07	19
20			·10			·03			·06	·05		·10	20
21		·41	·04			·03				·28		·08	21
22			·05		·30	·02	·12	·09		·11			22
23		·10	·08		·17	·03							23
24			·09	·02		·01				·08	·11		24
25	·03		·06				·01	·12		·31			25
26	·06		·09				·05	·02			·20	·64	26
27			~~·005~~									·20	27
28		·03			·03					·05	·39	1·04	28
29	·05		·12							·25	·12		29
30			·03							·04		·34	30
31					·14		·02				·31		31
Total	·59	2·55	4·15	~~·74~~ ·76	1·69	1·19	1·45	1·10	·97	1·67	2·58	6·92	YEAR'S TOTAL 25·62
Rain Days	9	15	~~25~~ 26	7	12	12	14	11	8	11	14	23	162

939

FORM A.
BRITISH RAINFALL.

7 JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Wealdstone House, Harrow
in the County of Middlesex
by H J E Cobb

Lat. 51°36'19"N Long. 0°20'18"W
Time of Observation 9 A.M.
Nearest Railway Station Harrow L & N W Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·15	·03		·01					·03	·30	·43	1
2	·26	·12	·25	·11		·01		·74		·04		·16	2
3	·34		·03	·09				·24				·30	3
4	·02							·25				·27	4
5	·03	·32		·22				·02		·02		·38	5
6	·18	·04			·03		·90	·03				·25	6
7	·17	·18	·05				·37	·03				·20	7
8	·02	·37	·01				·01	·04					8
9		·02				·03		·04			·23	·66	9
10	·29		·01					·01				·13	10
11			·01								·71		11
12	·09	·04		·26	1·62 most on 13th			·31		·02	·23	Snow ·04	12
13	·15	·27											13
14							1·03	·03				·78	14
15					·04			·02			¾ in: snow ·17 in gauge	·10	15
16		·40					·68	·29					16
17		·32			·58		·04	·48					17
18		·10	¾ in: snow ·07 in gauge		·09						·01		18
19		·08					·14						19
20	·27			·07								·17	20
21	1½ in: snow ·13 in gauge						·01					·05	21
22	1·08	·22	·24				·69						22
23		4 in: snow ·35 in gauge	·09			·03	·14			·34		·34	23
24							·13			·08		·22	24
25						·03	·41			·01		·16	25
26		·09				·10	·24					·33	26
27						·61	·21			·25			27
28			·02			·09				·17			28
29						·01	·20	·14			·10		29
30	·04	✕				·08				·07	·18	·02	30
31		✕		✕		✕	·31	·06	✕	·43	✕	·20	31
Total	3·57	3·07	·81	·75	2·37	·99	5·51	2·73	1·45	1·46	1·93	5·19	YEAR'S TOTAL 29·83
Rain Days.	15	16	12	5	7	9	16	16		11	8	20	~~135~~

W. 8,000. X. 14.

912

FORM A.
BRITISH RAINFALL.
8 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Wealdstone House Harrow
in the County of Middlesex
by Honora O E Cobb

Lat. 51° 36′ 19″ N Long. 0° 20′ 19″ W
Time of Observation 9 A.M.
Nearest Railway Station Harrow L & N.W Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10½ in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15				·19						·14		1
2	·44	·01	·06		·22	·02					·03		2
3		·43	·20				·03				·27		3
4	·22	·09	·02			·52	·10				·27		4
5	·01			·02	·05	·13					·25		5
6		·03	4½ in: snow ·34	·14		·08	·45				·28		6
7	·08		3 in: snow ·25		·12	·24	·23				·66	·06	7
8			·01		·23						·01	·25	8
9					·26	hail ·02							9
10		·16	·10	·07		·27	·25					·13	10
11	·03	·08	·03	·13		hail ·41							11
12	·04	·02	·01	·01	·31	·14	·02	·20					12
13		·43	·39	·17		·04	·22	·40					13
14		(R + 1½ in: snow) ·43		·01	·10			·27					14
15		·41	·28				·08	·07					15
16			·24	·15	·01		·12	·19					16
17	·07	·09		·04				1·63					17
18		·07	·05	·11				·29			·42		18
19	·26	·02	·14	·21							·55		19
20			·14	·05							·01	·77	20
21			·29				·25					·30	21
22		1¼ in: snow ·04	·03		·01							·48	22
23	·01	3¾ in: snow ·22				·05		·02			·03	·39	23
24		·02 s	·02		·09	·39		·02					24
25		4 in: snow ·51	·10					·15			·13		25
26		·11 s				·03		·14					26
27	·04	·02	·92			·05		·18					27
28		R & S ·29	·37			·17		·02				·25	28
29		·02				·19		1·65					29
30		X		·03				·05					30
31		X		X		X		·06	X		X	·17	31
Total	1·35	3·50	3·99	1·14	1·59	2·75	1·75	5·34	1·50	2·33	3·05	2·80	YEAR'S TOTAL 31·09
Rain Days.	12	21	22	13	11	16	10	16			13	9	143

880

FORM A.
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wealdstone House, Harrow
in the County of Middlesex
by Honora O E Cobb

Lat. 51° 36′ 19″ N Long. 0° 20′ 19″ W
Time of Observation 9 A.M.
Nearest Railway Station Harrow L & N W Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10½ in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				(3 in: S) ·26				·92	·02		·10	·01	1
2				·18 s		·07		·08			·12		2
3				·03				·30		·39	·21		3
4							·06	·18		·25			4
5	·27		·11	·31				·01	·24	·11	·15		5
6			·08			·01			·10	·02	·07		6
7	·25					·09	·13			·26		·03	7
8	·20			·09			·67	·68		·25	·18	·26	8
9	·07			·12 s			·04	·27	·01		·07	·09	9
10		* Total for 28 days Jan: 19 – Feb: 15 inclusive	·15	·23 s							·01	·01	10
11	·39 s		·40	·09						·25			11
12	·09 s		·01	·01	·01			·07		·51			12
13	·05		·11					·25		·01		·01	13
14				·18				·07					14
15	·01	·36*		·16			·41			·03			15
16		·10			·15	·06	·08			·66		·17	16
17				·12	·65		·31	·08		·26			17
18	·11	·06		·06	·08	·18	·09	·02		·10			18
19		·21	·04		·03								19
20		·10	·06	·02	·50		·01				·03		20
21			·02 s			·02					·02		21
22			·13 s			·04		·14		·08			22
23					·12	·05		·13				·11	23
24		·09						·02		·24	·03	·25	24
25		·02	·04								·06		25
26			·07					·16			·25		26
27			·01					·90				·05	27
28			03			1·42		·11	Sept: 17 – 30th inclus.			·04	28
29			·01		·01	02	1·34	·04	Total for 14 days	·23		·13	29
30		✕	(2½ in: S) ·29				1·02	·08	·62				30
31		✕	·02	✕		✕	·45		✕		✕	·02 s	31
Total	Jan: & Feb:	2·38	1·58	1·86	1·55	1·96	4·61	4·51	·99	3·65	1·30	1·18	YEAR'S TOTAL 25·57
Rain Days.			17	15	8	11	12	20	–	16	13	13	

8,000, VIII. 16

4·11

Sep. est

c/ll C.C.E.

27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Wealdstone House, Harrow
in the County of Middlesex
by Honora O E Cobb

Lat. 51° 36' 19" N Long. 0° 20' 19" W.
Time of Observation 9 A.M.
Nearest Railway Station Harrow L&NW Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 1½ in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·12				·02		·01	·14	·03	1
2		·10		·03				·33		·01	·12	·12	2
3			·03	·02	·49			·20			·46		3
4		·05	·10					·03		·01	·24	·01	4
5		·02			·04			·10		·05			5
6	·10	·19		·11	·11			·01				·07	6
7	·02s	·08		·09	·13			·06		·03	·08		7
8	·01s	·06		·01						·03	·02		8
9		·09		·05		·07	·23			·08		·25	9
10				·05		·03	·32				·01	·17	10
11				·01	·06		·36			·31	·04	·05	11
12		·04			·14		·06						12
13	·01s				·21		·19					·03	13
14	·18		·02			·17	·04			·13		·17	14
15	1·18s			1·10			·18					·10	15
16	·16s			·21		·04				·04		·01	16
17	·10			·12	·07	·23	·06	·02				·10	17
18	·27					·20	·03			·10		·06	18
19	·02		·03	·05s			·23	·02		·05		·07	19
20		·12		·63		·02	·07			·18	·01	·01	20
21	·10	·01		·36						·02			21
22	·07				·14		·19					·14	22
23	·02				·12		·51	·03					23
24		·17				·02	·11				·02		24
25							·20	·12			·01		25
26					·08			·01		·02	·14	·02	26
27				·06			·24	·19			·09	·01	27
28		·04s	·21	·04		·48					·11	·06	28
29		X									·01		29
30		X	·38								·04	·04	30
31		X		X		X		·02	X	·13	X		31
Total	2·24	·97	·77	2·96	1·59	1·26	3·02	1·16	(5·00) ~~3·20~~	1·20	1·54	1·52	YEAR'S TOTAL ~~21·43~~
Rain Days.	13	12	6	17	11	9	16	14		16	16	20	(23·23)

W. 8,000, IX. 17.

830

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Wealdstone House, Harrow

in the County of Middlesex

by Honora DE Cobb

Lat. 51° 36' 19" N Long. 0° 20' 19" W

Time of Observation 9 A.M.

Nearest Railway Station Harrow L & NW

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19				·15		·28			·03		1.02	1
2	·25	·02	·02				·04	·02		·10	·14	·12	2
3	·28		·32				·12				·04	·27	3
4	·05		·21			·05	·11	·07			·01	·17	4
5		·34s.	·15	·02			·01				·02	·30	5
6	·02		·09	·01								·02	6
7	·01		·14								·03		7
8	·03		·04	·04							·01		8
9			·02	·05	·26						·01		9
10			·05									·08	10
11	·04		·04	·24			·28					·04	11
12	·24		·03	·01		·04	·04			·05			12
13	·02			·31						·03			13
14	·27			·05			·04						14
15	·26	·08	·12	·26								·61	15
16	·05	·63									·15		16
17		·40s									·21	·05	17
18		·12									·09	·04	18
19		·12	·55			·26	·41	·22			·14		19
20	·30	·05	·03			·70	·14	·19				·01	20
21	·26	·28	·02			·02	·15				·02	·08	21
22		·14					·10				·03	·32	22
23						·03		·02					23
24				·25			·11	·08		·19	·09	·02	24
25	·02			·10				·32				·03	25
26	·09	·07	·09	·30				·05				·33	26
27	·13s.		·02	·60s.				·48				·04	27
28	·58s		·16s	·05				·70			·27	·30	28
29	·17			·10				·23		·13	·10	·05	29
30		✕	·02s	·10		·16		·08		·02	·33	·37	30
31	·01s.	✕		✕		✕			✕	·02	✕	·02	31
Total	3·27	2·25	2·12	2·49	·41	1·26	1·83	2·46	1·08	·57	1·69	4·29	YEAR'S TOTAL 23·72
Rain Days.	21	11	19	16	2	7	13	12	(11)	8	17	22	(159)

W. 8,000. X. 14.

787

Form A. 1. METEOROLOGICAL OFFICE and BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Haslemere Northwood

in the County of Middlesex

by L. McBean

Lat. Long.

29 MAR 1921

Time of Observation 9 a.m.

Nearest Railway Station Northwood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·61	·15	·00	·33	·05	·01	·26	·00	·24	1
2	·00	00	·00	·00	·00	·00	·28	·46	·07	·30	·00	·14	2
3	·00	·13	·00	·25	·00	·00	·02	·00	·05	·00	·00	·04	3
4	·00	·00	·00	·05	·00	·00	·04	·13	·00	·04	·00	·06	4
5	·00	·00	00	·00	·00	·00	·78	·04	·02	·29	·00	·04	5
6	·00	·00	·10	00	·19	·00	·54	·00	·00	·00	·00	·05	6
7	·02	·00	·00	·25	·02	·00	·21	·00	·00	·00	·00	·00	7
8	·05	·04	·00	·31	·00	00	·12	·14	·00	·00	·00	·00	8
9	(·35)	·00	·01	00	00	00	00	·04	·00	·00	·00	·00	9
10	·84	·04	·00	·00	·00	·09	·13	·00	·00	·00	·00	·02	10
11	·15	·00	·25	·25	·09	·06	·29	·00	~~·20~~	·00	·00	·00	11
12	·09	·01	·00	·16	00	·94	·02	·00	·00	·00	·00	·00	12
13	·13	·01	·12	·18	·00	·00	·00	·00	·00	·00	·08	·00	13
14	·00	·00	·39	·00	·00	·27	·05	00	·20	·31	·28	·14	14
15	·00	·05	·12	·27	·00	·00	·01	·00	·42	·25	·01	·00	15
16	·04	·00	·00	·29	·05	·10	·00	·00	·04	·15	·00	·00	16
17	·00	·00	·00	·02	·17	·00	·01	·00	·53	·02	·006	·06	17
18	·03	·00	·00	·00	·00	·00	·00	·00	·00	·00	·004	·04	18
19	·17	·00	·00	·13	·00	·00	·00	·60	·00	·00	·002	·02	19
20	·00	·07	·00	·30	·00	·72	00	·03	·00	·00	·005	·05	20
21	·07	·00	·00	·04	·00	·00	·52	·00	·54	·00	·007	·07	21
22	·00	·00	·00	·18	·00	·00	·00	·01	·07	·00	[illegible]	·28	22
23	·01	·01	·00	·00	·00	·00	1·06	·00	·00	·00	·00	·00	23
24	·03	·00	·11	·00	·00	·00	·00	·00	·00	·00	·00	·10	24
25	·00	·05	·10	·00	·00	·00	·27	·00	·00	·00	·02	·40	25
26	·00	·00	·11	·00	·11	·00	·14	·00	·00	·00	·00	·00	26
27	·33	·11	·00	·29	·00	·18	·05	·00	·00	·00	·55	·12	27
28	·34	·01	·19	·12	·14	·02	·15	·00	·00	·00	·06	·01	28
29	·26	·00	·03	·00	·00	·00	·02	·00	·00	·00	·22	·35	29
30	·07	╳	·00	·00	·07	·00	·41	·00	·00	·00	·25	·00	30
31	·00	╳	·00	╳	·00	╳	·00	·00	╳	·27	╳	·18	31
Total	2·98	~~·40~~ ·53	1·53	3·70	·99	2·38	5·45	1·50	1·95	1·89	1·47	2·41	Year's Total 26·78
Days with ·01 in. or more	17	11	11	17	9	8	22	9	10	9	8	20	151
	13	7	9	16	8	7	17	7	8	8	6	17	123

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGI 19

HATCH END

MIDDX

1919 - 20

FORM A. BRITISH RAINFALL

APR 20

Kept at Ashburnham,
in the County of Mid
by W. J. H

ong.
9 P.M.
ion Hatch End
f Rain Gauge 5 in.
ge above Ground 2 ft. 2 in.
" Sea Level 286 ft.

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the read g year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	—	—	.04	.22	—	.35	.03	—	.03	.03	.67	1
2	.04	—	.01	—	.29	—	.09	—	.04	.13	.01	.66	2
3	.27	—	.01	—	—	—	.21	—	.17	—	}	.23	3
4	.44	—	.48	—	.01	.06	.08	.01	.04	—	.20	.28	4
5	.06	.25	.51	—	—	—	.10	.15	.04	—	.06	.30	5
6	—	—	.13	—	—	—	—	—	.15	—	.01	.03	6
7	.05	—	.50	—	—	—	—	—	—	—	.01	—	7
8	.03	—	.07	.03	—	—	—	—	—	—	.04	—	8
9	.07	—	.08	.02	—	—	—	—	—	—	.04	—	9
10	.04	—	.01	.06	.24	—	—	—	—	—	.05	—	10
11	.18	—	.08	—	—	—	—	—	—	.01	—	.13	11
12	.08	—	.15	.23	.01	—	.37		—	.06	—	—	12
13	—	—	—	.05	—	.05	—		—	.03	.03	.01	13
14	.28	—	—	.45	—	—	.06		.35	.01	—	.01	14
15	.25	—	.13	.42	—	—	—		.01	.01	.02	.31	15
16	.10	.27	—	.08	—	—	—		—	—	.07	.30	16
17	—	.40	—	—	—	—	—		—	—	.15	.03	17
18	—	.50	.02	—	—	—	—	.49	—	—	.16	.06	18
19	—	—	.46	—	—	—	.07		.10	—	.20	—	19
20	.28	.23	.56	—	—	1.00	.62		.02	—	.06	.01	20
21	.27	.30	—	—	—	.06	.01		.01	—	—	.10	21
22	.03	.21	.02	—	—	—	.23		.06	—	.04	.24	22
23	—	.01	—	—	—	.04	—		.24	—	—	.10	23
24	—	—	—	.19	—	—	—		.01	.21	.09	—	24
25	—	—	—	—	.01	.01	.14		—	.03	.06	.05	25
26	.18	.19	—	.18	—	—	—	.51	.11	—	—	.27	26
27	.08	.08	.20	.30	—	—	—	—	—	—	.03	.12	27
28	.20	—	—	.50	—	—	—	1.09	—	—	—	.21	28
29	.19		.10	.06	—	—	—	.37	—	.10	.33	.10	29
30	—	×	.03	—	—	—	—	.05	—	.03	—	.30	30
31	—	×	.04	×	—	×	—	.10	×	.04	×	.08	31
Total	3.56	2.44	3.59	2.61	·78	1·22	2.33	2.80	1.35	·69	1.69	4.63 4.60	YEAR'S TOTAL ~~27.69~~
Rain Days.	21	10	20	14	6	6	12	(12)	14	12	~~22~~	24	27.66

(173) December 4.63 includes .03 Jan 1 1920

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

9 APR 20

Kept at Ashburnham, Royston Park, Hatch End
in the County of Middlesex
by W. J. Hill

Lat. Long.
Time of Observation 9 P.M.
Nearest Railway Station Hatch End
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	—	—	.04	.22	—	.35	.03	—	.03	.03	.67	1
2	.04	—	.01	—	.29	—	.09	—	.04	.13	.01	.66	2
3	.27	—	.01	—	—	—	.21	—	.17	—	}	.23	3
4	.44	—	.48	—	.01	.06	.08	.01	.04	—	.20	.28	4
5	.06	.25	.51	—	—	—	.10	.15	.04	—	.06	.30	5
6	—	—	.13	—	—	—	—	—	.15	—	.01	.03	6
7	.05	—	.50	—	—	—	—	—	—	—	.01	—	7
8	.03	—	.07	.03	—	—	—	—	—	—	.04	—	8
9	.07	—	.08	.02	—	—	—	—	—	—	.04	—	9
10	.04	—	.01	.06	.24	—	—	—	—	—	.05	—	10
11	.18	—	.08	—	—	—	—	—	—	.01	—	.13	11
12	.08	—	.15	.23	.01	—	.37		—	.06	—	—	12
13	—	—	—	.05	—	.05	—		—	.03	.03	.01	13
14	.28	—	—	.45	—	—	.06		.35	.01	—	.01	14
15	.25	—	.13	.42	—	—	—		.01	.01	.02	.31	15
16	.10	.27	—	.08	—	—	—		—	—	.07	.30	16
17	—	.40	—	—	—	—	—		—	—	.15	.03	17
18	—	.50	.02	—	—	—	—	.49	—	—	.16	.06	18
19	—	—	.46	—	—	—	.07		.10	—	.20	—	19
20	.28	.23	.56	—	—	1.00	.62		.02	—	.06	.01	20
21	.27	.30	—	—	—	.06	.01		.01	—	—	.10	21
22	.03	.21	.02	—	—	—	.23		.06	—	.04	.24	22
23	—	.01	—	—	—	.04	—		.24	—	—	.10	23
24	—	—	—	.19	—	—	—		.01	.21	.09	—	24
25	—	—	—	—	.01	.01	.14		—	.03	.06	.05	25
26	.18	.19	—	.18	—	—	—	.51	.11	—	—	.27	26
27	.08	.08	.20	.30	—	—	—	—	—	—	.03	.12	27
28	.20	—	—	.50	—	—	—	1.09	—	—	—	.21	28
29	.19		.10	.06	—	—	—	.37	—	.10	.33	.10	29
30	—	X	.03	—	—	—	—	.05	—	.03	—	.30	30
31	—	X	.04	X	—	X	—	.10	X	.04	X	.08	31
Total	3.56	2.44	3.59	2.61	·78	1·22	2.33	2.80	1.35	·69	1.69	4.63 4.60	YEAR'S TOTAL ~~27.69~~
Rain Days	21	10	20	14	6	6	12	(12)	14	12	22	24	27.66

(173) December 4.63 includes .03 Jan 1 1920

W. 6,500, VII. 18. W W C

referred 19/2/1921

~~W~~ cordly obs.

785

JAN 192

FORM A. 1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Ashburnham Royston Park Road Hatch End
in the County of Middlesex
by W. J. Hill

Lat. Long.
Time of Observation 9 P.M.
Nearest Railway Station Hatch End
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.01	—	.43	.07	.01	.21	—	.01	.33	.16	—	1
2	—	—	.02	.17	.05	—	.13	.58	.06	.37	.01	.25 —	2
3	—	—	—	.05	—	—	.32	.01	.02	.02	—	.17 —	3
4	—	.12	—	.04	.01	—	.01	—	.11	.32	—	—	4
5	—	—	.04	.05	—	—	.65	.12	.02	.01	.01	.03	5
6	—	—	.12	—	.18	—	.35	.05		—	.01	.02	6
7	—	—	.07	.07	.03	—	.19	—		.01	—	.04	7
8	.01	.03	—	.29	.01	—	.20	—		—	.01	.01	8
9	.05	—	—	.16	.01	—	.25	.08		—	—	—	9
10	.73	.06	—	—	—	.05	.05	—		—	—	.01	10
11	.40	—	.08	.09	—	.02	.09	—		.01	—	—	11
12	.08	—	.08	.20	.07	.68	.21	—	1.30	.01	—	.09	12
13	.06	.01	.03	.21	—	.05	—	—	+	—	.05	—	13
14	.09	—	.29	.13	—	.10	—	—	+	.50	.13	.04	14
15	.01	.01	.28	.25	—	.07	.06	—	+	.02	.18	—	15
16	.01	.03	—	.30	—	.11	—	—	+	.26	.01	—	16
17	—	—	—	.01	.18	—	.01	.37	+	.14	—	.05	17
18	.03	—	—	—	.03	—	—	.32		—	—	.01	18
19	.14	—	—	.06	—	—	—			—	—	.04	19
20	—	.08	—	.29	—	.69	—			—	—	.01	20
21	.06	—	—	.08	—	.07	.41	.03	.51	—	—	.10	21
22	—	—	—	.25	—	—	.16		.17	.01	.01	.01	22
23	—	—	—	.03	—	—	.89	.01	—	.01	.01	.28	23
24	.02	—	.03	—	—	—	.38	—	—	.01	—	.47	24
25	—	.03	.15	—	—	—	.11	—	—	.01	—	—	25
26	.06	.01	.07	—	.01	—	.15	—	—	.01	.01	—	26
27	.19	.07	.09	.26	—	.04	.05	—	—	.01	.35	.05	27
28	.36	—	—	.06	—	.08	.14	—	—	.01	.28	.13	28
29	.03	—	.14	—	.11	.03	—	—	.01	.01	.07	.32	29
30	.22	✕	.02	—	—	—	.47	—	—	.01	.31	.03	30
31	.05	✕	—	✕	.05	✕	—	—	✕	.01	✕	.41	31
TOTAL	2.63	.46	1.51	3.48	.81	2.00	5.49	1.57	2.21	2.10	1.61	2.57	YEAR'S TOTAL 26.44
Days with ·01 in. or more	20	11	15	22	13	13	23	9	(13)	22	16	22	(199)
	13	4	11	20	7	10	21	6	(9)	6	8	14	(129)

(44,283). Wt 22958—218. 7500. 10/19. Gp. 132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REC

HARROW WEALD

HILL HSE

1911 - 1920.

Kept at Hill House, Harr

in the County of Middles

by Alexr Chapman

in.

Ground 3 ft. 6 in.

Sea Level 204 ft.

Name Stanmore

Distance 1 Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·01	·45			·01	·04			·01		1
2	·07			·49	·21						·23	·17	2
3	·07	·03			·19					·04	·12	·01	3
4	·07	·03	·09	·11						·04	·11	·27	4
5	·03	·01		·04						·09	·02	·17	5
6	·38		·13									·37	6
7	·05			·02						·09	·27	38 ·38	7
8	·15		·20								·14	·12	8
9	·11		·04	·01							·01	·02	9
10		·05	·13	·03							·01	·28	10
11	·33		·01		·17						·55	·01	11
12	·09		·44		·06	·02			·03		·22	·02	12
13			·08		·17				·45	·09	·07	·27	13
14		·06			·18							·36	14
15		·06	·14							·03	·04	·03	15
16	·02					·32					·33	·05	16
17			·04			·18					·32	·16	17
18		·22	·03			·23					·45	·14	18
19					·02	·25			·23	·04	·23	·20	19
20	·01	·02						·23	·23	·07		·61	20
21	·02	·08	·01			·01		·42		·35		·13	21
22	·09					·03		·01		·19	·01	·41	22
23	·01	·12	·17			·62			·17	·01	·02	·14	23
24	·01	·14	·01			·04	·01	·03		·93		·17	24
25		·06	·05	·05		·30	·25			·05		·02	25
26			·01	·18		·06	·07	·02		·15	·02	·31	26
27		·44	·09	·04			·01	·02	·12		·01	·12	27
28	·01	·29		·25	·05			·08			·04	·01	28
29				·03		·20	·11		·21	·28	·01		29
30					·04	·01		·03	·02	·13	·01	·01	30
31					·76					·03		·01	31
Total	1·56	1·61	1·68	1·70	1·85	2·27	·46	·88	1·46	2·61	3·25	4·97	TOTAL for year 24·30
No. of Rain Days.	18	14	18	12	10	12 13	6	9	8	17	24	29	177 17

W. 8,000, X. '11.

RE

FORM A2. BRITISH RAINFALL.
3 - JAN 19

Kept at Hill House, Harrow Weald

in the County of Middlesex

by Alex Chapman

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 204 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Stanmore
Distance 1 Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·01	·45			·01	·04			·01		1
2	·07			·49	·21						·23	·17	2
3	·07	·03			·19					·04	·12	·01	3
4	·07	·03	·09	·11						·04	·11	·27	4
5	·03	·01		·04						·09	·02	·17	5
6	·38		·13									·37	6
7	·05			·02						·09	·27	38 ·38	7
8	·15		·20								·14	·12	8
9	·11		·04	·01							·01	·02	9
10		·05	·13	·03							·01	·28	10
11	·33		·01		·17						·55	·01	11
12	·09		·44		·06	·02			·03		·22	·02	12
13			·08		·17				·45	·09	·07	·27	13
14		·06			·18							·36	14
15		·06	·14							·03	·04	·03	15
16	·02					·32					·33	·05	16
17			·04			·18					·32	·16	17
18		·22	·03			·23					·45	·14	18
19					·02	·25			·23	·04	·23	·20	19
20	·01	·02						·23	·23	·07		·61	20
21	·02	·08	·01			·01		·42		·35		·13	21
22	·09					·03		·01		·19	·01	·41	22
23	·01	·12	·17			·62			·17	·01	·02	·14	23
24	·01	·14	·01			·04	·01	·03		·93		·17	24
25		·06	·05	·05		·30	·25			·05		·02	25
26			·01	·18		·06	·07	·02		·15	·02	·31	26
27		·44	·09	·04			·01	·02	·12		·01	·12	27
28	·01	·29		·25	·05			·08			·04	·01	28
29				·03		·20	·11		·21	·28	·01		29
30					·04	·01		·03	·02	·13	·01	·01	30
31					·76					·03		·01	31
Total	1·56	1·61	1·68	1·70	1·85	2·27	·46	·86	1·46	2·61	3·25	4·97	TOTAL for year 24·30
No. of Rain Days.	18	14	18	12	10	12 13	6	9	8	17	24	29	≠ 177 177

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Hill House, Harrow Weald

in the County of Middlesex

by

Lat. Long.

Time of Observation 8 a m

Nearest Railway Station Stanmore

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·01		·15	·17		·06	·30		·13	1
2		·04	·10	·02		·06	·30	·01	·01	·01		·01	2
3	·06	·01	·14		·03	·17	·03	·25	·01	·01	·01	·07	3
4	·30		·52		·19	·17		·06			·17	·01	4
5	·13	·04	·12					·43		·01	·06	·01	5
6	·59	·03	·01			·03		·21	·02			·06	6
7	·01		·01		·03	·43	·06	·47				·02	7
8	·37	·28	·17			·01	·01	·16		·01	·01	·02	8
9	·02	·14	·01	·04		·09	·04	·01		·01		·19	9
10	·01	·03				·03		·40	·02	·01	·09	·17	10
11	·06	·21	·01			·02			·04	·01	·02	·13	11
12	·04	·10	·10		·22	·09				·01	·09	·01	12
13	·02	·02	·03								·10	·03	13
14			·03		·03			·12		·07	·01	·02	14
15	·01	·04	·11		·24	·40		·03			·01	·26	15
16	·22		·06		·01	·04		·18		·07	·06		16
17	·29		·26			·11		·09				·02	17
18	·06		·16					·17		·01	·02	·18	18
19	·10	·05	·19			·01	·36	·44			·01		19
20	·03	·01	·11				·02	·13		·37			20
21	·02	·06	·59		·04			·10		·08	·06		21
22	·26	·20	·11		·05		·06	·09		·08	·01	·03	22
23	·27	·32	·32		·01		·07	·54		·03	·17	·17	23
24	·40	·02				·02	·01	·16				·18	24
25						·16		·48		·01	·26	·35	25
26		·02					·04	·45		·40	·39	·36	26
27			·02			·01				·14		·19	27
28		·05				·01	·01	·06	·03	·33	·38	·23	28
29		·03				·21	·18	·27	1·26	·36	·05		29
30					·37	·03	[illegible]	·01	·84	·18		·01	30
31			·31		·01		·13	·20		·01		·04	31
Total	3·27	1·70	3·55	·07	1·23	2·33	1·49	5·52	2·29	2·52	1·97	2·90	YEAR'S TOTAL 28·84 28·84
Rain Days.	21	20	24	3	12	21	15	26	9	23	20	26	220

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

✓

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at Hill House, Harrow Weald

in the County of Middlesex

by Alexander [illegible]

Lat. .... Long. ....

Time of Observation 8 a m

Nearest Railway Station Stanmore

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·20	·09	·22	·01	·61			·20		·03	·15	1
2	·03	·14	·01				·12		·03	·02	·08	·01	2
3	·01		·04	·27	·49					·01		·03	3
4	·17		·01	·02	·11	·01	·13			·15	·05	·07	4
5	·09					·01	·13		·18	·03	·02	·05	5
6	·01	·07	·05	·01	·06	·18	·20		·05	·08	·04	·09	6
7		·11			·03		·06	·07		·48	·09	·01	7
8		·02	·04	·02	·08	·11				·08	·07		8
9		·18		·01	·02				·05		·03	·05	9
10			·09	·16	·05		·32	·09			·34		10
11	·46			·40	·06			·05		·43	·23		11
12		·02			·02					·01	·33		12
13	·06		·01					·01	·16		·23		13
14	·04	·03	·11	·04			·32	·08		·13	·21	·01	14
15	·16	·05	·18	·22			·30		·12		·01		15
16	·11	·01	·27	·18					·09	·01			16
17	·02		·06	·03			·16	·01	·01		·04	·05	17
18	·02		·05	·08	·05						·05		18
19	·31		·11	·02	·01		·13		·57			·03	19
20	·12		·07	·03		·05				·40	·01		20
21	·02		·18	·04			·01			·17	·73		21
22	·44		·17	·05					·16	·01			22
23	·01					·03		·19	·05	·01	·01	·19	23
24	·01		·01	·03		·02		·03			·02		24
25		·04		·17						·01		·01	25
26		·04	·18	·09				·06		·67		·22	26
27		·02	·01	·04	·01					·01	·01		27
28	·31		·17	·09						·07	·01		28
29	·05		·06	·51	·49			·07		·04		·02	29
30	·21			·07				·06		·07			30
31			·02					·26		·04			31
Total	2·70	·93	1·99	2·80	1·49	·42	1·88	·98	1·61	2·93	2·64	·99	YEAR'S TOTAL 21·36
Rain Days.	22	13	23	24	14	8	11	12	12	22	22	15	198

W.7,000, XI. 13

Exd. D.d.J

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Hill House, Harrow Weald

in the County of Middlesex

by Austen Inman

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Stanmore

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·42

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06					·14			·05	·09	1
2	·01		·01	·01			·09	·23			·04	·19	2
3			·05	·01	·18		·06				·01	·02	3
4	·17		·01	·20				·03			·32	·24	4
5	·08	·01	·11	·17	·13	·06	·52	·29			·01		5
6		·12			·03	·11	·02	·03			·20	·22	6
7		·16	·35	·19	·60	·26	·05				·01	·11	7
8	·05	·21	·60	·03	·07	·18	·22	·13				·04	8
9	·15	·01	·61	·07		·38			·14			1·35	9
10	·04	·05		·05	·06				·03			·03	10
11		·28	·46		·01	·30			·23		·27	·21	11
12	·02	·05	·10				·26		·24	·01	01 ~~·07~~	·48	12
13		·27	·11						·17	·05	·09	·41	13
14		·07	·58				·03		·01	·43	·07	·35	14
15	·06		·18					·04	·02	·04	·08	·05	15
16			·03				·08				·08	·01	16
17		·42	·04						·13		·01	·15	17
18		·03	·07									·29	18
19		·05	·24			·02	·07		·02		·24	·15	19
20		·19	·23			·02			·03			·12	20
21		·44	·07			·08				·01		·09	21
22		·01	·03	·01	·40	·04	·14	·04		·28		·01	22
23		·11	·08		·20	·06				·12		·01	23
24		·01	·10	·02		·01				·08	·12		24
25	·04		·08				·01	·08		·29	·01	·02	25
26	·01		·10				·07	·07		·06	·18	·57	26
27			·01							·01	·01	·19	27
28	·06	·03			·03					·05	·36	1·18	28
29	·01		·08							·27	·08	~~·28~~	29
30	·06		·07							·03	·45	·28	30
31	·–				·15		·03					·05	31
Total	·76	2·57	4·46	·76	1·86	1.52	1·65	1.08	1·02	1·73	2.70	6·85	YEAR'S TOTAL 26·96
Rain Days.	13	19	27	10	11	12	14	10	10	14	22	28	190

W. 8,000. X. 14.

Exd LN

943

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
4. JAN 1916

Kept at Hill House, Harrow Weald

in the County of Middlesex

by [illegible]

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Stanmore

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·14	·01		·02				·14	·02	·35	·44	1
2	·27	·14	·24	·08		·01		·84		·06	·01		2
3	·37		·07	·19	·01		·02	·28			·01	·54	3
4	·03							·45		·01		·27	4
5	·03	·27						·01		·03		·38	5
6	·20	·05		·25	·05		·99	·05				·27	6
7	·26	·19	·05				·40	·03			·01	·19	7
8	·02	·34	·03	·02			·02	·01				·01	8
9	·01	·05		·09		·05		·11			·25	·60	9
10	·28		·01					·01				·16	10
11	·01	·02	·03	·31						·01	·62	·01	11
12	·07	·01	·01		·32			·31		·01	·39	·04	12
13	·02	·39			1·32								13
14		·05			·01		1·07	·08	·07			·65	14
15	·15	·01			·05		·01	·05			·21	·15	15
16		·24					·64	·07				·02	16
17		·41			·59		·07	·07				·01	17
18		·11	·07		·14				·01		·03		18
19		·09					·14				·01		19
20	·28	·01		·09								·18	20
21	·11	·01					·01					·03	21
22	1·08	·23	·26				·70		·24			·16	22
23	·01	·52	·09			·02	·22		·30	·45		·29	23
24							·28		·01	·13		·19	24
25			·05	·08		·03	·45			·01	·01	·24	25
26		·08					·03					·40	26
27						·82	·44			·33		·08	27
28		·02	·01			·05		~~·15~~	1·07	·22			28
29			·01			·01	·36	·15		·01	·12	·01	29
30	·05					·20				·01	·18	·01	30
31	·01							·07		·92		·18	31
Total	3·68	3·38	·94	1·11	2·51	1·19	5·85	2·59	1·84	2·22	2·20	5·51	YEAR'S TOTAL 33·02
Rain Days.	20	22	14	8	9	8	17	16	7	14	13	26	174

W. 8,000. X. 15.

cndly c W. 7W

916

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Hill House, Harrow Weald

in the County of Middlesex

by Alex Bregman

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Stanmore

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18		·01		·31	·02			·13	·02	·25		1
2	·48	·01	·15		·27				·14	·38	·05		2
3		·31	·23			·59	·05		·17	·28	·42		3
4	·23	·10	·02		·05	·19	·08		·04	·16	·34		4
5	·02	·01	·01	·03	·01	·10				·09	·50		5
6	·01	·06	·26	·21	·11	·24	·15			·06	·37		6
7	·10		·45		·24	·01	·48				·73	·04	7
8			·05		·39					·01		·21	8
9	·01					·04				·09		·06	9
10		·10	·10	·06	·01	·30	·15			·01	·01	·04	10
11	·03	·18	·05	·12		·34			·01			·14	11
12	·04	·03	·03	·08	·27	·19	·02	·22		·04			12
13		·45	·43	·17	·01	·04	·24	·20		·03			13
14		·36		·02	·11			·52		·06		·18	14
15		·35	·33					·07		·02			15
16		·03	·26	·15	·01		·23	·06					16
17	·08	·03	·01	·05			·02	1·79	·28	·48			17
18	·01	·12	·06	·13				·27	·15	·07	·33		18
19	·12	·04	·17	·26					·26		·70	·07	19
20	·14	·01	·13	·05							·05	·25	20
21	·01		·68				·32					·50	21
22		·03	·10		·01	·01				·02	·01	·39	22
23	·02	·34	·01			·05		·02		·01	·03	·10	23
24	·01	·04	·01			·50				·07	·01	·30	24
25	·01	·92	·09		·08			·18		·11	·34		25
26		·13	·02			·04		·12		·03			26
27	·05	·03	·78			·07		·23	·11	·37			27
28	·01	·36	·42			·12			·19			·26	28
29	·01	·65				·23		1·77	·01	·35		·16	29
30		X		·02	·02	·01		·08		·50			30
31		X		X		X		·06	X	·16	X	·03	31
Total	1·57	4·09	4·86	1·35	1·90	3·09	1·74	5·59	1·49	3·42	4·14	2·81	YEAR'S TOTAL 36·05
Rain Days.	20	24	26	13	15	19	10	14	11	24	15	15	206

W. 8,000, VIII. 16

EWC 39

888

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
3 JAN 1918

Kept at Hill House, Harrow Weald
in the County of Middlesex
by Aw Cropman

Lat. .... Long. ....
Time of Observation 8 a m
Nearest Railway Station Stanmore
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07				1·10	·02		·09	·01	1
2		·01		·55		·08		·08			·02		2
3		·19		·03				·34		·24	·43		3
4			·09				·08	·19		·41			4
5	·25		·02	·30				·02	·22	·10	·16		5
6			·06	·04		·01			·14	·01	·08		6
7	·22					·11	·13			·36	·02	·03	7
8	·19			·08			·96	·65		·26	·17	·23	8
9	·10		·03	·13			·11	·39	·01		·08	·18	9
10	·20		·12	·10				·18			·02	·04	10
11	·16		·41	·39						·33			11
12	·11		·04	·01	·02			·07		·56			12
13	·05		·13	·02				·26	·03	·02			13
14	·03			·20				·08					14
15	·03						·46	·21		·03			15
16	·04	·12		·16	·09	·06	·09			·05		·22	16
17	·01	·02		·08	·67		·22		·49	·37			17
18	·05	·04		·09	·10	·25	·19	·07	·18	·11			18
19	·01	·10	·06	·01	·04	·01		·03	·44				19
20	·04	·23	·08		·45		·02				·04		20
21	·01		·02	·07	·09	·01				·02	·04		21
22			·14			·08		·08		·06	·01		22
23		·10			·12	·02		·23				·01	23
24		·06				·04		·04		·35	·03	·03	24
25		·03	·02								·08		25
26			·12					·15	·04		·34	·01	26
27			·02					1·03				·03	27
28			·04			1·29		·13				·03	28
29			·01		·02	·03	1·23	·06		·20		·17	29
30	·02	✕	·31				1·42	·09		·03		·01	30
31	·03	✕	·05	✕		✕	·43	~~5·48~~	✕		✕	·02	31
Total	1·55	·90	1·77	2·28	1·60	1·99	5·34	5·48	1·57	4·31	1·61	1·02	YEAR'S TOTAL 29·42
Rain Days.	18	10	19	17	9	12	12	22	9	18	15	14	175

W. 8,000, IX. 17.

4.60

30

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
2·1·19

Kept at Hill House
in the County of Harrow Weald, Middlesex
by Alexander Crofsman

Lat. .... Long. ....
Time of Observation 8 am
Nearest Railway Station Stanmore
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·40

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		·01		- ·06									
1		·09		·26 ·26						~~·03~~	·11	·07	1
2		·01		·04				·35		·02	·03	·25	2
3		·05	·03	·03	·52			·18			·67	·02	3
4		·02	·10	·01				·02	·03		·42		4
5		·22	·01		·06			·12	·33	·05			5
6	·10	·09		·27	·02			·01	·21	·02		·08	6
7	·03	·09		·12	·25			·02	·02	·05	·08		7
8		·09		·01				·03	·18		·10	·01	8
9	·01			·05		·09	·19		·41	·15		·21	9
10				·07		·01	·47		·03	·01	·03	·30	10
11	·02			·02	·07		·25		·20	·29	·05	·08	11
12		·11			·11		·24		·01			·01	12
13	·01				·25		·06		·09				13
14	·16					·19	·17		·46	·15		·24	14
15	1·09		·02	·89			·18		·01			·11	15
16	·16			·52		·10			·30	·03		·01	16
17	·20			·23	·05	·20	·21	·02				·08	17
18	·53					·17	·04		·60	·10		·06	18
19	·03		·03	·04		·01	·27	·01	·04	·05	·02	·08	19
20	·01	·16		·65		·02	·08		·11	·21		·03	20
21	·09	·02		·57					·45	·02		·01	21
22	·08				·08		·08		·11			·14	22
23	·03				·37		·61	·02	·02		·01	·62	23
24		·19				·02	·10		·05		·07		24
25							·16	·13		·01	·03		25
26					·08		·30	·02	·01	·02	·21	·13	26
27		·01	·01	·04				·27	·04		·10	·03	27
28		·05	·21	·07		·16		·02			·20	·14	28
29	·01								1·10		·02		29
30		X	·37						·03		·05	·01	30
31		X		X		X		·02	X	·09	X	·03	31
Total	2·56	1·21	·78	3·89	1·82	·97	3·41	1·24	4·84	1·32	2·20	2·15	YEAR'S TOTAL 26·43
Rain Days.	16	15	8	18	11	10	16	15	~~28~~ 24	15	17	24	189

W, 6,500, VII. 18. W W C

Ex D L

833

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Hill House, Harrow Weald
in the County of Middlesex
by Alex Crofman

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Stanmore
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·02			·02		·21				·01	·85	1
2	·31		·01		·27		·10	·01	·30	·03	·15	·30	2
3	·37		·30		·01		·13		·05	·12	·05	·33	3
4	·08	·08	·29			·06	·08	·13	·03		·03	·17	4
5	·01	·26	·55				·11		·17		·03	·29	5
6	·02		·08	·02							·01	·02	6
7	·02		·44								·03		7
8	·05		·05	·05							·03		8
9	·01		·03	·01	·22						·03		9
10	·25		·05	·05						·01	·03	·02	10
11	·05		·08	·21			·10					·07	11
12			·10	·03		·04	·27			·06	·04		12
13	·02	·03		·15					·01	·03		·01	13
14	·40			·41			·08		·30			·01	14
15	·29	·03	·17	·33						·01	·10	·48	15
16	·08	·76									·23	·10	16
17		·44		·01							·05	·04	17
18		·23	·05					·01	·04		·19	·04	18
19	·03	·16	·79			·15	·52	·10	·06		·02	·01	19
20	·30	·11	·09			·88	·28	·32	·04		·01	·01	20
21	·29	·29	·03			·05	·10				·03	·09	21
22		·21					·16		·16			·32	22
23						·02		·01	·06		·02	·08	23
24				·19		·01	·11	·10		·20	·12	·02	24
25	·04			·01				·34				·03	25
26	·14	·17	·14	·18				·11	·14			·35	26
27	·65	·05	·05	·85				·20				·06	27
28			·10	·02				1·09			·11	·29	28
29	·04			·03				·26		·13	·30	·04	29
30		✕	·05	·21		·15		·09		·03	·18	·29	30
31		✕	·03	✕		✕	·03		✕	·02	✕	·02	31
TOTAL	3·93	2·84	3·48	2·76	·52	1·36	2·28	2·85	1·36	·64	1·80	4·34	YEAR'S TOTAL 28·16
Days with ·01 in. or more	22	14	21	17	4	8	14	13	12	10	23	27	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cndly c

788

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hill House, Harrow Weald

in the County of Middlesex

by [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station Stanmore

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 37

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·49	·09		·38	·84		·58	·01	·20	1
2			·01				·18		·10	·01		·10	2
3		·10		·04			·16		·10	·01		·09	3
4		·08		·10			·02			·23		·05	4
5			·08		·04		·69	·01	·02			·03	5
6			·14		·16		·38	·03				·02	6
7	·01		·03	·26			·20				·01	·03	7
8	·04	·03		·15	·04		·29	·08					8
9	·41			·02			·01	·03					9
10	1·05	·06	·68			·03	·11					·01	10
11	·29		·06	·22	·04	·05	·19					·09	11
12	·09		·61	·11	·01	·58				·01	·01	·01	12
13	·13	·01	·08	·27							·04	·01	13
14		·01	·30	·17		·33	·03		·12	·41	·20	·03	14
15	·01	·02	·16	·32					·25	·37	·08	·02	15
16	·01			·23		·07			·34	·09		·01	16
17	·01			·05	·22		·01	·71	·31	·04		·04	17
18	·04			·01				·05	·26			·02	18
19	·15			·18	·01							·03	19
20	·06	·07		·18		·80		·03				·01	20
21							·76		·43			·08	21
22				·27					·12			·23	22
23							1·68					·38	23
24	·01		·08								·03	·05	24
25	·01	·03	·03	·01			·75						25
26	·05		·13	·01	·03	·01	·04					·03	26
27	·28	·07		·25		·09	·02				·60	·12	27
28	·38	·01	·10	·06	·11	·05	·13				·02	·01	28
29	·26		·05		·01		·01				·10	·28	29
30	·01	×			·16	·01	·53		·32		·15	·19	30
31	·07	×		×	·04	×			×	·18	×	·22	31
Total	3·37	·49	1·34	3·40	·96	2·04 ~~7·98~~	5·97	1·77	2·37	1·93	1·25	2·39	Year's Total 27·28 ~~27·22~~
Days with ·01 in. or more	21	11	15	21	13	10	21	8	11	10	11	28	180
Days with ·04 in. or more	14 ~~13~~	5	11 ~~10~~	17	9	8 ~~7~~	15	4	10	7	6 ~~5~~	14	~~116~~ 120

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HAYES

COUNCIL OFFICES

1911 - 1913

REGI

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

er's.

Kept at Council Offic

in.

und 4 ft. - in.

in the County of Middles

Level 135 ft.

by Douglas C.

me Hayes & Harlington.

tance 1½m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02			.50				.05					1
2	.11			.48	.21						.22	.10	2
3	.02				.15						.07	.11	3
4	.06	.04	.05	.03					.01	.13	.12	.30	4
5	.05									.14	.06	.01	5
6	.34		.13									.39	6
7	.04			.01						.09	.31	.20	7
8	.14		.24								.15	.21	8
9	.07										.04	.14	9
10	.05	.07									.05	.30	10
11	.27										.54		11
12	.04		.44		.15						.30	.04	12
13			.05		.21				.39	.10		.35	13
14		.10	.02		.08						.05	.33	14
15		.06	.07							.01	.39	.03	15
16						.36						.04	16
17	.01					.17					.39	.21	17
18		.17	.01			.19					.39	.18	18
19						.44		.15	.23	.06	.13	.13	19
20		.04	.01					.34	.16	.03		.56	20
21	.05	.05				.01		.16		.68	.01	.05	21
22	.04		.12					.02		.01		.39	22
23		.06				.58			.19		.02	.12	23
24		.13	.08							.96		.13	24
25		.03		.10	.10	.21	.44					.01	25
26			.04	.18	.01	.04	.07	.04		.15		.29	26
27		.52	.03	.03					.11			.17	27
28		.26		.28	.02		.01	.06			.04		28
29		*		.06		.18	.13		.19	.07			29
30		*		.01	.12	.01		.06		.30	.01		30
31		*		*	.14	*			*		*		31
Total	1.31	1.53	1.29	1.68	1.19	2.19	.65	.88	1.28	2.73	3.29	4.79	TOTAL for year 22.81
No. of Rain Days.	15	12	13	10	10	10	4	8	7	13	19	25	146

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 191

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Council Offices, HAYES.

in the County of Middlesex.

by Douglas C. Fidler M. S. E.

RAIN GAUGE	Pattern	Glaishier's.
	Diameter of top	8 in.
	Height of top above Ground	4 ft. - in.
	,, ,, ,, Sea Level	135 ft.

Time of Observation 9.30

Nearest Railway Station: Name Hayes & Harlington. Distance $1\frac{1}{2}$m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02			.50				.05					1
2	.11			.48	.21						.22	.10	2
3	.02				.15						.07	.11	3
4	.06	.04	.05	.03					.01	.13	.12	.30	4
5	.05									.14	.06	.01	5
6	.34		.13									.39	6
7	.04			.01						.09	.31	.20	7
8	.14		.24								.15	.21	8
9	.07										.04	.14	9
10	.05	.07									.05	.30	10
11	.27										.54		11
12	.04		.44		.15						.30	.04	12
13			.05		.21				.39	.10		.35	13
14		.10	.02		.08						.05	.33	14
15		.06	.07							.01	.39	.03	15
16						.36						.04	16
17	.01					.17					.39	.21	17
18		.17	.01			.19					.39	.18	18
19						.44		.15	.23	.06	.13	.13	19
20		.04	.01					.34	.16	.03		.56	20
21	.05'	.05				.01		.16		.68	.01	.05	21
22	.04		.12					.02		.01		.39	22
23		.06				.58			.19		.02	.12	23
24		.13	.08							.96		.13	24
25		.03		.10	.10	.21	.44					.01	25
26			.04	.18	.01	.04	.07	.04		.15		.29	26
27		.52	.03	.03					.11			.17	27
28		.26		.28	.02		.01	.06			.04		28
29		*		.06		.18	.13		.19	.07			29
30		*		.01	.12	.01		.06		.30	.01		30
31		*		*	.14	*			*		*		31
Total	1.31	1.53	1.29	1.68	1.19	2.19	.65	.88	1.28	2.73	3.29	4.79	TOTAL for year 22.81
No. of Rain Days.	15	12	13	10	10	10	4	8	7	13	19	25	146

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

2 - JAN 1913

REGISTER ~~Ex DL~~ OF RAINFALL IN 1912.

Kept at Council Offices, Hayes.
in the County of Middlesex
by D. C. Fidler M.S.

Lat. 51°31′17″ Long. 0°25′19″
Time of Observation 9·30.
Nearest Railway Station Hayes & Harlington.
Diameter of Rain Gauge 8″ in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03			·10				·30			1
2			·10				·44	·02				·15	2
3			·10			·25	·07						3
4	·28		·49		·13	·26		·20			·06		4
5	·26	·05						·50			·15	·10	5
6	·45					·10		·12					6
7	·01	·07	·10		·09	·55		·26				·09	7
8	·41	·20	·21			·10		·23					8
9	·02	·26				·18		·03				·29	9
10		·03		·05		·04		·26			·05	·23	10
11		·19	·05			·03							11
12	·12		·09		·26	·10	·08						12
13		·05						·13		·08			13
14					·02			·13		·02			14
15	·02	·05	·13		·25	·53				·06		·30	15
16	·32		·10		·05	·05		·06					16
17	·60		·21			·04							17
18	·05		·15			·04		·11				·13	18
19	·09		·08				·21	·24					19
20	·03		·12				·01	·29		·37			20
21			·36		·19			·22			·23		21
22	·28		·07		·04			·20				·05	22
23	·30	·50	·39					·45			·18		23
24	·35	·18				·03		·34 ~~·45~~				·22	24
25	·13	·04				·16		·30		·11	·27	·40	25
26							·02	·28		·22	·31	·66	26
27						·03				·30		·32	27
28						·06	·10	·11	·08	·37	·52	·13	28
29		·07				·15	·37	·23	1·38	·48	·01		29
30		×			·47			·04	·78				30
31		×	·30	×	·06	×	·16	·10	×		×	·04	31
Total	3·72	1·69	3·08	·05	1·56	2·80	1·46	4·85	2·24	2·31	1·78	3·11	YEAR'S TOTAL 28·65
Rain Days.	17	12	18	1	10	19	9.	24	3	10	9	14	146.

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 - JAN 1914

Kept at Council Offices, Hayes

in the County of Middlesex

by D. C. Fidler

Lat. 51°31'17" Long. 0°25'19"

Time of Observation 9.30.

Nearest Railway Station Hayes & Harlington

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 4 ft. - in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·31		·15	·03				·19			·14	1
2	·02			·19					·04	·10	·14		2
3	·01				·44		·10			·06			3
4	·05				·08		·08			·25		·11	4
5	·20				·05	·05	·11		·32		·05		5
6		·03	·25		·07		·22			·44		·16	6
7		·11			·01		·02	·23		·30	·15		7
8		·09		·02						·25	·04		8
9		·10			·09				·05		·02		9
10			·08	·03			·32	·02			·48		10
11	·39			·43	·01					·66	·19		11
12											·22		12
13									·07	·12	·22		13
14	·11	·05		·04			·49	·11		·01	·06		14
15	·10	·05	·31	·32			·26		·02				15
16	·14		·32	·10					·24				16
17	·09			·12			·11				·04		17
18	·11		·26						·34		·02		18
19	·23			·10	·04		·13		·30				19
20	·06			·04		·23				·49	·04		20
21			·17	·05			·02			·17	·75		21
22	·41		·20	·10				·18	·20				22
23						·02						·43	23
24	·01							·10					24
25		·03	·17	·20							·04	·19	25
26				·18				·05		·72			26
27					·12								27
28	·38		·24	·08						·10			28
29	·11	×	·06	·55	·54			·08		·03			29
30	·15	×						·19		·12			30
31		×	·03	×		×		·31	×		×		31
Total	2.60	·77	2·09	2·70	1·48	·30	1·86	1·27	1·77	3·82	2·46	1·03	YEAR'S TOTAL 22·15
Rain Days.	18	8	11	17	11	3	11	9	10	15	15	5	133

W. 7,500, XI. 12

HENDON

CENTRAL SCHOOL

LOND / MIDDX

1911 – 20

FORM A.
BRITISH RAINFALL.

22 JAN 1912

REGIS

Kept at Central He... R. [illegible]

in the County of Middl... 2

by James W. ...

...5 in.

...ound 1 ft. 4 in.

... Level 220 ft.

NOTE.—Rain should be measured da... ...uctions for the measurement of rain and particulars as to the British ... sent post-free on application to Dr. H. R. MILL, 62, Camden Square, ...

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·00	·01	·59	·00	·00	·02	·04	·00	·00	·00	·00	1
2	·15	·00	·00	·32	·17	·00	·01	·00	·00	·00	·17	·19	2
3	·03	·02	·00	·01	·16	·00	·00	·01	·00	·02	·07	·12	3
4	·06	·03	·07	S ·10	·00	·00	·00	·00	·01	·06	·17	·31	4
5	·04	·00	·00	S ·03	·00	·00	·00	·00	·00	·17	·02	·06	5
6	·35	·00	·10	S. ·01	·00	·00	·00	·00	·00	·00	·01	·29	6
7	·05	·00	·00	·03	·00	·00	·00	·00	·00	·09	·23	·26	7
8	·16	·00	·18	·00	·00	·00	·00	·00	·00	·00	·15	·14	8
9	·10	·00	·02	·04	·00	·00	·00	·00	·00	·00	·00	·02	9
10	·04	·10	·10	·03	·00	·00	·00	·00	·00	·00	·02	·37	10
11	·25	·00	·00	·00	·00	·00	·00	·00	·00	·00	·56	·02	11
12	·05	·00	·49	·00	·11	·19	·00	·00	·03	·00	·30	·00	12
13	·00	·00	·11	·00	·17	·00	·00	·00	·41	·19	·00	·23	13
14	·00	·09	·02	·00	·36	·00	·00	·00	·00	·01	·00	·40	14
15	·00	·07	·15	·00	·00	·00	·00	·00	·00	·02	·03	·02	15
16	·00	·00	·00	·00	·00	·44	·00	·00	·00	·00	·35	·03	16
17	·00	·00	·05	·00	·00	·05	·00	·00	·00	·00	·50	·15	17
18	·00	·25	·03	·00	·00	·30	·00	·00	·00	·00	·50	·20	18
19	·00	·00	·00	·00	·00	·21	·00	·06	·19	·05	·23	·09	19
20	·01	·03	·01	·00	·00	·00	·00	·23	·12	·07	·01	·53	20
21	·02	·07	·00	·00	·00	·00	·00	·30	·05	·63	·00	·09	21
22	·09	·00	·06	·00	·00	·01	·00	·01	·00	·08	·00	·45	22
23	·00	·11	·13	·00	·00	·78	·00	·00	·28	·01	·03	·15	23
24	·00	·15	·06	·00	·00	·04	·02	·04	·00	1·28	·00	·18	24
25	·00	·04	·03	·08	·00	·17	·98	·00	·00	~~·03~~	·00	·01	25
26	·00	·02	·03	·18	·00	·08	·07	·00	·00	·17	·02	·28	26
27	·00	·40	·11	·04	·00	·00	·00	·00	·11	·00	·00	·10	27
28	·00	·28	·00	·28	·00	·00	·06	·08	·00	·00	·02	·00	28
29	·00	–	·00	·09	·00	·18	·11	·00	·18	·27	·00	·00	29
30	·00	–	·00	·07	·02	·02	·00	·04	·01	·15	·00	·01	30
31	·00	—	·00	–	·18	—	·00	·00	—	·01		·00	31
Total	1·46	1·66	1·76	1·90	1·17	2·47	1·27	·81	1·39	3·31	3·39	4·70	TOTAL for year 25·29
No. of Rain Days	15	14	19	15	7	12	7	9	10	18	19	26	171

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 191

FORM A.
BRITISH RAINFALL.

JAN 1912

Kept at Central Hendon School
in the County of Middlesex
by James W Butler

Lat. ______ Long. ______
Nearest Railway Station M·R· Hendon
Time of Observation 9. A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·00	·01	·59	·00	·00	·02	·04	·00	·00	·00	·00	1
2	·15	·00	·00	·32	·17	·00	·01	·00	·00	·00	·17	·19	2
3	·03	·02	·00	·01	·16	·00	·00	·01	·00	·02	·07	·12	3
4	·06	·03	·07	S ·10	·00	·00	·00	·00	·01	·06	·17	·31	4
5	·04	·00	·00	S ·03	·00	·00	·00	·00	·00	·17	·02	·06	5
6	·35	·00	·10	S. ·01	·00	·00	·00	·00	·00	·00	·01	·29	6
7	·05	·00	·00	·03	·00	·00	·00	·00	·00	·09	·23	·26	7
8	·16	·00	·18	·00	·00	·00	·00	·00	·00	·00	·15	·14	8
9	·10	·00	·02	·04	·00	·00	·00	·00	·00	·00	·00	·02	9
10	·04	·10	·10	·03	·00	·00	·00	·00	·00	·00	·02	·37	10
11	·25	·00	·00	·00	·00	·00	·00	·00	·00	·00	·56	·02	11
12	·05	·00	·49	·00	·11	·19	·00	·00	·03	·00	·30	·00	12
13	·00	·00	·11	·00	·17	·00	·00	·00	·41	·19	·00	·23	13
14	·00	·09	·02	·00	·36	·00	·00	·00	·00	·01	·00	·40	14
15	·00	·07	·15	·00	·00	·00	·00	·00	·00	·02	·03	·02	15
16	·00	·00	·00	·00	·00	·44	·00	·00	·00	·00	·35	·03	16
17	·00	·00	·05	·00	·00	·05	·00	·00	·00	·00	·50	·15	17
18	·00	·25	·03	·00	·00	·30	·00	·00	·00	·00	·50	·20	18
19	·00	·00	·00	·00	·00	·21	·00	·06	·19	·05	·23	·09	19
20	·01	·03	·01	·00	·00	·00	·00	·23	·12	·07	·01	·53	20
21	·02	·07	·00	·00	·00	·00	·00	·30	·05	·63	·00	·09	21
22	·09	·00	·06	·00	·00	·01	·00	·01	·00	·08	·00	·45	22
23	·00	·11	·13	·00	·00	·78	·00	·00	·28	·01	·03	·15	23
24	·00	·15	·06	·00	·00	·04	·02	·04	·00	1·28	·00	·18	24
25	·00	·04	·03	·08	·00	·17	·98	·00	·00	·03	·00	·01	25
26	·00	·02	·03	·18	·00	·08	·07	·00	·00	·17	·02	·28	26
27	·00	·40	·11	·04	·00	·00	·00	·00	·11	·00	·00	·10	27
28	·00	·28	·00	·28	·00	·00	·06	·08	·00	·00	·02	·00	28
29	·00	—	·00	·09	·00	·18	·11	·00	·18	·27	·00	·00	29
30	·00	—	·00	·07	·02	·02	·00	·04	·01	·15	·00	·01	30
31	·00	—	·00	—	·18	—	·00	·00	—	·01		·00	31
Total	1·46	1·66	1·76	1·90	1·17	2·47	1·27	·81	1·39	3·31	3·39	4·70	TOTAL for year ✓ 25·29
No. of Rain Days	15	14	19	15	7	12	7	9	10	18	19	26	171

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

6X 9R 9

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

20 JAN 1913

Kept at Central Council School HENDON

in the County of Middlesex

by James W. Butler

Lat. Long.

Nearest Railway Station Hendon M.R.

Time of Observation 9. A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·00	·09	·05	·00	·24	·15	·00	·06	·29	·00	·16	1
2	·00	·02	·16	·00	·01	·03	·26	·03	·01	·01	·00	·01	2
3	·06	·01	·23	·00	·05	·20	·01	·33	·01	·00	·00	·08	3
4	·30	·00	·60	·00	·22	·14	·00	·01	·00	·00	·16	·00	4
5	·17	·08	·06	·00	·01	·00	·00	·36	·00	·00	·03	·00	5
6	·56	·01	·01	·00	·00	·10	·00	·06	·00	·00	·01	·07	6
7	·01	·01	·01	·00	·03	·39	·02	·20	·00	·00	·00	·02	7
8	·43	·34	·19	·00	·00	·01	·00	·09	·00	·00	·00	·01	8
9	·01	·10	·01	·03	·00	·30	·03	·03	·00	·00	·00	·17	9
10	·01	·04	·01	·00	·00	·02	·00	·19	·02	·00	·07	·20	10
11	·02	·37	·01	·00	·00	·03	·00	·00	·02	·00	·02	·16	11
12	·08	·11	·10	·00	·35	·11	·00	·00	·00	·00	·07	·00	12
13	·01	·01	·01	·00	·00	·00	·00	·00	·00	·00	·09	·01	13
14	·00	·00	·01	·00	·05	·00	·00	·11	·00	·05	·00	·02	14
15	·00	·02	·06	·00	·20	·44	·00	·03	·00	·01	·02	·29	15
16	·35	·00	·05	·00	·01	·03	·00	·12	·00	·05	·06	·00	16
17	·52	·00	·30	·00	·00	·08	·00	·10	·00	·00	·00	·00	17
18	·06	·00	·15	·00	·00	·00	·00	·10	·00	·00	·01	·13	18
19	·11	·06	·09	·00	·00	·00	·06	·41	·00	·00	·00	·00	19
20	·02	·00	·12	·00	·02	·00	·01	·40	·00	·34	·00	·00	20
21	·01	·08	·22	·00	·03	·00	·00	·05	·00	·08	·05	·00	21
22	·21	·19	·05	·00	·02	·00	·10	·15	·00	·05	·00	·04	22
23	·44	·41	·32	·00	·00	·00	·37	·56	·00	·02	·17	·17	23
24	·44	·03	·00	·00	·00	·11	·02	·16	·00	·00	·01	·13	24
25	·02	·00	·00	·00	·00	·19	·00	·65	·00	·01	·23	·49	25
26	·00	·01	·00	·00	·00	·00	·09	·32	·00	·38	·36	·28	26
27	·00	·00	·01 ~~·00~~	·00	·00	·03	·00	·00	·00	·17	·00	·25	27
28	·00	·04	·00	·00	·00	·02	·13	·05	·02	·45	·39	·11	28
29	·00	·04	·00	·00	·00	·15	·39	·28	1·11	·27	·06	·00	29
30	·00	–	·00	·00	·36	·01	·01	·01	·86	·11	·00	·00	30
31	·00	–	·43	–	·01	–	·16	·20	–	·00	–	·11	31
Total	3·85	1·98	3·30	·08	1·37	2·63	1·81	5·00	2·11	2·29	1·81	2·89	TOTAL for year 29·12
No. of Rain Days	22	20	25	2	14	20	15	26	8	15	17	21	205

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

W DL cond by own - stats 25.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 21 JAN 1914

Kept at Central Hendon School.

in the County of Middlesex.

by J. Butler

Lat. 51.35'12 Long. 0.13'.10"

Time of Observation 9. a.m.

Nearest Railway Station Hendon Midland

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·23	·07	·31	·00	·00	·00	·00	·20	·00	·10	·08	1
2	·06	·12	·01	·00	·00	·00	·06	·00	·10	·00	·02	·01	2
3	·01	·01	·01	·25	·45	·00	·00	·00	·00	·00	·00	·04	3
4	·22	·00	·01	·02	·36	·00	·20	·00	·00	·21	·03	·04	4
5	·10	·00	·00	·00	·00	·02	·12	·00	·20	·00 ·20	·00	·03	5
6	·01	·02	·05	·00	·08	·20	·12	·06	·02	·15	·01	·08	6
7	·00	·11	·00	·00	·04	·03	·18	·00	·00	·39	·11	·00	7
8	·00	·05	·05	·01	·11	·17	·00	·00	·00	·07	·02	·00	8
9	·00	·18	·01	·01	·03	·00	·00	·00	·05	·00	·05	·05	9
10	·02	·00	·08	·10	·04	·00	·15	·09	·00	·00	·31	·00	10
11	·77	·00	·00	·48	·21	·00	·00	·00	·00	·43	·09	·00	11
12	·00	·01	·00	·00	·02	·00	·00	·00	·00	·00	·37	·00	12
13	·06	·01	·01	·00	·00	·00	·00	·00	·06	·00	·31	·00	13
14	·06	·02	·10	·05	·12	·00	·46	·00	·00	·16	·11	·00	14
15	·16	·05	·21	·23	·00	·00	·19	·01	·01	·00	·00	·00	15
16	·14	·01	·31	·17	·00	·00	·00	·00	·29	·00	·00	·00	16
17	·03	·00	·03	·05	·00	·00	·15	·00	·00	·00	·04	·03	17
18	·01	·00	·08	·08	·08	·00	·01	·26	·00	·00	·07	·00	18
19	·16	·00	·07	·07	·02	·00	·12	·00	·29	·00	·00	·00	19
20	·09	·00	·03	·05	·00	·00	·00	·00	·00	·54	·02	·00	20
21	·02	·00	·19	·13	·00	·00	·03	·00	·00	·18	·73	·00	21
22	·43	·00	·14	·01	·00	·00	·00	·05	·20	·00	·01	·00	22
23	·01	·00	·00	·00	·00	·01	·00	·10	·02	·00	·00	·21	23
24	·00	·00	·01	·04	·00	·00	·00	·06	·00	·00	·02	·00	24
25	·00	·01	·00	·17	·00	·00	·00	·00	·00	·00	·00	·00	25
26	·00	·02	·21	·09	·00	·00	·01	·08	·00	·72	·00	·18	26
27	·00	·01	·01	·08	·01	·00	·00	·00	·00	·01	·00	·00	27
28	·19	·00	·18	·08	·00	·00	·00	·00	·00	·07	·00	·00	28
29	·06	—	·08	·48	·58	·00	·00	·05	·00	·02	·00	·00	29
30	·31	—	·00	·10	·00	·00	·00	·14	·00	·08	·03	·00	30
31	·01	—	·04	–	·00	—	·00	·41	–	·04	—	·00	31
Total	2·95	·86	1·99	3·06	2·05	·43	1·80	1·31	1·44	3·07	2·45	·75	YEAR'S TOTAL 22·16
Rain Days.	23	15	24	23	14	5	13	11	11	14	19	10	182

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
22 JAN 1915

Kept at Central Hendon School
in the County of Middlesex
by Jas. W. Butler

Lat. .... Long. ....
Nearest Railway Station Midland
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4" in.
" " " Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·11	·00	·00	·00	·01	·18	·00	·00	·05	·02	1
2	·02	·00	·00	·00	·00	·01	·12	·13	·00	·00	·08	·09	2
3	·00	·00	·10	·00	·13	·00	·06	·02	·00	·00	·03	·00	3
4	·15	·00	·02	·19	·01	·00	·00	·06	·00	·00	·38	·21	4
5	·03	·00	·11	·22	·12	·00	·35	·61	·00	·00	·00	·00	5
6	·00	·12	·04	·01	·02	·12	·05	·03	·00	·00	·17	·17	6
7	·00	·17	·34	·12	·89	·09	·07	·13	·00	·00	·01	·10	7
8	·04	·34	·70	·02	·05	·16	·12	·00	·01	·00	·00	·04	8
9	·15	·00	·69	·06	·01	·19	·00	·00	·12	·00	·00	1.80	9
10	·02	·13	·00	·05	·05	·00	·00	·00	·18	·00	·00	·02	10
11	·00	·27	·41	·00	·01	·20	·00	·00	·00	·00	·24	·28	11
12	·01 s	·05	·11	·00	·01	·00	·11	·00	·30	·01	·02	·51	12
13	·00	·76	·09	·00	·00	·00	·00	·00	·15	·11	·07	·44	13
14	·00	·07	·45	·00	·00	·00	·08	·00	·00	·17	·09	·28	14
15	·05	·08	·16	·00	·00	·00	·01	·03	·00	·07	·12	·05	15
16	·00	·00	·02	·00	·00	·00	·08	·00	·09	·00	·03	·00	16
17	·00	·40	·06	·00	·00	·00	·00	·00	·07	·00	·00	·14	17
18	·00	·03	·11	·00	·00	·00	·00	·00	·00	·00	·00	·23	18
19	·00	·03	·23	·00	·00	·15	·06	·00	·00	·00	·18	·20	19
20	·00	·24	·41	·00	·00	·02	·00	·00	·11	·00	·00	·20	20
21	·00	·50	·05	·00	·00	·02	·00	·02	·00	·02	·00	·06	21
22	·00	·00	·01	·00	·44	·06	·16	·05	·00	·18	·00	·00	22
23	·00	·01	·15	·00	·25	·03	·01	·00	·00	·12	·00	·00	23
24	·00	·00	·06	·03	·04	·01	·01	·00	·00	·03	·13	·00	24
25	·03	·00	·13	·00	·00	·00	·00	·14	·00	·32	·00	·10	25
26	·00	·00	·02	·00	·00	·00	·06	·10	·00	·08	·18	·56	26
27	·04	·00	·01	·00	·00	·00	·00	·02	·00	·00	·03	·17	27
28	·00	·04	·04	·00	·02	·00	·00	·00	·00	·03	·40	1·25	28
29	·04	—	·07	·00	·00	·00	·00	·00	·00	·30	·12	·00	29
30	·00	—	·03	·00	·00	·00	·00	·00	·00	·02	·62	·23	30
31	·00	—	·00	—	·15	—	·02	·00	—	·00	—	·02	31
Total	·58	2·74	4·74	·70	2·20	1·06	1·38	1·52	1·03	1·46	2·95	7·17	TOTAL for year
No. of Rain Days	11	16	28	8	15	12	17	13	8	13	19	24	27·53

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Total Rainy Dys. 184

Price 2d.

REGISTER OF RAINFALL IN 1915

939

FORM A.
BRITISH RAINFALL.
14. JAN 1916

Kept at Central School, Hendon. NW

in the County of Middlesex

by Jas. W. Butler

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. /

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·15	·00	·00	·03	·00	·00	·00	·10	·05	·44	·39	1
2	·49	·12	·28	·17	·00	·01	·00	·76	·00	·04	·00	·21	2
3	·46	·00	·05	·16	·00	·00	·05	·41	·01	·00	·00	·49	3
4	·05	·00	·00	·00	·00	·00	·00	·28	·00	·00	·00	·25	4
5	·03	·41	·00	·00	·00	·00	·00	·00	·03	·03	·00	·30	5
6	·23	·03	·00	·20	·21	·00	·92	·00	·00	·00	·00	·48	6
7	·28	·24	·02	·02	·00	·00	·48	·04	·00	·00	·00	·20	7
8	·05	·51	·02	·02	·00	·00	·01	·05	·00	·00	·00	·00	8
9	·00	·11	·00	·08	·00	·05	·00	·05	·01	·00	·40	·69	9
10	·32	·00	·00	·00	·00	·00	·00	·36	·00	·00	·00	·27	10
11	·03	·00	·02	·00	·01	·00	·00	·04	·00	·00	·81	·00	11
12	·09	·03	·00	·32	·40	·00	·00	·81	·00	·02	·41	·00	12
13	·01	·39	·00	·00	1·33	·00	·00	·09	·00	·00	·00	·00	13
14	·00	·06	·00	·00	·00	·00	1·23	·08	·07	·00	·00	·76	14
15	·01	·00	·00	·00	·05	·00	·05	·09	·00	·00	·23	·13	15
16	·00	·36	·00	·00	·00	·00	·78	·04	·00	·00	·00	·03	16
17	·00	·33	·00	·00	1·12	·00	·08	·10	·00	·00	·00	·00	17
18	·00	·31	Snow ·03	·00	·13	·00	·00	·04	·00	·00	·04	·00	18
19	·00	·03	·01	·00	·02	·00	·15	·00	·00	·02	·03	·00	19
20	·32	·00	·00	·05	·00	·00	·01	·00	·00	·00	·00	·24	20
21	·11	·01	·00	·00	·00	·00	·02	·00	·00	·00	·00	·06	21
22	·80	·10	·24	·03	·00	·00	·77	·00	·00	·00	·00	·11	22
23	·01	Snow ·39	·11	·00	·00	·08	·20	·00	·24	·21	·00	·32	23
24	·00	·00	·03	·00	·00	·02	·47	·00	·40	·28	·00	·28	24
25	·00	·00	·09	·11	·00	·05	·29	·00	·00	·02	·00	·43	25
26	·00	·07	·00	·00	·00	·11	·15	·00	·00	·00	·00	·02	26
27	·00	·00	·01	·00	·00	·17	·07	·00	·00	·40	·00	·00	27
28	·00	·05	·00	·00	·00	·12	·00	·01	1·65	·15	·00	·01	28
29	·00	X	·01	·00	·00	·00	·65	·17	·00	·00	·17	·14	29
30	·05	X	·00	·00	·00	·10	·00	·00	·00	·25	·18	·06	30
31	·00	X	·00	X	·00	X	·00	·04	X	1·10	X	·05	31
Total	3·82	3·40	·95	1·16	3·30	·71	6·38	3·46	2·51	2·57	2·41	5·92	YEAR'S TOTAL 37·19
Rain Days.	18	19	13	10	9	9	18	18	8	12	9	23	166

W. 8,000. X. 15.

REGISTER OF RAIN~~FALL IN~~ 19 16

FORM A.

BRITISH RAINFALL.
31 JAN 1917

Kept at Central Hendon School

in the County of Middlesex

by Jas. W. Butler

Lat. 51.35'11" Long. 0.12'47" W.

Nearest Railway Station Midland

Time of Observation 9.A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " Sea Level 200 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	00	00	00	37	02	02	000	20	14	45	00	1
2	80	03	16	00	34	00	01	00	18	37	02	00	2
3	01	39	17	00	01	04	04	00	28	35	52	00	3
4	33	05	04	01	00	36	05	00	05	14	47	00	4
5	03	00	00	03	06	18	01	00	00	05	48	00	5
6	08	07	24	27	03	08	32	00	01	04	56	00	6
7	09	00	17	01	14	69	10	00	00	05	77	00	7
8	00	00	07	00	33	02	00	00	00	00	03	05	8
9	00	00	00	00	45	14	00	00	00	07	02	27	9
10	00	16	14	10	01	45	23	00	00	00	00	04	10
11	05	14	00	17	01	16	00	00	02	00	01	15	11
12	04	03	01	05	29	20	03	28	02	00	00	02	12
13	00	43	38	20	04	19	25	15	00	07	00	00	13
14	00	41	05	03	15	01	02	38	00	00	00	00	14
15	00	32	54	02	00	00	05	20	00	00	00	38	15
16	02	02	25	16	02	00	18	85	00	02	01	00	16
17	09	11	00	05	00	00	02	54	31	73	00	00	17
18	02	35	04	13	00	00	00	66	07	00	89	00	18
19	10	13	19	22	00	00	00	01	09	00	95	00	19
20	21	00	22	16	00	00	00	00	00	05	00	00	20
21	04	00	79	00	00	00	06	00	00	00	03	45	21
22	00	03	06	00	01	00	00	00	00	05	00	39	22
23	06	15	00	00	00	06	00	03	00	29	04	50	23
24	00	00	00	00	05	29	00	04	00	10	05	05	24
25	00	51	01	00	08	00	01	24	00	07	04	37	25
26	00	33	12	00	00	05	00	06	00	04	13	00	26
27	09	04	139	00	00	03	00	47	14	64	00	00	27
28	00	49	29	00	00	08	00	01	16	00	00	00	28
29	00	12	00	03	00	26	00	1.96	04	38	01	37	29
30	00	—	00	03	00	01	00	09	00	80	00	17	30
31	00	—	00	—	00	—	00	07	—	12	—	00	31
Total	2.21	4.31	5.33	1.64	2.39	3.32	1.40	6.04	1.57	4.57	5.48	3.21	TOTAL for year 41.47
No. of Rain Days	17	21	21	16	17	20	16	17	13	21	19	13	211

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓ 879

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.
16. FEB 1918

Kept at Central Hendon School
in the County of Middlesex
by Jas. W. Butler

Lat. 51°35′11″ Long. 0°12′47″ W
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·04	·01	·40	·00	·00	·00	1·07	·05	·00	(·00)	·00	1
2	·00	·01	·00	·36	·00	·03	·00	·10	·00	·00	·12	·00	2
3	·01	·02	·00	·07	·00	·00	·00	·28	·00	·30	·32	·00	3
4	·00	·01	·00	·41	·00	·00	·05	1·24	·00	·37	·00	·00	4
5	·00	·36	·25	·05	·00	·00	·00	·25	·71	·10	·27	·00	5
6	·27	·02	·03	·00	·00	·02	·00	·00	·13	·43	·21	·00	6
7	·00	·00	·03	·04	·00	·00	·11	·00	·00	·40	·00	·00	7
8	·31	·00	·00	·03	·00	·00	·97	·14	·01	·26	·27	·42	8
9	·16	·00	·00	·02	·00	·00	·04	·22	·06	·00	·07	·16	9
10	·06	·00	·27?	·01	·00	·00	·00	·00	·00	·00	·01	·03	10
11	·45	·00	·25?	·46	·01	·00	·00	·00	·04	·36	·00	·00	11
12	·05	·01	·19?	·27	·00	·00	·00	·60	·00	·42	·00	·00	12
13	·13	·00	·04	·02	·00	·00	·00	·05	·03	·00	·00	·00	13
14	·02	·00	·16	·21	·00	·00	·00	·18	·00	·00	·00	·00	14
15	·03	·00	·02	·06	·00	·00	·40	·19	·00	·07	·00	·01	15
16	·35	·00	·00	·19	·07	·85	·17	·00	·00	(·30)	·00	·20	16
17	·09	·05	·00	·09	·61	·00	·27	·03	·46	·37	·00	·00	17
18	·02	·02	·00	·11	·11	·24	·12	·04	·18	·15	·00	·00	18
19	·05	·25	·09	·00	·30	·04	·00	·03	·27	·00	·00	·00	19
20	·01	·20	·05	·00	·59	·00	·02	·00	·07	·00	·05	·00	20
21	·00	·30	·02	·00	·03	·04	·00	·00	·00	·01	·03	·00	21
22	·10	·01	·03	·00	·00	·17	·00	·20	·00	·09	·00	·00	22
23	·00	·01	·00	·00	·00	·00	·00	·20	·00	·00	·00	·05	23
24	·01	·25	·02	·00	·10	·00	·00	·02	·00	·52	·05	·02	24
25	·01	·18	·03	·00	·00	·00	·00	·00	·00	·00	·09	·00	25
26	·00	·01	·05	·00	·00	·03	·00	·24	·02	·00	·54	·00	26
27	·00	·01	·02	·00	·00	·00	·00	·89	·00	·00	·00	·03	27
28	·00	·00	·02	·00	·00	1·40	·00	·13	·00	·00	·00	·06	28
29	·00	–	·03	·00	·94	·04	·38	·05	·00	·34	·00	·00	29
30	·00	X	·28	·00	·00	·00	1·70	·00	·00	·01	·00	·15	30
31	·21	X	·17	X	·00	X	·40	·02	X	·00	X	·12	31
Total	2·39	1·76	2·06	2·80	2·76	2·95	4·63	6·17	2·03	2·50	2·13	1·25	YEAR'S TOTAL ✓ 35·43
Rain Days.	20	18	22	17	9	10	12	22	12	17	13	11	183 ✓

W. 8,000, IX. 17.

26

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
23.1.19

Kept at Hendon Central School
in the County of Middlesex
by Jas W Butler

Lat. 51° 35' 11" Long. 0° 12' 47" W
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·04	·00	·10	·00	·00	·00	·06	·00	·00	·12	·10	1
2	·00	·07	·00	·10	·00	·00	·00	·36	·00	·02	·10	·22	2
3	·00	·01	·05	·03	·69	·00	·00	·29	·04	·00	·62	·00	3
4	·00	·09	·17	·04	·00	·00	·00	·06	·38	·04	·97	·04	4
5	·00	·05	·01	·00	·13	·00	·00	·11	·08	·09	·00	·00	5
6	·15	·20	·00	·29	·17	·00	·00	·05	·02	·00	·00	·09	6
7	·02	·09	·00	·07	·11	·02	·00	·03	·25	·00	·11	·00	7
8	·00	·07	·00	·01	·00	·00	·00	·00	·05	·03	·00	·03	8
9	·02	·04	·00	·04	·00	·06	·22	·00	·43	·15	·07	·06	9
10	·01	·00	·00	·07	·00	·00	·69	·00	·05	·07	·03	·25	10
11	·00	·00	·00	·03	·08	·00	·53	·00	·20	·05	·08	·10	11
12	·00	·03	·00	·00	·17	·00	·13	·01	·01	·00	·00	·00	12
13	·00	·01	·00	·02	·20	·00	·19	·00	·24	·00	·00	·06	13
14	·16	·00	·03	·00	·00	·00	·06	·00	·35	·15	·00	·25	14
15	·30	·00	·00	1·02	·00	·01	·11	·00	·02	·00	·00	·10	15
16	·16	·00	·00	·30	·01	·02	·00	·00	·25	·03	·00	·20	16
17	·22	·00	·00	·24	1·15	·14	·19	·03	·02	·00	·03	·18	17
18	·54	·00	·00	·00	·00	·21	·08	·00	1·85	·14	·00	·08	18
19	·03	·02	·05	·05	·00	·13	·29	·00	·04	·10	·00	·00	19
20	·03	·15	·00	1·13	·00	·03	·09	·00	·45	·18	·00	·00	20
21	·16	·03	·00	·30	·00	·01	·03	·00	·12	·04	·00	·00	21
22	·07	·00	·00	·01	·23	·00	·17	·00	·02	·00	·00	·17	22
23	·04	·00	·00	·01	·28	·00	·44	·06	·06	·00	·00	·00	23
24	·00	·30	·00	·00	·01	·04	·15	·00	·00	·00	·05	·00	24
25	·00	·01	·00	·00	·00	·03	·37	·12	·00	·00	·06	·00	25
26	·00	·00	·00	·00	·03	·00	·48	·07	·00	·03	·21	·19	26
27	·00	·02	·00	·11	·00	·00	·11	·24	·05	·00	·15	·00	27
28	·00	·03	·17	·05	·00	·03	·00	·00	·00	·00	·25	·16	28
29	·00		·01	·00	·00	·00	·00	·00	1·33	·00	·00	·05	29
30	·00		·50	·00	·00	·00	·00	·04	·03	·00	·06	·00	30
31	·00		·01		·00		·00	·00		·10		·00	31
Total	1·91	~~1·14~~ 1·26	1·00	4·02	3·26	·73	4·33	1·53	6·34	~~1·13~~ 1·22	2·91	2·13	YEAR'S TOTAL ~~30·46~~
Rain Days.	14	18	9	21	13	12	18	14	24	15	15	17	190

30·64

W, 6,500, VII. 18. W W C

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

AN 20

Kept at Hendon Central School

in the County of Middlesex

by Chs W. Butler

Lat. 51° 35′ 11″ Long. 0° 12′ 47″

Time of Observation ″ 9 a.m.

Nearest Railway Station Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4″ in.

„ „ „ „ Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	·00	·00	·00	·05	·00	·17	·00	·00	·04	·00	1·15	1
2	·28	·00	·02	·00	·25	·00	·56	·00	·29	·07	·14	·16	2
3	·18	·00	·28	·00	·00	·00	·10	·06	·06	·00	·07	·40	3
4	·30	·00	·38	·02	·02	·10	·14	·00	·02	·00	·02	·19	4
5	·00	·22^{s}	·48	·00	·00	·00	·10	·06	·20	·00	·03	·35	5
6	·03	·00	·10	·00	·00	·00	·00	·00	·00	·01	·00	·02	6
7	·00	·00	·37	·00	·00	·00	·00	·06	·00	·00	·02	·00	7
8	·10	·00	·07	·02	·00	·00	·00	·00	·00	·00	·01	·00	8
9	·15	·00	·02	·07	·07	·00	·00	·00	·00	·00	·06	·00	9
10	·52	·00	·07	·04	·02	·00	·00	·00	·00	·00	·00	·05	10
11	·05	·00	·09	·34	·02	·00	·00	·00	·00	·00	·00	·02	11
12	·00	·00	·08	·08	·00	·05	·21	·00	·00	·06	·00	·00	12
13	·00	·03	·00	·32	·00	·00	·00	·00	·00	·03	·02	·00	13
14	·31	·00	·00	·34	·00	·00	·17	·00	·33	·00	·00	·00	14
15	·26	·00	·09	·30	·00	·00	·00	·00	·00	·04	·01	·56	15
16	·00	·86	·00	·02	·00	·00	·00	·00	·00	·00	·17	·05	16
17	·00	·43	·04	·02	·00	·00	·00	·00	·00	·00	·25	·03	17
18	·00	·26	·07	·00	·00	·00	·00	·02	·03	·00	·09	·11	18
19	·15	·28	1·07	·00	·00	·22	·11	·29	·07	·00	·21	·02	19
20	·35	·10	·15	·00	·00	·85	·18	·20	·04	·00	·01	·01	20
21	·21	·33	·04	·00	·00	·04	·27	·00	·00	·00	·02	·13	21
22	·00	·28	·00	·00	·00	·00	·11	·00	·16	·00	·04	·33	22
23	·00	·00	·00	·00	·00	·05	·01	·02	·07	·00	·01	·03	23
24	·00	·00	·00	·18	·00	·00	·07	·09	·00	·19	·04	·02	24
25	·07	·00	·00	·12	·03	·03	·00	·25	·14	·00	·00	·05	25
26	·00	·26	·17	·11	·00	·00	·00	·16	·00	·00	·00	·30	26
27	·28^{s}	·03	·05	·58^{s}	·00	·00	·00	·28	·00	·00	·04	·04	27
28	·00	·00	·08	·00	·00	·00	·00	·78	·00	·01	·35	·31	28
29	·13		·00	·05	·00	·00	·00	·21	·00	·20	·00	·07	29
30	·00		·00	·22	·00	·20	·00	·12	·00	·03	·33	·34	30
31	·00		·08		·00		·02	·00		·02		·03	31
Total	3·93	3·08	3·80	2·83	·46	1·54	2·22	2·60	1·41	·70	1·94	4·77	YEAR'S TOTAL 29·28
Days with ·01 in. or more	17	11	21	17	7	8	14	14	11	11	21	25	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

783

FORM A.
BRITISH RAINFALL.
14 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Central Hendon School
Bell Lane Hendon N.W.4
in the County of Middlesex
by Jas. W. Butler

Lat. 51° 35′ 11″ Long. 0° 12′ 47″
Nearest Railway Station Midland
Time of Observation 9. a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " Sea Level 200 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·36	·10	·00	·33	·00	·00	·80	·10	·20	1
2	·00	·00	·03	·00	·01	·00	·03	·67	·00	·08	·00	·13	2
3	·01	·11	·00	·01	·00	·00	·05	·00	·00	·02	·00	·07	3
4	·00	·06	·01	·07	·00	·00	·05	·05	·00	·15	·00	·03	4
5	·00	·00	·09	·00	·04	·00	·58	·03	·00	·00	·00	·06	5
6	·00	·00	·20	·00	·17	·00	·31	·03	·00	·00	·00	·07	6
7	·04	·02	·01	·31	·00	·00	·24	·00	·00	·00	·00	·03	7
8	·06	·04	·02	·11	·14	·00	·06	·05	·00	·02	·00	·04	8
9	·45	·02	·00	·02	·00	·00	·00	·04	·00	·00	·00	·00	9
10	·58	·04	·10	·01	·00	·11	·09	·00	·00	·00	·00	·01	10
11	·22	·00	·09	·26	·02	·04	·25	·01	·00	·00	·00	·16 S.	11
12	·10	·00	·02	·13	·00	·45	·01	·00	·00	·02	·03	·00	12
13	·13	·00	·12	·15	·00	·00	·00	·00	·00	·00	·10	·00	13
14	·01	·01	·28	·27	·00	·20	·00	·00	·14	·25	·19	·27	14
15	·01	·02	·12	·26	·00	·00	·00	·00	·44	·31	·10	·00	15
16	·00	·00	·01	·17	·00	·02	·00	·00	·28	·40	·00	·00	16
17	·03	·00	·00	·01	·18	·00	·02	·00	·35	·00	·00	·00	17
18	·02	·00	·00	·02	·01	·03	·00	·61	·22	·00	·00	·09	18
19	·13	·00	·00	·37	·00	·06	·00	·01	·00	·00	·00	·03	19
20	·08	·11	·00	·28	·00	·53	·00	·00	·04	·00	·00	·01	20
21	·00	·00	·00	·01	·00	·00	1·09	·04	·55	·00	·00	·06	21
22	·02	·00	·00	·34	·00	·00	·01	·01	·25	·00	·00	·35	22
23	·00	·01	·00	·00	·00	·00	·60	·00	·00	·00	·00	·40	23
24	·00	·01	·07	·00	·00	·00	·00	·00	·00	·00	·00	·06	24
25	·03	·03	·04	·03	·00	·00	·18	·00	·00	·00	·00	·00	25
26	·06	·00	·08	·02	·25	·04	·06	·00	·00	·00	·01	·04	26
27	·23	·09	·02	·30	·01	·10	·01	·00	·00	·00	·80	·14	27
28	·60	·01	·12	·04	·02	·03	·03	·00	·00	·00	·01	·02	28
29	·32	·00	·11	·00	·00	·00	·12	·00	·00	·00	·08	·30	29
30	·05		·00	·00	·14	·02	·41	·00	·53	·00	·20	·21	30
31	·02		·01		·04		·09	·00		·31		·13	31
Total	3·20	·58	1·55	3·55	1·13	1·63	4·62	1·55	2·80	2·36	1·62	2·91	TOTAL for year 27·50
No. of Rain Days	22	14	20	23	13	12	22	11	9	10	10	24	190
	14	6	12	15	8	9	16	6	9	7	7	18	126

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGI

HENDON

MET ST.

1918

FORM A.
BRITISH RAINFALL.

18. 1 19

Kept at R.A.F. Met. Sta

in the County of Middle

by

°4' 17" W.

M

Hendon M.R.

Gauge 8 in.

e Ground — ft. 11 in.

Sea Level 163·8 ft.

IMPORTANT NOTI the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Station not opened.	Records commence from May 1st									3·3	1·6	1
2								8·3	0·1	0·3	1·8	5·8	2
3					13·0			4·8	0·5		13·3	0·2	3
4									9·4		16·2	0·3	4
5					2·0			3·2	1·4			0·1	5
6					3·2			0·7	1·1				6
7					2·4	0·3		0·8	2·7	1·8	2·7		7
8									2·3	0·6	1·5	0·4	8
9						1·8	8·6		11·2	3·0		6·8	9
10							12·1		0·3	1·0	0·3	6·6	10
11					1·5		1·5		4·6	4·9	1·6	2·5	11
12					4·4		2·7	0·1				0·5	12
13					5·5		4·3		6·2			0·5	13
14						5·7	0·6		7·4	3·9		5·5	14
15							3·3		0·1			2·1	15
16						0·3			4·0	0·7		0·2	16
17					22·3	8·5	4·5	0·5	0·7			3·0	17
18						5·1	2·7		22·5	2·3		1·7	18
19						1·6	6·5		1·1	2·0		3·3	19
20						0·2	2·3		2·8	3·8		0·4	20
21									11·2	0·3		0·2	21
22					4·4		4·2		2·8			3·6	22
23					7·1		9·8	1·0	0·1			0·7	23
24						0·9	3·1		1·3		1·0		24
25						0·6	6·5	2·8			0·8		25
26					1·7		7·3	0·5		0·3	5·8	3·5	26
27							2·8	6·4	0·9		2·7	0·6	27
28						0·9					5·2	3·2	28
29									1·11 in 28·1			0·1	29
30											1·3	1·4	30
31								0·5		2·1		0·2	31
Total					67·5 ✓	25·9 ✓	82·8 ✓	29·6 ✓	122·8 ✓	27·0 ✓	57·5 ✓	55·0 ✓	YEAR'S TOTAL
Rain Days.					11 ✓	10 11	17 ✓	11 10	21 ✓	14 ✓	14 ✓	27 25	
					2·66	1·02	3·26	1·17	4·84	1·06	2·26	2·17	

W. 6,500, VII. 18. W W G

REGISTER

FORM A.
BRITISH RAINFALL.
18·1 19

Kept at R.A.F. Met. Station Hendon.

in the County of Middlesex.

by

Lat. 51° 35' 44" N. Long. 0° 14' 17" W.
Time of Observation 9 AM
Nearest Railway Station Hendon M.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 163·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											3·3	1·6	1
2								8·3	0·1	0·3	1·8	5·8	2
3					13·0			4·8	0·5		13·3	0·2	3
4									9·4		16·2	0·3	4
5					2·0			3·2	1·4			0·1	5
6					3·2			0·7	1·1				6
7					2·4	0·3		0·8	2·7	1·8	2·7		7
8									2·3	0·6	1·5	0·4	8
9						1·8	8·6		11·2	3·0		6·8	9
10							12·1		0·3	1·0	0·3	6·6	10
11					1·5		1·5		4·6	4·9	1·6	2·5	11
12					4·4		2·7	0·1				0·5	12
13					5·5		4·3		6·2			0·5	13
14						5·7	0·6		7·4	3·9		5·5	14
15							3·3		0·1			2·1	15
16						0·3			4·0	0·7		0·2	16
17					22·3	8·5	4·5	0·5	0·7			3·0	17
18						5·1	2·7		22·5	2·3		1·7	18
19						1·6	6·5		1·1	2·0		3·3	19
20						0·2	2·3		2·8	3·8		0·4	20
21									11·2	0·3		0·2	21
22					4·4		4·2		2·8			3·6	22
23					7·1		9·8	1·0	0·1			0·7	23
24						0·9	3·1		1·3		1·0		24
25						0·6	6·5	2·8			0·8		25
26					1·7		7·3	0·5		0·3	5·8	3·5	26
27							2·8	6·4	0·9		2·7	0·6	27
28						0·9					5·2	3·2	28
29									1·11 in 28·1			0·1	29
30											1·3	1·4	30
31								0·5		2·1		0·2	31
Total					67·5	25·9	82·8	29·6	122·8	27·0	57·5	55·0	YEAR'S TOTAL
Rain Days.					11	10	17	10	21	14	14	25	
					2·66	1·02	3·26	1·17	4·84	1·06	2·26	2·17	

Station not opened.

Records commence from May 1st

W, 6,500, VII. 16. W W B

1 make

RE

HENDON
OUTFALL WORKS
LONDON | MIDDX
1912 - 20

24 FEB 1913

FORM A.
BRITISH RAINFALL.

Kept at Hendon U

in the County of Ren

by

S. Slater

9 a.m.

Cricklewood (M.R)

6" in. Hyetograph

ove Ground 1 ft. 8" in.

Sea Level 150 ft.

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.	0.02	0.04	-	0.17	0.11	0.01	0.06	0.24	-	0.15	1
2	.	-	0.07	-	-	0.04	0.22	-	.	.	.	.	2
3	.	.	0.17	-	0.06	0.20	-	0.33	.	-	0.01	0.04	3
4	0.06	0.03	0.22	-	0.20	0.14	-	-	-	-	0.10	-	4
5	0.21	-	0.50	-	-	-	.	0.28	-	-	-	.	5
6	0.10	0.03	0.05	-	-	0.08	-	0.06	0.01	-	-	0.02	6
7	0.52	0.06	0.01	-	0.02	0.45	-	0.14	-	-	-	-	7
8	0.42	-	.	-	.	0.02	-	0.09	-	-	.	.	8
9	.	0.32	0.16	0.03	-	0.25	0.02	0.02	-	0.01	-	0.13	9
10	-	0.06	-	-	-	-	-	0.17	0.01	-	0.02	0.18	10
11	.	0.03	-	-	.	0.04	-	0.01	0.02	-	0.01	0.11	11
12	.	0.36	0.07	-	0.23	0.14	-	-	-	0.01	0.06	-	12
13	.	0.07	-	-	-	-	0.01	-	-	-	0.05	-	13
14	-	0.02	-	-	0.05	-	0.01	0.11	-	0.04	-	-	14
15	.	-	0.05	.	0.17	0.37	-	0.02	-	0.01	0.01	0.22	15
16	.	0.02	0.03	.	0.01	0.07	0.01	0.06	.	0.02	0.04	-	16
17	0.33	-	0.23	-	-	0.05	0.01	0.05	-	-	-	-	17
18	0.32	.	0.14	.	.	-	-	.	-	-	0.01	0.10	18
19	0.16	.	0.07	.	.	-	0.06	0.33	-	-	-	-	19
20	0.09	0.03	0.10	.	0.04	-	0.02	0.35	-	0.30	0.01	-	20
21	-	-	0.18	.	0.03	-	0.01	0.06	-	0.07	0.05	-	21
22	-	0.04	0.05	-	0.02	-	0.10	0.09	-	0.05	-	0.01	22
23	0.19	0.15	0.28	.	0.01	-	0.17	0.41	-	0.01	0.14	0.14	23
24	0.38	0.43	-	-	-	0.09	0.02	0.16	-	0.01	-	0.11	24
25	0.40	0.02	.	.	-	0.17	-	0.67	-	-	0.19	0.24	25
26	.	-	.	0.01	0.01	.	0.05	0.26	-	0.36	0.22	0.19	26
27	.	0.02	-	-	.	-	-	-	.	0.10	-	0.18	27
28	-	.	0.01	-	0.01	0.02	0.07	0.01	0.02	0.25	0.30	0.06	28
29	.	0.05	-	.	-	0.13	0.28	0.19	0.88	0.25	-	-	29
30	.	-	-	.	0.36	0.01	-	-	0.70	0.11	-	-	30
31	.	-	0.39	.			0.13	0.18	-	-	-	-	31
Total	3.18	1.74	2.80	0.08	1.22	2.44	1.30	4.06	1.70	1.84	1.22	1.87	YEAR'S TOTAL 23.45 ✓
Rain Days.	12	17	20	3	14	18	17	24	7	16	15	15	178

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

24 FEB 1913

RE[illegible] OF RAINFALL IN 1912

Kept at Hendon U. D. Council Sewage outfall Works

in the County of Renter's Lane

by Hendon, N.W, Mdsx.

S. Slater Grimley Cy Co

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cricklewood (M.R)
Diameter of Rain Gauge 6" in. Hyetograph
Height of top of Gauge above Ground 1 ft. 8" in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.02	0.04	-	0.17	0.11	0.01	0.06	0.24	-	0.15	1
2	.	-	0.07	-	-	0.04	0.22	-	.	.	.	.	2
3	.	.	0.17	-	0.06	0.20	-	0.33	.	-	0.01	0.04	3
4	0.06	0.03	0.22	-	0.20	0.14	-	-	-	-	0.10	-	4
5	0.21	-	0.50	-	-	-	-	0.28	-	-	-	-	5
6	0.10	0.03	0.05	-	-	0.08	-	0.06	0.01	-	-	0.02	6
7	0.52	0.06	0.01	-	0.02	0.45	-	0.14	-	-	-	-	7
8	0.42	-	.	-	.	0.02	-	0.09	-	-	-	.	8
9	.	0.32	0.16	0.03	-	0.25	0.02	0.02	-	0.01	-	0.13	9
10	-	0.06	-	-	-	-	-	0.17	0.01	-	0.02	0.18	10
11	-	0.03	-	-	.	0.04	-	0.01	0.02	-	0.01	0.11	11
12	.	0.36	0.07	-	0.23	0.14	-	-	-	0.01	0.06	-	12
13	.	0.07	-	-	-	-	0.01	-	-	-	0.05	-	13
14	-	0.02	-	-	0.05	-	0.01	0.11	-	0.04	-	-	14
15	-	-	0.05	-	0.17	0.37	-	0.02	-	0.01	0.01	0.22	15
16	.	0.02	0.03	-	0.01	0.07	0.01	0.06	-	0.02	0.04	-	16
17	0.33	-	0.23	-	-	0.05	0.01	0.05	-	-	-	-	17
18	0.32	.	0.14	-	.	-	-	.	-	-	0.01	0.10	18
19	0.16	.	0.07	-	.	-	0.06	0.33	-	-	-	-	19
20	0.09	0.03	0.10	-	0.04	-	0.02	0.35	-	0.30	0.01	-	20
21	-	-	0.18	.	0.03	-	0.01	1.06	-	0.07	0.05	-	21
22	-	0.04	0.05	-	0.02	-	0.10	0.09	-	0.05	-	0.01	22
23	0.19	0.15	0.28	-	0.01	-	0.17	0.41		0.01	0.14	0.14	23
24	0.38	0.43	-	-	-	0.09	0.02	0.16	-	0.01	-	0.11	24
25	0.40	0.02	-	-	-	0.17	-	0.67	-	-	0.19	0.24	25
26	-	-	-	0.01	0.01	.	0.05	0.26	-	0.36	0.22	0.19	26
27	-	0.02	-	-	.	-	-	-	.	0.10	-	0.18	27
28	-	-	0.01	-	0.01	0.02	0.07	0.01	0.02	0.25	0.30	0.06	28
29	-	0.05	-	.	-	0.13	0.28	0.19	0.88	0.25	-	-	29
30		-	-	.	0.36	0.01	-	-	0.70	0.11	-	-	30
31	-	-	0.39	.			0.13	0.18	-	-	-	-	31
Total	3.18	1.74	2.80	0.08	1.22	2.44	1.30	4.06	1.70	1.84	1.22	1.87	YEAR'S TOTAL 23.45
Rain Days.	12	17	20	3	14	18	17	24	7	16	15	15	178

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

4 JUL 1914

REGISTER OF RAINFALL IN 1913

[illegible]

Kept at Hendon U.D.C. Outfall Works
Renters Lane, Hendon N.W.
in the County of Middlesex
by Hendon Urban District Council
Exc. M.J.
S. Slater Grimley, C.E.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Cricklewood (M.R.)
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0·20	0·06	0·26	-	.	.	-	0·16	-	.	0·05	1
2	0·05	0·08	-	-	-	-	0·04	-	0·07	.	0·05	.	2
3	-	-	0·01	0·16	0·40	.	.	-	-	.	-	.	3
4	0·17	-	.	.	0·30	-	0·10	-	.	0·13	0·02	0·02	4
5	0·10	-	.	.	-	.	0·21	-	0·16	-	-	.	5
6	.	.	0·08	.	0·06	0·10	0·08	-	-	0·13	-	0·02	6
7	.	0·05	-	.	0·02	-	0·12	0·10	.	0·22	0·10	.	7
8	.	-	0·03	.	0·06	0·04	-	-	-	0·02	-	.	8
9	.	0·17	-	.	-	-	.	.	0·04	-	0·02	0·02	9
10	.	-	0·03	0·08	0·02	-	0·08	0·07	-	.	0·28	-	10
11	0·60	-	-	0·48	0·20	.	-	.	-	0·41	0·10	-	11
12	.	-	-	-	0·02	.	-	.	-	-	0·30	.	12
13	0·08	-	-	-	-	.	.	-	0·04	.	0·20	-	13
14	0·04	-	0·04	0·02	0·06	.	0·60	0·04	.	0·14	0·10	.	14
15	0·15	0·05	0·18	0·14	-	.	0·14	-	-	-	-	.	15
16	0·12	.	0·23	0·13	.	.	-	.	0·30	-	-	.	16
17	.	-	-	0·06	.	.	0·10	-	-	-	-	0·02	17
18	.	.	.	0·06	0·04	.	-	-	.	-	-	-	18
19	0·12	.	0·04	0·02	0·03	:	0·10		0·28	-	..	0·02	19
20	0·07	.	-	0·02	.	.	-		.	0·50	-	-	20
21	0·01	.	0·10	0·11	-	.	0·01		-	0·20	0·66	-	21
22	0·40	.	0·12	-	-	.	.		0·16	-	-	0·02	22
23	.	.	-	.	-	.	.		-	-	-	0·22	23
24	.	.	-	0·01	-	.	.	0·06	-	-	-	0·01	24
25	.	0·02	-	0·11	-	.	.	-	-	-	-	-	25
26	.	0·02	0·20	0·04	-	.	.	0·08	-	0·62	-	0·10	26
27	.	-	-	0·06	0·01	.	.	-	.	-	-	-	27
28	0·18	-	0·14	0·06	.	.	.	.	.	0·05	-	-	28
29	0·03	-	0·06	0·44	0·48	.	.	0·04	.	-	-	-	29
30	0·15	.	-	0·08	-	.	.	0·13	-	0·06	.	.	30
31	-	.	0·04	-	-	.	.	0·42	-	0·02	-	-	31
Total	2·27	0·59	1·36	2·34	1·70	0·14	1·58	0·94	1·21	2·50	1·83	0·50	YEAR'S TOTAL 16·96
Rain Days.	15	7	15	19	13	2	11	8	8	12	10	10	130

W.7,000, XI. 13

Slip made 1/3/15

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Kept at Hendon U.D.C. Sewage Outfall Wks.
in the County of Middlesex
by Hendon Urban District Council

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Cricklewood (M. R.)
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.09	-	-	-	0.02	0.12	-	-	0.03	-	1
2	-	-	0.02	-	0.03	-	0.12	0.12	-	-	0.06	0.14	2
3	-	-	0.06	-	0.10	-	0.07	0.01	-	-	0.02	-	3
4	0.06	-	0.01	0.10	-	-	-	0.02	-	-	0.37	0.14	4
5	0.02	-	0.06	0.20	0.05	0.02	0.35	0.50	-	-	-	-	5
6	-	0.10	-	-	-	0.15	0.11	-	-	-	0.21	0.07	6
7	-	0.08	0.26	0.02	0.74	0.26	0.05	-	-	-	-	0.07	7
8	0.02	0.22	0.52	-	0.02	0.14	0.07	0.06	0.01	-	-	0.01	8
9	0.12	-	0.42	-	-	0.22	-	-	0.08	-	-	1.56	9
10	-	0.08	-	0.05	0.02	-	-	-	0.14	-	-	-	10
11	-	0.18	0.31	-	-	0.14	-	-	0.06	-	0.26	0.26	11
12	-	0.04	0.11	-	-	-	0.09	-	0.15	-	0.02	0.46	12
13	-	0.18	0.05	-	-	-	-	-	0.13	0.08	0.01	0.40	13
14	-	0.04	0.28	-	-	-	0.08	-	-	0.13	0.06	0.26	14
15	0.04	-	0.09	-	-	-	-	0.02	-	0.06	0.15	0.04	15
16	-	-	-	-	-	0.01	0.11	-	0.04	-	0.01	-	16
17	-	0.26	0.06	-	-	-	0.02	-	0.05	-	-	0.09	17
18	-	0.02	0.12	-	-	-	-	-	-	-	-	0.12	18
19	-	0.02	0.21	-	-	0.05	0.03	-	0.02	-	0.14	0.22	19
20	-	0.13	0.28	-	-	-	-	-	0.08	-	-	0.16	20
21	-	0.30	0.04	-	-	-	-	-	-	0.02	-	0.02	21
22	-	-	-	-	0.46	0.06	0.10	0.03	-	0.20	-	-	22
23	0.04	0.01	0.06	-	0.20	-	-	-	-	0.11	-	0.02	23
24	-	-	0.06	-	0.01	-	-	-	-	0.04	0.09	-	24
25	-	-	0.12	-	-	-	-	0.14	-	0.25	-	0.02	25
26	-	-	0.03	-	-	-	0.08	0.06	-	0.04	0.12	0.55	26
27	0.02	-	-	-	-	-	-	-	-	-	0.01	0.17	27
28	-	-	-	-	0.01	-	-	-	-	0.02	0.34	0.86	28
29	-	-	0.09	-	0.01	-	-	-	-	0.32	0.02	-	29
30	-	X	0.01	-	-	-	-	-	-	0.02	0.39	0.20	30
31	-	X	-	X	0.15	X	0.02	-	X	-	X		31
Total	0.32	1.68	3.3~~7~~6	0.37	1.80	1.05	1.32	1.08	0.76	1.29	2.31	5.84	YEAR'S TOTAL 21.18
Rain Days.	4	14	24	4	12	9	15	10	10	12	18	22 9	157

W. 8,000. X. 14.

937

FORM A. BRITISH RAINFALL.

FEB 1916

REGISTER OF RAINFALL IN 1915

Kept ~~at~~ Hendon

in the County of Middlesex

by C. Hales Grimley Engr. & Surveyor Hendon U.D. Council

Lat. Practically Long. same as Greenwich

Time of Observation 9 am

Nearest Railway Station Hendon

Diameter of Funnel of Rain Gauge 6" in.

Height of top of Gauge above ~~Ground~~ 1 ft. 6 in.

" " " " Sea Level 153·34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·12	·04	–	·03	–	–	·02	·09	·05	·36	·42	1
2	·45	·08	·14	·10	·01	–	–	·64	–	·04	–	·16	2
3	·35	–	·04	·15	–	–	·02	·26	·05	–	–	·40	3
4	·03	–	–	–	–	–	–	·25	–	–	–	·18	4
5	·02	·34	–		–	–	–	–	–	·03	–	·24	5
6	·24	·02	–	·18	·22	–	·90	·03	–	–	–	·45	6
7	·36	·19	·03	–	–	–	·49	·02	–	–	–	·15	7
8	·04	·40	·02	·02	–	–	–	·08	–	–	–	–	8
9	–	·09	–	·09	–	·04	–	·06	–	–	·32	·64	9
10	·28	–	–	–	–	–	–	·11	–	–	–	–	10
11	·02	–	–	–	–	–	–	·05	–	–	·45	·02	11
12	·08	·03	–	·24	·39	–	–	–	–	–	·38	–	12
13	–	·35	–	–	1·28	–	–	·01	–	–	–	–	13
14	–	·05	–	–	–	–	·94	–	·04	–	–	·58	14
15	·04	–	–	–	·07	–	·02	·14	–	–	·23	·12	15
16	–	·28	–	–	–	–	·69	·10	–	–	–	–	16
17	–	·26	–	–	·83	–	·05	·24	–	–	–	–	17
18	–	·22	·02	–	·11	–	–	–	–	–	·06	–	18
19	–	·03	–	–	·02	–	·12	–	–	–	–	–	19
20	·29	–	–	·04	–	–	–	–	–	·02	–	·21	20
21	·11	–	–	–	–	–	·01	–	–	–	–	·05	21
22	–	·11	·25	·02	–	–	·59	–	–	–	–	·09	22
23	–	·26	·10	·03	–	·07	·15	–	·18	·42	–	·26	23
24	–	–	–	–	–	–	·16	–	·36	·14	–	·20	24
25	–	–	·08	·08	–	·04	·25	–	–	·02	–	·08	25
26	–	·05	–	–	–	·09	·08	–	–	–	–	·34	26
27	–	–	–	–	–	·11	·10	–	–	·36	–	·09	27
28	–	·03	–	–	–	·13	–	–	1·47	·36	–	–	28
29	–	✕	·02	–	–	–	·33	·14	–	·10	·12	–	29
30	–	✕	–	–	–	·10	–	–	–	·03	·15	–	30
31	·01	✕	–	✕	–	✕	–	·03	✕	1·15	✕	–	31
Total	2·24	2·94	·74	·98	2·96	·58	4·93	2·21	2·09	2·42	2·34	4·44	YEAR'S TOTAL 29·56
Rain Days.	14	18	10	10	9	7	16	16	6	12	8	19	145

W. 8,000. X. 15.

cnd for WD Crd CSE 911

FORM A. BRITISH RAINFALL.

28. APR. 1917

REGISTER OF RAINFALL IN 1916

Kept at Hendon Sewage Disposal Works
Renters Lane. Hendon
in the County of Middlesex
by Hendon Urban District Council

Lat. .... Long. ....
Time of Observation 9. am.
Nearest Railway Station Cricklewood M.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6" in. add
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·12		0·07		0·01				0·05		0·12		1
2	0·04				0·37	0·11	0·01		0·17	0·02	0·35		2
3	0·41		0·10		0·26		0·04		0·18	0·36			3
4	0·09	0·25	0·18				0·07		0·19	0·25	0·50		4
5	0·16	0·07				0·23			0·03	0·08	0·42		5
6	0·02				0·08	0·19				0·05	0·37		6
7	0·07		0·27	0·21		0·16	0·32			0·02	0·35		7
8	0·06		0·40		0·13	0·28	0·09			0·02	0·58	0·06	8
9			0·07		0·24						0·02	0·26	9
10					0·30					0·06		0·02	10
11		0·17	0·10	0·06		0·24	0·05					0·16	11
12	0·05	0·12	0·02	0·15		0·20						0·02	12
13	0·03	0·02		0·03	0·25	0·15	0·02	0·25	0·01	0·05			13
14		0·33	0·41		0·03	0·15	0·23	0·14	0·91	0·02			14
15		0·37	0·04	0·03	0·08			0·33		0·02		0·05	15
16		0·21	0·45	0·01			0·02	0·21		0·02		0·18	16
17			0·16	0·12			0·18	1·07					17
18	0·07	0·08		0·02			0·02	0·49	0·25	0·56			18
19		0·09	0·04	0·12				0·49	0·08	0·06	0·78		19
20	0·04		0·21	0·17					0·08		0·67	0·03	20
21	0·11		0·20	0·13							0·01	0·39	21
22	0·03		0·74				0·05					0·35	22
23		0·07	0·06							0·04	0·02	0·50	23
24	0·03	0·18	0·02			0·10		0·02		0·08	0·03	0·07	24
25			0·02		0·05	0·20		0·02		0·07	0·02	0·29	25
26		0·41	0·08		0·07			0·24		0·07	0·08		26
27		0·14	0·02			0·05		0·05		0·03			27
28		0·09	1·03			0·03		0·36	0·13	0·38			28
29		0·39	0·29			0·09			0·20		0·02	0·27	29
30		✕				0·23		1·59	0·02	0·31		0·09	30
31		✕		✕		✕		0·07	✕	0·49	✕		31
Total	~~1·19~~ 1·07	·07 ~~2·99~~ 3·06	~~4·98~~ 4·91	·01 ~~1·05~~ 1·06	~~1·89~~ 1·86	~~2·41~~ 2·41	~~1·10~~ 1·10	·05 ~~5·33~~ 5·38	~~1·40~~ 1·35	·12 ~~3·06~~ 3·18	~~4·34~~ 4·22	(·02) ~~2·74~~ 2·76	YEAR'S TOTAL ~~32·46~~ 32·36
Rain Days.	~~15~~ 14	~~17~~ 19	~~23~~ 22	12	12	15	12	~~15~~ 18	~~13~~ 12	23	~~16~~ 15	~~13~~ 16	184

878

FORM A.
BRITISH RAINFALL
5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hendon Sewage Outfall Works

in the County of Middlesex

by S. Slater Grimley M.I.C.E.
Engineer & Surveyor, Hendon U.D.C.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Hendon (M.R.) N.W.4.
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 153.37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	0-02	-	0-16	-	-	=	0.82	0.06	-	0.07	-	1
2	-	-	-	0.31	-	0.02	-	0.06	-	-	0.09	-	2
3	-	-	-	0.07	-	-	-	0.15	-	0.23	0.27	-	3
4	-	-	-	-	.	-	0.04	0.28	-	0.27	-	-	4
5	0.22	-	0.13	0.29	-	-	.	0.18	0.54	0.10	0.07	-	5
6	-	0.02	0.02	0.08	-	0.02	-	-	0.14	0.02	0.14	-	6
7	0.17	0.04	-	-	-	-	0.05	-	-	0.20	-	-	7
8	0.14	.	-	0.05	-	-	0.87	0.12	-	0.19	0.11	0.28	8
9	0.02	-	0.05	0.07	-	-	0.03	0.43	-	-	0.04	0.11	9
10	0.04	-	0.10	0.09	-	-	-	0.01	-	-	-	0.04	10
11	0.12	.	0.40	0.34	-	-	-	-	-	0.23	-	-	11
12	0.12	.	-	0.08	0.01	.	-	0.05	-	0.38	-	-	12
13	0.03	-	0.12	-	-	.	-	0.05	0.02	-	-	-	13
14	-	-	-	0.30	-	-	-	0.09	-	-	-	-	14
15	~~0.88~~	-	-	-	-	.	0.27	0.06	-	0.03	-	-	15
16	0.05	0.16	-	0.12	0.10	0.95	0.12	-	-	0.32	-	0.20	16
17	-	-	-	0.08	0.63	-	0.22	0.05	0.35	0.29	-	-	17
18	0.05	0.10	-	0.09	0.11	0.27	0.09	-	0.14	0.08	-	-	18
19	-	0.14	0.06	-	0.08	0.07	-	-	0.17	-	-	-	19
20	0.02	0.18	0.06	-	0.57	-	0.03	-	0.03	-	0.03	-	20
21	0.01	-	0.03	-	-	0.06	-	-	-	-	[illegible]	.	21
22	0.02	-	0.04	-	-	0.09	-	0.09	-	0.05		-	22
23	0.02	0.10	-	-	0.09	0.02	-	0.10	-	-	-	0.02	23
24	-	0.05	-	-	-	0.03	-	-	-	0.25	0.03	0.01	24
25	-	-	0.02	-	-	-	.	-	-	-	0.07	-	25
26	-	-	0.03	-	-	0.03	.	0.20	0.13	-	0.35	-	26
27	-	-	-	-	-	-		0.64	-	-	-	0.02	27
28	.	-	0.02	-	-	0.63		0.04	-	-	-	0.04	28
29	.	X	-	-	0.58	0.03	0.36	0.04	-	0.20	-	0.15	29
30	-	X	0.22	-	-	-	1.52	0.04	-	0.02	-	-	30
31	0.02	X	0.17	X	-	X	0.30	-	X	-	X	-	31
Total	1.05	0.81	1.47	2.13	2.17	2.22	3.90	3.50	1.48	2.86	1.27	0.84	YEAR'S TOTAL 23.73
Rain Days	15	9	15	14	8	12	12	20	9	16	11	9	150

W. 8,000, IX. 17.

Corrected copy

Nov 9-13 est'd.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 4. 1. 19

Kept at Hendon U.D.C. Sewage Outfall Wks.

in the County of Middlesex

by S. Slater Grimley, Engineer & Surveyor Hendon U.D.C.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Hendon (M.R.)

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 153·37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0·01	-	0·05	-	-	-	-	-	-	0·10	0·06	1
2	-	0·06	-	0·04	-	-	-	0·35	-	-	0·09	0·16	2
3	-	-	0·04	-	0·53	-	-	0·34	-	0·02	0·53	-	3
4	0·01	0·04	0·14	-	-	-	-	0·02	0·45	-	0·54	-	4
5	-	0·05	-	-	0·07	-	-	0·04	0·04	0·06	-	0·02	5
6	0·14	0·12	-	0·24	0·14	-	-	-	-	-	-	0·02	6
7	-	0·04	-	0·09	0·15	-	-	-	0·~~25~~ 16	0·05	0·05	-	7
8	-	0·05	-	-	0·02	-	-	-	0·05	-	-	0·03	8
9	0·01	0·01	-	0·02	-	0·01	0·23	-	0·40	0·07	-	0·15	9
10	-	-	-	0·06	-	-	0·64	-	-	0·02	([illegible] under Repair)	0·22	10
11	-	-	-	0·02	0·05	-	0·48	-	0·06	0·15		0·09	11
12	-	0·04	-	-	0·11	-	0·04	-	-	-		0·02	12
13	-	-	-	-	0·22	-	0·12	-	0·13	-		-	13
14	0·13	-	0·01	-	-	0·15	0·09	-	0·33	0·11		0·21	14
15	0·75	-	-	0·72	-	0·02	0·06	-	-	-	-	0·09	15
16	0·44	-	-	0·52	-	0·07	-	-	0·20	-	-	-	16
17	0·32	-	-	0·25	0·62	0·16	0·23	-	0·02	-	-	0·13	17
18	0·45	-	-	-	-	0·20	0·08	-	1·48	0·14	-	0·04	18
19	0·02	-	0·02	0·07	-	0·08	0·27	-	-	0·04	-	0·13	19
20	0·01	0·09	-	0·70	-	-	0·06	-	0·03	0·12	-	0·03	20
21	0·06	-	-	0·38	-	-	-	-	0·35	-	-	0·14	21
22	0·05	-	-	-	0·21	-	0·04	-	0·08	-	-	-	22
23	0·02	-	-	-	0·21	-	0·46	0·02	0·09	-	-	-	23
24	-	0·20	-	-	-	0·03	0·07	-	0·04	-	-	-	24
25	-	-	-	-	-	0·03	0·22	0·09	~~0·04~~	0·07	0·02	-	25
26	-	-	-	-	-	-	0·36	0·06	-	0·02	0·15	0·11	26
27	-	0·01	-	0·09	-	-	0·06	0·13	0·04	-	0·10	0·01	27
28	-	0·04	0·10	0·03	-	0·10	-	-	-	-	0·20	0·13	28
29	-	X	-	-	-	-	-	-	1·24	-	-	-	29
30	-	X	0·40	-	-	-	-	-	0·01	-	0·05	0·05	30
31	-	X	-	X	-	X	-	0·02	X	0·05	X	0·[illegible]	31
Total	2·41	0·76	0·71	3·28	2·33 ~~2·06~~	0·85 ~~0·81~~	3·51 ~~3·39~~	1·07	5·20	0·86	1·82	1·84 ~~1·49~~	(24·79) YEAR'S TOTAL ~~20·95~~
Rain Days.	13 ~~12~~	13	6	~~11~~ 15	~~9~~ 10	~~9~~ 10	~~16~~ 14	9	~~14~~ 19	~~10~~ 13	~~9~~ 10	~~15~~ 20	~~135~~ ~~156~~

(1·97) (13) (159)

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hendon U.D.C. Sewage Outfall Wks

in the County of Middlesex

by S. Slater Grimley, M. Inst. C.E.

Engineer & Surveyor, Hendon U.D.C.

Lat. 51° 34′ N. Long. 0° 14′ W. of Greenwich

Time of Observation 9 am.

Nearest Railway Station Hendon (M.R.)

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 153·37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·34	0·03	-	-	0·02	-	0·19	-	-	0·02	0·03	0·95	1
2	0·30	-	-	-	0·18	-	0·41	-	0·27	0·12	0·11	0·09	2
3	0·34	-	0·25	-	0·01	-	0·13	-	0·05	-	0·04	0·29	3
4	0·09	0·08	0·36	-	-	0·08	0·16	0·06	-	-	0·02	0·09	4
5	0·02	(0·31 snow)	0·35	-	-	-	0·03	-	0·16	-	0·02	0·21	5
6	-	-	0·07	-	-	-	-	-	-	-	-	-	6
7	0·04	-	0·28	-	-	-	-	-	-	-	-	-	7
8	0·05	-	0·05	-	-	-	-	-	-	-	-	-	8
9	0·10	-	-	0·10	0·06	-	-	-	-	-	0·03	-	9
10	0·49	-	0·04	-	-	-	-	-	-	-	0·02	0·07	10
11	0·03	-	0·06	0·25	-	-	0·23	-	-	-	-	0·01	11
12	0·01	-	0·05	0·02	-	-	0·12	-	-	0·12	-	-	12
13	-	-	-	0·22	-	-	-	-	-	0·02	-	-	13
14	0·20	-	-	0·21	-	-	0·06	-	0·65	-	-	-	14
15	0·21	0·03	0·20	0·24	-	-	-	-	-	0·02	-	0·55	15
16	0·08	0·73	-	-	-	-	-	-	-	-	0·15	0·04	16
17	-	0·34	0·02	-	-	-	-	-	-	-	0·16	0·01	17
18	-	0·28	0·12	-	-	-	-	-	0·02	-	0·11	0·02	18
19	0·05	0·17	1·02	-	-	0·22	0·27	0·38	0·05	-	0·10	-	19
20	0·30	0·05	0·09	-	-	0·82	0·20	0·13	-	-	0·01	-	20
21	0·18	0·28	0·02	-	-	0·02	0·09	-	-	-	-	0·09	21
22	-	0·10	-	-	-	-	0·18	-	0·13	-	-	0·22	22
23	-	-	-	-	-	0·02	-	-	0·07	-	0·03	-	23
24	-	-	-	0·12	-	-	0·09	0·07	-	0·18	0·03	0·03	24
25	0·04	-	-	0·06	-	0·01	-	0·18	-	-	-	0·03	25
26	0·07	0·23	0·11	0·18	-	-	-	0·05	0·08	-	-	0·29	26
27	(0·69 snow)	0·03	0·04	1·06	-	-	-	0·37	-	-	-	-	27
28	-	-	(0·10 snow)	0·07	-	-	-	0·79	-	-	0·25	0·32	28
29	0·03	-	-	0·05	-	-	-	0·22	-	0·17	0·07	0·03	29
30	0·01	X	(0·02 snow)	0·19	-	0·19	-	0·02	-	0·03	0·18	0·23	30
31	-	X	0·04	X		X	0·03	-	X	-	X	0·02	31
TOTAL	3·67	2·66	3·29	2·77	0·27	1·36	2·19	2·27	1·48	0·68	1·36	3·59	YEAR'S TOTAL 25·59
Days with ·01 in. or more	22	13	20	13	4	7	14	10	9	8	17	20	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

782

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at Hendon U. D. C. Sewage outfall works
in the County of Middlesex
by A. O. Knight A.M.I.C.E. Engineer & Surveyor

Lat. 51° 34′ Long. 0° 14′ (W. of Greenwich)
Time of Observation 9 a.m.
Nearest Railway Station Hendon (M.R)
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 153·37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	-	-	0·36	0·07	-	0·29	-	-	0·50	.	0·20	1
2	.	-	-	-	-	-	-	0·69	0·07	0·06	-	0·05	2
3	.	0·11	-	-	-	-	0·03	-	0·06	-	-	.	3
4	.	-	-	0·06	-	-	0·05	0·04	-	0·12	.	0·06	4
5	.	-	0·04	-	.	-	0·58	0·03	-	-	.	0·04	5
6	.	-	0·12	-	0·12	-	0·26	0·01	-	-	.	0·04	6
7	:	-	-	0·23	.	-	0·23	-	-	-	.	-	7
8	0·03	0·02	-	0·09	0·09	.	0·04	0·01	-	-	.	-	8
9	0·29	-	-	0·01	.	-	-	0·03	-	-	.	.	9
10	0·31	0·02	0·07	-	.	0·08	-	-	-	-	.		10
11	0·11	-	0·06	0·21	.	0·03	0·31	-	-	-	.	(Snow) 0·20	11
12	0·06	-	-	0·10	-	0·40	=	-	-	0·04	.	-	12
13	0·11	-	0·05	0·11	-	-	=	-	-	.	0·09	-	13
14	-	-	0·31	0·25	-	0·11	~~0·83~~	-	0·11	0·11	0·10	-	14
15	.	-	0·03	0·14	-	-	0·03	-	0·50	0·14	0·06	:	15
16	-	-	0·01	0·09	~~0·08~~	-	-	-	0·29	0·45	-	.	16
17	-	-	-	-	0·08	-	-	.	0·32	-	-	0·02	17
18	0·03	-	-	.	-	.	-	0·67	0·11	-	.	-	18
19	0·14	-	-	0·29	-	0·04	-	-	.	-	-	0·02	19
20	0·05	0·14	-	0·11	-	0·48	-	-	0·05	-	-	-	20
21	-	-	-	-	-	.	0·98	0·03	0·69	-	.	0·05	21
22	-	-	-	0·29	-	-	-	0·01	0·11	-	.	0·29	22
23	-	-	-	-	.	-	0·54	-	-	-	.	0·32	23
24	-	-	0·06	-	-	-	-	-	-	-	-	0·03	24
25	-	0·04	0·02	0·02	.	.	0·14	-	-	-	-	-	25
26	0·03	-	0·05	-	0·19	-	0·04	-	-	-	.	-	26
27	0·13	-	-	0·25	-	0·05	0·02	-	-	-	0·78	0·10	27
28	0·45	-	0·11	0·06	0·03	-	0·04	-	-	-	- -	,	28
29	0·15	-	0·09	-	-	-	0·02	- -	-	-	0·03	0·19	29
30	0·03	×	-	-	0·05	-	0·37	-	0·55	-	0·18	0·14	30
31	-	×	-	×	0·01	×	0·06	-	×	0·28	×	0·07	31
TOTAL	1·92	0·39	1·02	2·70	0·64	1·19	4·03	1·52	2·86	1·73	1·24	1·85	YEAR'S TOTAL 21·03
Days with ·01 in. or more	14	5	13	17	8	7	18	9	11	8	6	16	~~132~~
Days with ·04 in. or more	10	3	~~7~~ 10	15	6	6	14	3	11	8	5	13	104 ~~105~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3.IV.12

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

RE

HENDON
TEMPLE FORTUNE LANE
1911 - 1912

Kept at 22 Temple Fortun
in the County of Middl
by J. W. Duncan

nowdon
in.
Ground 1 ft. — in.
Sea Level 232 ft.
m.
Name Golders Green Tube
Distance ½ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·05	—	0·01	0·61	—	—	0·02	0·03	—	—	—	—	1
2	0·15	—	—	0·34	0·18	—	—	—	—	—	0·20	0·17	2
3	0·03	0·02	—	0·01	0·19	—	—	0·02	—	0·01	0·09	0·13	3
4	0·05	0·03	0·08	0·09	—	—	—	—	0·01	0·05	0·24	0·34	4
5	0·02	0·01	—	0·04	—	—	—	—	—	0·14	0·01	0·08	5
6	0·35	—	0·14	0·02	—	—	—	—	—	—	0·01	0·25	6
7	0·06	—	—	0·01	—	—	—	—	—	0·10	0·27	0·28	7
8	0·21	—	0·19	—	—	—	—	—	—	—	0·20	0·17	8
9	0·10	—	0·03	0·02	—	—	—	—	—	—	—	0·01	9
10	0·04	0·10	0·11	0·01	—	—	—	—	—	—	0·03	0·46	10
11	0·30	—	—	—	0·06	—	—	—	—	—	0·63	0·01	11
12	snow 0·03	—	0·49	—	0·07	0·14	—	—	0·05	—	0·35	—	12
13	—	—	0·10	—	0·15	—	—	—	0·47	0·13	—	0·22	13
14	—	0·08	0·03	—	0·27	—	—	—	—	—	—	0·42	14
15	—	0·06	0·18	—	—	—	—	—	—	0·02	0·05	0·03	15
16	—	—	0·01	—	—	0·53	—	—	—	—	0·40	0·03	16
17	—	—	0·07	—	—	0·02	—	—	—	—	0·42	0·14	17
18	—	0·21	0·02	—	—	0·07	—	—	—	—	0·51	0·20	18
19	—	—	0·01	—	0·01	0·17	—	0·21	0·21	0·10	0·24	0·10	19
20	—	0·04	0·01	—	—	—	—	0·23	0·11	0·06	0·01	0·53	20
21	—	0·04	—	—	—	0·01	—	0·32	0·06	0·48	—	0·10	21
22	0·10	—	0·09	—	—	0·02	—	0·01	—	0·03	—	0·47	22
23	0·01	0·11	0·10	—	—	0·88	—	—	0·27	—	0·03	0·15	23
24	—	0·15	0·02	—	—	0·04	0·02	0·03	—	1·35	—	0·23	24
25	—	0·05	0·04	0·07	—	0·17	1·29	0·01	0·01	0·04	—	0·01	25
26	—	0·02	0·03	0·23	—	0·06	0·06	—	—	0·17	0·04	0·30	26
27	—	0·43	0·08	0·02	—	—	—	—	0·12	—	0·02	0·10	27
28	—	0·30	0·01	0·38	—	—	0·06	0·07	—	—	—	—	28
29	—		—	0·10	—	0·19	0·08	—	0·21	0·27	0·01	—	29
30	—		0·01	0·07	0·04	0·04	—	0·03	0·01	0·19	—	0·01	30
31	—		—		0·23		—	—		0·01		—	31
Total	1·50	1·65	1·86	2·02	1·20	2·34	1·53	0·96	1·53	3·15 3·15	3·76	4·94	Total for year 26·44 26·44
No. of Rain Days.	14	15	23	15	9	13	6	10	11	16	20	26	178

W. 8,000, X. '11.

3.V.12

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE

Kept at 22 Temple Fortune Lane, Hendon

in the County of Middlesex

by J. W. Duncan

RAIN GAUGE
Pattern Copper, Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 232 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Golders Green Tube
Distance ½ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·05	—	0·01	0·61	—	—	0·02	0·03	—	—	—	—	1
2	0·15	—	—	0·34	0·18	—	—	—	—	—	0·20	0·17	2
3	0·03	0·02	—	0·01	0·19	—	—	0·02	—	0·01	0·09	0·13	3
4	0·05	0·03	0·08	0·09	—	—	—	—	0·01	0·05	0·24	0·34	4
5	0·02	0·01	—	0·04	—	—	—	—	—	0·14	0·01	0·08	5
6	0·35	—	0·14	0·02	—	—	—	—	—	—	0·01	0·25	6
7	0·06	—	—	0·01	—	—	—	—	—	0·10	0·27	0·28	7
8	0·21	—	0·19	—	—	—	—	—	—	—	0·20	0·17	8
9	0·10	—	0·03	0·02	—	—	—	—	—	—	—	0·01	9
10	0·04	0·10	0·11	0·01	—	—	—	—	—	—	0·03	0·46	10
11	0·30	—	—	—	0·06	—	—	—	—	—	0·63	0·01	11
12	snow 0·03	—	0·49	—	0·07	0·14	—	—	0·05	—	0·35	—	12
13	—	—	0·10	—	0·15	—	—	—	0·47	0·13	—	0·22	13
14	—	0·08	0·03	—	0·27	—	—	—	—	—	—	0·42	14
15	—	0·06	0·18	—	—	—	—	—	—	0·02	0·05	0·03	15
16	—	—	0·01	—	—	0·53	—	—	—	—	0·40	0·03	16
17	—	—	0·07	—	—	0·02	—	—	—	—	0·42	0·14	17
18	—	0·21	0·02	—	—	0·07	—	—	—	—	0·51	0·20	18
19	—	—	0·01	—	0·01	0·17	—	0·21	0·21	0·10	0·24	0·10	19
20	—	0·04	0·01	—	—	—	—	0·23	0·11	0·06	0·01	0·53	20
21	—	0·04	—	—	—	0·01	—	0·32	0·06	0·48	—	0·10	21
22	0·10	—	0·09	—	—	0·02	—	0·01	—	0·03	—	0·47	22
23	0·01	0·11	0·10	—	—	0·88	—	—	0·27	—	0·03	0·15	23
24	—	0·15	0·02	—	—	0·04	0·02	0·03	—	1·35	—	0·23	24
25	—	0·05	0·04	0·07	—	0·17	1·29	0·01	0·01	0·04	—	0·01	25
26	—	0·02	0·03	0·23	—	0·06	0·06	—	—	0·17	0·04	0·30	26
27	—	0·43	0·08	0·02	—	—	—	—	0·12	—	0·02	0·10	27
28	—	0·30	0·01	0·38	—	—	0·06	0·07	—	—	—	—	28
29	—		—	0·10	—	0·19	0·08	—	0·21	0·27	0·01	—	29
30	—		0·01	0·07	0·04	0·04	—	0·03	0·01	0·19	—	0·01	30
31	—		—		0·23		—	—		0·01		—	31
Total	1·50	1·65	1·86	2·02	1·20	2·34	1·53	0·96	1·53	3·15 3·15	3·76	4·94	Total for year 26·44 26·44
No. of Rain Days.	14	15	23	15	9	13	6	10	11	16	20	26	178

W. 8,000, X. '11.

Exe DL

Hert D04

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at 22 Temple Fortune Lane, Garden Suburb N.W.

in the County of Middlesex

by J. W. Duncan

RAIN GAUGE
Pattern Copper, Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 234 ft.

Time of Observation 9 a.m for previous 24 hours

Nearest Railway Station
Name Golders Green, Tube
Distance ¼ mile Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·08	0·04	—	0·24	0·16	—	0·06	0·28	—	0·18	1
2	—	—	0·17	0·01	—	0·03	0·27	0·01	0·01	0·01	—	—	2
3	0·06	Snow 0·01	0·27	—	0·06	0·25	0·02	0·37	0·01	—	—	0·09	3
4	0·31	Snow 0·01	0·60	—	0·24	0·16	—	0·03	—	—	0·17	—	4
5	0·21	Snow 0·08	0·05	—	—	0·01	—	0·17	—	—	0·05	—	5
6	0·59	—	0·01	—	—	0·15	—	0·07	—	—	—	0·03	6
7	0·01	—	—	—	0·05	0·48	0·02	0·18	—	—	—	0·02	7
8	0·45	0·36	0·17	—	—	0·01	0·01	0·09	—	—	—	0·01	8
9	0·01	0·09	—	0·02	—	0·49	0·03	0·04	—	—	—	0·19	9
10	—	0·05	—	—	—	0·01	—	0·18	0·02	—	0·07	0·20	10
11	0·02	0·36	—	—	—	0·04	—	—	0·02	dew 0·01	0·01	0·16	11
12	0·08	0·09	0·11	—	0·23	0·17	—	—	—	dew 0·01	0·06	—	12
13	—	—	—	—	—	0·01	—	—	—	—	0·09	0·03	13
14	—	—	0·01	—	0·03	—	—	0·13	—	0·07	—	0·02	14
15	—	0·02	0·06	—	0·21	0·45	—	0·02	—	—	0·01	0·37	15
16	0·33	—	0·04	—	0·01	0·06	—	0·10	—	0·05	0·06	—	16
17	Snow 0·55	—	0·27	—	—	0·09	—	0·06	—	—	—	0·01	17
18	0·07	—	0·18	—	—	—	—	0·09	—	—	0·01	0·14	18
19	0·14	0·08	0·11	—	—	—	0·07	0·44	—	—	0·01	—	19
20	0·01	0·01	0·11	—	0·07	—	0·01	0·34	—	0·33	—	—	20
21	0·01	0·06	0·21	—	0·04	—	—	0·08	—	0·08	0·05	—	21
22	0·19	0·18	0·02	—	0·02	—	0·17	0·15	—	0·04	0·01	0·05	22
23	0·43	0·40	0·32	—	—	—	0·35	0·54	—	0·02	0·17	0·16	23
24	0·45	0·01	—	—	—	0·16	0·02	0·16	—	—	—	0·15	24
25	0·02	—	—	—	—	0·23	—	0·76	—	—	0·27	0·42	25
26	—	0·01	0·01	—	—	—	0·12	0·30	—	0·40	0·32	0·30	26
27	—	—	0·01	—	—	0·08	—	—	—	0·18	—	0·23	27
28	—	0·04	—	—	—	0·03	0·17	0·06	0·03	0·31	0·34	0·13	28
29	—	0·04	—	—	—	0·32	0·33	0·25	1·07	0·27	0·05	—	29
30	—		—	—	0·33	0·01	—	—	0·87	0·18	—	—	30
31	—		0·42	—	0·01	—	0·13	0·21	—	—	—	0·01	31
Total	3·94	1·90	3·23	0·07	1·30	3·48	1·88	4·83	2·09	2·24	1·75	2·90	TOTAL for year 29·61
No. of Rain Days.	19	18	21	3	12	22	15	25	8	15	17	21	196

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL

3- JAN 1913

REGI

°7′ W.

Kept at 42 Avenue

a.m.

in the County of Mid

Crouch End G.N. Rly

Five in.

by G. S. Nichol

e Ground One ft. - in.

Sea Level 2 ft.

HIGHGATE

AVE. RD

1912 - 1920

IMPORTANT NOT the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05			·03	·10		·05	·33		·20	1
2		·01	·27		·07	·13	·09	·02					2
3	·05		·19		·03	·02	·22	·42				·09	3
4	·34	·02	·64	·05	·24	·26	·50	·07			·16		4
5	·20		·07			·10	·29	·17			·04		5
6	·57	·12	·05					·11				·02	6
7			·01		·07	·18		·18				·02	7
8	·40	·35	·13			·72		·13		·07			8
9		·09	·05	·04		·11		·05				·18	9
10		·05		·07		·21		·13			·07	·21	10
11	·07	·35							·02			·14	11
12	·08	·06	·10		·16	·07			·02	·02	·04		12
13			·01			·14					·06	·02	13
14			·01					·11		·07		·03	14
15	·01	·03	·11		·05			·03			·07	·44	15
16	·30		·05		·21			·09		·07	·09		16
17	·57		·22		·03	·46		·07					17
18	·08		·13			·03		·09		·07	·07	·13	18
19	·19	·08	·13			·09	·20	·54					19
20		·01	·23				·50	·24		·36			20
21	·02	·05	·04				·30	·14		·05	·05		21
22	·23	·20	·33		·03			·16		·07		·05	22
23	·40	·39	·02		·07		·07	·59		·03	·16	·23	23
24	·46	·02	·02				·03	·15				·20	24
25	·07					·10		·74			·26	·35	25
26		·02				·23	·09	·25		·48	·33	·31	26
27										·20		·24	27
28		·05		·07			·23	·05	·04	·32	·35	·13	28
29		·02					·35	·27	1·14	·21	·05		29
30									1·07	·10			30
31	·01		·35		·26		·12	·22					31
Total	3·99	1·92	3·21	·11	1·10	2·88	3·09	5·02	2·34	2·26	1·68	2·99	YEAR'S TOTAL 30·59
Rain Days.	18	18	23	4	11	16	14	25	6	15	14	18	182

W. 7,500, XI. 12

REG

FORM A.
BRITISH RAINFALL.

3- JAN 1913

Kept at 42 Avenue Road, Highgate
in the County of Middlesex 2
by G. S. Nicholson F.L.S.

Long. °7' W.
Time of Observation 9 a.m.
Nearest Railway Station Crouch End G.N. Rly
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. – in.
" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05			·03	·10		·05	·33		·20	1
2		·01	·27		·07	·13	·09	·02					2
3	·05		·19		·03	·02	·22	·42				·09	3
4	·34	·02	·64	·05	·24	·26	·50	·07			·16		4
5	·20		·07			·10	·29	·17			·04		5
6	·57	·12	·05					·11				·02	6
7			·01		·07	·18		·18				·02	7
8	·40	·35	·13			·72		·13		·07			8
9		·09	·05	·04		·11		·05				·18	9
10		·05		·07		·21		·13			·07	·21	10
11	·07	·35							·02			·14	11
12	·08	·06	·10		·16	·07			·02	·02	·04		12
13			·01			·14					·06	·02	13
14			·01					·11		·07		·03	14
15	·01	·03	·11		·05			·03			·07	·44	15
16	·30		·05		·21			·09		·07	·09		16
17	·57		·22		·03	·46		·07					17
18	·08		·13			·03		·09		·07	·07	·13	18
19	·19	·08	·13			·09	·20	·54					19
20		·01	·23				·50	·24		·36			20
21	·02	·05	·04				·30	·14		·05	·05		21
22	·23	·20	·33		·03			·16		·07		·05	22
23	·40	·39	·02		·07		·07	·59		·03	·16	·23	23
24	·46	·02	·02				·03	·15				·20	24
25	·07					·10		·74			·26	·35	25
26		·02				·23	·09	·25		·48	·33	·31	26
27										·20		·24	27
28		·05		·07			·23	·05	·04	·32	·35	·13	28
29		·02					·35	·27	1·14	·21	·05		29
30									1·07	·10			30
31	·01		·35		·26		·12	·22					31
Total	3·99	1·92	3·21	·11	1·10	2·88	3·09	5·02	2·34	2·26	1·68	2·99	YEAR'S TOTAL 30·59
Rain Days.	18	18	23	4	11	16	14	25	6	15	14	18	182

W. 7,500, 12

FORM A.
BRITISH RAINFALL
13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at 42 Avenue Road, Highgate N.
in the County of Middlesex 2
by C. S. Nicholson F.L.S.

Lat. 51° 34' Long. ·7
Time of Observation 9 am.
Nearest Railway Station Crouch End G.N. Rly.
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ~~circa 300~~ 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·21	·07	·31					·29		·09	·10	1
2	·02	·12					·08		·15		·03		2
3			·03	·13	·43							·06	3
4	·23		·01	·01	·35		·17			·12	·04	·04	4
5	·17					04	·25		·20	·01	·01	·03	5
6		·02	·22		·08	·16	·25			·15	·02	·08	6
7		·12			·02	·02	·06	·06		·41	·10		7
8		·04	·05		·13	·07				·09	·02		8
9		·17		·02	·04				·05		·05	·08	9
10	·02		·10	·10			·49	·09			·31		10
11	·68			·47	·02		·01	·04		·51	·09		11
12					·04						·50		12
13	·09		·02					·04			·33		13
14	·04		·10	·07			·56	·10	·10	·18	·10		14
15	·18	·08	·26	·22			·22		·03				15
16	·14		·44	·18			·01		·31				16
17	·02		·03	·09			·12	·01			·03		17
18	·01		·12	·18							·03		18
19	·13		·02	·04	·01		·19		·26			·01	19
20	·09		·08	·04		·38				·53	·04		20
21	·01		·26	·08			·04			·20	·76		21
22	·42		·19					·07	·16				22
23			·02			·02		·19	·02			·22	23
24	·01			·05				·03		·01	·01		24
25		·02		·19		·02							25
26		·06	·21	·06				·19		·72		·20	26
27			·02	·05						·02			27
28	·22		·20	·09						·10			28
29	·07		·07	·46	·60			·07		·06	·01		29
30	·25			·15				·19		·10			30
31			·05					·51		·04			31
Total	2·82	·84	2·57	2·99	1·72	·71	2·38	1·52	1·55	3·25	2·57	·82	YEAR'S TOTAL 23·74
Rain Days.	20	9	22	21	10	7	13	13	10	16	19	9	169

W. 7,500, XI. 12

Ex DS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at 42 Avenue Road, Highgate
in the County of Middlesex 2
by C. S. Nicholson F.L.S

Lat. 51°.34' Long. 0°.7'
Time of Observation 9 a.m.
Nearest Railway Station Crouch End
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14					·16			·02	·01	1
2				·01			·12	·19			·37	·16	2
3			·10	·01	·14		·13				·01		3
4	·12		·02	·18				·06			·35	·20	4
5	·03		·10	·23	·18	·05	·39	·90					5
6		·12		·02	·01	·22	·01	·02			·22	·17	6
7		·28	·35	·08	·88	·12	·06	·07				·07	7
8	·04	·36	·72	·04	·05	·14	·10	·15	·03			·01	8
9	·14		·61	·43		·79			·14			1·29	9
10	·01	·08		·05	·07				·16			·01	10
11		·35	·43			·13			·14		·25	·28	11
12		·07	·12				·12		·21			·49	12
13	·01	·25	·13						·14	·09	·08	·42	13
14		·06	·44				·18			·13	·11	·56	14
15		·01	·17				·03			·06	·19	·06	15
16			·03						·04		·02		16
17		·42	·05									·16	17
18		·03	·08									·26	18
19		·03	·20			·11	·07		·04		·18	·33	19
20		·09	·34			·06			·13			·13	20
21		·52	·09							·02		·07	21
22				·03	·30	·07	·11	·04		·13			22
23		·01	·20		·15	·02				·11		·01	23
24			·08	·03	·01					·01	·15		24
25	·05		·18					·11		·36		·05	25
26	·02		·02				·15	·13		·06	·15	·62	26
27	·04		·02								·03	·18	27
28		·04								·07	·47	1·14	28
29	·04		·11							·24	·12		29
30		×	·05							·07	·72	·04	30
31		×		×	·19	×	·05		×		×	·03	31
Total	·50	2·80	4·78	·91	1·98	1·21	1·52	1·77	1·03	1·35	3·44	6·85	YEAR'S TOTAL 28·14
Rain Days.	10	16	25	11	10	10	13	10	9	12	17	25	168

W. 8,000. X. 14.

Cod. by Sum. stats 22.2.16.

952

FORM A. BRITISH RAINFALL.

18 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 42 Avenue Road, Highgate

in the County of Middlesex

by G. S. Nicholson.

2

Lat. 51° 34' N Long. 0° 7' W.

Time of Observation 9 am

Nearest Railway Station Crouch End G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·17	·11		·04				·06	·05	·37	·47	1
2	·36	·17	·27	·15				·73		·06		·08	2
3	·44		·07	·21				·44				·50	3
4	·07							·15				·31	4
5	·04	·37								·02		·25	5
6	·27	·01		·22	·28		·85					·50	6
7	·78	·27	·05	·05			·59	·02				·22	7
8	·05	·47	·02	·05			·08	·04					8
9		·07		·10		·10		·06			·40	·69	9
10	·33		·07			·07		·11				·15	10
11	·03		·01					·03			·72		11
12	·10	·02		·24	·50			·33		·07	·38		12
13	–	·35			1·54			·07					13
14	–	·05					1·27		·06			·80	14
15	·12				·07		·03	·24			·15	·14	15
16		·30					·75	·02				·13	16
17		·40			·95		·09						17
18		·25	·06		·10						·05		18
19		·11					·12						19
20	·31			·06						·02		(·29)	20
21	·07						·23			·01		·13	21
22	·95	·10	·22	·07			·71		·02			·72	22
23		·30	·08			·07	·38		·04	·36		·30	23
24			·07			·07	·05		·25	·13		·30	24
25			·14	·08			·25			·03		·10	25
26		·09				·27	·25			~~·88~~ 7		·50	26
27						·17	·29			·38 5		·08	27
28		·09	·01			·10			1·38	·10			28
29			·01			·05	·45	·14			·13	·07	29
30	·04	╳				·05				·02	·18		30
31	·02	╳		╳		╳			╳	1·00	╳	·18	31
Total	4·37	3·59	1·13	1·17	3·48	·77	6·39	2·32	1·81	2·19	2·38	6·25	YEAR'S TOTAL 35·85
Rain Days.	17	18	14	10	7	9	16	13	6	13	8	22	153

W. 8,000. X. 15.

926

FORM A.
BRITISH RAINFALL
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 42 Avenue Road N.
in the County of Middlesex
by C. S. Nicholson

Lat. 51° 34' N Long. 0° 7' W
Time of Observation 9 a.m.
Nearest Railway Station Crouch End G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Summer Time from 9 a.m. of May 21 to 9 a.m. on Sept 30.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06				·24	·02			·17	·04	·44		1
2	·56	·02	·10		·25		·01		·27	·38			2
3		·35	·16				·04		·28	·27	·72		3
4	·25	·11				·43			·03	·11	·44		4
5	·01		·02		·08	·35				·06	·43		5
6		·07	·29	·31	·03	·20	·36			·09	·44		6
7	·08		·19		·21	·33	·33			·03	·74	·05	7
8			·04		·33						·02	·31	8
9					·35					·07		·11	9
10		·18	·10	·08		·40	·11					·14	10
11	·08	·13	·01	·20		~~·40~~ ·15			·02				11
12	·04	·02		·05	·39	·14	·04	·05		·09			12
13		·40	·26	·16	·05	·08	·30	·17		·02			13
14		·40		·03	·12			·39		·05		·09	14
15		·30	·40	·03			·01	·30				·05	15
16			·16	·17			·18	·38					16
17	·09	·09		·02			·02	·98	·32	·64			17
18	·02	·11	·02	·12				·41	·05	·04	·66		18
19	·05	·01	·15	·19					·18		·83	·04	19
20	·11		·27	·10							·02	·40	20
21	·01		·82				·04					·29	21
22		~~·25~~	·08							·01		·48	22
23	·02	·23		·01	·01	·10		·01		·01	·07	·10	23
24		·05			·04	·10		·04		·09	·04	·36	24
25		·42	·29		·08			·24		·05	·12		25
26		·21	·03			·05		·11		·03			26
27	·09	·01	1·12			·04		·50	·08	·59			27
28		·41	·32			·09			·12			·25	28
29		·07	·02			·35		1·70	·03	·33		·15	29
30		×		·01				·10		·75			30
31		×		×		×		·06	×	·13	×	·03	31
Total	1·47	3·59	4·85	1·48	2·16	2·81	1·44	5·44	1·55	3·88	4·96	2·88	YEAR'S TOTAL 36·51
Rain Days.	14	20	21	14	13	15	11	15	11	22	13	15	184

W. 8,000, VIII. 16

✓ 891

FORM A.
BRITISH RAINFALL.

14. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 42 Avenue Road, Highgate N.
in the County of Middlesex
by C. Nicholson

Lat. 51°. 34 Long. 0°. 7' W.
Time of Observation 9 am
Nearest Railway Station Crouch End
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07			·25				·96	·10		·13		1
2		·03		·39		·03		·08			·10		2
3				·05				·46		·30	·37		3
4		·16	·20				·05	·20		·39			4
5	·27		·04	·50				·10	1·26	·10	·09		5
6			·03	·04		·04			·07	·02	·14		6
7	·21						·12			·39		·05	7
8	·12			·12			·92	·10		·29	·21	·39	8
9			·03	·18			·05	·12	·02		·06	·13	9
10	·34		·08	·20				·03			·07	·02	10
11	·10		·40	·26					·04	·30			11
12	·12		·03	·02				·05		·41			12
13			·12	·03				·03	·03	·03			13
14				·30				·23					14
15	·04			·03			·28	·05		·05		·02	15
16	·05	·16		·16	·13	1·25	·22			·45		·24	16
17				·13	·57		·29	·03	·50	·43			17
18	·05	·09		·06	·10	·45	·17	·07	·20	·08			18
19		·15	·10		·20			·02	·30				19
20	·05	·25	·09		·72						·09		20
21			·04		·05					·07	·04		21
22			·05			·06		·08		·08			22
23		·14	·02		·13	·05		·15					23
24	·02	·05				·06		·15		·30	·04		24
25		·01	·04								·11		25
26			·08			·10		·25	·05		·57	·01	26
27			·02					1·00					27
28			·07			1·33		·16				·07	28
29			·02		·14	·04	·23	·10		·26		·18	29
30		×	·34				1·47	·07		·02		·05	30
31	·01	×	·10	×		×	·39	·03	×		×		31
Total	1·39	1·04	1·84	2·72	2·04	3·44	4·17	4·52	2·57	3·91	1·96	1·16	YEAR'S TOTAL 30·73
Rain Days.	13	9	20	16	8	10	11	24	10	18	13	10	162

W. 8,000, IX. 17. Summer Time from Apl 8th — Septr 16th

Cnd for auth. ~~Highgate~~

38

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

10 . 1 . 19

Kept at 42 Avenue Road - Highgate N.6

in the County of ~~London~~ Middx

by C. S. Nicholson -

Lat. 51° 34′ N Long. 0° 7′ W

Time of Observation 9. a. m. -

Nearest Railway Station Crouch End -

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03									·12	·09	1
2				·05				·31			·08	·27	2
3			·05		·50			·35		·01	·54	·01	3
4			·05	·03				·07	·71		·51	·01	4
5					·11			·13	·12	·11			5
6	·20			·34	·17			·14				·09	6
7	·05	·05	·05	·10	·13			·01	·05	·13	·11		7
8			·25	·03					·17	·03	·05	·03	8
9	·03	·08		·05		·07	·25		·45	·14		·10	9
10	·04			·08			·60		·04	·03		·40	10
11		·22		·03	·07		·78		·12	·17	·12	·12	11
12		·10			·13		·07		·07			·03	12
13	·02	·05			·20		·15		·16			·08	13
14	·16	·05			·03	·20	·11		·45	·22		·24	14
15	1·21			·80		·02	·08		·03			·08	15
16	·20			·30		·30			·24	·02		·01	16
17	·24	·08		·30	·38	·07	·50	·03				·17	17
18	·62					·24	·15		1·63	·14		·09	18
19	·05			·12		·23	·47		·02	·06		·20	19
20			·03	·58		·02	·10		·14	·17		·02	20
21	·08			·23			·01		·48	·04		·01	21
22	·06		·05	·03	·55		·08		·17			·16	22
23	·05	·15		·03	·31		·46	·08	·10			·05	23
24						·04	·19		·07		·04	·02	24
25						·04	·48	·11			·07		25
26							·35	·16		·03	·22	·16	26
27				·10			·01	·20	·07		·12	·03	27
28		·23		·02				·03			·26	·13	28
29									1·28		·01		29
30		X	·12						·01			·05	30
31		X	·55	X		X		·04	X	·04	X	·01 ~~·005~~	31
Total	3·01	1·04	1·05	3·22	2·58	1·23	4·84	1·66	6·58	1·34	~~2·30~~	~~2·57~~	YEAR'S TOTAL 31·56 ~~31·42~~
Rain Days.	14	10	8	18	11	10	18	13	22	15	14	27	180
			1·15								2·125	2·66	

W. 8,000, IX. 17.

[illegible] [illegible] mm nos
June est'd

8264

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 42 Avenue Road Highgate N. 6
in the County of London Middx
by Margaret Nicholson

Lat. 51°34'N Long. 0°7'W
Time of Observation 9 a.m.
Nearest Railway Station Crouch End.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·05		~~·005~~	·05			·09			·01	·89	1
2	·33		~~·005~~		·20				·21		·11	·08	2
3	·31	·07	·33		·02				·62		·05	·34	3
4	·13		·34				·17		~~·005~~		·04	·31	4
5	·01	(·40)	·53				~~·005~~		·06	·04		·14	5
6	·02		·09							·05		·04	6
7	·04		·07								·05		7
8	·13			·03					~~·005~~		·03		8
9	·19		·02	·17	·03						·04		9
10	·33		·07	·03							·01	·03	10
11	·03		·10	·29	~~·005~~		·24					·01	11
12	-		·07	·01			·07		·11	·08			12
13	·02			·36					·03	·04			13
14	·30			·35			·07					·04	14
15	·23	·03	·18	·24					·16	·08		·30	15
16	·03	·70	~~·005~~	·01					·20	~~·005~~	·14	·03	16
17	~~·005~~	·60	·03	·02					·01		·23	·01	17
18	·	·07	·08					·01			·09	·07	18
19	·06	·18	·83				·19	·36	·11	~~·005~~	·18	·03	19
20	·35	·10	·08				·18	·17	~~·005~~		·01	~~·005~~	20
21	·17	·35	·02				·18				~~·005~~	·14	21
22		·15					·13				·04	·01	22
23	~~·005~~							·01			·02	·35	23
24	·			·18			·03	·06		·19	·04	·02	24
25	·02			·09	·06		·07	·20				·04	25
26	·11	·16	·14	·08				·06				·34	26
27	·55	·02	·04	1·24				·43				·03	27
28			·17	·04				·89			·24	·32	28
29	·03		~~·005~~	·03				·26		·21		·03	29
30			·04	·27				·13			·27	·26	30
31			·01				·03			·03		·01	31
TOTAL	3·81	(2·88)	3·24	3·44	·36	(1·50)	1·36	2·67	1·51	·72	1·60	3·87	YEAR'S TOTAL (26·96) ~~24·46~~
Days with ·01 in. or more	22	12	20	17	5	(9)	11	12	9	8	18	25	~~159~~ (168)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Largest amount carried to ~~W~~ WMD certified and [illegible] see 799

8 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.........

Kept at 42 Avenue Road . Highgate N.6
in the County of ~~London~~ Middlesex
by Miss Margaret Richardson .

Lat. 51° 34' N Long 0° 7' W
Time of Observation 9 a.m.
Nearest Railway Station Crouch End
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. ..... in.
" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·32	·07						·19	(1·5)	1
2			·03		·01		·38	1·00	·10			·10	2
3		·10		·01									3
4		·02	·01	·08			·08	·07	·10	12			4
5			·10		·04		·50	·05	·08				5
6			·20	·27	·14		·38	·04				·14	6
7	·04		·63	·21	·01					·02		·04	7
8	·06	·02			·11		·38						8
9	·40	·02		·03			·03						9
10	·60	·06	·11			·14					·02	+	10
11	·20		·07	·33	·02	·04	·08					+	11
12	·10		·01			·62							12
13	·09	·02	·13	·39			·28					+	13
14	·01	·01	·39	·24		·31			·27		·11	+	14
15	·01	·02	·07	·27					·33		·18		15
16	·		·01	·20		·06			·60	·02	·14		16
17	·02				·19		·02		·49	·40		+	17
18	·09							·72	·05			+	18
19				·20		·07						+	19
20	·13	·19		·19		·61						+	20
21							1·02					+	21
22				·35					·25			+	22
23							·50					+	23
24	·02	·02	·06									08	24
25		·01		·05			·18					·03	25
26	·02	·09	·02	·02	·63		·64					·02	26
27	·18		·12	·31	·03		·02		·25			·13	27
28	·40		·22	·06		·06	·08					·12	28
29	·25	·01	·07	·01	·02	·06	·02					·39	29
30	·05	X			·13		·44		·50			·22	30
31	·02	X		X	·04	X			X		X	·12	31
TOTAL	2·69	·59	1·65	3·84	1·66	1·97	4·43	1·88 ~~1·98~~	2·92	·56	·64	(3·01) 2·91	YEAR'S TOTAL 25·32
Days with ·01 in. or more	19	·13	17	19	13	9	17	5	11	4	5	(23)	(155)
Days with ·04 in. or more	13	4	11	15	8	9	13	5	11	2	4	(14)	(109)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

HIGHGATE

HOLLY COURT

1920

FORM A. 1. METEOROLOG ANIZATION.

REG .0

12 JAN 1921

Kept at Holly Court AM

Highgate (Mid)

in the County of Midd

Gauge 5 in.

ve Ground — ft 9 in.

by E. H. Goa

Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 12

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.5								56	25	28	1
2				37			37			31		11	2
3			0.4					96	11	13			3
4		0.9		0.2						0.5		18	4
5		0.3		0.7			17	0.7		15			5
6			0.9		0.3		55	6.5				10	6
7			18		13		36		13			0.5	7
8	0.3		0.2	28			23					0.6	8
9	0.5	0.3		16	10		0.6						9
10	37	0.2		0.4									10
11	53	0.4	11	0.3		14	0.8						11
12	20		0.8	23	0.3	0.4							12
13	10			12		55							13
14	12		15	24									14
15		0.2	25	22		25			19	13			15
16		0.3	12	24					51			0.9	16
17			0.2	79					31	46			17
18						0.3			34				18
19	0.5							72	18			10	19
20	13			24									20
21	0.7	19		18		65			0.8		10	16	21
22							105	0.4	5.3				22
23				34					21			24	23
24		0.3					45					42	24
25	0.3		0.7						0.4			06	25
26			0.4										26
27	0.4		0.8		107		0.7						27
28	17	0.9	0.2	32		11					58		28
29	40			0.5	0.4		0.8				019	03	29
30	24		24									34	30
31	0.2				14		54					19	31
TOTAL	·05 ~~2.55~~ 2.60	~~.62~~ .57	1.51	3.34	1.54	1.54	4.01	2.44	·56 ~~2.63~~ 3.19	·25 1.59 1.48	·28 1.02 1.05	·12 2.41 2.25	25.75 YEAR'S TOTAL ~~25.63~~
Days with ·01 in. or more	~~16~~ 17	10 ~~11~~	15	18	7	7	12	5	11 12	7	4	15	~~128~~ ~~129~~

(44,283). Wt. 21,958—248. 7500. 10/19. Gp. 132. A.&E.W.

14 ~~15~~ 4 ~~15~~ 12 16 5 6 12 5 12 ~~11~~ 7 4 14 ~~111~~

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

12 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Holly Court, Highgate
in the County of Middlesex
by E. H. Goad Esq

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Highgate (Mid)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 12

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.5								56	25	28	1
2				37			35			31		11	2
3			0.4					96	11	13			3
4		0.9		0.2						0.5		18	4
5		0.3		0.7			17	0.7		15			5
6			0.9		0.3		55	6.5				10	6
7			18		13		36		13			0.5	7
8	0.3		0.2	28			23					0.6	8
9	0.5	0.3		16	10		0.6						9
10	37	0.2		0.4									10
11	53	0.4	11	0.3		14	0.8						11
12	20		0.8	23	0.3	0.4							12
13	10			12		55							13
14	12		15	24									14
15		0.2	25	22		25			19	13			15
16		0.3	12	24					51			0.9	16
17			0.2	19					31	46			17
18						0.3			34				18
19	0.5							42	18			10	19
20	13			24									20
21	0.7	19		18		65			0.8		10	16	21
22							105	0.4	5.3				22
23				34					21			24	23
24		0.3					45					42	24
25	0.3		0.7						0.4			06	25
26			0.4										26
27	0.4		0.8		107		0.7						27
28	17	0.9	0.2	32		11					58		28
29	40			0.5	0.4		0.8				019	03	29
30	24		24									34	30
31	0.2				14		54					19	31
TOTAL	·05 ~~2.55~~ 2.60	~~.62~~ .57	1.51	3.34	1.54	1.77	4.01	2.44	·56 ~~2.63~~ 3.19	·25 1.79 1.48	·28 ~~1.02~~ 1.05	·12 ~~2.41~~ 2.25	25.75 YEAR'S TOTAL ~~2563~~
Days with ·01 in. or more	~~16~~ 17	10 ~~11~~	15	18	7	7	12	5	~~11~~ 12	7	4	15	~~128~~ ~~129~~

(44,283). Wt. 21,958—2/18/ 7500. 10/19. Gp. 132. A.&E.W.

14 ~~15~~ 4 ~~15~~ 12 16 5 6 ~~12~~ 5 12 11 7- 4- 14- 111

HIGHGATE

NORTH HILL

1911 - 1920

RE 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at 9 North Hi 5 in.

e Ground 1 ft. —— in.

in the County of Md Sea Level 400 ft.

a.m

by Leonard J. T Name Highgate G.N.R.

Distance 10 minutes ~~Direction~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03			.68			.02	.04					1
2	.18			.33	.18						.15	.16	2
3	.01	.03			.14					.01	.06	.07	3
4	.05	.02	.07	.11						.04	.24	.26	4
5	.02			.05						.20		.15	5
6	.31		.14									.23	6
7	.02									.15	.22	.26	7
8	.14		.17								.23	.18	8
9	.10		.03	.03								.03	9
10	.03	.11	.10	.02							.04	.39	10
11	.24				.05						.71	.02	11
12	.03		.50		.18	.20			.05		.30		12
13			.08		.20				.48	.26	.02	.23	13
14		.09			.25					.02		.43	14
15		.05	.22								.03	.02	15
16						.52					.38	.03	16
17			.10			.02					.34	.11	17
18			.02			.08					.52	.17	18
19					.02	.20		.11	.19	.13	.23	.11	19
20		.02	.01					.30	.09	.07		.48	20
21	.01	.05						.26		.43		.10	21
22	.09		.10			.03		.01		.03		.42	22
23		.07	.14			.94			.30		.03	.15	23
24		.13	.03			.05	.02	.04		1.21		.27	24
25		.03	.02	.05		.19	.27			.02		.01	25
26			.03	.24		.07	.03			.15	.04	.30	26
27		.38	.08	.01					.12		.05	.08	27
28	.02	.20		.26			.20	.07					28
29		x		.08		.17	.09		.18	.25	.01		29
30		x		.09	.03	.03		.02	.03	.16		.01	30
31		x		x	.08	x			x		x		31
Total	1.28	1.18	1.84	1.95	1.13	2.50	.63	.85	1.44	3.13	3.60	4.67	TOTAL for year 24.20
No. of Rain Days.	15	12	17	12	9	12	6	8	8	15	18	26	158

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at 9 North Hill - Highgate

in the County of Middlesex

by Leonard J. Tatham

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 400 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Highgate G.N.R.
Distance 10 minutes ~~Direction~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03			.68			.02	.04					1
2	.18			.33	.18						.15	.16	2
3	.01	.03			.14					.01	.06	.07	3
4	.05	.02	.07	.11						.04	.24	.26	4
5	.02			.05						.20		.15	5
6	.31		.14									.23	6
7	.02									.15	.22	.26	7
8	.14		.17								.23	.18	8
9	.10		.03	.03								.03	9
10	.03	.11	.10	.02							.04	.39	10
11	.24				.05						.71	.02	11
12	.03		.50		.18	.20			.05		.30		12
13			.08		.20				.48	.26	.02	.23	13
14		.09			.25					.02		.43	14
15		.05	.22								.03	.02	15
16						.52					.38	.03	16
17			.10			.02					.34	.11	17
18			.02			.08					.52	.17	18
19					.02	.20		.11	.19	.13	.23	.11	19
20		.02	.01					.30	.09	.07		.48	20
21	.01	.05						.26		.43		.10	21
22	.09		.10			.03		.01		.03		.42	22
23		.07	.14			.94			.30		.03	.15	23
24		.13	.03			.05	.02	.04		1.21		.27	24
25		.03	.02	.05		.19	.27			.02		.01	25
26			.03	.24		.07	.03			.15	.04	.30	26
27		.38	.08	.01					.12		.05	.08	27
28	.02	.20		.26			.20	.07					28
29		x		.08		.17	.09		.18	.25	.01		29
30		x		.09	.03	.03		.02	.03	.16		.01	30
31		x		x	.08	x			x		x		31
Total	1.28	1.18	1.84	1.95	1.13	2.50	.63	.85	1.44	3.13	3.60	4.67	TOTAL for year 24.20
No. of Rain Days.	15	12	17	12	9	12	6	8	8	15	18	26	158

W. 8,000, X. '11.

✓

REGISTER Ef Dl OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at 9 North Hill - Highgate

in the County of Middlesex 1

by Leonard J. Tatham

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Highgate G.N.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ~~in.~~

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.09	.02	—	.15	.29	—	.06	.33	—	.17	1
2	—	.02	.22	—	—	.02	.30	.02	—	—	—	—	2
3	.06	.01	.19	—	.03	.22	.02	.40	—	—	—	.07	3
4	.30	.02	.58	—	.24	.12	—	.03	—	—	.14	—	4
5	.17	.09	—	—	—	—	—	.19	—	—	.05	—	5
6	.57	.01	—	—	—	.16	—	.08	.01	—	—	.03	6
7	—	—	—	—	.04	.57	.02	.18	—	—	—	.02	7
8	.41	.35	.13	—	—	.02	—	.12	—	—	—	—	8
9	.01	.09	—	.04	—	.31	—	.04	—	—	—	.17	9
10	—	.05	—	—	—	—	—	.14	.01	.01	.06	.20	10
11	.03	.35	—	—	—	.05	—	—	.03	.01	.01	.13	11
12	.09	.07	.09	—	.20	.16	—	—	—	.01	.06	—	12
13	.01	—	—	—	—	—	—	—	—	—	.08	.01	13
14	—	—	.01	—	.04	—	—	.10	—	.07	—	.02	14
15	—	.03	.06	—	.21	.44	—	.03	—	—	.02	.38	15
16	.32	—	.05	—	.02	.04	—	.07	—	—	.09	—	16
17	.66	—	.24	—	—	.08	—	.05	—	—	—	.01	17
18	.07	—	.13	—	—	—	—	.09	—	—	.02	.10	18
19	.20	.08	.11	—	—	—	.06	.41	—	—	.01	—	19
20	.02	—	.12	—	—	—	—	.28	—	.30	—	—	20
21	—	.07	.21	—	.02	—	—	.10	—	.06	.06	—	21
22	.24	.20	.03	—	—	—	.25	.14	—	.03	—	.04	22
23	.40	.40	.34	—	—	—	.32	.52	—	—	.15	.17	23
24	.48	.02	—	—	—	.10	.02	.15	—	—	—	.13	24
25	.05	—	—	—	—	.29	—	.65	—	—	.24	.45	25
26	—	.01	—	—	—	—	.17	.30	—	.48	—	.20	26
27	—	—	—	—	—	.09	—	—	—	.16	—	.20	27
28	—	.03	—	.01	—	.04	.01	.63	.04	.30	.32	.11	28
29	—	.01	—	—	—	.30	.32	.28	1.11	.19	.06	—	29
30	—	x	—	—	.28	—	—	—	1.03	—	—	—	30
31	.01	x	.34	x	—	x	.14	.19	x	—	x	—	31
Total	4.10	1.91	2.94	.07	1.08	3.16	1.92	4.59	2.29	1.95	1.37	261	YEAR'S TOTAL 27.99 ✓
Rain Days.	19	19	17	3	9	18	12	25	7	12	15	19	175 ✓

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 - JAN 1914

Kept at 9 North Hill - Highgate
in the County of ~~Lo~~ Middlesex
by Mr L. J. Tatham

Lat. .... Long. —
Time of Observation 9 a.m.
Nearest Railway Station Highgate G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.21	.05	.28					.32		.07	.11	1
2	.02	.10					.08		.15	.02	.03		2
3			.03	.16	.40					—		.05	3
4	.23	—	—	.02	.35		.18				.04	.03	4
5	.16					.07	.25		.22	.13		.04	5
6		.01	.15		.07	.15	.21		.01	.17	.02	.09	6
7		.09			.03	.02	.04	.06	—	.44	.10		7
8		.03	.05		.13	.05				.07	.05		8
9		.17		.02	.03				.03		.05	.06	9
10	.02		.08	.09			.28	.10			.34		10
11	.67			.50	.06			.04		.54	.14		11
12		.01	—		.04					.01	.43		12
13	.08		.01					.03	.04		.29		13
14	.04	.01	.09	.05			.81	.11	.05	.17	.09		14
15	.18	[illegible]	.20	.19			.27		.03	—		—	15
16	.14		.35	.17					.36				16
17	.03		.03	.06			.18	.01			.02		17
18	.02		.04	.20	.02						.03		18
19	.13		.05	.03	.03		.17	—	.30			.02	19
20	.08		.04	.04		.15				.54	.02		20
21			.18	.08			.04			.20	.70		21
22	.48		.18	.01				.03	.19	—			22
23			.01			.02		.18	.03			.17	23
24			.01	.06		.01		.03		.02	.02		24
25		.02		.15		.04				.01			25
26		.05	.24	.06				.13		.67		.30	26
27			.02	.05						.02			27
28	.23		.23	.19					.01	.08			28
29	.07	x	.09	.43	.54			.05					29
30	.21	x		.13	—			.21		.09			30
31		x	.03	x		x		.48		.04	x		31
Total	2.81	.70	2.16	2.97	1.70	.51	2.51	1.46	1.74	3.22	2.44	.87	YEAR'S TOTAL 23.09
Rain Days.	18	10	22	22	11	8	11	13	13	17	17	9	171

W.7,000, XI. 13

64 9½ L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
18 JAN 1915

Kept at 9 North Hill - Highgate

in the County of Middlesex

by L. J. Tatham Esq

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station Highgate. G.N.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.12					.16			.04	.01	1
2	.01			.01			.14	.16			.15	.13	2
3			.08	.01	.13		.50				.10		3
4	.10		.01	.18				.04			.36	.15	4
5	.03		.07	.19	.12	.05	.39	.82					5
6		.10		.02	.01	.17	.04	.01			.18	.14	6
7	.01	.15	.34	.08	.84	.13	.05					.06	7
8	.03	.30	.66	.02	.04	.17	.10	.14	.01			.01	8
9	.13	.08	.62	.20		.40			.13			1.36	9
10	.02	.29		.05	.05				.16			.61	10
11			.38			.13			.10		.23	.27	11
12	.02	.05	.11				.10		.19	.01	.01	.42	12
13	.05	.20	.11						.13	.10	.05	.40	13
14		.05	.33				.16			.14	.10	.67	14
15			.13					.02		.07	.20	.05	15
16			.05				.06		.04		.01		16
17		.36	.09						.05			.13	17
18		.03	.13									.21	18
19		.03	.19			.10	.05		.02		.17	.28	19
20		.26	.38			.06			.13	.01		.13	20
21		.48	.07			.09				.02		.05	21
22				.02	.39	.06	.12	.03		.14			22
23			.17		.17	.02				.08			23
24	.01		.08	.02	.02				.01	.01	.13	.02	24
25	.03		.18					.11		.36		.10	25
26	.03		.03				.09	.14			.13	.55	26
27	.03									.03	.02	.17	27
28		.04			.01						.38	.84	28
29	.03	X	.10							.26	.09		29
30		X	.05							.02	.64	.15	30
31		X		X	.20	X	.04		X		X	.03	31
Total	.53	2.42	4.48	.80	1.98	1.38	1.84	1.63	.97	1.25	2.99	6.34	YEAR'S TOTAL 26.61
Rain Days.	14	14	24	11	11	11	13	10	11	13	18	25	175

W. 8,000. X. 14.

E.K.d L.t Cor.d [illegible] 29.2.16

932

FORM A.
BRITISH RAINFALL.

3 - JAN

REGISTER OF RAINFALL IN 1915

Kept at 9 North Hill - Highgate

in the County of Middlesex

by Leonard J. Tatham Esq

1—

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Highgate - G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.37	.15	.04		.04				.06	.04	.42	.45	1
2	.30	.12	.26	.11				.72		.05		.08	2
3	.41			.18				.30				.50	3
4	.05							.19				.25	4
5	.03	.35						.01		.03		.25	5
6	.26	.01		.20	.31		.77					.50	6
7	.56	.25	.03	.02			.52	.02			.01	.19	7
8	.04	.47	.01	.05			.02	.03					8
9		.06		.09		.10		.06		.01	.36	.74	9
10	.30							.09				.12	10
11	.02	.01	.01					.03			.70		11
12	.07	.02		.24	.47			.40		.01	.37		12
13		.35			1.50			.02				.01	13
14		.05					1.13		.06			.65	14
15	.09				.07		.01	.17			.28	.11	15
16		.29					.74	.03					16
17		.31			.93		.08						17
18		.21	.06		.18						.04		18
19		.07					.12						19
20	.30			.06						.03		.27	20
21	.17						.01			.01		.04	21
22	.86	.12	.23	.01			.80		.01			.11	22
23		.39 snow	.15			.06	.43		.15	.38		.30	23
24			.03			.01	.04		.26	.13		.23	24
25			.13	.09		.03	.25			.03		.14	25
26		.07				.19	.34					.50	26
27						.10	.28			.37			27
28		.05	.02			.15			1.37	.11			28
29		~~.05~~	.03			.01	.48	.14			.13	.01	29
30	.04	X				.01				.02	.15		30
31	.01	X		X		X		.02	X	.98	X	.15	31
Total	3.88	3.35	1.00	1.05	3.50	.66	6.02	2.23	1.91	2.20	2.46	5.60	YEAR'S TOTAL 33.86
Rain Days.	17	19	12	10	7	~~8~~ 9	16	15	6	14	9	21	155

W. 8,000. X. 15.

907

FORM A.
BRITISH RAINFALL.
4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 9 North Hill - Highgate N

in the County of Middlesex

by Leonard J. Tatham

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Highgate - G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04					.01			.18	.03	.41		1
2	.45	.03	.11		.24		.01		.48	.38	.01		2
3		.37	.18		.25		.04		.11	.26	.67		3
4	.18	.11				.39	.03		.03	.10	.40		4
5			.03		.06	.26				.05	.38		5
6	.01	.04	.31	.25	.02	.18	.34			.07	.42		6
7	.07		.29		.16	.26	.28			.02	.81	.04	7
8			.03		.29	.01					.02	.29	8
9			.08		.33	.03				.05		.13	9
10		.17		.05		.45	.06				.01	.11	10
11	.07	.13	.03	.14		.10			.02		.01		11
12	.03	.01	.01	.04	.35	.14	.03	.07		.08			12
13		.38	.33	.16	.04	.07	.37	.11		.02			13
14		.43	.01	.02	.11			.27		.04		.18	14
15		.24	.46	.04				.31		.01			15
16			.17	.15			.17	.29	.28	.01			16
17	.08	.07		.02			.04	.89	.08	.66		.01	17
18	.01	.11	.03	.15				.44	.21	.04	.69		18
19	.04	.01	.19	.17							.74	.05	19
20	.13	.01	.27	.09							.02	.32	20
21	.01		.80				.04					.36	21
22	.01	.02	.08							.03		.45	22
23	.02				.01	.16		.01		.01	.05	.08	23
24		.25			.02	.11		.02		.05	.04	.37	24
25		.40	.19		.07			.22		.04	.10		25
26		.22	.02			.06		.08		.03			26
27	.08		1-16			.03		.29	.11	.55			27
28		.55	.37			.07		.01	.24			.23	28
29		.06				.31		1.72	.03	.36		.12	29
30				.04	[illegible]			.08		.68			30
31								.05		.09		.02	31
Total	1.23	3.61	5.15	1.32	1.95	2.64	1.41	4.86	1.77	3.66	4.78	2.76	YEAR'S TOTAL 35,14
Rain Days.	15	29	22	13	13	17	11	16	11	24	16	15	193

W. 8,000. X. 15.

874

FORM A.
BRITISH RAINFALL.
17. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at 9 North Hill - Highgate
in the County of Middlesex
by Leonard J. Tatham

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Highgate G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.27				.97	.05		.13		1
2		.03	—	.35		.02		.07	—	—	.11		2
3				.03				.40		.22	.49		3
4		.11	.16				.06	.40		.37			4
5	.23	.01	.04	.53				.13	1.08	.09	.07		5
6	.01		—	.01		.03			.10		.13		6
7	.19		.03		—		.10			.34	.01	.03	7
8	.14			.09			.95	.09		.25	.17	.29	8
9	.02		.04	.15			.04	.11	.03		.05	.14	9
10	.19		.08	.04				.03		—	.02	.03	10
11	.15		.37	.40					.03	.27			11
12	.10		.03	.01				.03		.40			12
13	.04		.13	.02				.03	.03			.03	13
14				.27				.20					14
15	.04			.01			.27	.05	—	.04			15
16	.05	.18	—	.13	.12	.87	.13			.42			16
17		.01		.08	.59		.28	.02	.42	.36			17
18	.04	.09			.11	.41	.12	.07	.17	.10			18
19	.01	.14	.07		.23	.01	.01	.01	.27	—			19
20	.06	.25	.08		.66		—				.07		20
21	.04		.04	.01	.04	.01			—		.05		21
22			.05			.10		.09		.07		.03	22
23		.13	.02		.14	.03		.14				.02	23
24		.05				.08		.08		.24	.03		24
25		.02	.04	—							.10	.01	25
26			.09			.08		.33	.05		.42		26
27								.88					27
28			.01			1.34		.12				.06	28
29			.02		.65	.05	.24	.08		.22		.17	29
30	.01	✕	.42				1.67	.04		.02		.03	30
31	.05	✕	.08	✕		✕	.38	.01	✕		✕	.02	31
Total	1.37	1.02	1.80	2.40	2.54	3.03	4.25	4.38	2.23	3.41	1.85	.86	YEAR'S TOTAL 29.14
Rain Days.	17	11	19	16	8	12	12	24	10	15	14	12	170

W. 8,000, IX. 17.

~~W~~ 8L

21

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
7.1.19

Kept at 9 North Hill - Highgate N. 6
in the County of Middlesex
by Leonard J. Tatham Esq

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Highgate G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.03	—	.06	—	—	—	—	—	—	—	.07	1
2	.00	.07	—	.03	—	—	—	.33	—	—	.17	.22	2
3	.00	—	.05	.03	.51	—	—	.32	.01	—	.50	—	3
4	.00	.07	.20	.02	—	—	—	.07	.80	—	.44	.01	4
5	.00	.02	—	—	.13	—	—	.10	.12	.10	—	—	5
6	.16	.17	—	.32	.15	—	—	.09	—	—	—	.08	6
7	.06 .06	.08	—	.05	—	—	—	.02	.09	.10	.10	—	7
8	.00	.04	—	—	—	—	—	—	.12	.01	.04	.03	8
9	.02	.04	—	.03	—	.05	.24	—	.42	.15	—	.18	9
10	.02 .02	—	—	.10	—	—	.61	—	.02	.02	.03	.42	10
11	.00	—	—	.04	.09	—	.94	—	.12	.17	.11	.10	11
12	.00	.04	—	—	.11	—	.06	—	.09	—	—	.02	12
13	.00 .09	.02	—	.01	.23	—	.17	—	.09	—	—	.01	13
14	.15	—	.02	—	—	.19	.07	—	.49	.20	—	.28	14
15	1.49	—	—	.95	—	—	.05	—	.02	—	—	.08	15
16	.25	—	—	.31	—	.18	—	—	.27	.02	—	.01	16
17	.22	—	.01	.30	.40	.06	.46	.03	—	—	—	.15	17
18	.50	—	—	—	—	.26	.15	—	1.52	.17	—	.06	18
19	.04	—	.05	.09	—	.16	.40	—	.02	.06	—	.15	19
20	.00	.12	—	.56	—	.02	.09	—	.11	.17	—	.03	20
21	.08	.01	—	.23	—	—	—	—	.39	.05	—	.06	21
22	.05	—	—	.02	.37	—	.07	—	.14	—	.01	.11	22
23	.03	—	—	.02	.28	—	.49	.06	.13	—	—	.03	23
24	.00	.22	—	—	—	.03	.14	—	.05	—	.03	—	24
25	.00	—	—	—	—	.02	.53	.11	—	.01	.09	—	25
26	.00	—	—	—	—	—	.33	.08	.01	.03	.21	.13	26
27	.00	.02	—	.12	—	—	.03	.20	.04	—	.36	.02	27
28	.01	.03	.11	—	—	—	—	—	—	—	—	.12	28
29	.00	×	—	—	—	—	—	—	1.22	—	.02	—	29
30	.00	×	.49	—	—	—	—	—	.02	—	.03	.05	30
31	.00	×	—	×	—	×	—	.03	×	.04	×	.02	31
Total	3.08 ✓	.98	.93	3.29	2.27	.97	4.83	1.44	6.31	1.30	2.14	2.44	YEAR'S TOTAL 29.98 ✓
Rain Days.	14	15	7	19	9	9	17	12	24	15	14	25	180

✓

W. 6,500, VII. 18. W W C

824

2 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 9 North Hill - Highgate N. 6

in the County of Middlesex

by Leonard J. Tatham

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Highgate G. N. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.05			.02		.20			.02		.80	1
2	.36				.22		.10		.25	.06	.15	.14	2
3	.30		.32		.01		.06		.02		.05	.34	3
4	.11	.08	.30				.19	.08			.01	.12	4
5	.02	.45	.49			.06	.02		.08		.01	.24	5
6	.01		.07								.01	.02	6
7	.04		.33								.02		7
8	.08		.06								.02		8
9	.16		.02	.18	.02						.05		9
10	.41		.05	.04						.01	.02	.03	10
11	.02		.10	.27	.01		.15					.01	11
12			.10	.01		.05	.17			.03	.01	.02	12
13	.02			.27					.03	.03			13
14	.28			.28			.11		.62			.02	14
15	.21	.03	.15	.24						.04	.02	.30	15
16	.03	.73		.02							.11	.03	16
17		.52	.05	.02							.20	.02	17
18		.18	.06						.03			.06	18
19		.19	.81			.18	.26	.31	.12		.16	.01	19
20	.40	.07	.08			.94	.22	.22	.02				20
21	.14	.34	.02			.02	.11				.01	.13	21
22		.12					.14		.06		.02	.30	22
23						.04			.09		.01		23
24	.04			.17		.04	.03	.08		.20	.02	.02	24
25	.03			.04	.04	.01		.18				.03	25
26	.09	.19	.10	.18			.12	.07	.02			.32	26
27	.52	.02	.03	1.07				.42				.02	27
28			.15	.03				.85			.14	.30	28
29	.03	✕		.05				.25		.22	.14	.02	29
30		✕	.02	.26		.22		.14		.02	.22	.23	30
31	.03	✕	.02	✕		✕	.03		✕		✕	.01	31
TOTAL	3.69	2.97	3.33	3.13	.32	1.56	1.91	2.60	1.34	.63	1.40	3.54	YEAR'S TOTAL 26.42
Days with ·01 in. or more	23	13	21	16	6	9	15	10	11	9	21	25	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cox ML 778

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 9 North Hill - Highgate N. 6
in the County of Middlesex
by Leonard J. Tatham Esq

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Highgate G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.35	.06	—	.38	—	—	.25	.01	.21	1
2	—	—	.02	—	—	—	—	.94	.08	.13	—	.08	2
3	—	.08	—	—	—	—	—	—	.07	.02	—	.01	3
4	—	.02	—	.07	—	—	.12	.06	—	.18	—	.03	4
5	—	—	.09	—	.03	—	.55	.04	.05	—	—	.04	5
6	—	—	.18	—	—	—	.33	.03	—	—	—	.04	6
7	.01	.01	.01	.26	—	—	.22	—	—	—	—	.04	7
8	.05	.02	—	.14	.10	—	.05	.01	—	—	—	—	8
9	.33	.01	—	.03	—	—	—	.01	—	—	—	—	9
10	.44	.03	.11	.02	—	.17	.06	—	—	—	.01	.02	10
11	.15	—	.06	.23	.01	.03	.20	.01	—	—	—	.24	11
12	.08	—	—	.12	—	.61	—	—	—	—	—	—	12
13	.10	.01	—	.24	—	—	—	—	—	—	.09	—	13
14	—	.01	.11	.19	—	.20	—	—	.13	.02	.15	—	14
15	—	.02	.07	.21	—	—	.01	—	.50	.15	—	—	15
16	—	—	—	.13	—	.05	—	—	.31	.43	—	.04	16
17	.01	—	—	—	.16	—	—	—	.18	—	—	.04	17
18	.01	—	—	.02	.01	—	—	.76	.25	—	.01	.02	18
19	.12	.19	—	.20	—	.03	—	—	—	—	—	.04	19
20	.04	—	—	.16	—	.61	—	—	.05	—	—	—	20
21	—	—	—	—	—	—	1.03	.02	.65	—	—	.05	21
22	—	—	—	.34	—	—	—	—	.18	—	.01	.31	22
23	—	—	—	.04	—	—	.47	.01	—	—	—	.43	23
24	.02	—	.05	—	—	—	—	—	—	—	—	.04	24
25	—	.02	.02	.01	—	—	.16	—	.04	—	—		25
26	.02	—	.06	.01	1.23	—	.03	—	—	—	—	.03	26
27	.15	.07	—	.28	—	.10	—	—	—	—	.60	.12	27
28	.40	—	.15	.04	.01	.01	.06	—	—	—	—	.01	28
29	.20	—	.07	—	—	—	.01	—	—	—	.05	.31	29
30	.02	X	—	—	.11	—	.30	—	.50	—	.16	.18	30
31	.02	X		X	.02	X	.02		X	.18	X	.16	31
TOTAL	2.17	.49	1.00	3.09	1.74	1.81	4.00	1.89	2.99	1.36	1.09	2.49	YEAR'S TOTAL 24.12
Days with ·01 in. or more	18	12	13	21	10	9	17	10	13	8	9	23	163
Days with ·04 in. or more	11	3	10	16	5	6	13	4	13	6 ~~7~~	5	17	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

27 III 12

REGI

HOLBORN

STONE YARD

1911 - 16, 18 - 20

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

9

Kept at Stone Yard,

in the County of N. of T.

by E. F. Spurrel

in.

ound 11·92 ft. in.

Level 98·77 ft.

me

tance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·15	·70				·03				-	1
2	·23			·15	·19						·20	·12	2
3		·02		·01	·13						·14	·11	3
4	·03		·09	·14					·03	}	·22	·33	4
5	·02			·03						·27 }	·05	·07	5
6	·27		·20								·26	·22	6
7	·04									·13		·14	7
8	·16		·15								·25	·26	8
9	·12			·04								-	9
10	·04	·14	·10								·11	·51	10
11	·26				·30						·66	-	11
12			·48		·08				·05		·21	-	12
13					·25				·50	·36		·22	13
14		·10	·10		·14							·43	14
15		·05	}							·01	·04	·01	15
16			·20 }			·61					·36	·02	16
17			}			·10					·17	·12	17
18		·15	·03			·08					·43	·16	18
19					·01	·18		·48	·18	·09	·27	·04	19
20		}	·04					·31	·15	·06		·54	20
21		·14 }						·09	·04	·53		·04	21
22	·08		·04							·17		·36	22
23		·09	·06			·91			·32		·03	-	23
24		·15	·01			·06	·05			1·00		·10	24
25				·07		·15	·34					·31	25
26		·04	·06	·23		·21				·11	·01	·30	26
27		·03	·07	·03					·18		·09	·08	27
28		·35		·23	·02		·65	·06				-	28
29				·08		·19	·09		·13	·22		-	29
30				·03				·06		·16		-	30
31					·78							-	31
Total	1·25	1·26	1·78	1·74	1·90	2·49	1·13	1·03	1·58	3·11	3·50	4·49	TOTAL for year 25·26
No. of Rain Days	10	~~14~~ 12	17	12	9	9	4	6	9	13	~~20~~ 17	~~23~~ 22	140

9,000, IX. '10.

27. III. 12

REGI

FORM A2. BRITISH RAINFALL. 9
23 JAN 1912

Kept at Stone Yard, Holborn
in the County of N. of Thames 2
by E. F. Spurrell

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 11·92 ft. in.
" " " Sea Level 98·77 ft.
Time of Observation
Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·15	·70				·03				-	1
2	·23			·15	·19						·20	·12	2
3		·02		·01	·13						·14	·11	3
4	·03		·09	·14					·03		·22	·33	4
5	·02			·03						·27	·05	·07	5
6	·27		·20								·26	·22	6
7	·04									·13		·14	7
8	·16		·15								·25	·26	8
9	·12			·04								-	9
10	·04	·14	·10								·11	·51	10
11	·26				·30						·66	-	11
12			·48		·08				·05		·21	-	12
13					·25				·50	·36		·22	13
14		·10	·10		·14							·43	14
15		·05								·01	·04	·01	15
16			·20			·61					·36	·02	16
17						·10					·17	·12	17
18		·15	·03			·08					·43	·16	18
19					·01	·18		·48	·18	·09	·27	·04	19
20			·04					·31	·15	·06		·54	20
21		·14						·09	·04	·53		·04	21
22	·08		·04							·17		·36	22
23		·09	·06			·91			·32		·03	-	23
24		·15	·01			·06	·05			1·00		·10	24
25				·07		·15	·34					·31	25
26		·04	·06	·23		·21				·11	·01	·30	26
27		·03	·07	·03					·18		·09	·08	27
28		·35		·23	·02		·65	·06				-	28
29				·08		·19	·09		·13	·22		-	29
30				·03				·06		·16		-	30
31					·78							-	31
Total	1·25	1·26	1·78	1·74	1·90	2·49	1·13	1·03	1·58	3·11	3·50	4·49	TOTAL for year 25·26
No. of Rain Days	10	~~14~~ 12	17	12	9	9	4	6	9	13	~~20~~ 17	~~23~~ 22	140

9,000, IX. '10.

Ex 98

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

11 FEB 1913

Kept at Holborn (Stone Yard)

in the County of London 2

by E. F. Spurrell, Esq

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·06			·26	0·20		0·09	0·27		·21	1
2			{ 0·41			·05	0·27	·12					2
3	·08					·15						·08	3
4	·33	·04	0·44		0·38	·11		·40					4
5	·20		0·03					·20			0·04		5
6	·45					·23		}					6
7		·02	0·01		0·07	·53	0·08	·26 }					7
8	·35	·26	0·08			·15		·12					8
9		·02		0·03		·18		·05				·15	9
10		·09						·39			0·04	·26	10
11	·07	·37				·04		·005	0·01			·13	11
12		·08	0·08		0·17	·11						·01	12
13		·02						·06			0·07	·01	13
14			0·02		0·03			·005		0·04		·03	14
15	0	·03	0·12		0·30	·53		·06			0·03	·41	15
16	·35		0·03		0·03	·08				0·04			16
17	·66		0·20			·07		·05			0·07		17
18	·04		0·19					·06		0·02	0·01		18
19	·14	·04	0·01					·52				~~0·04~~ ·09	19
20			0·15					·06		0·44			20
21		·02	0·19					·16		0·04	0·04		21
22	·27	·15	0·04		0·02		0·21	·15				·08	22
23	·37	·30	0·37					·50		0·09	0·16	}	23
24	·45	·02	0·01			·25	0·03	·16				·85 }	24
25	·26							·77			0·06	}	25
26		·02						·29		0·42	0·32	·35	26
27		0				·11	0·09			0·16		·24	27
28		·04				·06	0·23	·06	0·06	0·18	0·40	·09	28
29		·01				·04	0·11	·20	0·95	0·10	0·05		29
30			0·01		0·31				1·03	0·13			30
31			0·27				0·10	·19					31
Total	4·02	1·53	2·72	0·03	1·31	2·95	1·32	4·54	2·14	1·93	1·24	2·99	YEAR'S TOTAL 27·07
Rain Days.	17	17	21	1	8	17	9	23	5	~~15~~ 12	12	17	159

W. 7,500, XI. ·12

22 ✓

23

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Stone Yard Holborn

in the County of London 2 Ex RL Imp.

by E. F. Spurrell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1												·07	1
2													2
3					·37							·03	3
4	·16				·27								4
5	·29											·13	5
6					·04								6
7					·05			·10					7
8					·06							·03	8
9					·03								9
10								·07					10
11	·40				·04								11
12					·06								12
13	·06							·02					13
14	·10							·08					14
15	·19												15
16	·09												16
17	·02												17
18	·04												18
19	·16												19
20													20
21													21
22	·39							·18					22
23								·08				·10	23
24													24
25													25
26								·13				·08	26
27													27
28	·21												28
29	·05				·60							·01	29
30	·20							·05					30
31								·17					31
Total	2·36				1·52 ✓			·88 ✓				·45	YEAR'S TOTAL
Rain Days.	14 ✓ 15				9 ✓			9 ✓					

W. 7,500, XI. ·12

81 21

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Holborn, Stone Yard

in the County of London L. Bank 2

by E. F. Spurrell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·01	·11	1
2							·17	·26			·58	·15	2
3							·03						3
4	·07			·17							·25	·25	4
5				·15			·36	·66					5
6		·10		·15							·07	·09	6
7		·19					·12					·08	7
8	·26	·29		·15			·08	·10					8
9	·21			·06								1·35	9
10		·10										·02	10
11		·30		·14							·36	·30	11
12		·06					·17				·03	·39	12
13		·16									·08	·30	13
14		·05									·08	·41	14
15							·04				·34	·05	15
16	·02												16
17		·28										·19	17
18												·28	18
19		·04					·05				·17	·47	19
20		}										·05	20
21		·41 }										·05	21
22							·10						22
23							·05						23
24											·13		24
25	·03						·05					}	25
26								·24			·16	·73 }	26
27	·03										·16	·16	27
28		·04									·52	1·08	28
29	·03										·12		29
30											83	·14	30
31							·01					·01	31
Total	·65	2·02		·82			1·23	1·26			3·89	6·66	YEAR'S TOTAL 24·58
Rain Days.	7	13		6			12	4			16	23	138

W.7,000, XI. 13

81.

~~23~~ 76

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Stone Yard, Holborn Ex Dr

in the County of London Thames L. Bank 2

by E. F. Spurrell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·17			·03	—							1
2	·40	·17											2
3	·42			·31	·01								3
4	·03	·45											4
5	·05												5
6	·33	·02		·21	3·00		1·00						6
7	·50	·22		·01			·10						7
8	·05	·52		·10			·06						8
9													9
10	·26	·01											10
11	·01												11
12	·09	·12		·26	·53								12
13		·23			1·27								13
14		·15					·70						14
15	·10												15
16		·30											16
17					·95		·60						17
18					·12		·06						18
19		·21											19
20	·40			·05									20
21	·08												21
22	1·00	}		·03			·90						22
23	·05	·39}					·28						23
24													24
25				·13			·21						25
26	·01	·07					·42						26
27													27
28		·05											28
29							·23						29
30		X											30
31		X		X		X			X		X		31
Total	4·08	3·08		1·10	5·91		4·56						YEAR'S TOTAL
Rain Days.	17	16		8	7		11						

W. 8,000. X. 14.

DL   Ex DL   70
~~23~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Stone Yard Holborn
in the County of London L. Bank
by E. F. Spurrell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·33	—							1
2		·01			·30								2
3		·35											3
4													4
5					·03								5
6		·08			·02								6
7					·15								7
8					·27								8
9					·19								9
10		·20											10
11		·09											11
12		·01			·30								12
13		·30			03								13
14		·30			·07								14
15		·20											15
16													16
17		·20											17
18		·07											18
19		·04											19
20													20
21													21
22													22
23		·08											23
24		}			·08								24
25		·40 }											25
26		·22											26
27													27
28		38											28
29		·05			·03								29
30		X											30
31		X		X		X			X		X		31
Total		2·98			1·80								YEAR'S TOTAL
Rain Days.		18			12								

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

7.5.19

REGISTER OF RAINFALL IN 1918.

Kept at STONE YARD, HOLBORN.
in the County of LONDON
by HOLBORN BOROUGH COUNCIL.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1.92 ft. - in.
" " " " Sea Level 88.77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.03		0.38							0.11	0.12	1
2		0.02		0.12				0.40			0.09	0.20	2
3		0.06	0.22	0.03	0.40			0.38			0.45	0.01	3
4								0.05	0.62		0.50		4
5					0.08			0.14	0.23	0.05			5
6	0.17	0.15		0.25	0.22			0.16					6
7				0.11	0.12			0.02	0.05		0.08		7
8		0.12		0.01					0.15	0.03		0.10	8
9	0.12	0.03					0.20		0.36	0.09			9
10							0.60		0.01			0.12	10
11				0.15	0.03		1.30		0.04	0.11	0.17		11
12					0.28								12
13		0.02			0.08		0.16					0.25	13
14	0.12					0.37	0.09		0.71	0.13		0.05	14
15	1.20			0.82			0.70						15
16	0.21			0.28		0.03			0.23			0.10	16
17	0.20			0.26	0.12	0.09	0.80	0.01					17
18	0.58					0.20			0.86	0.22			18
19	0.02		0.12	0.12		0.15	0.35			0.05		0.15	19
20	0.02			0.51		0.01	0.03		0.12	0.10			20
21		0.14		0.32					0.50	0.08			21
22		0.01			0.42		0.12		0.08			0.23	22
23	0.08			0.05	0.21		1.08	0.04				0.01	23
24		0.22		0.02		0.04						0.12	24
25		0.01					0.15	0.13	0.05		0.05		25
26							0.30	0.11			0.16		26
27		0.12		0.08			0.10						27
28											0.23	0.15	28
29			0.35						1.15				29
30		X										0.05	30
31		X		X		X		0.10	X	0.01	X		31
Total	2.72	0.93	0.69	3.51	1.96	0.89	5.98	1.54	5.16	0.87	1.84	1.66	YEAR'S TOTAL 27.75
Rain Days.	12	13	4	16	10	7	15	11	15	10	9	14	136.

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Stone Yard, Holborn

in the County of London

by Holborn Borough Council

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 11.92 ft. in.

" " " " Sea Level 88.77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.30		0.00		0.32		0.36			0.11		0.85	1
2	0.40		0.02				0.09		0.08	0.05	0.11	0.10	2
3			0.21		0.20		0.19		0.01		0.02	0.36	3
4			0.40				0.26	0.05				0.15	4
5			0.51						0.02			0.36	5
6			0.07										6
7	0.02												7
8	0.08			0.02							0.02		8
9	0.03		0.32	0.03	0.20						0.06		9
10	0.33		0.08										10
11			0.05	0.30			0.30						11
12						0.03	0.09			0.04		0.03	12
13				0.28						0.04			13
14	0.20			0.25			0.07		0.41			0.02	14
15	0.23	0.40										0.20	15
16		0.54	0.16	0.20							0.12	0.01	16
17		0.60	0.03								0.16		17
18			0.08						0.02		0.09		18
19	0.10	0.16	0.75			0.23	0.13	0.17	0.08				19
20	0.15	0.03	0.02			0.86	0.25	0.12					20
21						0.06	0.14				0.08		21
22		0.20					0.10		0.18			0.26	22
23		0.10				0.02		0.02					23
24				0.16		0.01	0.03				0.08		24
25				0.04				0.15					25
26	0.08	0.12	0.16	0.11								0.32	26
27				1.25				0.45					27
28			0.26					0.65				0.33	28
29			0.20					0.35		0.25		0.02	29
30		×						0.15		0.01	0.45	0.26	30
31		×		×		×	0.02		×		×	0.01	31
TOTAL	1.92	2.15	3.32	2.64	0.72	1.21	2.03	2.11	·80	0.50	1.19	3.28	YEAR'S TOTAL 21.87
Days with ·01 in. or more	11	8	16	10	3	6	13	9	7	6	11	15	115

Form A. 1. 5/ **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 62

REGISTER OF RAINFALL IN 1920.

8 JUN 1921

Kept at Stone Yard Holborn
in the County of London
by Holborn Borough Council

Lat. Long.
Time of Observation 9 am
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0.92 ft. in.
" " " " Sea Level 88.77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										0.55	0.16	0.14	1
2				0.28		~~0.26~~	0.26	0.85	0.07	0.13		0.18	2
3		0.09							0.04	0.05		0.08	3
4			0.04			~~0.33~~	0.15	0.02				0.03	4
5				0.10	0.03	~~0.36~~	0.31	0.04	0.04	0.09		0.03	5
6			0.15									0.04	6
7			0.01	0.21		x.x	0.46						7
8				0.10			0.08						8
9	·35	0.03		0.02	0.23			0.03					9
10	·55	0.06	0.10			0.12							10
11	·15		0.06	0.27	0.01								11
12	·09	0.01	0.10	0.09		0.40	0.45						12
13	·19		0.25	0.15									13
14	·01			0.30		0.16			0.20				14
15		0.01		0.30		0.01				0.06	0.19		15
16				0.25					0.60	0.17			16
17					0.12			0.71	0.23	0.42			17
18	0.08								0.65			0.28	18
19				0.20					0.13				19
20		0.28		0.08		0.60						0.10	20
21							0.76		0.12				21
22								0.02	0.50				22
23							0.30		0.05			0.23	23
24			0.07									0.49	24
25			0.09				0.10					0.01	25
26				0.30					0.03				26
27	·20	0.10		0.32		0.08	0.40						27
28	·38		0.19				0.10				0.60	0.09	28
29			0.05									0.02	29
30		✕			0.12		0.45				0.02		30
31		✕		✕		✕			✕		✕	0.17	31
TOTAL	2.00	0.58	1.11	2.97	0.51	1.32	3.87	1.67	2.71	1.46	0.97	1.89	YEAR'S TOTAL 21.07
Days with ·01 in. or more	9	7	11	15	7	6	13	6	12	7	4	14	111
Days with ·04 in. or more	8	4	10	14	5	5	13 ~~12~~	3	11	7	3	10	93 ~~92~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL ✓

125

REGI

HORNSEY

LONDON | MIDDX

1911–20

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Hornsey

in the County of Mi

by Met: Water Bo

n.

d ft. in.

evel ft.

e Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.01	.65			.04	.03					1
2	.17			.40	.20						.19	.17	2
3	.03	.02			.17			.01			.09	.09	3
4	.04	.02	.07	.08						.03	.36	.25	4
5	.01			.02						.15	.02	.20	5
6	.37		.14	.01								.24	6
7	.04			.03						.07	.28	.34	7
8	.15		.19								.31	.17	8
9	.11		.03	.03							.01	.01	9
10	.05	.12	.11	.01							.06	.49	10
11	.32		.01		.03						.81		11
12	.02		.50		.20	.09			.05		.42	.01	12
13			.06		.12				.50	.26	.02	.22	13
14		.10	.01		.39							.41	14
15		.06	.23							.01	.04	.01	15
16	.02	.01	.02			.66					.45	.04	16
17			.19			.02					.37	.12	17
18		.24	.01			.05					.46	.18	18
19		.02			.01	.24		.12	.19	.10	.26	.08	19
20		.03	.01					.34	.11	.07		.56	20
21		.10	.02			.01		.20		.55		.10	21
22	.08	.01	.07			.03				.03		.42	22
23		.12	.21			1.00			.30		.04	.13	23
24		.16	.03			.04	.03	.04		1.28		.31	24
25		.03	.02	.07		.17	.21		.01	.03			25
26		.01	.03	.27		.09	.02			.17	.06	.32	26
27		.44	.08	.02				.01	.13		.07	.08	27
28		.29		.29			.56	.04			.01		28
29				.05		.18	.10		.21	.30			29
30			.01	.05	.03	.03			.04	.23			30
31					.02								31
Total	1.45	1.78	2.06	1.98	1.17	2.61	.96	.79	1.54	3.28	4.33	4.95	TOTAL for year 26.90
No. of Rain Days	14	17	23	14	9	13	6	8	9	14	20	24	171

9,000, IX. '10.

DL

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Hornsey

in the County of Middlesex 2

by Met: Water Board

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·01	·65			·04	·03					1
2	·17			·40	·20						·19	·17	2
3	·03	·02			·17			·01			·09	·09	3
4	·04	·02	·07	·08						·03	·36	·25	4
5	·01			·02						·15	·02	·20	5
6	·37		·14	·01								·24	6
7	·04			·03						·07	·28	·34	7
8	·15		·19								·31	·17	8
9	·11		·03	·03							·01	·01	9
10	·05	·12	·11	·01							·06	·49	10
11	·32		·01		·03						·81		11
12	·02		·50		·20	·09			·05		·42	·01	12
13			·06		·12				·50	·26	·02	·22	13
14		·10	·01		·39							·41	14
15		·06	·23							·01	·04	·01	15
16	·02	·01	·02			·66					·45	·04	16
17			·19			·02					·37	·12	17
18		·24	·01			·05					·46	·18	18
19		·02			·01	·24		·12	·19	·10	·26	·08	19
20		·03	·01					·34	·11	·07		·56	20
21		·10	·02			·01		·20		·55		·10	21
22	·08	·01	·07			·03				·03		·42	22
23		·12	·21			1·00			·30		·04	·13	23
24		·16	·03			·04	·03	·04		1·28		·31	24
25		·03	·02	·07		·17	·21		·01	·03			25
26		·01	·03	·27		·09	·02			·17	·06	·32	26
27		·44	·08	·02				·01	·13		·07	·08	27
28		·29		·29			·56	·04			·01		28
29				·05		·18	·10		·21	·30			29
30			·01	·05	·03	·03			·04	·23			30
31					·02								31
Total	1·45	1·78	2·06	1·98	1·17	2·61	·96	·79	1·54	3·28	4·33	495	TOTAL for year 26·90
No. of Rain Days	14	17	23	14	9	13	6	8	9	14	20	24	171

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

17 FEB 1913

Ex Dl

REGISTER OF RAINFALL IN 1912.

Kept at Hornsey
in the County of Middlesex 2
by Metropolitan Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·08	-	-	-	·39	-	·03	·32	-	·22	1
2	-	-	·28	-	-	·15	·28	·03	-	-	-	·01	2
3	·06	-	·25	-	·01	·21	·02	·44	-	-	-	·09	3
4	·35	·01	·68	-	·26	·12	-	·04	-	-	·13	-	4
5	·20	·08	·08	-	-	-	-	·18	-	-	·05	-	5
6	·66	·03	-	-	-	·20	-	·18	·01	-	-	·02	6
7	-	·01	·02	-	·04	·64	-	·15	-	-	-	·03	7
8	·48	·39	·13	-	-	-	-	·06	·01	-	-	-	8
9	-	·09	-	·04	-	·32	·01	·15	-	-	-	·17	9
10	·01	·05	·01	-	-	-	-	·14	·01	-	·05	·21	10
11	·03	·33	-	-	-	·05	-	-	·01	-	-	·14	11
12	·08	·08	·12	-	·17	·11	-	-	-	-	·03	·02	12
13	·02		·01	-	-	-	-	-	-	·04	·06		13
14	-		·01	-	·04	-	-	·12	-	·11	-	·03	14
15	-	·03	·11	-	·21	·60	-	·05	-	-	·01	·40	15
16	·26		·04	-	·04	·05	-	·09	-	·05	·08		16
17	·47		·24	-	-	·08	-	·05	-	-	-		17
18	·08		·13	-	-	-	-	·10	-	·01	·02	·13	18
19	·19	·09	·14	-	-	-	·05	·53	-	-	-		19
20	·03	·01	·13	-	·01	-	-	·26	-	·37	-		20
21	-	·07	·23	-	·03	-	-	·10	-	·06	·04		21
22	·29	·22	·12	-	·01	-	·18	·16	-	·04	-	·04	22
23	·41	·41	·32	-	-	-	·02	·50	-	·03	·17	·18	23
24	·47	·02	-	-	-	·09	·01	·14	-	-	-	·16	24
25	·03		-	-	-	·23	-	·79	-	-	·27	·39	25
26	-	·02	-	-	-	-	·07	·24	-	·50	·31	·41	26
27	-		-	-	-	·08	·06	-	-	·19	-	·25	27
28	-	·06	-	-	-	·05	·20	·05	·04	·34	·37	·12	28
29	-		·01	·02	-	·25	·32	·30	1·21	·23	·09	-	29
30	-		-	-	·21	·01	-	·01	1·12	·10	-	-	30
31	·04		·35	-	-	-	·12	·18	-	-	-	-	31
Total	4·16	2·00	3·49	·06	1·03	3·24	1·67	5·04	2·44	2·39	1·68	3·02	YEAR'S TOTAL 30·22
Rain Days.	19	18	22	2	11	17	13	26	8	14	14	19	183

W. 7,500, XI. 12

82

135

BRITISH RAINFALL.
FORM A.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hornsey

in the County of Middlesex 2

by

Lat. Long. —

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01	·21	·08	·35	·21				·25		·09	·14	1
2	·05	·15					·09		·15	·21	·04		2
3			·02	·15	·45							·05	3
4	·23				·36		·20			·14	·05	·04	4
5	·17					·08	·15		·17	·01		·03	5
6			·14		·09	·16	·10			·17	·02	·05	6
7		·15			·02	·02	·06	·04		·43	·12		7
8		·04	·05		·19	·14				·11	·03		8
9		·19		·02	·04				·02		·06	·05	9
10	·01		·10	·18			·44	·08			·32		10
11	·78			·54	·02					·53	·19		11
12					·02						·52		12
13	·10		·03					·04	·05		·36		13
14	·05	·01	·11	·07			·54	·08	·02	·18	·11		14
15	·22	·06	·30	·25			·17						15
16	·15		·48	·18					·38				16
17	·02	·01	·01	·07			·15		·01		·02		17
18	·01		·07	·17				·01			·04		18
19	·13		·09	·02			·11		·26			·01	19
20	·07		·07	·05		·27				·46			20
21			·24	·10			·03			·20	·80		21
22	·43		·16	·02				·07	·17				22
23			·03			·03		·23	·02			·21	23
24			·01	·05				·02			·01		24
25		·03		·19		·02							25
26		·06	·23	·05				·15		·82		·22	26
27		·01	·05	·05						·05			27
28	·24		·19	·08						·11			28
29	·08		·05	·47	·60			·12		·08			29
30	·36			·21				·20		·11			30
31								·50		·04			31
Total	3·11	·92	2·51	3·27	2·00	·72	2·04	1·54	1·50	3·65	2·78	·80	YEAR'S TOTAL 24·84
Rain Days.	18	11	21	21	10	7	11	12	11	16	16	9	163

W. 7,500, XI. 12

DL/ exLMcc 122

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hornsey

in the County of Middlesex 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14					·17			·04	·01	1
2							·12	·12			·25	·15	2
3			·11		·15		·03				·21		3
4	·14			·19				·02			·32	·22	4
5	·03		·09	·25	·16	·03	·45	·69					5
6		·12		·02	·01	·13	·03	·01			·21	·18	6
7		·17	·32	·10	·86	·07	·06					·07	7
8	·04	·35	·75	·03	·06	·11	·08	·13				·02	8
9	·14		·65	·23		·21			·12			1·34	9
10	·02	·10		·06	·05		—		·12			·01	10
11		·33	·45			·11			·16		·24	·23	11
12	·01	·06	·12				·11		·20		·01	·40	12
13		·24	·14						·12	·07	·09	·44	13
14	·01	·06	·52				·12			·12	·10	·62	14
15	·05	·01	·16							·06	·18	·06	15
16			·04				·05		·03		·03		16
17		·42	·04						·09			·17	17
18		·03	·09									·26	18
19		·02	·21			·07	·04		·05		·17	·30	19
20		·15	·31			·06			·10			·11	20
21		·49	·08			·02				·01		·07	21
22				·04	·29	·06	·11	·02		·12			22
23		·01	·19		·16	·01	·01			·10			23
24			·08	·02			·02			·01	·16		24
25	·05		·18					·10		·36	·01	·06	25
26			·02				·07	·09		·06	·15	·58	26
27	·03								—		·03	·18	27
28		·04								·13	·48	1·09	28
29	·05		·10							·27	·12		29
30			·05		—					·01	·76	·14	30
31	·01				·16		·03					·03	31
Total	·58	2·60	4·84	·94	1·90	·88	1·33	1·35	·99	1·32	3·56	6·74	YEAR'S TOTAL 27·03
Rain Days.	12	16	23	9	9	11	15	9	9	12	19	24	168

W.7,000, XI. 13

Exd HW.

954

FORM A.
BRITISH RAINFALL.

17 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Hornsey

in the County of Middlesex

2

by Gate-Keeper

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hornsey, G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 107-10" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·18	·08		·03		·02		·06	·05	·35	·48	1
2	·44	·16	·28	·12				·55		·05		·14	2
3			·06	·22				·65				·45	3
4	·41							·18				·31	4
5	·04	·35			·02			·01		·03		·26	5
6	·24	·02		·22	·22		·82					·61	6
7	·45	·28	·04				·54	·01			·01	·26	7
8	·04	·44	·01	·16			·09	·05					8
9		·04		·04		·06		·06		·01	·38	·80	9
10	·31	·01	·02			·01		·04				·12	10
11	·04		·01					·02			·75		11
12	·08	·02		·24	·44			·32			·38		12
13		·22			1·58								13
14							1·30		·04			·82	14
15	·14				·06		·04	·23			·23	·12	15
16	·01	·24					·44					·11	16
17		·39			·90		·09	·01					17
18		·25	·03		·11				·01		·05		18
19		·10					·11			·01			19
20	·35		·02	·03								·28	20
21	·05									·04		·04	21
22	·95	·10	·25				·85		·02			·12	22
23	·01	·09	·08			·11	·35		·02	·32		·28	23
24		·12	·09			·01	·10		·20	·08		·29	24
25			·13	·04		·02	·21			·02		·12	25
26		·08				·13	·10					·44	26
27						·14	·56			·39		·08	27
28		·05				·12			1·36	·09			28
29			·02			·03	·20	·14			·13	·02	29
30	·06	X				·24				·03	·14	·01	30
31	·03	X		X		X		·02	X	·96	X	·14	31
Total	3·99	3·40	1·12	1·13	3·39	·84	6·16	2·22	1·41	2·08	2·45	6·33	YEAR'S TOTAL 34·95
Rain Days.	18	19	14	8	8	10	16	14	7	13	9	23	159

W. 8,000. X. 15.

M

928

FORM A. BRITISH RAINFALL.

23 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lodge High Street, Hornsey.

in the County of Middlesex.

by The Regular & Relief gate keepers.

Lat. Long.
Time of Observation 9.0.a.m.
Nearest Railway Station Hornsey.G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 14 ft. in.
" " " " Sea Level 107.10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06		.01		.20	.02			.18	.05	.42		1
2	.53	.03	.09		.24		.02		.21	.37	.01		2
3		.31	.19		.01		.04		.29	.26	.71		3
4	.25	.16			.01	.41			.02	.11	.37		4
5	.02	.01			.06	.25				.06	.42		5
6	.01	.04	.30	.28	.02	.10	.41			.07	.42		6
7	.04		.20		.16	.24	.16			.02	.75	.03	7
8			.03		.34						.01	.35	8
9					.33	.01				.06		.11	9
10		.16	.08	.07		.37	.24				.01	.12	10
11	.05	.14	.02	.14	.01	.16	.01					.01	11
12	.04	.03	.01	.04	.29	.11	.03	.04	.01	.06			12
13		.50	.23	.09	.06	.10	.34	.14		.02			13
14		.37	.01	.03	.10	.01		.26		.02		.17	14
15		.32	.38	.02			.02	.37					15
16		.02	.16	.14	.01		.18	.39					16
17	.08			.03			.02	.96	.29	.68			17
18	.01	.15	.03	.06				.22	.07	.03	.62		18
19	.05		.13	.18					.19		.96	.04	19
20	.16		.24	.12							.02	.35	20
21	.03		.83	.03			.04					.36	21
22	[illegible]	.01	.07							.02	.01	.44	22
23	.03	.20	.01		.02	.16		.02			.06	.10	23
24	.	.04			.12	.11		.03		.08	.04	.35	24
25		.30	.29		.02			.23		.03	.11		25
26		.16	.04			.03		.04		.03			26
27	.07		1.05					.40	.07	.59			27
28		.33	.30			.11		.01	.08	.01		.28	28
29		.06	.02			.30		1.75	.02	.37		.15	29
30				.02				.09		.80			30
31								.05		.12		.04	31
Total	1.43	3.34	4.72	1.25	2.00	2.49	1.51	5.00	1.43	3.86	4.94	2.90	YEAR'S TOTAL 34.87
Rain Days.	15	20	24	14	17	16	12	16	11	22	16	15	198

W. 7,500, XI. 12

84 ✓

893
107

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 191

Kept at Hornsey
in the County of Middlesex
by M. W. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·19				·89	·04		·12		1
2			·01	·45		·03		·10			·05		2
3				·06				·50		·38	·48		3
4		·12	·17				·04	·10		·31			4
5	·28		·06	·40				·08	·85	·09	·09		5
6			·06	·06		·04			·08	·03	·15		6
7	·22						·15			·30		·03	7
8	·13			·12			·96	·15		·27	·09	·24	8
9	·02		·03	·12			·04	·10	·02	·01	·07	·15	9
10	·26		·10	·22				·03				·03	10
11	·12		·43	·18				·03	·12	·32			11
12	·12		·03					·03		·40		·01	12
13			·12	·03				·02	·02	·04		·01	13
14			·01	·31				·13					14
15	·03			·03			·37	·04		·05		·02	15
16	·04	·16		·16	·23	·97	·14			·47		·08	16
17		·01		·10	·57		·25	·07	·48	·27			17
18	·03	·10		·07	·09	·32	·13	·02	·18	·07			18
19	·01	·12	·11		·15			·02	·24				19
20	·02	·25	·09		·77			·01	·03		·08		20
21			·05		·03						·05		21
22	·03		·03			·06		·08		·07	·01		22
23		·14	·01		·14	·06		·15				·02	23
24		·05				·07		·06		·37	·07	·01	24
25			·04				·01				·08		25
26			·07			·08		·24	·04		·59	·01	26
27			·02			·01		·99			·01	·02	27
28						1·06		·14				·04	28
29			·02		·02	·02	·14	·15		·22		·13	29
30		×	·16				1·35	·05		·03		·02	30
31	·04	×	·27	×		×	·35	·06	×		×	·01	31
Total	1·35	·95	1·89	2·50	2·00	2·72	3·93	4·24	2·10	3·70	1·94	·93	YEAR'S TOTAL 28·25
Rain Days.	14	8	21	15	8	11	12	26	11	18	14	16	174

W. 8,000, VIII. 16

DL

B. Meds

REGISTER OF RAINFALL IN 1918

40
~~105~~

FORM A.
BRITISH RAINFALL.

27.1.19

Kept at Hornsey
in the County of Middlesex
by M. W. G. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	–	.08				.02	–		.12	.06	1
2	.01	.07		.02				.32		.01	.06	.25	2
3		.02	.04	.03	.47			.24		.01	.54	.02	3
4		.09	.18	.04				.07	.72	.01	.52	.02	4
5		.03	.02		.13			.10	.08	.08			5
6	.16	.22		.33	.17			.10				.06	6
7	.04	.09		.06	.10			.03	.10	.10	.13		7
8		.05		.01			.02	.01	.09	.03	.05	.04	8
9	.03	.04		.02		.05	.23		.43	.13		.15	9
10	.05			.06			.57		.02	.03	.03	.40	10
11	.02			.03	.07		.90		.10	.18	.08	.15	11
12		.04			.17		.06		.10	.01		.03	12
13		.02			.16		.19		.24			.02	13
14	.17		.02		.01	.15	.06		.35	.17	.02	.24	14
15	1.27			.87		.02	.12		.02			.07	15
16	.22			.31		.12			.24	.06		.02	16
17	.22		.01	.27	.48	.06	.51	.02		.01		.16	17
18	.61			.01		.22	.10		1.66	.12		.13	18
19	.05	.02	.04	.10		.63	.41		.02	.05		.20	19
20	.02	.15		.62		.03	.11		.09	.14		.05	20
21	.10	.03		.20			.02		.45	.03		.01	21
22	.06			.04	.46		.17		.14			.15	22
23	.03			.01	.26		.43	.06	.10			.06	23
24		.23			.01		.13		.06		.04		24
25				.02		.08	.34	.13			.06		25
26							.26	.15		.03	.19	.14	26
27		.01	.01	.12				.17	.05	.01	.11	.02	27
28		.02	.14	.03				.01			.27	.12	28
29			.01						1.40		.02		29
30		✕	.50						.03		.04	.06	30
31		✕	.01	✕		✕		.04	✕	.04	✕	.01	31
Total	3.06	1.15	.98	3.28	2.49	1.36	4.63	1.47	6.49	1.25	2.28	2.64	YEAR'S TOTAL 31.08
Rain Days.	16	17	11	22	12	9	18	15	22	20	16	26	204

W. 8,000, IX. 17.

[illegible] missing month 11·3·20

846

FORM A. BRITISH RAINFALL.

17 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Hornsey
in the County of Middlesex
by M. W. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·44	·03			·09		·31			·04	·02	·84	1
2	·39		·01		·15		·12		·13	·08	·10	·15	2
3	·29		·25		·02		·12		·02		·04	·34	3
4	·12	·10	·31			·06	·18	·08	·01		·03	·14	4
5	·02	·36	·50				·02		·05		·03	·30	5
6	·02		·10								·02	·05	6
7	·04		·41								·05	·01	7
8	·07		·06	·02							·03		8
9	·17		·03	·05	·05						·10		9
10	·35		·06	·03							·02	·04	10
11	·03		·11	·28	·02		·21					·01	11
12	·01		·08	·04		·04	·07			·06			12
13	·02			·33						·04		·02	13
14	·31			·30			·08		·44			·02	14
15	·22	·03	·15	·20						·06	·02	·28	15
16	·05	·73		·03							·11	·05	16
17	·01	·50	·05	·03							·22	·02	17
18		·22	·07						·02		·10	·09	18
19	·04	·20	·84			·24	·15	·34	·06	·02	·14	·02	19
20	·35	·08	·07			·79	·12	·16	·02		·02	·02	20
21	·18	·34	·02			·05	·16			·01	·01	·10	21
22		·14				·02	·12		·16		·03	·33	22
23						·05	·02	·02	·09		·02	·02	23
24				·16		·03	·04	·07		·17	·03	·01	24
25	·03			·09	·05			·21				·04	25
26	·09	·17	·11	·05			·02	·08	·10			·34	26
27	·50	·02	·04	1·27				·48			·01	·05	27
28			·08	·05				·80			·22	·32	28
29	·03			·03				·23		·20	·02	·05	29
30		X	·03			·20		·11		·02	·24	·26	30
31		X	·01	X		X	·02		X	·02	X	·02	31
Total	3·78	2·92	3·39	2·96	·38	1·48	1·76	2·58	1·10	·72	1·63	3·94	YEAR'S TOTAL 26·64
Rain Days.	24	13	22	16	6	9	16	11	11	11	24	28	191

W. 6,500, VII. 18. W W C

W

not for [illegible] surroundings.

801

Form A. 1 **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

18 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Horsey

in the County of ~~Middlesex~~

by Metro: Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·37	·06		·33			·31		(.25)	1
2			·02	-	·01		·01	1·04	·07	·08		.11	2
3		·09		-					·09			.04	3
4		·02	·02	·06			·07	·07		·15		.04	4
5			·10	-	·05		·43	·04	·06			.03	5
6			·20	-	·13		·32	·03				·03	6
7	·05	·01	·04	·22	·01		·13					.05	7
8	·09	·03		·17	·11		·07					.	8
9	·42	·03		·03				·02				.	9
10	·50	·04	·11	·01		·09	·06					.01	10
11	·24		·07	·36	·02	·04	·25					.14	11
12	·10		·02	·10		·54				·02		.	12
13	·13		·13	·20							·10	.	13
14		·02	·37	·25		·74			·23	·06	·17	·03	14
15		·02	·11	·23			·02		·68	·22	·11	.	15
16	·01		·01	·15		·06			·14	·30		.	16
17	·03			·03	·17				·32			.04	17
18	·04			·04	·02			·72	·16			.03	18
19	·14			·24		·06						·02	19
20	·04	19		·16		·57			·17			.	20
21				-			1·00	·03	·55			.07	21
22				·33					·17			·30	22
23				-			·46					.41	23
24	·02	·02	·06	·02								·08	24
25		·05	·08	·05			·17		·05		·01	.	25
26	·03		·07	·02	·22		·02					.03	26
27	·19	·08	·02	·32	·01	·09	·06				·57	.12	27
28	·45		·18	·03	·02	·01	·06				·01	.02	28
29	·24		·08	-	·09						·05	.40	29
30	·04	✕		.	·13		·39		·54		·16	.23	30
31	·02	✕	·01	✕	·03	✕	·02		✕	·19	✕	.12	31
Total	2·81	·60	1·65	3·39	1·08	2·20	3·87	1·95	3·23	1·33	1·18	260	YEAR'S TOTAL 25·89
Days with ·01 in. or more	19	12	19	22	15	9	18	7	13	8	8	23	173 ✓
	14	5	12	16	8	8	14	4	13	7	6	15	122

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

HOUNSLOW

VICARAGE FARM

1920

FORM A. 1. METEOROL … RGANIZATION.

RI … 20.

5 AUG 192

Kept at Vicarag… … g 0° 23' W

… 00 hrs G.M.T. till Oct. 25th: then 0800 [hrs]

in the County of … … Hounslow Barracks:- Dist. R…

by E. G. Robb… … Rain Gauge 4·50 in.

… above Ground 1 ft. 2 in.

„ Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·38	nil.	·24	1
2										·06	do.	·08	2
3										·01	do.	·05	3
4										·25	do.	·12	4
5										·01	do.	·02	5
6										nil	do.	·05	6
7									nil.	do.	do.	nil.	7
8									do.	do.	do.	do.	8
9									do.	do.	do.	do.	9
10									do.	do.	do.	do.	10
11									do.	do.	do.	·18	11
12									do.	do.	do.	nil.	12
13									do.	do.	·05	do.	13
14									·01	·05	·20	do.	14
15									·49	·17	·18	do.	15
16									·42	·07	nil.	do.	16
17									·17	·17	do.	do.	17
18									·31	nil	do.	·04	18
19									nil	do.	do.	·02	19
20									do.	do.	do.	·01	20
21									·43	do.	do.	·07	21
22									·04	do.	do.	·45	22
23									nil.	do.	do.	·34	23
24									do.	do.	·01	·03	24
25									do.	do.	nil.	nil	25
26									do.	do.	do.	·03	26
27									do.	do.	·63	·10	27
28									do.	do.	·03	nil.	28
29									do.	do.	·04	·13	29
30									·31	do.	·25	·13	30
31										·40		·03	31
TOTAL									2·18	1·57	1·39	2·12	YEAR'S TOTAL —
Days with ·01 in. or more									8	10	8	19	—
Days with ·04 in. or more									7	8	6	13	—

FORM A. 1. **METEOROL** **RGANIZATION.**

RI **20.**

5 AUG 192

Kept at Vicarage Farm, Hounslow

in the County of Middlesex.

by E. G. Robbins.

Lat. 51° 28·5' Long. 0° 23' W

Time of Observation 0700 hrs G.M.T. till Oct. 25th: then 0800 [hrs

Nearest Railway Station Hounslow Barracks - Dist. Ry

Diameter of Funnel of Rain Gauge 4·50 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·38	nil.	·24	1
2										·06	do.	·08	2
3										·01	do.	·05	3
4										·25	do.	·12	4
5										·01	do.	·02	5
6										nil	do.	·05	6
7									nil.	do.	do.	nil.	7
8									do.	do.	do.	do.	8
9									do.	do.	do.	do.	9
10									do.	do.	do.	do.	10
11									do.	do.	do.	·18	11
12									do.	do.	do.	nil.	12
13									do.	do.	·05	do.	13
14									·01	·05	·20	do.	14
15									·49	·17	·18	do.	15
16									·42	·07	nil.	do.	16
17									·17	·17	do.	do.	17
18									·31	nil	do.	·04	18
19									nil	do.	do.	·02	19
20									do.	do.	do.	·01	20
21									·43	do.	do.	·07	21
22									·04	do.	do.	·45	22
23									nil.	do.	do.	·34	23
24									do.	do.	·01	·03	24
25									do.	do.	nil.	nil	25
26									do.	do.	do.	·03	26
27									do.	do.	·63	·10	27
28									do.	do.	·03	nil.	28
29									do.	do.	·04	·13	29
30									·31	do.	·25	·13	30
31										·40		·03	31
TOTAL									2·18	1·57	1·39	2·12	YEAR'S TOTAL —
Days with ·01 in. or more									8	10	8	19	—
Days with ·04 in. or more									7	8	6	13	—

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

N

FORM A.
BRITISH RAINFALL
4 JAN 1916

REGI

HOUNSLOW
ST. STEPHEN'S VIC
1915 - 20

Kept at St. Stephen's V
H
in the County of Middle
by Rev: R. Dixon

o° 20'. 12"
a.m.
unslow (L.S.W.R.
Gauge 5 in.
Ground 1 ft. 0 in.
Sea Level 67 ft.

IMPORTANT NOTE. the result entered to the previous day. If an Obse conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·54	·13	·07	—	·01	—	·01	·03	·07	·03	·14	·61	1
2	·44	·16	·25	·12	—	·02	—	·74	—	·06	—	·11	2
3	·44	—	·07	·11	—	—	—	·09	·01	—	—	·43	3
4	·03	—	—	—	—	—	—	·04	—	—	—	·27	4
5	·02	·32	—	—	—	—	—	·01	—	·03	—	·30	5
6	·30	·02	·01	·23	·18	—	·87	—	—	—	—	·56	6
7	·29	·20	·02	—	—	—	·27	·03	—	—	—	·22	7
8	·10	·40	·02	·04	—	—	·02	·05	—	—	—	·01	8
9	·04	·08	—	·14	—	·07	—	·04	—	·01	·41	·60	9
10	·16	—	·01	—	—	—	—	·24	—	·03	—	·12	10
11	—	—	·01	—	—	—	—	·03	—	—	·65	·05	11
12	·07	·03	—	·30	·47	—	—	·38	—	—	·21	—	12
13	—	·41	—	—	1·27	—	—	·26	—	—	—	—	13
14	—	·02	—	—	—	—	·60	·03	·05	—	—	·41	14
15	·08	—	—	—	·05	—	—	·01	—	—	·16	·12	15
16	—	·29	—		·01	—	·57	·02	·01	—	—	·02	16
17	—	·31	—		1·37	—	·01	·07	—	—	—	—	17
18	—	·30	·05		·17	—	—	—	—	—	—	—	18
19	—	·04	—		·02	—	·07	—	—	·01	·01	—	19
20	·33	—	—	·03	—	—	—	—	—	—	—	·17	20
21	·15	—	—	—	—	—	·01	—	—	—	—	·05	21
22	·96	·17	·19	·01	—	—	·79	—	—	·01	—	·12	22
23	·01	·17	·03	·01	—	·01	·20	—	·24	*	—	·29	23
24	—	—	·01	—	—	·01	·18	—	·48	1·00§	—	·34	24
25	—	—	—	·12	—	·01	·16	—	—	·02	—	·12	25
26	·02	·05	—	—	—	·18	·11	—	—	—	—	·57	26
27	—	—	—	—	—	·23	·09	—	—	·26	—	·08	27
28	—	·05	—	—	—	·13	·01	—	1·39	·09		·01	28
29	—		—	—	—	·01	·01	·14	—	—	·16	·01	29
30	·04		—	—	—	·13	—	—	—	·07	·20	·01	30
31	—		—		—		—	·01		·80		·21	31
Total	4·02	3·15	·74	1·11	3·55	·80	3·98	2·22	2·25 ~~2·25~~	2·42	2·00	5·81	YEAR'S TOTAL 32·05 ~~32·05~~
Rain Days.	18	18	12	10	9	10	17	18	7	14	8	26	167

* Reading omitted.

§ Represents 2 days (23 + 24) Rain fell on both.

REG

N

FORM A.
BRITISH RAINFALL.
4 JAN 1916

Kept at St. Stephen's Vicarage. Hounslow.

in the County of Middlesex

by Rev: R. Dixon Box

Long. 0° 20'. 12"

Time of Observation 9 a.m.

Nearest Railway Station Hounslow (L.S.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 67 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·13	·07	—	·01	—	·01	·03	·07	·03	·14	·61	1
2	·44	·16	·25	·12	—	·02	—	·74	—	·06	—	·11	2
3	·44	—	·07	·11	—	—	—	·09	·01	—	—	·43	3
4	·03	—	—	—	—	—	—	·04	—	—	—	·27	4
5	·02	·32	—	—	—	—	—	·01	—	·03	—	·30	5
6	·30	·02	·01	·23	·18	—	·87	—	—	—	—	·56	6
7	·29	·20	·02	—	—	—	·27	·03	—	—	—	·22	7
8	·10	·40	·02	·04	—	—	·02	·05	—	—	—	·01	8
9	·04	·08	—	·14	—	·07	—	·04	—	·01	·41	·60	9
10	·16	—	·01	—	—	—	—	·24	—	·03	—	·12	10
11	—	—	·01	—	—	—	—	·03	—	—	·65	·05	11
12	·07	·03	—	·30	·47	—	—	·38	—	—	·21	—	12
13	—	·41	—	—	1·27	—	—	·26	—	—	—	—	13
14	—	·02	—	—	—	—	·60	·03	·05	—	—	·41	14
15	·08	—	—	—	·05	—	—	·01	—	—	·16	·12	15
16	—	·29	—		·01	—	·57	·02	·01	—	—	·02	16
17	—	·31	—		1·37	—	·01	·07	—	—	—	—	17
18	—	·30	·05		·17	—	—	—	—	—	—	—	18
19	—	·04	—		·02	—	·07	—	—	·01	·01	—	19
20	·33	—	—	·03	—	—	—	—	—	—	—	·17	20
21	·15	—	—	—	—	—	·01	—	—	—	—	·05	21
22	·96	·17	·19	·01	—	—	·79	—	—	·01	—	·12	22
23	·01	·17	·03	·01	—	·01	·20	—	·24	✕	—	·29	23
24	—	—	·01	—	—	·01	·18	—	·48	1·00§	—	·34	24
25	—	—	—	·12	—	·01	·16	—	—	·02	—	·12	25
26	·02	·05	—	—	—	·18	·11	—	—	—	—	·57	26
27	—	—	—	—	—	·23	·09	—	—	·26	—	·08	27
28	—	·05	—	—	—	·13	·01	—	1·39	·09		·01	28
29	—	✕	—	—	—	·01	·01	·14	—	—	·16	·01	29
30	·04	✕	—	—	—	·13	—	—	—	·07	·20	·01	30
31	—	✕	—	✕	—	✕	—	·01	✕	·80	✕	·21	31
Total	4·02	3·15	·74	1·11	3·55	·80	3·98	2·22	2·2~~7~~5 2·25	2·42	2·00	5·81	YEAR'S TOTAL 32·0~~7~~5 32·05
Rain Days.	18	18	12	10	9	10	17	18	7	14	8	26	167

W. 8,000. X. 15. ✕ Reading omitted. § Represents 2 days (23 + 24) Rain fell on both.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at St. Stephen's Vicarage. Hounslow

in the County of Middlesex

by Rev. R. Dixon Box

Lat. 51° 20′ 40″ Long. 0° 20′ 12″ W
Time of Observation 9 a.m.
Nearest Railway Station Hounslow. L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 67 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·06	—	·55	·01	—	—	·31	·11	·45	—	1
2	·39	·02	·07	—	·18	—	—	—	·20	·39	·01	—	2
3	—	·40	·08	—	—	—	·03	—	·12	·29	·45	—	3
4	·19	·05	—	·08	—	·25	·01	—	·16	·03	·32	—	4
5	·02	—	—	—	·09	·09	·08	—	·01	·06	·56	·02	5
6	·01	·08	·32	·18	·01	·11	·33	—	—	·02	·37	—	6
7	·05	—	·25	—	·15	·17	·05	—	—	·01	·42	·09	7
8	—	—	·02	—	·24	·09	—	—	—	—	—	·17	8
9	—	—	—	—	·22	—	—	—	—	·05	—	·07	9
10	—	·21	·05	·04	—	·10	·04	—	—	—	—	·14	10
11	·01	·12	·11	·14	·01	·32	—	—	—	—	—	·04	11
12	·03	·03	·01	·03	·29	·12	·01	·15	·01	·09	—	—	12
13	—	·19	·32	—	·01	·04	·29	·16	·01	·03	—	—	13
14	—	·36	·01	—	·08	—	—	·46	—	·02	—	·11	14
15	—	·18	·20	—	—	—	·14	·12	—	·01	—	·01	15
16	·01	—	·42	·16	·01	—	·18	·31	—	·01	—	—	16
17	·09	·10	—	·02	—	—	·02	·04	·27	·52	—	—	17
18	—	·08	·04	·22	—	—	—	·38	·17	·26	·71	·01	18
19	·10	·02	·20	·12	—	—	—	·01	·11	—	·56	—	19
20	·16	—	·19	—	—	—	—	—	—	—	·01	·48	20
21	·02	—	·41	—	—	—	·18	—	—	—	·01	·19	21
22	—	—	·03	—	·01	—	—	—	—	·03	—	·39	22
23	·03	·13	—	—	—	·03	—	·02	—	·05	·02	·05	23
24	—	·08	—	—	—	·03	—	·03	—	·15	·03	·31	24
25	—	·40	·18	—	·08	—	—	·24	—	·03	·09	—	25
26	—	·18	·04	—	—	·07	—	·46	—	·12	—	—	26
27	·03	—	1·05	—	—	·11	—	·31	·08	·50	—	—	27
28	—	·37	·30	—	—	—	—	·05	·06	—	—	·13	28
29	—	·08	—	—	—	·27	—	·91	·03	·31	—	·13	29
30	—	X	—	—	—		—	·06	·01	·59	—	—	30
31	—	X	—	X	—	X	—	·07	X	·15	X	·04	31
Total	1·18	3·08	4·36	·99	1·93	1·81	1·36	3·78	1·55	3·83	4·01	2·38	YEAR'S TOTAL 30·26
Rain Days.	15	19	22	9	14	15	12	17	14	24	14	17	192

W. 8,000, VIII. 16

Ex d C

859

REGISTER OF RAINFALL IN 1917

Kept at St Stephens Vic. Hounslow

in the County of Middlesex

by Rev R Dixon Box

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A. BRITISH RAINFALL.

8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·27	—	—	—	1·03	·03	—	·09		1
2	—	—	·01	·33	—	·02	—	·05	—	—	·13		2
3	—	—	—	·08	—	—	·06	·28	—	·25	·07		3
4	—	·25	·15	—	—	—	·40	·05	—	·36	—		4
5	·28	·01	·03	·23	—	—	—	·01	·26	·15	·10		5
6	—	—	·17	·05	—	·03	—	—	·24	·01	·04		6
7	·21	—	—	—	—	—	·12	—	—	·26	—	·02	7
8	·15	—	—	·10	—	—	·75	·19	·05	·21	·17	·35	8
9	·05	—	·02	·02	·02	—	·03	·15	—	·01	·11	·16	9
10	·22	—	·08	·22	—	—	—	·07	·01	—	·02	·03	10
11	·10	·01	·41	·22	—	—	—	—	·26	·20	—		11
12	·04	—	·05	—	—	—	—	·07	·01	·46	—		12
13	·02	—	·23	·02	—	—	—	·11	·02	·02	—		13
14	—	—	—	·16	—	—	—	·14	—	—	—		14
15	·02	—	—	·01	—	—	·04	·01	—	·03	—		15
16	·04	·11	—	·18	·10	·75	·04	—	—	·44	—	·38	16
17	—	·01	—	·09	·65	—	·33	·10	·42	·28	—		17
18	·03	·05	—	·08	·06	·37	·11	—	·19	·06	—		18
19	·01	·14	·09	—	—	·01	—	—	·19	—	—		19
20	·02	·18	·03	—	·65	—	·14	·01	—	—	·05		20
21	·04	—	·05	·01	—	·01	—	—	—	·01	·03	·01	21
22	—	—	·07	—	—	·01	—	·08	—	·06	·01	—	22
23	—	·14	·02	—	·10	·01	—	·09	—	·13	—	·01	23
24	—	·04	—	—	—	·07	—	·04		·19	·03	·01	24
25	—	·02	·04	—	—	—	—	—		·03	—	—	25
26	—	—	·05	—	—	—	—	·18	·04	·01	·36	—	26
27	—	—	·01	—	—	·01	—	·71	—	—	—	·01	27
28	—	·01	—	—	—	1·23	—	·14	—	—	—	·04	28
29	—		·02	—	·03	·08	1·01	·02	—	·26	—	·12	29
30	·01		·41	—			1·93	·08	·01	·01	—	·01	30
31	·02		·01				·43	·05		—		·01	31
Total	1·26	·98	1·95	2·07	1·61	2·60	5·39	3·66	1·73	3·44	1·21	1·16	YEAR'S TOTAL 27·06
Rain Days.	16	13	20	16	7	12	13	23	13	22	13	13	181

W. 8,000, IX. 17.

4·73

Exd C F

8

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at St. Stephen's Vicarage, Hounslow
in the County of Middlesex
by the Rev: R. Dixon Box

Lat. 51° 27' 30" N Long. 0° 22' 30" W
Time of Observation 9 a.m.
Nearest Railway Station Hounslow (L.S.W.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 67 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	—	·05	—	—	—	—	—	—	·18	·08	1
2	—	·06	—	·05	—	—	—	·58	—	·03	·15	·12	2
3	—	·01	·02	·03	·46	—	—	·23	·01	—	·51	·04	3
4	—	·05	·12	—	—	—	—	·04	·24	·01	·43	—	4
5	—	·05	—	—	·06	—	—	·04	·21	·09	—	—	5
6	·21	·11	—	·31	·23	—	—	—	·01	—	—	·08	6
7	·02	·09	—	·10	·32	·01	—	·01	·29	·18	·09	—	7
8	·01	·03	—	·02	—	—	—	—	·11	·05	·08	·02	8
9	·01	·03	—	·11	—	·12	·52	—	·37	·11	—	·23	9
10	—	—	—	·12	—	—	·56	—	·03	·02	·03	·46	10
11	·02	—	—	·03	·04	—	·63	—	·05	·25	·12	·13	11
12	—	·04	—	—	·26	—	·08	—	·01	—	—	·01	12
13	·02	—	—	—	·13	—	·14	—	·18	—	—	—	13
14	·13	—	·02	—	—	·24	·01	—	·39	·15	—	·20	14
15	1·19	—	—	·68	—	—	·03	—	·02	—	—	·08	15
16	·25	—	—	·23	—	—	—	—	·18	·01	—	·01	16
17	·20	—	—	·21	·01	·06	·21	·05	·01	—	—	·15	17
18	·59	—	—	·01	—	·01	·05	—	1·09	·14	—	·05	18
19	·05	—	·03	·08	—	·15	·35	—	·07	·08	—	·03	19
20	·03	·11	—	·54	—	·03	·09	·01	·17	·15	·01	—	20
21	·11	·01	—	·47	—	·03	·01	—	·50	·01	—	—	21
22	·07	—	—	·01	·25	—	·24	—	·14	—	·01	·18	22
23	·02	—	—	—	·17	·01	·32	·04	·02	—	—	·02	23
24	—	·25	—	—	—	·04	·67	—	·07	—	·04	—	24
25	—	—	—	—	—	—	·53	·07	—	—	·01	—	25
26	—	—	—	—	—	—	·33	·02	—	·03	·24	·11	26
27	—	·01	—	·05	—	—	·17	·18	·06	—	·11	·01	27
28	—	·03	·12	—	—	·07	—	·04	—	—	·13	·16	28
29	—	✕	·01	—	—	—	—	—	1·05	—	—	—	29
30	—	✕	·43	—	—	—	—	—	·11	—	·02	·09	30
31	—	✕	—	✕	—	✕	—	·04	✕	·07	✕	—	31
Total	2·93 ✓	·89 ✓	·75 ✓	3·10 ✓	1·93 ✓	·77 ✓	4·94 ✓	1·35 ✓	5·39 ✓	1·38 ✓	2·16 ✓	2·26 ✓	YEAR'S TOTAL 27·85 ✓
Rain Days.	16 ✓	15 ✓	7 ✓	18 ✓	10 ✓	11 ✓	18 ✓	13 ✓	25 ✓	16 ✓	16 ✓	21 ✓	186 ✓

G+M

809

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at St. Stephen's Vicarage Hounslow

in the County of Middlesex

by Rev. R. Dixon Box

Lat. 51° 20' 40" Long 0° 20' 12" W

Time of Observation 9 a.m

Nearest Railway Station Hounslow (L.S.W.R)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 67 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·03	—	·01	·04	—	·25	—	—	·02	·05	1·07	1
2	·44	—	·01	—	·03	—	·04	·05	·27	·04	·10	·13	2
3	·24	—	·33	—	·01	—	·28	—	·04	—	·02	·37	3
4	·08	·08	·45	—	—	·08	·24	—	·02	—	·01	·15	4
5	—	·28	·39	—	—	—	·37	—	·17	—	·03	·23	5
6	·05	—	·04	—	—	—	—	—	·01	—	—	·06	6
7	·02	—	·32	—	—	—	—	—	—	—	·02	—	7
8	·07	—	·05	·03	—	—	—	—	—	—	—	—	8
9	·19	—	·01	·02	·01	—	—	—	—	—	—	—	9
10	·67	—	·06	—	—	—	—	—	—	—	·03	·04	10
11	·02	—	·09	·22	·01	—	·36	—	—	—	—	·01	11
12	·01	—	·06	·04	—	·03	·04	—	—	·11	·01	—	12
13	—	—	—	·27	—	—	—	—	—	·04	—	—	13
14	·22	—	—	·23	—	—	·11	—	·50	—	—	·02	14
15	·25	·03	·11	·09	—	—	—	—	·01	—	—	·41	15
16	·05	·60	—	·02	—	—	—	—	—	—	·11	·03	16
17	·04	·31	—	—	—	—	—	—	—	—	·16	·01	17
18	—	·16	·06	—	—	—	—	—	—	—	·09	·02	18
19	·03	·14	·72	—	—	·26	·54	·21	·03	—	·07	—	19
20	·20	·04	·08	—	—	·71	·23	·14	·02	—	·02	—	20
21	·23	·27	·01	—	—	·23	·08	—	—	—	·01	·04	21
22	—	·06	—	—	—	—	·17	—	·11	—	·01	·34	22
23	—	—	—	—	—	·04	—	·03	·05	—	·02	·01	23
24	—	—	—	·26	—	·02	·16	—	—	·17	·04	·02	24
25	·05	·02	—	—	·01	·02	—	·25	—	—	—	—	25
26	·09	·20	·09	·04	—	—	—	·20	·09	—	—	·27	26
27	·58	·02	·04	1·21	—	—	·01	1·04	—	—	·05	·03	27
28	—	—	·21	·01	—	—	·02	·21	—	—	·32	·29	28
29	·02		—	·04	—	—	—	·12	—	·16	·06	·02	29
30	·01		·02	·22	—	·13	—	·14	—	—	·18	·30	30
31	·02		—		—		·02	—		·02		·04	31
TOTAL	3·86	2·24	3·15	2·71	·11	1·52	2·92	2·39	1·32	·56	1·41	3·91	YEAR'S TOTAL 26·10
Days with ·01 in. or more	24	14	20	15	6	9	16	10	12	7	21	23	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4 M

764

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

11 JAN 1921

Kept at St. Stephen's Vicarage HOUNSLOW
in the County of Middlesex
by Rev. R. Dixon Box

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·24	·05		·26	·01		·71		·21	1
2			·04		·01		·01	·74	·07	·14		·07	2
3				·12			·03		·03	·02		·02	3
4		·04		·08			·53	·04		·24		·13	4
5	·01	·05	·07	·01	·03		·59	·01		·01		·03	5
6			·20		·10		·45					·04	6
7	·01			·17	·02		·12				·01		7
8		·01		·12	·23		·22	·02					8
9	·30	·02		·02									9
10	·46	·02	·04	·01		·22	·06	·01					10
11	·17		·08	·11	·03	·08	·23					·16	11
12	·08			·10		1·35				·01	·01		12
13	·21		·13	·15							·04		13
14			·21	·24		·17			·17	·19	·23	·01	14
15	·01	·03	·09	·26			·10		·68	·08	·14		15
16				·23		·01			·09	·10			16
17	·01				·15	·59	·02		·37	·01		·02	17
18	·01				·01			·60	·08			·03	18
19	·09			·18		·06		·01				·04	19
20	·06	·06		·19		·56			·12				20
21				·01			·84		·42			·06	21
22				·30					·04			·46	22
23							·36	·03				·34	23
24	·01	·01	·06									·02	24
25		·02	·04				·15						25
26	·03		·09		·26		·14					·02	26
27	·17			·25		·10	·46				·63	·09	27
28	·32		·15	·01	·03	·01	·13				·04	·01	28
29	·25		·06		·02						·03	·13	29
30	·02	×			·11	·01	·18		·35		·20	·13	30
31		×		×		×			×	·36	×	·08	31
Total	2·24	·26	1·26	2·80	1·05	3·16	4·88	1·47	2·42	1·87	1·33	2·10	Year's Total 24.84
Days with ·01 in. or more	19	9	13	20	13	11	19	9	11	11	9	21	165
Days with ·04 in. or more	10	3	13	15	6	8	16	3	10	7	6	13	110

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

cd. for 24·1·12

H

REG

HYDE PARK

1911 - 1920

Kept at Receiving Ho ... in.

in the County of Mid ... round 1 ft. 3 in.

... ea Level ... ft.

by J. Horton ... G.M.

... me ...

... stance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	0-10	nil	nil	0-44	n.m	nil	nil	nil	nil	nil	1
2	0-02	„	nil	0·44	„	nil	nil	0-02	„	„	„	„	2
3	0-14	„	„	0·34	0-15	„	n.m.	nil	„	„	0·19	0-06	3
4	0-06	„	„	nil	0-09	„	nil	n.m	„	„	0-06	n.m.	4
5	0-04	0-02	0-07	0·01	nil	„	„	nil	0·01	0-02	0-17	0-18	5
6	0-02	nil	nil	0·03	„	„	„	n.m.	nil	0-23	0-01	0-25	6
7	0-20	„	0-16	nil	„	„	„	nil	„	nil	nil	0-10	7
8	0-02	„	nil	„	„	„	„	„	„	0-14	0-24	0-22	8
9	0-11	„	0-09	„	„	„	„	„	„	nil	0-21	0-18	9
10	0-11	„	0-03	0-03	„	„	„	„	„	„	nil	0-01	10
11	nil	0-13	0-05	0·01	„	„	„	„	„	„	0-16	0-27	11
12	0-21	nil	nil	nil	0-15	„	„	„	„	„	0-57	nil	12
13	0-01	„	0-40	„	0·03	0-02	„	„	0-05	„	0-20	„	13
14	nil	„	0-07	„	0·07	nil	„	„	0-47	0-20	0-08	0-18	14
15	„	0-06	nil	„	0·24	„	„	„	nil	nil	nil	0-38	15
16	„	0-04	0-16	„	nil	„	„	„	„	0-01	0-01	n.m.	16
17	„	nil	nil	„	„	0-63	„	„	„	nil	0-30	0-01	17
18	„	„	0-01	„	„	0-01	„	„	„	„	0-18	0-12	18
19	„	0-09	0-02	„	„	0-06	„	„	„	„	0-49	0-12	19
20	„	nil	nil	„	0-02	0-28	n.m.	0-40	0·15	0-03	0-16	0-03	20
21	„	„	0-01	„	nil	nil	nil	0-15	0·16	0-07	nil	0-44	21
22	„	0·08	nil	„	„	„	„	0-18	0·08	0-45	„	0-06	22
23	0-07	nil	n.m.	„	„	0-01	„	nil	nil	0-16	„	0·30	23
24	nil	0-05	0-08	„	„	0-80	„	„	0-26	nil	0-03	0·10	24
25	„	0-12	nil	„	„	0-02	0-03	0·01	nil	1-06	nil	0·25	25
26	„	0-02	0-01	0-03	„	0-17	nil	n.m	0-01	nil	„	nil	26
27	„	nil	0-02	0-21	0-01	0-26	0-21	nil	nil	0-09	0·02	0·26	27
28	„	0-30	0-05	0·02	nil	nil	nil	„	0-18	nil	0·06	0-09	28
29	„		nil	0-21	„	„	1-39	0·05	nil	„	0-01	nil	29
30	„		„	0-08	„	(15) ~~n.m.~~	0-08	nil	0-10	0-16	nil	„	30
31	„		„		0-03		nil	0-24		0-10		„	31
	–	·10	–	—	·44	–	–	—	—	—	—	(–)	TOTAL for year
Total	1-01	~~0-91~~ 1·01	~~1-33~~ 1·23	1-41	~~0-79~~ 1·23	~~2-85~~ 2·41	1-71	1-05	1-47	2-72	3-09	3-61	21·95
No. of Rain Days	12	10	15	11	~~9~~ 10	~~12~~ 11	~~7~~ 4	~~10~~ 7	10	13	19	~~23~~ 21	[illegible]

9,000, IX. '10.

cor. for 24-1-12

REG N

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at Receiving House Hyde Park W.

in the County of Middlesex 2

by J. Horton Supt

RAIN GAUGE: Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ft.

Time of Observation 8. a.m.

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	0-10	nil	nil	0-44	n.m	nil	nil	nil	nil	nil	1
2	0-02	"	nil	0.44	"	nil	nil	0-02	"	"	"	"	2
3	0-14	"	"	0.34	0-15	"	n.m.	nil	"	"	0.19	0-06	3
4	0-06	"	"	nil	0-09	"	nil	n.m	"	"	0-06	n.m.	4
5	0-04	0-02	0-07	0.01	nil	"	"	nil	0.01	0-02	0-17	0-18	5
6	0-02	nil	nil	0.03	"	"	"	n.m.	nil	0-23	0-01	0-25	6
7	0-20	"	0-16	nil	"	"	"	nil	"	nil	nil	0-10	7
8	0-02	"	nil	"	"	"	"	"	"	0-14	0-24	0-22	8
9	0-11	"	0-09	"	"	"	"	"	"	nil	0-21	0-18	9
10	0-11	"	0-03	0-03	"	"	"	"	"	"	nil	0-01	10
11	nil	0-13	0-05	0.01	"	"	"	"	"	"	0-16	0-27	11
12	0-21	nil	nil	nil	0-15	"	"	"	"	"	0-57	nil	12
13	0-01	"	0-40	"	0.03	0-02	"	"	0-05	"	0-20	"	13
14	nil	"	0-07	"	0.07	nil	"	"	0-47	0-20	0-08	0-18	14
15	"	0-06	nil	"	0-24	"	"	"	nil	nil	nil	0-38	15
16	"	0-04	0-16	"	nil	"	"	"	"	0-01	0-01	n.m.	16
17	"	nil	nil	"	"	0-63	"	"	"	nil	0-30	0-01	17
18	"	"	0-01	"	"	0-01	"	"	"	"	0-18	0-12	18
19	"	0-09	0-02	"	"	0-06	"	"	"	"	0-49	0-12	19
20	"	nil	nil	"	0-02	0-28	n.m.	0-40	0-15	0-03	0-16	0-03	20
21	"	"	0-01	"	nil	nil	nil	0-15	0.16	0-07	nil	0-44	21
22	"	0.08	nil	"	"	"	"	0.18	0.08	0-45	"	0-06	22
23	0-07	nil	n.m.	"	"	0-01	"	nil	nil	0-16	"	0-30	23
24	nil	0-05	0-08	"	"	0-80	"	"	0-26	nil	0-03	0-10	24
25	"	0-12	nil	"	"	0-02	0-03	0-01	nil	1-06	nil	0-25	25
26	"	0-02	0-01	0-03	"	0-17	nil	n.m	0-01	nil	"	nil	26
27	"	nil	0-02	0-21	0-01	0-26	0-21	nil	nil	0-09	0.02	0-26	27
28	"	0-30	0-05	0.02	nil	nil	nil	"	0-18	nil	0.06	0-09	28
29	"		nil	0-21	"	"	1-39	0.05	nil	"	0-01	nil	29
30	"		"	0-08	"	~~n.m.~~ (.15)	0-08	nil	0-10	0-16	nil	"	30
31	"		"		0-03		nil	0-24		0-10		"	31
	–	.10	–	–	.44	–	–	–	–	–	–	(–)	TOTAL for year
Total	1-01	~~0-91~~	~~1-33~~	1-41	~~0-79~~	~~2-85~~	1-71	1-05	1-47	2-72	3-09	3-61	21-95
No. of Rain Days	12	1.01 10	1.23 15	11	1.23 ~~9~~ 10	2.41 11 ~~12~~	~~7~~ 4	~~10~~ 7	10	13	19	21 ~~23~~	144 141

9,000, IX. '10.

cop for W.D. 31.1.13

made

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
1 JAN 1913

Kept at Receiving House, Hyde Park, W.
in the County of Middlesex 2
by J. Horton Supt

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ft.
Time of Observation 8 a.m.
Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	Nil	nil	0-27	nil	nil	nil	0-09	0-11	0·96	0-4	Nil	1
2	"	"	0-04	0-02	"	0-08	0-13	nil	0-06	0·31	Nil	0·18	2
3	"	"	0-23	0-01	"	0-05	0-26	0-06	0-04	0·02	"	Nil	3
4	0-05	"	0-06	nil	N.M.	0-09	nil	0-36	nil	Nil	"	0·06	4
5	0-24	"	0-40	"	0-16	0-20	"	0-04	"	"	0·11	Nil	5
6	0-12	"	0-01	"	nil	nil	"	0-10	"	"	0·06	N.M.	6
7	0-44	0-07	nil	"	"	0-38	"	0-15	N.M.	"	Nil	"	7
8	nil	nil	0-01	"	0-04	0-91	0-06	0-08	nil	"	"	Nil	8
9	0-23	0·22	0-07	"	nil	0-07	nil	0-08	"	"	"	0·12	9
10	nil	0·06	nil	0-01	"	0-33	0-01	0-01	"	"	"	0·25	10
11	"	0-03	"	nil	"	0-05	nil	0-41	N.M.	"	0·03	0·10	11
12	0-02	0-18	"	"	"	0-02	"	0-01	"	"	0·01	0·01	12
13	0-04	0-05	0-05	"	0-16	0-13	"	0-01	nil	"	0·04	N.M.	13
14	0·03	0-01	0-01	"	nil	nil	"	N.M.	"	"	0·05	"	14
15	nil	nil	0·01	"	0-02	"	"	0-06	"	0·06	Nil	"	15
16	"	0-01	0·09	"	0-26	0-46	"	nil	"	Nil	0·01	0·27	16
17	0-20	nil	0·02	"	0·01	nil	"	0-04	"	0·03	0·04	Nil	17
18	0-38	"	0-05	"	nil	0-07	"	0-04	"	Nil	Nil	"	18
19	0-04	"	0-09	"	"	nil	"	0-06	"	0·01	0·02	0-10	19
20	0-10	0-02	0-08	"	"	"	0-07	0-42	"	Nil	Nil	Nil	20
21	0-01	nil	0-09	"	"	N.M.	nil	0-07	"	0·34	"	"	21
22	nil	0-01	0-15	"	0-01	nil	"	0-14	"	0·05	0·03	"	22
23	0-18	0-11	0-06	"	0-01	"	0-07	0-07	"	0·05	Nil	0·07	23
24	0-31	0·32	0-31	"	nil	N.M.	0-07	0-37	"	0·04	0-14	0·12	24
25	0-39	0-02	nil	"	"	0-34	0-03	0-23	"	Nil	Nil	0·12	25
26	0-28	nil	"	"	"	0-15	nil	0-64	"	"	0·20	0-29	26
27	nil	0-01	"	"	"	nil	0-01	0-32	"	0·27	0·25	0-38	27
28	"	nil	"	"	"	0-05	nil	nil	"	0·11	Nil	0-20	28
29	"	0-04	"	N.M.	"	0-03	0-13	0-01	0·02	0·20	0·28	0-06	29
30	"		0-01	nil	"	0-12	0-16	0-19	0-83	0·11	0·05	Nil	30
31	"		nil		0-40	~~3-40~~	0-01	0-02		0·12		"	31
Total	3-06	1-13	·27 ~~1-44~~ 2·21	~~0-31~~ ·04	1-07	3-40	·09 ~~0-96~~ 1·05	·11 ~~4-08~~ 4·10	·96 ~~1-66~~ 1·97	·04 ~~2-68~~ 1·76	1-36 1·32	2-33	TOTAL for year 23-38
No. of Rain Days.	17	15	~~20~~ 21	~~5~~ 3	~~7~~ ~~10~~ 9	~~20~~ 19	12 13	28 [illegible]	8 5	15	~~16~~ 15	17	~~183~~ 177

W. 8,000, X. '11.

made ✓

cor for WD 5.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Kept at Receiving House, Hyde Park
in the County of ~~Middlesex~~ London
by H. C. Miller Supt.

Lat. .... Long. ....
Time of Observation 8. am
Nearest Railway Station ....
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	Nil	0.04	0.04	Nil	Nil	Nil	0.40	Nil	0.03	Nil	1
2	N.M.	0.22	0.03	0.11	Nil	Nil	–"–	–"–	0.29	–"–	0.04	0.06	2
3	0.03	0.11	Nil	Nil	–N.M.	Nil	0.08	–"–	0.15	N.M.–	0.04	N.M.–	3
4	Nil	Nil	0.04	0.19	0.25	Nil	Nil	–"–	Nil	Nil	Nil	0.03	4
5	0.16	Nil	Nil	0.01	0.31	Nil	0.13	–"–	–"–	0.16	0.02	0.03	5
6	0.21	Nil	Nil	Nil	Nil	0.06	0.14	–"–	0.27	N.M.	N.M.	0.06	6
7	Nil	0.01	0.06	Nil	0.04	0.08	0.25	–"–	–N.M.	0.10	0.04	0.06	7
8	"	0.06	Nil	–N.M.	0.01	Nil	0.07	0.10	Nil	0.36	0.04	Nil	8
9	.	0.02	0.03	Nil	0.05	0.08	Nil	Nil	–"–	0.06	N.M.	–"–	9
10	"	0.12	Nil	–N.M.	0.03	Nil	–.–	–"–	0.04	Nil	0.03	0.02	10
11	"	Nil	0.08	0.06	Nil	–N.M.	0.03	0.04	Nil	–.–	0.27	Nil	11
12	0.25	Nil	Nil	0.44	0.06	Nil	Nil	–N.M.	–"–	0.48	0.09	–"–	12
13	Nil	Nil	Nil	Nil	0.05	Nil	–.–	Nil	–"–	Nil	0.30	–"–	13
14	0.05	Nil	0.01	Nil	Nil	Nil	–.–	0.02	0.05	–"–	0.16	–"–	14
15	0.02	N.M.	0.05	0.06	Nil	Nil	0.42	0.04	0.04	0.13	0.15	–"–	15
16	0.17	0.06	0.19	0.13	Nil	Nil	0.35	Nil	0.03	Nil	Nil	–"–	16
17	0.06	Nil	0.29	0.14	Nil	Nil	Nil	–"–	0.36	–"–	–"–	–.–	17
18	0.04	0.01	0.13	0.07	Nil	Nil	0.07	–"–	Nil	–"–	N.M.	–"–	18
19	Nil	Nil	0.02	0.10	–N.M.	Nil	Nil	–"–	–"–	–"–	0.07	–"–	19
20	0.11	Nil	0.03	Nil	Nil	0.10	0.13	–"–	0.17	–"–	Nil	–"–	20
21	0.08	Nil	0.19	0.02	Nil	0.02	Nil	–"–	Nil	0.36	0.02	Nil	21
22	N.M.	0.01	0.12	0.12	–N.M.	Nil	0.03	–"–	–"–	0.21	0.68	–"–	22
23	0.31	Nil	0.10	0.04	Nil	Nil	–N.M.	–"–	0.15	Nil	–N.M.	–.–	23
24	Nil	Nil	0.04	Nil	Nil	0.03	Nil	0.24	0.03	–"–	Nil	0.33	24
25	"	Nil	Nil	0.03	Nil	–N.M.	–"–	Nil	Nil	–.–	N.M.	Nil	25
26	"	0.01	Nil	0.12	Nil	–.–	–"–	–"–	–"–	–"–	Nil	–"–	26
27	"	–N.M.	0.18	0.03	0.01	Nil	–.–	0.13	–"–	0.69	–"–	–"–	27
28	"	–N.M.	N.M.	0.02	Nil	Nil	–"–	Nil	–"–	N.M.	–"–	–"–	28
29	0.19	✓	0.19	0.07	0.61	–"–	–"–	–"–	–.–	0.06	–"–	–"–	29
30	0.06	✓	0.05	0.46	–N.M.	–.–	–.–	0.06	–.–	N.M.	–"–	–.–	30
31	0.12	✓	Nil	✓	Nil	✓	–.–	0.15	✓	0.06	✓	–"–	31
Total	inc. 1-86	inc. 0.63	.04 inc. ~~1.83~~ 1.87	.04 inc. 2.26✓	inc. ~~1.46~~ 1.42	inc. 0.37	inc. 1.64	.40 inc. ~~0.78~~ 1.18	~~1.98~~ 1.58	.03 ~~2.67~~ 2.76✓	~~1.98~~ 1.95	0.59	YEAR'S TOTAL 18.05 in ✓
Rain Days.	17✓	11 ~~12~~	21 ~~20~~	20 ~~22~~	10 ~~15~~	6 ~~9~~	11 ~~13~~	9 ~~8~~	11 ~~13~~	15✓	17 ~~20~~	7 ~~8~~	(155) ~~171~~

W. 7,500, XI. 12

end for W.D. 3.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Receiving House, Hyde Park
in the County of London ? ~~Middlesex~~ E+ BR
by H. C. Miller Supt

Lat. Long.
Time of Observation 8. am
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0-04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	0.03	Nil	Nil	0.13	Nil	0-01	Nil	Nil	Nil	0-59	1
2	-"-	-"-	0.02	-"-	-"-	Nil	-"-	0·11	-"-	-"-	0-01	0·01	2
3	N.M.	-"-	Nil	N.M.	-"-	-"-	0.15	0·7	-"-	-"-	0-20	0-08	3
4	Nil	-"-	0.05	Nil	0.11	-"-	0.06	Nil	-"-	-"-	0-15	Nil	4
5	0.01	-"-	0.01	0.12	Nil	-"-	Nil	0·01	-"-	-"-	0·25	0-12	5
6	0.06	-"-	0.04	0.12	-"-	0.02	0.31	0·47	-"-	-"-	Nil	Nil	6
7	Nil	0.08	Nil	0.08	-"-	0.19	Nil	0·02	-"-	-"-	0·06	0-05	7
8	-"-	0.11	0.22	0.09	0.83	0.04	0.03	Nil	-"-	-"-	Nil	0-04	8
9	0.04	0·26	0.59	0.08	N.M.	0.12	0.11	0·07	0·02	-"-	-"-	N.M.	9
10	0.15	Nil	0.51	0.08	Nil	0.19	Nil	Nil	0·05	-"-	-"-	1-45	10
11	N.M.	0·01	0.02	0.03	0.04	Nil	-"-	-"-	Nil	-"-	-"-	0-03	11
12	Nil	0.34	0.26	Nil	Nil	0.07	-"-	-"-	0·16	-"-	-"-	0-24	12
13	-"-	0.05	0.08	-"-	-"-	Nil	0.14	-"-	0·27	-"-	-"-	0-31	13
14	-"-	0.12	0.11	-"-	-"-	-"-	Nil	-"-	0·11	0-11	0-04	0-35	14
15	-"-	0.03	0.18	-"-	-"-	0.14	0.10	-"-	N.M.	0·14	0-02	0-36	15
16	0.03	Nil	0.12	-"-	-"-	Nil	0.10	N.M.	Nil	N.M.	0-32	0-06	16
17	N.M.	-"-	0.01	-"-	-"-	-"-	Nil	Nil	N.M.	Nil	N.M.	N.M.	17
18	-"-	0.09	0.05	-"-	-"-	-"-	-"-	-"-	0·02	-"-	Nil	0-10	18
19	Nil	0.08	0.07	-"-	-"-	-"-	-"-	-"-	0·12	-"-	-"-	0-19	19
20	-"-	0.01	0.15	-"-	-"-	0.02	0.03	-"-	Nil	-"-	0-15	0·40	20
21	-"-	0.11	0.36	-"-	-"-	0.03	Nil	-"-	0·02	0-01	Nil	0-11	21
22	-"-	0.38	0.06	-"-	-"-	0.03	-"-	-"-	Nil	0-01	-"-	0-01	22
23	-"-	Nil	0.01	N.M.	0.12	0.04	0.11	0·02	-"-	0-12	-"-	Nil	23
24	-"-	-"-	0.07	Nil	0.14	0.37	0.9	Nil	-"-	0-08	-"-	-"-	24
25	-"-	-"-	0.03	0.01	N.M.	Nil	N.M.	-"-	-"-	Nil	0-11	-"-	25
26	0.02	-"-	0.11	Nil	Nil	-"-	Nil	0·09	-"-	0-22	Nil	0-03	26
27	Nil	-"-	0.01	-"-	-"-	-"-	0.05	0-09	-"-	0-06	0-13	0-45	27
28	0.03	-"-	N.M.	-"-	-"-	-"-	Nil	N.M.	-"-	Nil	0-02	0-10	28
29	N.M.		Nil	-"-	0.01	-"-	-"-	Nil	-"-	0-06	0-41	0-70	29
30	0.01		0-05	-"-	Nil	-"-	-"-	-"-	-"-	0-18	0-05	Nil	30
31	Nil		0-02		-"-	✓	-"-	-"-	-"-	0-03	✓	0-08	31
Total	0.35	.03 ~~1.67~~ 1.70	~~3.24~~ 3.24	0.61	.13 ~~1.25~~ 1.38	~~1.30~~ 1.26	.01 ~~1.28~~ 1.29	~~0.96~~ ·95	0-77	1-02	.59 ~~1-92~~ 2.51	·04 5.86 5.31	YEAR'S TOTAL ~~20.32~~ 20.36
Rain Days.	~~12~~	~~13~~	~~27~~	~~10~~	~~8~~	~~13~~	~~13~~	~~12~~	~~10~~	~~12~~	~~15~~	~~25~~	~~174~~
	8	14	26	8	7	12	13	9	9	12	15	25	158

W.7,000, XI. 13

cord for W.D. 22-11-16. [illegible] 53

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL 3 JAN 1916

Kept at Receiving House Hyde Park

in the County of ~~Middlesex~~ London

by A. W. Green for Supt

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0-13"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	N.M.	0·05	Nil	Nil	Nil	0·01	Nil	NM	Nil	0·68	0·17	1
2	0·31	0·12	0·01	—"—	—"—	—"—	NM.	—"—	0·11	0·02	0·33	0·39	2
3	0·41	0·14	0·21	0·08	0·02	—"—	Nil	0·56	Nil	0·04	Nil	Nil	3
4	0·24	Nil	0·06	0·22	NM	—"—	NM	0·50	NM.	Nil	—"—	0·48	4
5	0·04	—"—	Nil	Nil	Nil	—"—	Nil	0·07	Nil	—"—	—"—	0·24	5
6	0·02	0·31	—"—	—"—	NM	—"—	—"—	NM.	—"—	0·02	NM.	0·21	6
7	0·27	0·03	—"—	0·20	1·30	—"—	0·82	0·03	—"—	Nil	Nil	0·35	7
8	0·47	0·16	0·04	Nil	Nil	—"—	0·10	0·03	—"—	—"—	—"—	0·18	8
9	0·02	0·35	NM.	0·04	—"—	—"—	0·02	0·02	—"—	—"—	0·33	Nil	9
10	0·06	0·04	Nil	0·11	—"—	0·06	Nil	0·05	—"—	0·01	Nil	0·53	10
11	0·24	NM.	—"—	Nil	—"—	Nil	—"—	0·34	—"—	Nil	0·65	0·16	11
12	0·02	0·01	0·03	—"—	—"—	—"—	—"—	0·05	—"—	—"—	0·27	0·03	12
13	0·06	Nil	Nil	0·32	0·42	—"—	—"—	0·34	—"—	—"—	Nil	NM.	13
14	0·02	0·28	—"—	Nil	1·15	—"—	—"—	0·09	—"—	—"—	—"—	Nil	14
15	Nil	0·03	—"—	—"—	Nil	—"—	0·66	0·07	0·03	—"—	—"—	0·46	15
16	0·08	Nil	—"—	—"—	0·04	—"—	Nil	0·85	Nil	—"—	0·16	0·10	16
17	0·01	0·14	—"—	NM.	Nil	—"—	0·49	NM.	—"—	—"—	Nil	0·12	17
18	Nil	0·31	—"—	Nil	0·76	—"—	0·03	0·05	—"—	—"—	—"—	Nil	18
19	—"—	0·24	0·02	—"—	0·17	—"—	Nil	Nil	—"—	—"—	0·07	—"—	19
20	—"—	0·10	Nil	—"—	NM.	—"—	0·05	—"—	—"—	0·01	Nil	—"—	20
21	0·35	Nil	—"—	0·05	Nil	—"—	Nil	—"—	—"—	Nil	—"—	0·22	21
22	0·03	—"—	—"—	Nil	—"—	—"—	NM	—"—	—"—	0·03	—"—	0·04	22
23	0·85	0·07	0·12	NM	—"—	—"—	0·55	—"—	—"—	Nil	—"—	0·08	23
24	NM.	Nil	0·07	NM	—"—	0·03	0·30	—"—	0·01	0·39	—"—	0·28	24
25	Nil	NM.	NM.	Nil	—"—	NM.	0·05	—"—	0·23	Nil	—"—	0·21	25
26	—"—	Nil	0·06	0·18	—"—	0·03	0·11	—"—	Nil	0·01	—"—	0·08	26
27	—"—	0·05	Nil	Nil	—"—	Nil	0·03	—"—	—"—	Nil	—"—	0·40	27
28	—"—	NM	—"—	—"—	—"—	0·65	0·37	—"—	NM	0·24	—"—	0·04	28
29	—"—		—"—	—"—	—"—	0·19	NM.	—"—	1·60	0·12	—"—	Nil	29
30	—"—	X	NM	—"—	—"—	Nil	0·37	0·16	Nil	Nil	—"—	—"—	30
31	0·01	X	Nil	X		X	Nil	Nil	X	—"—	X	NM	31
	—	·05	—	—	—	·01	—	—	—	·68	·17	·13	YEAR'S TOTAL
Total	~~3·65~~	~~2·38~~	~~0·67~~	~~1·20~~	~~3·86~~	~~0·96~~	~~3·96~~	~~3·21~~	~~1·98~~	~~0·89~~	~~2·49~~	~~4·77~~	~~29·92~~
Rain	3·51	2·43	·62	1·20	3·86	·97	3·95	3·21	1·98	1·57	1·98	4·73	30·01 ✓
Days.	21	19	13	11	10	6	18	17	8	10	8	23	164

~~45~~ [illegible] W.D.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

45

Kept at *Receiving House. Hyde Park*

in the County of *Middlesex* London

by *A. W. Green Actᵍ Supᵗ*

Lat. .... Long. ....

Time of Observation *8 a.m.*

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *3* in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.09"

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.13	Nil	0.03	Nil	0.02	Nil	N.M.	Nil	0.03"	Nil	0.18	Nil	1
2	0.02	"	0.01	—"—	0.28	N.M.	0.01	—"—	0.20	0.04	0.30	—"—	2
3	0.40	N.M.	0.12	—"—	0.30	Nil	0.01	—"—	0.22	0.40	0.01	—"—	3
4	Nil	0.24	0.13	—"—	N.M.	—"—	0.02	—"—	0.23	0.24	0.62	—"—	4
5	0.16	0.12	Nil	—"—	N.M.	0.28	Nil	—"—	0.06	0.02	0.32	—"—	5
6	Nil	Nil	0.01	N.M.	0.08	0.08	0.01	—"—	Nil	0.05	0.24	N.M.	6
7	—"—	0.07	0.01	0.24	0.01	0.06	0.08	—"—	—"—	N.M.	0.25	Nil	7
8	0.04	Nil	0.06	Nil	0.12	0.16	0.43	—"—	—"—	Nil	0.48	0.05	8
9	Nil	—"—	0.15	—"—	0.18	N.M.	Nil	—"—	—"—	—"—	N.M.	0.19	9
10	—"—	—"—	Nil	—"—	0.18	Nil	—"—	—"—	—"—	"	Nil	0.06	10
11	—"—	0.14	0.07	0.06	Nil	0.23	0.08	0.13"	—"—	0.06	N.M.	0.09	11
12	0.02	0.12	0.01	0.14	—"—	0.23	Nil	Nil	—"—	Nil	Nil	0.02	12
13	0.03	Nil	N.M.	0.06	0.23	0.14	0.01	0.03" 0.3	N.M.	0.01	—"—	Nil	13
14	Nil	0.30	0.34	0.02	0.01	0.06	0.33	0.12	Nil	0.03	—"—	—"—	14
15	—"—	0.20	Nil	0.01	0.04	Nil	Nil	0.75	—"—	Nil	—"—	0.07	15
16	—"—	0.13	0.24	N.M.	Nil	—"—	—"—	0.24	—"—	0.01	—"—	Nil	16
17	—"—	Nil	0.18	0.19	N.M.	—"—	0.18	0.04	—"—	Nil	—"—	—"—	17
18	0.05	0.12	Nil	N.M.	Nil	—"—	0.01	0.36	0.24"	0.47	—"—	—"—	18
19	N.M.	0.12	—"—	0.18	—"—	—"—	Nil	0.53	0.10	0.14	0.67	—"—	19
20	0.05	0.04	0.18	0.15	—"—	—"—	—"—	Nil	0.16	Nil	0.47	—"—	20
21	0.11	Nil	0.25	N.M.	—"—	—"—	—"—	N.M.	Nil	—"—	0.01	N.M.	21
22	Nil	—"—	0.50	0.15	—"—	—"—	N.M.	Nil	—"—	—"—	N.M.	0.22	22
23	N.M.	—"—	N.M.	Nil	—"—	—"—	Nil	—"—	—"—	—"—	Nil	0.34	23
24	Nil	0.07	0.01	—"—	—"—	0.08	—"—	N.M.	—"—	0.02	0.01	0.34	24
25	0.01	0.12	Nil	—"—	—"—	N.M.	—"—	Nil	—"—	0.08	Nil	0.05	25
26	Nil	0.16	0.21	—"—	0.08	Nil	—"—	0.32"	—"—	0.04	0.08	0.25	26
27	—"—	0.40	0.02	—"—	Nil	0.05	—"—	0.65	—"—	0.03	Nil	Nil	27
28	0.03	N.M.	0.86	—"—	—"—	0.02	—"—	0.15	0.08"	0.48	—"—	—"—	28
29	Nil	0.40	0.26	—"—	—"—	0.01	—"—	Nil	0.03	Nil	—"—	0.18	29
30	—"—	☒	Nil	—"—	—"—	0.25	—"—	1.26"	0.04	0.14	—"—	0.12	30
31	—"—	☒	Nil	☒	—"—	☒	—"—	0.08	☒	0.28	☒	Nil	31
Total	~~1.05~~ .92	.03 ~~2.45~~ 2.48	~~3.68~~ 3.65	.02 ~~1.16~~ 1.18	~~1.53~~ 1.51	~~1.65~~ 1.65	~~1.47~~ 1.41	.03 ~~4.66~~ 4.69	~~1.39~~ 1.36	+8 ~~2.54~~ 2.72	~~3.64~~ 3.46	.02 ~~1.98~~ 2.00	YEAR'S TOTAL ~~24.50~~ 27.39
Rain Days.	11 ~~14~~	17 ~~18~~	20 ~~23~~	11 ~~14~~	11 ~~15~~	13 ~~16~~	11 ~~13~~	14 ~~13~~	10 ~~12~~	19 ~~19~~	12 ~~16~~	14 ~~15~~	~~190~~ 163

W. 8,000. X. 15.

√ § made.

and for [illegible] of the WD

46

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Receiving House Hyde Park

in the County of Middlesex London

by A. W. Green Act^g Sup^nt

Lat. Long.

Time of Observation 8 AM.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	Nil	Nil	0.11	Nil	Nil	Nil	0.34	NM.	Nil	Nil	Nil	1
2	Nil	-"-	-"-	0.05	-"-	-"-	-"-	1.10	0.03	-"-	0.05	-"-	2
3	-"-	-"-	-"-	0.11	-"-	0.04	-"-	0.08	Nil	-"-	0.23	-"-	3
4	-"-	-"-	-"-	0.02	-"-	Nil	-"-	0.35	-"-	0.15	0.24	-"-	4
5	-"-	-"-	-"-	Nil	-"-	-"-	0.16	0.05	-"-	Nil	Nil	-"-	5
6	0.23	-"-	0.11	0.15	-"-	-"-	Nil	Nil	0.90	0.15	0.05	-"-	6
7	NM	-"-	0.02	0.09	-"-	0.02	0.06	0.30	0.18	NM	0.04	-"-	7
8	0.15	-"-	Nil	Nil	-"-	Nil	0.74	0.08	Nil	0.14	Nil	NM.	8
9	0.10	-"-	-"-	0.05	-"-	-"-	Nil	0.09	0.02	0.18	0.11	Nil	9
10	0.01	-"-	0.02	0.05	-"-	-"-	-"-	Nil	0.08	NM.	0.03	0.18	10
11	0.12	-"-	0.07	0.03	-"-	-"-	-"-	-"-	Nil	Nil	NM	0.03	11
12	0.20	NM.	0.28	0.24	-"-	-"-	-"-	0.04	0.38	0.20	Nil	Nil	12
13	0.12	Nil	0.01	0.03	-"-	-"-	-"-	0.02	Nil	0.40	-"-	-"-	13
14	0.01	-"-	0.18	0.01	-"-	-"-	-"-	0.13	0.01	0.02	-"-	-"-	14
15	Nil	-"-	Nil	0.14	-"-	-"-	0.03	NM.	Nil	Nil	-"-	-"-	15
16	-"-	0.17	-"-	Nil	-"-	-"-	0.02	Nil	-"-	0.03	-"-	-"-	16
17	0.07	0.01	-"-	0.10	0.09	1.22	Nil	-"-	0.33	0.30	-"-	0.17	17
18	Nil	0.03	-"-	0.05	0.65	Nil	0.16	0.07	Nil	0.25	-"-	Nil	18
19	0.02	0.09	-"-	0.07	0.06	0.43	Nil	Nil	0.12	0.08	-"-	-"-	19
20	0.01	0.20	0.12	Nil	0.48	NM	0.01	0.01	0.15	Nil	-"-	-"-	20
21	0.01	NM	0.07	-"-	0.64	Nil	Nil	Nil	Nil	-"-	0.04	-"-	21
22	NM	Nil	0.02	NM.	0.03	-"-	-"-	0.08	-"-	NM.	NM	-"-	22
23	0.02	-"-	0.01	Nil	Nil	NM.	-"-	0.06	-"-	0.03	Nil	-"-	23
24	Nil	0.09	Nil	-"-	0.09	Nil	-"-	Nil	-"-	Nil	-"-	0.02	24
25	-"-	0.01	NM.	-"-	Nil	-"-	-"-	-"-	-"-	0.12	0.03	NM.	25
26	-"-	NM	0.03	-"-	-"-	-"-	-"-	0.20	-"-	Nil	NM.	Nil	26
27	-"-	Nil	0.05	-"-	-"-	-"-	-"-	0.85	0.02	-"-	0.43	-"-	27
28	-"-	-"-	NM.	-"-	-"-	-"-	-"-	0.08	Nil	-"-	Nil	NM	28
29	-"-	-"-	Nil	-"-	-"-	1.64	-"-	Nil	-"-	-"-	-"-	0.04	29
30	-"-	X	0.07	-"-	0.45	0.05	-"-	0.01	-"-	0.15	-"-	0.14	30
31	-"-	X	0.15	X	Nil	X	1.60	0.08	X	Nil	X	0.02	31
Total	~~1.13~~ 1.09	0.60	~~1.21~~ 1.32	~~1.30~~ 1.19	2.49	3.40	~~2.46~~ 3.12	~~3.09~~ 3.68	2.22	2.20	1.25	0.68 :60	YEAR'S TOTAL ~~22.16~~ 23.16
Rain Days.	~~16~~ 14	10	15 ~~17~~	~~17~~	8	~~6~~8	8	~~21~~ 20	11 ~~12~~	16 ~~14~~	~~13~~ 11	8 10	~~137~~

W. 8,000, VIII. 16

140

Smade 43

FORM A. BRITISH RAINFALL. 8.1.19

REGISTER OF ~~RAINFALL~~ RAINFALL IN 1918

Kept at Receiving House. Hyde Park
in the County of Middlesex ~~London~~
by A. W. Green Acting Supᵗ

Lat. .... Long. ....
Time of Observation 8 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ~~3~~ 1 ft. 3 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. N.M.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	0.03	Nil	Nil	Nil	Nil	Nil	0.06	0.01	0.03	0.02	1
2	–"–	–"–	Nil	0.11	–"–	–"–	–"–	–"–	Nil	Nil	0.02	0.05	2
3	–"–	0.04	–"–	0.03	–"–	–"–	–"–	0.30	–"–	N.M.	0.04	0.10	3
4	–"–	N.M.	0.02	Nil	0.43	–"–	–"–	0.43	–"–	Nil	0.58	N.M.	4
5	–"–	0.02	0.18	–"–	Nil	–"–	–"–	0.03	0.50	–"–	Nil	0.02	5
6	–"–	0.09	N.M.	–"–	0.10	–"–	–"–	0.10	0.38	0.04	–"–	0.03	6
7	0.18	0.06	Nil	0.18	0.19	–"–	–"–	0.11	N.M.	0.01	–"–	0.06	7
8	Nil	0.06	–"–	0.10	0.14	–"–	–"–	N.M.	0.03	0.10	–"–	Nil	8
9	–"–	0.08	–"–	Nil	Nil	–"–	–"–	Nil	0.05	Nil	–"–	0.03	9
10	–"–	0.05	–"–	0.06	–"–	0.02	0.24	–"–	0.35	0.10	0.03	Nil	10
11	–"–	Nil	–"–	0.09	–"–	Nil	0.38	–"–	0.02	Nil	0.08	0.45	11
12	0.01	0.05	–"–	0.04	0.02	–"–	0.15	–"–	0.05	0.18	Nil	0.06	12
13	Nil	0.03	–"–	Nil	0.08	–"–	1.15	–"–	0.05	Nil	–"–	0.04	13
14	–"–	Nil	–"–	–"–	0.18	–"–	0.09	–"–	0.10	–"–	–"–	Nil	14
15	0.11	–"–	–"–	N.M.	Nil	0.28	0.19	–"–	0.48	–"–	–"–	0.18	15
16	0.84	–"–	N.M.	0.68	–"–	Nil	0.34	–"–	0.03	–"–	–"–	0.03	16
17	Nil	–"–	Nil	0.36	0.01	0.10	Nil	–"–	0.25	0.01	–"–	Nil	17
18	0.42	–"–	–"–	0.14	Nil	0.48	0.57	0.04	Nil	Nil	–"–	0.08	18
19	0.46	–"–	–"–	N.M.	–"–	0.28	0.07	Nil	0.90	0.18	–"–	0.03	19
20	0.02	–"–	0.04	0.14	–"–	0.20	0.30	–"–	0.04	0.04	–"–	0.08	20
21	0.09	0.10	Nil	0.36	–"–	0.01	0.10	–"–	0.19	0.16	–"–	0.02	21
22	0.06	Nil	–"–	0.20	–"–	N.M.	N.M.	–"–	0.48	Nil	–"–	Nil	22
23	0.03	–"–	–"–	0.01	0.40	Nil	0.10	–"–	0.10	–"–	–"–	0.14	23
24	0.02	–"–	–"–	Nil	0.18	–"–	0.43	0.04	0.06	–"–	–"–	0.03	24
25	Nil	0.22	–"–	–"–	Nil	0.04	0.38	Nil	0.05	N.M.	0.02	Nil	25
26	–"–	Nil	–"–	0.03	–"–	0.02	0.52	0.15	Nil	0.05	0.02	–"–	26
27	–"–	–"–	–"–	Nil	–"–	Nil	0.42	0.09	–"–	Nil	0.15	–"–	27
28	–"–	0.01	–"–	0.10	–"–	–"–	0.06	0.44	–"–	–"–	0.08	N.M.	28
29	–"–		0.18	N.M.	–"–	–"–	Nil	Nil	0.05	–"–	0.18	0.08	29
30	–"–	X	Nil	Nil	–"–	–"–	–"–	–"–	1.05	–"–	0.04	Nil	30
31	–"–	X	0.40	X	–"–	X	–"–	–"–	X	–"–	X	0.04	31
Total	– ~~2.14~~	·03 ~~0.44~~	– ~~0.85~~	– ~~2.63~~	– ~~1.66~~	– ~~1.43~~	– ~~5.62~~	·06 ~~1.43~~	·01 ~~5.20~~	·02 ~~0.88~~	·02 ~~1.24~~	–2 ~~1.54~~	YEAR'S TOTAL ~~25.43~~
Rain Days.	2.17 11	·17 13	·82 8	2.63 19	1.66 10	1.43 10	5.62 18	1.49 12	5.15 23	·90 13	1.26 12	1.55 22	25.55 170

W. 8,000, IX. 17.

B. made

corrd for WD

42

REGISTER OF RAINFALL ~~IN~~ 1919

FORM A. BRITISH RAINFALL.

1 JAN 20

Kept at Receiving House Hyde Park

in the County of ~~Middlesex~~ London

by A. W. Green Acting Supt

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. N.M.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	~~N.M.~~	~~Nil~~	~~Nil~~	~~0.05~~ 8am									
1	-"-	0.02	0.02	0.05	0.22	Nil	0.16	N.M.	Nil	Nil	N.M.	0.17	1
2	0.35	Nil	Nil	0.02	Nil	-"-	0.26	Nil	-"-	0.01	0.01	0.61	2
3	0.23	-"-	0.22	Nil	0.13	-"-	0.67	N.M.	0.57	0.04	0.10	0.13	3
4	0.20	-"-	0.26	-"-	N.M.	-"-	0.27	Nil	0.01	Nil	0.02	0.30	4
5	0.05	0.25	0.56	-"-	Nil	0.06	0.20	0.01	Nil	-"-	N.M.	0.08	5
6	Nil	0.02	0.06	-"-	-"-	Nil	0.03	Nil	0.03	-"-	0.01	0.16	6
7	0.02	Nil	0.23	-"-	-"-	-"-	Nil	-"-	Nil	-"-	Nil	N.M.	7
8	0.03	-"-	0.04	-"-	-"-	-"-	-"-	-"-	-"-	-"-	0.02	Nil	8
9	0.03	-"-	Nil	0.02	-"-	-"-	-"-	-"-	-"-	-"-	Nil	-"-	9
10	0.01	-"-	0.05	0.02	0.12	-"-	-"-	-"-	-"-	-"-	N.M.	-"-	10
11	0.01	-"-	0.06	0.01	Nil	-"-	-"-	-"-	-"-	0.01	0.05	-"-	11
12	0.02	-"-	Nil	0.23	-"-	Nil	0.08	-"-	-"-	Nil	Nil	0.01	12
13	0.03	-"-	-"-	0.02	-"-	0.01	0.24	-"-	-"-	0.07	-"-	N.M.	13
14	Nil	-"-	-"-	0.10	-"-	Nil	Nil	-"-	-"-	0.03	-"-	Nil	14
15	0.15	-"-	0.10	0.20	-"-	-"-	0.06	-"-	0.45	-"-	-"-	0.01	15
16	0.20	0.48	Nil	0.18	-"-	-"-	Nil	N.M.	Nil	-"-	-"-	0.18	16
17	0.01	0.23	0.05	N.M.	-"-	-"-	-"-	Nil	-"-	-"-	0.09	0.02	17
18	Nil	0.20	0.05	N.M.	-"-	-"-	-"-	-"-	-"-	-"-	0.09	N.M.	18
19	-"-	0.08	0.62	Nil	-"-	-"-	N.M.	-"-	0.02	-"-	0.06	0.01	19
20	-"-	0.07	0.06	-"-	-"-	0.12	0.22	0.10	0.03	-"-	0.05	0.01	20
21	0.20	0.01	Nil	-"-	-"-	0.93	0.21	0.13	0.02	-"-	Nil	N.M.	21
22	0.14	0.06	-"-	-"-	-"-	0.16	0.06	Nil	Nil	-"-	N.M.	0.01	22
23	Nil	Nil	-"-	-"-	-"-	N.M.	0.12	-"-	0.12	-"-	N.M.	0.16	23
24	-"-	-"-	-"-	-"-	-"-	0.02	Nil	-"-	0.01	-"-	0.01	0.02	24
25	-"-	-"-	-"-	0.23	Nil	N.M.	0.05	0.02	Nil	0.17	0.12	N.M.	25
26	N.M.	-"-	Nil	N.M.	N.M.	N.M.	Nil	0.11	-"-	Nil	Nil	0.01	26
27	0.04	0.11	0.14	0.06	Nil	Nil	-"-	0.02	0.08	-"-	-"-	0.24	27
28	0.20	0.02	0.05	0.82	Nil	-"-	N.M.	0.26	Nil	-"-	-"-	N.M.	28
29	Nil		N.M.	0.03	-"-	-"-	0.01	0.79	-"-	-"-	0.07	0.26	29
30	0.02	╳	0.03	0.07	-"-	-"-	Nil	0.33	-"-	0.22	0.17	0.02	30
31	Nil	╳	N.M.	╳	-"-	╳	-"-	0.13	╳	0.01	╳	0.15	31
	.02	.02	.05	.22	–	.16	–	–	–	–	.17	–	YEAR'S TOTAL
Total	~~1.94~~ 1.96	1.55	~~2.63~~ 2.66	~~2.06~~ 2.23	~~0.44~~ .25	~~1.30~~ 1.46	~~2.64~~ 2.48	1.92	1.34	0.56	~~0.87~~ 1.04	~~2.56~~ 2.39	19.84
Rain Days.	~~21~~ 22	12.	19?	18?.	4 ~~5?~~	10 ~~9~~	16 ~~17?~~	13	10	8	20 ~~19?~~	25 ~~26~~	177

W, 6,500, VII. 18. W W C

Confor WD ~~W~~ and for month

4

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Royal Humane Society

Kept at Receiving House, Hyde Park

in the County of Middlesex

by A. C. Miller Supt. R.H.S.

Lat. .... Long. ....

Time of Observation 8. am

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0. 05 in.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	N.M.	0.01	Nil	Nil	Nil	0.03	Nil	Nil	Nil	0.59	0.12	0.15	1
2	0.01	Nil	-"-	0.25	0.02	Nil	0.23	-"-	-"-	0.16	Nil	0.13	2
3	Nil	-"-	0.01	Nil	N.M.	-"-	Nil	0.68	0.04	0.11	-"-	0.01	3
4	Nil	0.03	Nil	0.08	Nil	-"-	-"-	Nil	0.08	N.M.	-"-	0.03	4
5	Nil	0.03	N.M.	0.07	-"-	-"-	0.01	0.02	Nil	0.11	-"-	0.02	5
6	Nil	Nil	0.11	Nil	0.02	-"-	0.51	N.M.	0.01	Nil	-"-	0.04	6
7	Nil	-"-	0.11	-"-	0.10	-"-	0.36	Nil	Nil	-"-	-"-	0.01	7
8	N.M.	-"-	N.M.	0.17	0.02	-"-	0.16	-"-	-"-	-"-	-"-	0.02	8
9	Nil	0.01	Nil	0.11	0.10	-"-	0.06	0.01	-"-	-"-	-"-	Nil	9
10	0.24	N.M.	-"-	0.05	N.M.	Nil	Nil	0.01	-"-	-"-	-"-	-"-	10
11	0.36	0.04	0.04	N.M.	Nil	0.09	0.04	Nil	-"-	-"-	N.M.	-"-	11
12	0.11	Nil	0.04	0.10	0.01	0.01	0.39	-"-	-"-	-"-	Nil	-"-	12
13	0.06	N.M.	Nil	0.01	Nil	0.47	Nil	-"-	-"-	N.M.	N.M.	-"-	13
14	0.17	Nil	0.03	0.11	-"-	Nil	-"-	-"-	N.M.	Nil	0.02	-"-	14
15	Nil	-"-	0.20	0.11	-"-	0.22	-"-	-"-	0.09	N.M.	0.08	0.14	15
16	N.M.	0.01	0.04	0.13	-"-	Nil	0.02	-"-	0.49	0.31	0.06	Nil	16
17	Nil	Nil	N.M.	0.17	-"-	N.M.	Nil	-"-	0.40	0.18	N.M.	-"-	17
18	N.M.	-"-	Nil	Nil	0.08	Nil	N.M.	-"-	0.28	0.12	Nil	0.02	18
19	0.02	-"-	-"-	N.M.	N.M.	-"-	Nil	0.67	0.21	Nil	-"-	0.02	19
20	0.11	-"-	-"-	0.18	Nil	-"-	-"-	N.M.	Nil	-"-	-"-	0.04	20
21	0.05	0.20	-"-	0.05	-"-	0.54	-"-	Nil	0.01	-"-	-"-	N.M.	21
22	Nil	Nil	-"-	Nil	-"-	Nil	0.77	0.01	0.60	-"-	-"-	0.01	22
23	N.M.	-"-	-"-	0.26	-"-	-"-	Nil	N.M.	0.03	-"-	-"-	0.32	23
24	Nil	-"-	-"-	Nil	-"-	-"-	0.31	Nil	Nil	-"-	-"-	0.31	24
25	-"-	-"-	0.04	-"-	-"-	-"-	Nil	-"-	-"-	-"-	-"-	0.01	25
26	-"-	0.06	Nil	-"-	-"-	-"-	0.13	-"-	0.02	-"-	-"-	Nil	26
27	N.M.	Nil ~~0.04~~	0.05	N.M.	0.03	0.01	0.04	-"-	Nil	-"-	-"-	N.M.	27
28	0.08	0.04	0.02	0.15	Nil	0.07	0.13	-"-	-"-	-"-	0.54	0.05	28
29	0.29	Nil	0.08	0.17	0.02	N.M.	0.08	-"-	-"-	-"-	Nil	N.M.	29
30	0.16	✗	0.04	0.01	Nil	Nil	N.M.	-"-	-"-	-"-	0.02	0.17	30
31	N.M.	✗	Nil	✗	0.07	✗	0.30	-"-	✗	-"-	✗	0.08	31
Total	·01 ~~1.66~~ 1.69	— ~~0.43~~ ·42	0.81	2.18	·03 ~~0.47~~ ·50	~~1.44~~ 1.41	3.54	1.40	·59 ~~2.26~~ 2.85	·12 ~~1.58~~ 1.11	·15 ~~0.84~~ ·87	·05 ~~1.56~~ 1.48	Year's Total 18.24 ~~18.19~~
Days with ·01 in. or more	13 ~~12~~	8 ~~9~~	13	18	11 ~~10~~	7 ~~8~~	16	6	13 ~~14~~	7	6 7	19	137 ~~136~~
~~X~~ ·04	10	4	10	16	4	5	14	2	8	7	4	10	94 ~~93~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5o

ISLE ~~OF~~ DOGS
P. S.
1911 - 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGI … ological

Kept at Isle of Dogs … in.
… und 1 ft. … in.
in the County of London … Level 14·6 ft.
… m.
by … ne Poplar
… ance 5/8 Mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·01	·80				·03					1
2	·18			·13	·13						·17	·09	2
3	·02	·02			·13						·05	·08	3
4	·03	·02	·08	·09					·02	·04	·23	·17	4
5	·02	·02		·02						·15	·03	·17	5
6	·18		·24									·16	6
7	·03		·02	·03						·09	·25	·13	7
8	·11		·09								·26	·18	8
9	·14		·03	·02								·05	9
10	·02	·09	·05								·10	·30	10
11	·27				·02						·62		11
12	·05		·45		·20	·01			·05		·25		12
13			·08		·20				·52	·48	·05	·12	13
14		·08			·17							·38	14
15		·04	·17							·03	·03	·02	15
16						·73					·37	·02	16
17			·07								·23	·08	17
18		·14	·03			·01					·42	·14	18
19					·04	·16		·25	·23	·18	·19	·08	19
20		·02	·03					·09		·14		·47	20
21		·11						·13	·10	·40		·08	21
22			·08			·04				·11		·36	22
23		·09	·07			·81			·28		·03	·12	23
24		·11	·01			·03	·05	·01		1.19		·27	24
25		·05		·03		·11	·03	·02					25
26			·11	·19	·03	·16				·09	·03	·26	26
27		·31	·09	·05					·17		·03	·05	27
28		·12		·18				·05			·02		28
29				·07		·17	·12		·10	·19			29
30				·09	·01			·36	·02	·15			30
31					·63								31
Total	1.10	1.22	1.71	1.70	1.56	2.23	·20	·94	1.49	3.24	3.36	3.78	TOTAL for year 22.53
No. of Rain Days.	12	14	18	12	10	10	3	8	9	13	19	23	151

W. 8,000, X. '11.

5a

REGIS

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Isle of Dogs Pumping Station

in the County of London 2

by

RAIN GAUGE
Pattern Meteorological
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 14·6 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Poplar
Distance 5/8 Mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·01	·80				·03					1
2	·18			·13	·13						·17	·09	2
3	·02	·02			·13						·05	·08	3
4	·03	·02	·08	·09					·02	·04	·23	·17	4
5	·02	·02		·02						·15	·03	·17	5
6	·18		·24									·14	6
7	·03		·02	·03						·09	·25	·13	7
8	·11		·09								·26	·18	8
9	·14		·03	·02								·05	9
10	·02	·09	·05								·10	·30	10
11	·27				·02						·62		11
12	·05		·45		·20	·01			·05		·25		12
13			·08		·20				·52	·48	·05	·12	13
14		·08			·17							·38	14
15		·04	·17							·03	·03	·02	15
16						·73					·37	·02	16
17			·07								·23	·08	17
18		·14	·03			·01					·42	·14	18
19					·04	·16		·25	·23	·18	·19	·08	19
20		·02	·03					·09		·14		·47	20
21		·11						·13	·10	·40		·08	21
22			·08			·04				·11		·36	22
23		·09	·07			·81			·28		·03	·12	23
24		·11	·01			·03	·05	·01		1.19		·27	24
25		·05		·03		·11	·03	·02					25
26			·11	·19	·03	·16				·09	·03	·26	26
27		·31	·09	·05					·17		·03	·05	27
28		·12		·18				·05			·02		28
29				·07		·17	·12		·10	·19			29
30				·09	·01			·36	·02	·15			30
31					·63								31
Total	1.10	1.22	1.71	1.70	1.56	2·23	·20	·94	1.49	3.24	3·36	3.78	TOTAL for year 22.53
No. of Rain Days.	12	14	18	12	10	10	3	8	9	13	19	23	151

W. 8,000, X. '11.

E20 IL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
13 JAN 1913

Kept at Isle of Dogs Pumping Station
in the County of London 2
by The London County Council

Lat. .... Long. ....
Time of Observation 9.0 a.m
Nearest Railway Station Poplar
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 14.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·12	-	-	·17	·09	-	·07	·27	-	·19	1
2	-	-	·33	-	-	·01	·24	·19	·01	·02	-	·01	2
3	·06	·06	·05	-	·01	·09	-	·37	-	-	-	·04	3
4	·27	-	·55	-	·16	·12	-	·02	-	-	·12	-	4
5	·14	·06	·04	-	-	-	-	·26	-	-	·05	·01	5
6	·45	·03	·02	-	-	·21	-	·07	-	-	-	·06	6
7	-	-	·04	-	·05	·44	·15	·08	-	-	-	·02	7
8	·28	·23	·10	-	-	·09	·02	·09	-	-	-	-	8
9	-	·05	-	·03	-	·31	·01	·05	-	-	-	·11	9
10	·02	·03	-	-	-	·05	-	·18	-	-	·04	·26	10
11	·02	·28	-	-	-	·06	-	-	·02	-	-	·12	11
12	·03	·09	·06	-	·16	·19	-	-	-	-	·02	·03	12
13	·02	·02	-	-	-	-	-	-	-	-	·06	·01	13
14	-	-	·01	-	·02	-	-	·07	-	·07	·01	·03	14
15	-	·02	·07	-	·28	·53	-	·01	·01	-	·02	·40	15
16	·22	-	·02	-	-	·07	-	·06	-	·03	·04	-	16
17	·50	-	·23	-	-	·03	-	·04	-	-	-	·03	17
18	·03	-	·08	-	-	-	-	·03	-	·02	-	·08	18
19	·12	·10	·13	-	-	-	·03	·41	-	-	-	-	19
20	·01	-	·13	-	-	-	-	·04	-	·39	-	-	20
21	-	·04	·09	-	·17	-	-	·11	-	·05	·04	-	21
22	·18	·14	·03	-	·03	-	·16	·11	-	·02	-	·05	22
23	·42	·38	·31	-	·01	-	·02	·32	-	·03	·17	·15	23
24	·25	·02	·02	-	-	·39	-	·15	-	-	-	·09	24
25	·24	-	-	-	-	·11	-	·84	-	-	·25	·38	25
26	-	·02	-	-	-	-	-	·27	-	·33	·28	·32	26
27	-	-	-	-	-	·04	-	-	-	* ·13	-	·15	27
28	-	·08	-	·02	-	-	·12	·02	·04	* ·21	·33	·08	28
29	-	-	-	-	-	·24	·19	·14	·79	* ·17	-	-	29
30	-		-	-	·16	-	-	·04	1.21	* ·14	-	-	30
31	-		·12		-		·07	·17		-		-	31
Total	3.26	1.65 4.91	2.55 7.46	·05 7.51	1.05 8.56	3.15 11.71	1.10 12.81	4.14 16.95	2.15 19.10	(1.88) 20.98	1.43 22.41	2.62	YEAR TOTAL (25.03)
Rain Days.	18	17	21	2	10	18	11	26	7	14	13	22	179

W. 7,500, XI. 12

* Gauge stolen on 27th - The figures are put the same as Abbey Mills P. Stn

FORM A.
BRITISH RAINFALL.
19 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Isle of Dogs Pumping Station
in the County of London 2 E4 R
by The London County Council

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Poplar
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 14'-6" ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·24	·06	·20	–	–	–	–	·19	–	·03	·08	1
2	·04	·15	–	–	·01	–	·05	–	·04	–	·08	–	2
3	–	–	·10	·11	·43	–	–	–	–	–	–	–	3
4	·17	–	–	·03	·22	–	·09	–	–	·18	–	·03	4
5	·26	–	–	–	–	·05	·11	–	·25	·03	·01	·06	5
6	·02	–	·12	–	·02	·08	·53	–	–	·17	·15	·07	6
7	–	·05	–	–	·03	–	·13	·11	–	·48	·04	–	7
8	–	·03	·03	–	·08	·13	–	–	–	·05	·01	–	8
9	–	·11	–	–	·04	–	·01	–	·04	–	·05	·03	9
10	·02	–	·12	·11	–	–	·77	·08	–	–	·39	–	10
11	·29	–	–	·39	·02	–	–	–	–	·61	·12	–	11
12	–	–	–	–	·02	–	–	–	–	–	·29	–	12
13	·07	–	·03	–	–	–	–	·04	–	–	·32	–	13
14	·03	–	·06	·05	–	–	·10	·04	–	·12	·07	–	14
15	·31	·08	·27	·15	–	–	·12	–	·14	–	·01	–	15
16	·14	–	·30	·18	–	–	·01	–	·37	–	–	–	16
17	·04	·04	·06	·07	–	–	·13	–	–	–	–	–	17
18	·01	–	·13	·13	–	–	·01	–	–	–	·03	–	18
19	·12	–	·09	–	–	·05	·15	–	·12	–	–	–	19
20	·10	–	·25	·03	–	·10	–	–	–	·40	·03	–	20
21	–	·03	·15	·06	–	–	·05	–	–	·21	·61	–	21
22	·43	–	·17	–	–	–	–	·04	·16	–	–	–	22
23	–	–	·02	–	–	·04	–	·25	·03	–	–	·36	23
24	·02	–	–	·02	–	·01	–	–		–	·02	–	24
25	–	·02	–	·19	–	–	–	–	–	–	·01	–	25
26	–	·02	·19	–	–	–	–	·21	–	·79	–	·17	26
27	–	–	·03	·06	·02	–	–	–	–	·05	–	–	27
28	21	–	·15	·06	–	–	–	–	–	·15	–	·01	28
29	·06		·03	·26	·41	–	–	·17	–	·03	–	–	29
30	·21		–	·12	–	–	–	·18	–	·13	–	–	30
31	–		–		–		–	·56		·14		–	31
Total	2·56	·77	2·36	2·22	1·30	·46	2·26	1·68	1·34	3·54	2·27	·81	YEAR'S TOTAL 21·57
Rain Days.	20	10	20	18	11	7	14	10	9	15	18	8	160

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

29 JAN 1915

Kept at Isle of Dogs Pumping Station
in the County of London 2
by The London County Council

Lat. Long.
Time of Observation 9.0 a.m
Nearest Railway Station Poplar
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 14.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	.23	-	-	.01	-	1
2	-	-	-	.01	-	-	.08	.13	-	-	.14	.20	2
3	-	-	.13	.05	.11	-	-	-	-	-	-	-	3
4	.07	-	.02	.15	-	-	-	.03	-	-	.28	.26	4
5	.04	-	.06	.19	.13	.03	.45	.34	-	-	-	-	5
6	-	.08	-	.09	-	.17	-	.03	-	-	.04	.07	6
7	-	.16	.27	.38	.79	.25	.06	-	-	-	-	.06	7
8	.11	.30	.68	.06	.03	.06	.07	.06	-	-	-	.02	8
9	.17	-	.70	.10	-	.03	-	-	.08	-	-	1.00	9
10	.02	.05	.02	.06	.05	-	-	-	.06	-	-	.01	10
11	-	.37	.32	-	-	.09	-	-	.19	-	.41	.32	11
12	-	.07	.10	-	-	-	.05	-	.15	-	.02	.36	12
13	-	.15	.09	-	-	-	-	-	.10	.05	.08	.40	13
14	-	.04	.20	-	-	.22	.17	-	-	.11	.05	.45	14
15	-	-	.16	-	-	-	.02	.02	-	.02	.38	.06	15
16	-	-	.03	-	-	-	-	-	-	-	-	-	16
17	-	.29	.06	-	-	-	-	-	.04	-	-	.12	17
18	-	.06	.10	-	-	-	-	-	-	-	-	.25	18
19	-	-	.22	-	-	.04	.04	-	.03	-	.17	.38	19
20	-	.11	.45	-	-	.09	-	-	.05	.01	-	.03	20
21	-	.59	.07	-	-	-	-	-	-	-	-	.04	21
22	-	.03	-	.02	.41	.32	.14	.02	-	.04	-	-	22
23	-	-	.09	-	.15	.06	.05	-	-	.06	-	.05	23
24	-	-	.02	.01	.02	-	.02	-	-	.02	.11	-	24
25	-	-	.13	-	-	-	-	.09	-	.24	-	.03	25
26	-	-	.03	-	-	-	.03	.08	-	.05	.14	.44	26
27	.03	-	-	-	-	-	-	-	-	-	.05	.11	27
28	.01	.03	-	-	-	-	-	-	-	.02	.31	1.00	28
29	-		.05	-	-	-	-	-	-	.34	.08	-	29
30	-	X	.04	-	-	-	-	-	-	.03	.40	.08	30
31	-	X	-	X	.21	X	.02	-	X	-	X	.03	31
Total	.45	2.33	4.04	1.12	1.90	1.36	1.20	1.03	.70	.99	2.67	5.77	YEAR'S TOTAL 23.56
Rain Days.	7	14	24	11	9	11	13	10	8	12	16	24	159

W. 8,000. X. 14.

E.L.McC

81

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Isle of Dogs Pumping Station
in the County of London 2
by The London County Council

Lat. Long. —
Time of Observation 9. 0 am
Nearest Railway Station Poplar
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 14·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·38	·12	·11	-	·03	-	-	-	·09	·04	·26	·36	1
2	·18	·16	·18	·09	-	-	-	·43	-	·05	-	·05	2
3	·37	-	·06	·22	·01	-	-	·35	·03	-	-	·49	3
4	·04	-	-	-	-	-	-	·11	-	-	-	·25	4
5	·07	·25	-	-	-	-	-	·01	-	·02	·01	·27	5
6	·28	·02	-	·20	·01	.	·37	·04	-	-	-	·19	6
7	·36	·22	·03	-	.	·07	·07	·04	-	-	-	·13	7
8	·10	·44	.	·03	-	-	·05	·14	-	-	-	-	8
9	-	·03	-	·06	-	·04	-	·12	-	·06	·35	·66	9
10	·24	-	-	-	-	-	.	1·17	.	-	-	·15	10
11	·03	-	·03	-	.	-	.	-	-	-	·63	·05	11
12	·06	·03	-	·27	·44	-	-	·06	-	·02	·30	·02	12
13	·02	·39	-	.	1·36	-	-	·09	.	-	-	-	13
14	-	·04	.	.	-	-	·24	-	·03	.	-	·34	14
15	·10	-	-	.	·05	-	-	·26	-	-	·27	·66	15
16	-	·16	-	-	-	-	·65	·02	-	-	·02	·05	16
17	-	·25	.	.	1·06	-	·05	·02	-	.	-	-	17
18	·02	·14	·06	-	·27	.	-	-	-	-	·05	-	18
19	-	·15	-	-	·01	-	·08	-	-	-		-	19
20	·30	-	.	.	-	-	-	-	-	.		·24	20
21	·15	-	-	.	-	-	-	-	-	·02		·05	21
22	·81	·04	·12	·01	-	.	·58	.	-	-		·09	22
23	-	·31	·05	·01	-	·10	·39	-	·14	·32		·26	23
24	-	·02	·10	-	-	-	·02	-	·21	·14		·40	24
25	-	-	·12	·14	-	.	·15	-	-	.		·13	25
26	·02	·06	-	-	-	·13	·04	-	-	-		·33	26
27	-	-	-	-	-	·08	·36	-	-	·28		·07	27
28	-	05	-	-	-	·11	-	-	1·47	·16		-	28
29	-		·04	-	-	-	·20	·20	-	-	·13	·01	29
30	·02	X	.	-	-	·14	-	-	-	·02	·29	-	30
31	·02	X	-	X	-	X	-	·02	X	·60	X	·20	31
Total	3.57	2.88	·90	1.03	3.24	·67	3.25	3.08	1.97	1.73	2.31	4.85	YEAR'S TOTAL 29.48 ✓
Rain Days.	20	19	11	9	9	7	14	16	6	12	10	24	157 ✓

W. 8,000. X. 15.

75

FORM A.
BRITISH RAINFALL.

18 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Isle of Dogs Pumping Station
Stewart Road, Poplar. E.
in the County of London

by London County Council

Lat. 51° 29' 58" Long. 0°–0'–24"
Time of Observation 9 a.m.
Nearest Railway Station Millwall Docks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	–	–	–	0·25	–	–	–	0·23	0·05	0·27	–	1
2	0·39	0·02	0·06	–	0·22	–	0·02	–	0·07	0·33	0·07	–	2
3	–	0·46	0·18	–	–	–	0·03	–	0·08	0·20	0·59	–	3
4	0·21	0·09	0·03	–	–	0·25	–	–	–	0·03	0·31	–	4
5	0·02	–	–	–	0·06	0·07	0·13	–	–	0·05	0·33	–	5
6	0·01	0·06	0·25	0·35	0·02	0·05	0·29	–	–	–	0·26	–	6
7	0·10	–	0·27	–	0·13	0·07	0·55	–	–	–	0·68	0·05	7
8	–	–	0·07	–	0·19	0·03	–	–	–	–	–	0·22	8
9	–	–	–	–	0·30	0·06	–	–		0·05	–	0·14	9
10	–	0·12	0·11	0·07	–	0·63	0·10	–	0·02	–	–	0·08	10
11	0·04	0·17	0·03	0·14	–	0·20	0·01	–	0·01	–	–	–	11
12	0·03	0·03	–	0·06	0·33	0·11	0·03	0·01	0·02	0·04	–	–	12
13	–	0·26	0·36	0·10	0·07	0·03	0·23	0·16	0·08	0·02	–	–	13
14	–	0·36	0·02	0·03	0·08	–	–	0·60	–	–	–	0·13	14
15	–	0·25	0·25	–	–	–	–	0·10	–	0·03	–	–	15
16	–	0·03	0·19	0·14	–	–	0·15	0·05	–	–	–	–	16
17	0·04	0·09	–	0·02	–	–	0·02	0·38	0·27	0·46	–	–	17
18	–	0·10	0·03	0·11	–	–	–	0·19	0·03	0·05	0·74	–	18
19	0·05	0·02	–	0·17	–	–	–	–	0·09	–	0·62	0·02	19
20	0·14	–	0·25	–	–	–	–	–	–	–	0·05	0·28	20
21	0·02	–	0·66	–	–	–	0·02	–	–	–	–	0·30	21
22	0·02	0·03	0·07	–	–	–	–	–	–	0·01	–	0·41	22
23	0·03	0·46	0·02	–	–	0·04	–	0·01	–	0·01	0·03	0·25	23
24	–	0·12	–	–	0·06	0·02	–	0·02	–	0·10	0·03	0·37	24
25	–	0·49	0·18	–	0·01	–	–	0·22	–	0·08	0·12	–	25
26	–	0·23	0·06	–	–	0·02	–	1·27	–	0·04	–	–	26
27	0·07	0·02	0·99	–	–	0·07	–	0·32	–	0·41	–	–	27
28	–	0·43	0·30	–	–	0·03	–	0·03	0·03	0·02	–	0·17	28
29	–	0·07	–	–	–	0·21	–	1·39	0·06	0·19	–	0·16	29
30	–	✕	–	–	0·13	–	–	0·09	–	0·26	–	–	30
31	–	✕	–	✕	–	✕	–	0·08	✕	0·14	✕	0·05	31
Total	1·21 ✓	3.91 ✓	4·29 ✓	1·19 ✓	1·85 ✓	1.89 ✓	1·58 ✓	4·92 ✓	0·99 ✓	2·57 ✓	4·10 ✓	2·63 ✓	YEAR'S TOTAL 31·13 ✓
Rain Days.	15 ✓	22 ✓	21 ✓	10 ✓	13 ✓	16 ✓	12 ✓	16 ✓	12 ✓	21 ✓	13 ✓	14 ✓	185 ✓

W. 8,000, VIII. 16

72

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

6. JAN 1919

Kept at Isle of Dogs Pumping Station
in the County of London
by the London County Council.

Lat. 51° 29′ 58″ N. Long. 0° 0′ 24″ W
Time of Observation 9 a.m.
Nearest Railway Station Poplar (G·E·R)
Diameter of Funnel of Rain Gauge 8 ins.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·10	—	—	—	1·12	—	—	0·03	—	1
2	—	—	—	0·38	—	0·02	—	0·06	—	—	0·05	—	2
3	—	—	—	0·05	—	—	—	0·35	—	0·15	0·42	—	3
4	—	0·14	0·15	—	—	—	0·19	0·09	—	0·34	—	—	4
5	0·20	—	0·05	0·18	—	—	—	0·09	0·56	0·11	0·07	—	5
6	—	—	—	0·07	—	0·04	—	0·02	0·07	0·01	0·08	—	6
7	0·15	—	—	—	—	—	0·13	—	—	0·15	—	—	7
8	0·08	—	—	0·09	—	—	0·76	0·15	0·03	0·21	0·12	0·27	8
9	0·03	—	—	0·10	—	—	0·02	0·06	0·03	—	0·04	0·26	9
10	0·16	—	0·10	0·08	—	—	—	0·04	—	—	—	0·04	10
11	0·10	—	0·49	0·18	—	—	—	—	0·34	0·24	—	—	11
12	0·07	—	0·03	0·02	—	—	—	0·06	—	0·33	—	—	12
13	0·05	—	0·16	0·05	—	—	—	0·03	0·02	0·10	—	—	13
14	0·01	—	—	0·10	—	—	—	0·09	—	—	—	—	14
15	0·03		—	—	—	—	0·12	0·03	—	0·23	—	0·01	15
16	0·05	0·17	—	0·09	0·17	—	0·16	—	—	0·33	—	0·34	16
17	—	0·03	—	0·06	0·48	—	0·36	0·08	0·28	0·12	—	—	17
18	0·04	0·04	—	0·13	0·05	0·23	0·19	0·02	0·15	0·06	—	—	18
19	0·02	0·13	0·04	—	0·28	0·09	—	—	0·16	—	—	—	19
20	0·03	0·18	0·04	—	0·71	—	—	—	—	—	0·05	—	20
21	0·03	0·01	0·02	—	0·03	—	—	—	—	—	0·03	—	21
22	—	—	0·04	—	—	—	—	0·08	—	0·07	—	—	22
23	—	0·09	0·04	—	0·14	—	—	0·05	—	—	—	—	23
24	—	0·03	—	—	—	0·09	—	—	—	0·12	0·02	—	24
25	—	—	0·04	—	—	—	—	—	—	—	0·11	—	25
26	—	—	0·05	—	—	—	—	0·22	0·04	—	0·57	—	26
27	—	—	0·04	—	—	—	—	0·74	—	—	—	0·01	27
28	—	—	—	—	—	1·55	—	0·06	—	—	—	0·07	28
29	—	X	0·03	—	1·28	0·04	0·15	—	—	0·15	—	0·20	29
30	—	X	0·28	—	—	—	1·59	0·07	—	0·04	—	0·04	30
31	0·05	X	0·08	X	—	X	0·52	—	X	—	X	—	31
Total	1·10 ✓	0·82 ✓	1·68 ✓	1·68 ✓	3·14 ✓	2·06 ✓	4·19 ✓	3·51 ✓	1·68 ✓	2·76 ✓	1·59 ✓	1·24 ✓	YEAR'S TOTAL 25·45 ✓
Rain Days.	16 ✓	9 ✓	17 ✓	15 ✓	8 ✓	7 ✓	11 ✓	21 ✓	10 ✓	17 ✓	12 ✓	9 ✓	152 ✓

W. 8,000, IX. 17.

Feb. pt. estd

REGISTER OF RAINFALL IN 1918

FORM A2.
BRITISH RAINFALL.
20.1.19

Kept at Isle of Dogs Pumping Station
Steward Road. Poplar. E.
in the County of London

by London County Council

RAIN GAUGE: Pattern
Diameter of top 8 in.
Height of top above Ground 0 ft. 10 in.
,, ,, ,, Sea Level 15·58 ft.

Time of Observation 9. a. m.

Nearest Railway Station: Name Poplar (G.E.R).
Distance 400 yds Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·08	—	—	—	—	—	—	0·09	0·09	1
2	—	0·10	—	0·06	—	—	—	0·44	—	—	0·09	0·15	2
3	—	0·01	—	0·02	0·42	—	—	0·14	0·02	0·02	0·44	0·03	3
4	—		0·15	0·02	—	—	—	0·05	0·36	—	0·43	0·02	4
5	—		—	—	0·17	—	—	0·05	0·22	0·06	—	—	5
6	0·19		—	0·25	0·19	—	—	0·03	0·05	—	—	0·06	6
7	0·08		—	0·07	0·13	—	—	0·02	0·09	0·19	0·07	—	7
8	—		—	—	—	—	—	—	0·06	0·03	0·06	0·05	8
9	0·02		—	0·02	—	0·02	0·37	—	0·28	0·09	—	0·17	9
10	0·03		—	0·08	—	0·02	0·46	—	0·02	0·04	0·03	0·25	10
11	0·03		—	0·02	0·05	—	1·58	—	0·04	0·16	0·13	0·12	11
12	—		—	—	0·23	—	0·10	—	0·07	—	—	0·03	12
13	0·03		—	—	0·08	—	0·34	—	0·13	—	—	—	13
14	0·13		—	—	—	0·15	0·06	—	0·25	0·18	—	0·20	14
15	1·24		—	0·77	—	—	0·18	—	—	—	—	0·08	15
16	0·23		—	0·27	—	0·02	0·02	—	0·09	—	—	—	16
17	0·27	(·90)	—	0·23	0·09	0·47	1·36	0·03	—	—	—	0·08	17
18	0·56		—	—	—	0·17	0·06	—	0·53	0·21	—	0·05	18
19	0·04		—	0·08	—	0·08	0·22	—	0·02	0·08	—	0·09	19
20	0·02		—	0·58	—	0·03	0·19	—	0·15	0·10	—	0·05	20
21	0·05		—	0·33	—	0·01	0·02	—	0·59	0·05	—	0·01	21
22	0·04		—	0·10	0·29	—	0·21	—	0·19	—	—	0·17	22
23	0·03		—	0·02	0·22	—	0·46	0·06	0·03	—	—	0·04	23
24	—		—	0·02	—	0·07	0·60	—	0·10	—	0·02	—	24
25	—		—	0·04	—	0·05	0·48	0·25	—	0·03	0·15	—	25
26	—		—	—	0·02	—	0·32	0·11	—	0·03	0·13	0·09	26
27	—		—	0·12	—	—	0·05	0·14	0·10	—	0·09	0·03	27
28	—		0·29	—	—	—	—	—	—	—	0·23	0·14	28
29	—		0·02	—	—	—	—	—	1·07	—	0·01	—	29
30	—		0·37	—	—	—	—	—	—	0·04	—	0·08	30
31	—		—		—		—	0·08		0·05	—	0·02	31
Total	2·99	(1·01)	0·83	3·18	1·89	1·09	7·08	1·40	4·46	1·36	1·97	2·10	TOTAL for year (29·36)
No. of Rain Days.	16	(12)	4	20	11	11	19	12	22	16	14	24	(181)

100—(25883—3C—C.14)—6.1.12—6997

68

FEB 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Isle of Dogs Pumping Station
in the County of London
by the London County Council

Lat. .... Long. Information
Time of Observation already given.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.26	0.06	-	-	0.02	-	0.18	-	-	0.12	0.02	0.75	1
2	0.32	-	-	-	0.14	-	0.10	0.03	0.04	0.04	0.05	0.11	2
3	0.17	-	0.39	-	0.02	-	0.17	-	0.04	-	0.05	0.33	3
4	0.09	0.06	0.42	-	-	0.07	0.35	0.01	-	-	0.03	0.14	4
5	0.04	0.29	0.78	-	-	-	-	-	0.03	-	0.02	0.25	5
6	0.02	-	0.05	-	-	-	-	-	-	-	-	0.04	6
7	0.03	-	0.24	-	-	-	-	-	-	-	0.09	-	7
8	0.16	-	0.05	0.06	-	-	-	-	-	-	0.04	-	8
9	0.11	-	0.02	0.04	0.11	-	-	-	-	-	0.03	-	9
10	0.18	-	0.03	-	-	-	0.27	-	-	-	-	-	10
11	0.02	-	0.09	0.30	-	-	0.12	-	-	-	-	0.01	11
12	0.02	-	0.04	-	-	0.03	-	-	-	0.06	-	-	12
13	0.01	-	-	0.20	-	-	0.07	-	-	0.04	-	0.01	13
14	0.20	0.02	-	0.30	-	-	-	-	0.45	-	-	-	14
15	0.21	0.03	0.01	0.22	-	-	-	-	-	0.11	-	0.11	15
16	0.06	0.42	-	-	-	-	-	-	-	-	0.11	0.05	16
17	-	0.49	0.06	0.03	-	-	-	-	-	-	0.17	-	17
18	-	0.31	0.09	-	-	-	-	-	0.04	-	0.07	0.07	18
19	0.04	0.11	0.37	-	-	0.20	0.21	0.18	0.04	-	0.06	-	19
20	0.13	0.05	0.05	-	-	0.97	0.37	0.11	0.02	-	-	0.02	20
21	0.22	0.18	0.01	-	-	0.05	0.11	-	-	-	0.02	0.04	21
22	-	0.12	-	-	-	-	0.10	-	0.24	-	0.04	0.25	22
23	-	-	-	-	-	0.03	-	-	0.11	0-	0.02	0.04	23
24	-	-	-	0.22	-	0.03	0.04	-	-	0.14	0.04	0.02	24
25	-	-	-	0.08	0.13	-	-	0.20	-	-	-	0.03	25
26	0.06	0.14	0.13	0.08	-	-	0.11	0.15	0.10	-	-	0.25	26
27	0.30	0.07	0.06	1.27	-	-	-	0.41	-	-	-	0.02	27
28	-	-	0.18	0.05	-	-	-	0.59	-	-	0.10	0.28	28
29	0.04	-	-	-	-	-	-	0.25	-	0.40	0.10	0.08	29
30	-		-	0.23	-	0.16	-	0.18	-	0.03	0.17	0.23	30
31	0.02		-		-		-	-		-		0.02	31
TOTAL	2.71	2.35	3.07	3.08	0.42	1.54	2.20	2.11	1.11	0.94	1.23	3.15	YEAR'S TOTAL 23.91
Days with ·01 in. or more	23	14	19	13	5	8	13	10	10	8	19	23	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ead 770

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

22 JAN 1921

Kept at Isle of Dogs P. S.
in the County of London
by London County Council

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·32	0·02	–	0·23	–	–	0·56	–	0·19	1
2	–	–	0·06	–	–	–	–	0·67	0·05	0·01	–	0·03	2
3	–	0·06	–	–	–	0·01	–	–	0·06	–	–	0·02	3
4	–	0·05	–	0·08	–	–	0·10	0·02	–	0·06	–	0·03	4
5	–	–	0·15	–	0·04	–	0·50	0·23	0·05	–	–	0·03	5
6	–	–	0·32	–	0·13	–	0·30	–	–	–	–	0·03	6
7	–	–	0·04	0·10	0·12	–	0·15	–	–	–	–	0·02	7
8	0·02	0·02	–	0·23	0·08	–	0·09	–	–	–	–	–	8
9	0·30	0·02	–	0·03	–	–	–	–	–	–	–	–	9
10	0·57	0·10	0·08	0·02	–	0·09	0·07	–	–	–	–	–	10
11	0·19	–	0·05	0·33	0·02	0·02	0·33	–	–	–	–	0·34	11
12	0·09	–	–	0·08	–	0·62	–	–	–	–	–	–	12
13	0·19	–	0·07	0·15	–	–	–	–	–	–	–	–	13
14	–	–	0·22	0·13	–	0·12	–	–	0·15	–	0·15	–	14
15	–	0·02	0·08	0·16	–	–	0·01	–	0·75	0·10	0·14	0·03	15
16	–	–	0·02	0·11	–	0·17	–	–	0·16	0·19	–	0·02	16
17	0·03	–	–	–	0·11	0·06	–	–	0·45	0·01	–	–	17
18	0·03	–	–	0·02	–	–	–	0·82	0·23	–	–	0·02	18
19	0·11	–	–	0·18	–	0·05	–	0·01	–	–	–	0·07	19
20	0·06	0·30	–	0·09	–	0·47	–	–	0·11	–	–	–	20
21	–	–	–	–	–	–	0·61	0·02	0·75	–	–	0·02	21
22	–	–	–	0·28	–	–	–	–	0·11	–	–	0·30	22
23	–	–	–	–	–	–	0·29	–	–	–	–	0·33	23
24	0·02	–	0·05	–	–	–	–	–	–	–	–	0·02	24
25	–	0·03	–	0·03	–	–	0·09	–	–	–	–	–	25
26	0·02	–	0·21	0·02	–	0·02	0·04	–	–	–	–	–	26
27	0·09	0·07	0·03	0·24	–	0·10	–	–	–	–	0·32	0·07	27
28	0·38	–	0·18	0·07	0·03	–	0·06	–	–	–	–	0·02	28
29	0·21	–	0·04	0·02	–	–	–	–	–	–	0·04	0·14	29
30	–		–	–	0·05	–	0·30	–	0·45	–	0·15	0·13	30
31	0·02		–		0·04		–	–		0·17		0·07	31
TOTAL	2·33	0·67	1·60	2·69	0·64	1·73	3·17	1·77	3·32	1·10	0·80	1·93	YEAR'S TOTAL 21·75
Days with ·01 in. or more	16	9	15	21	10	11	15	6	12	7	5	21	148
Days with ·04 in. or more	10	5	13	15	7	8	14	3	12	5	5	9	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

made

REGIS

N

FORM A. BRITISH RAINFALL.

3 - JAN

ISLEWORTH

1913 - 1919

Kept at Isleworth MAN

in the County of Mx.

by A. Worsley

worth L&S.W. Ry.

12 in.

Ground 1 ft. in.

Sea Level 24 ft.

IMPORTANT NOTE the result entered to the previous day. If an Observer rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03 on guage thawing.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·30	·05	·10					·35	·02	·13	·13	1
2	·11	·16					·08		·06	·29	·06		2
3	·02		·03	·29	·59					·01		·05	3
4	·25		tr		·40		·10			·16	·05	·12	4
5	·17					·08	·12		·41			·02	5
6		·04	·08		·07	·08	·16			·51	·10	·17	6
7		·18			·05	·04	·02	·27		·30		·02	7
8		·04	·02		·10	·09				·07	·05		8
9		·18			·03		·02		·8		·04	·04	9
10	·02		·16	·07			·29	·02			·46		10
11	·50			·45	·05					·71	·25		11
12					·06						·26		12
13	·06		·04						·12		·29		13
14	·15		·11	·09			·91	·11	·4	·14			14
15	·15	·13	·29	·42			·23		·5				15
16	·14		·42	·13					·35				16
17	·04	·04*	·09	·09			·19					·03	17
18			·15	·21			tr				·04		18
19	·24		·02	·02	·02		·14		·35				19
20	·30		·21	·05		·12				·40	·03		20
21	·05		·23	·06			·06			·22	·91		21
22	·30		·16	·05				·02	·24				22
23			·02					·14	·01			·46	23
24				·04				·09			·03		24
25		04		·20									25
26		02	·23	·13				·06		·86		·21	26
27			·04	·03	·08					·02			27
28	·30		·21	·08						·10			28
29	·06		·06	·65	·72			·10		·05		Frozen	29
30	·27			·11				·15		·11		(Fr.)	30
31			·06					·75		·12		(Fr.)	31
Total	3·13	1·13	2·68	3·27	2·17	·47 ·41	2·32	1·71	2·06	4·09	2·70	1·25	YEAR'S TOTAL 27·04 26·92
Rain Days.	18	10	22	20	11	5	13	10	11	17	14	11	

W. 7,500, XI. ·12

162

I made

REGIS N

FORM A.
BRITISH RAINFALL.

JAN

MAND

Kept at Isleworth

in the County of Mx.

by A. Worsley

Time of Observation 9 A.

Nearest Railway Station Isleworth L. & S. W. Ry.

Diameter of Rain Gauge 12 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03
on guage thawing.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·30	·05	·10					·35	·02	·13	·13	1
2	·11	·16					·08		·06	·29	·06		2
3	·02		·03	·29	·59					·01		·05	3
4	·25		tr		·40		·10			·16	·05	·12	4
5	·17					·08	·12		·41			·02	5
6		·04	·08		·07	·08	·16			·51	·10	·17	6
7		·18			·05	·04	·02	·27		·30		·02	7
8		·04	·02		·10	·09				·07	·05		8
9		·18			·03		·02		·8		·04	·04	9
10	·02		·16	·07			·29	·02			·46		10
11	·50			·45	·05					·71	·25		11
12					·06						·26		12
13	·06		·04						·12		·29		13
14	·15		·11	·09			·91	·11	·4	·14			14
15	·15	·13	·29	·42			·23		·5				15
16	·14		·42	·13					·35				16
17	·04	·04*	·09	·09			·19					·03	17
18			·15	·21			tr				·04		18
19	·24		·02	·02	·02		·14		·35				19
20	·30		·21	·05		·12				·40	·03		20
21	·05		·23	·06			·06			·22	·91		21
22	·30		·16	·05				·02	·24				22
23			·02					·14	·01			·46	23
24				·04				·09			·03		24
25		04		·20									25
26		02	·23	·13				·06		·86		·21	26
27			·04	·03	·08					·02			27
28	·30		·21	·08						·10			28
29	·06		·06	·65	·72			·10		·05		Frozen	29
30	·27			·11				·15		·11		(Fr.)	30
31			·06					·75		·12		(Fr.)	31
Total	3·13	1·13	2·68	3·27	2·17	·47 ·41	2·32	1·71	2·06	4·09	2·70	1·25	YEAR'S TOTAL 27·04 26·92
Rain Days.	18	10	22	20	11	5	13	10	11	17	14	11	~~[illegible]~~

W. 7,500, XI. ·12

162

Slip made 2/3/15

Cord for arith 23.11.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

12 JAN 1915

Kept at Isleworth MANDEVILLE HO.

in the County of Middlesex

by A. Worsley

Lat. Long.

Time of Observation 9. A.

Nearest Railway Station Isleworth. L.&S.W.Ry.

Diameter of Rain Gauge ~~7~~8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06					·40			·03	·07	1
2			tr	·02		tr	·29	·14			·05	·20	2
3			·07		·16		·22				·05		3
4	·10		·02	·22			·02	·12			·30	·34	4
5	·02		·10	·18	·09	·05	·40	·92					5
6		·19		·14		·18	·05	·02			·10	·11	6
7		·26	·27	·14	1·14	·03	·12				·02 Dew	·09	7
8	·13	·37	1·10	·02	·03	·07	·10	·16				·03	8
9	·21		·63	·24		·55			·18			1·80	9
10	tr	·20	·04	·05	·07				·10			·02	10
11		·32	·48	tr.		·08			·30		·55	·29	11
12	Frz } ·04	·06	·14		tr		·18		·23		·04	·52	12
13	"	·20	·20						·20	·04	·07	·49	13
14	Thw	·10	·22			1·31	·12		·02	·28	·11	·~~0~~45	14
15	·04	·02	·13				·11	·02		·02	·38	·04	15
16			·03						·06		·02		16
17		·37	·11									·17	17
18		·03	·22									·33	18
19		·08	·53			·25	·17				·26	·34	19
20		·21	·21			·02	·09		·21			·08	20
21		·70	·08				·02	·13		tr		·04	21
22		·02	·07	tr.	·23	·10	·02			·28			22
23		·05	·22		·17		·08			·15	·15		23
24	·02 + Frost Rime		·11		·02			·02		·04			24
25	·03		·10					·10		·29		·08	25
26			·02					·09		·07	·20	·71	26
27	·06		·02									·14	27
28	·04	·08			·02					·06	·51	1·28	28
29		}	·12							·26	·17		29
30		}	·05							·05	·80	·34	30
31		}		}	·28	}	·04		}		}	·05	31
Total	~~·72~~ ·69	3·26	5·35	1·01	2·21	2·64	~~2·09~~ 2·03	2·12	1·30	1·54	3·81	8·01	YEAR'S TOTAL 34"97 33·97
Rain Days.	11	17	~~28~~ 27	~~10~~ 8	~~10~~ 9	10	16	11	8	12	~~18~~ 17	24	171

[illegible] [illegible]

919

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Isleworth MANDEVILLE House

in the County of Middlesex 1

by A. Worsley

Lat. .... Long. ....

Time of Observation 9. A.

Nearest Railway Station Isleworth. L. & S. W.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·64	·18	·15		·02			·06	·08	·08	·25	·73	1
2	·59	·20	·35	·21		·02		·74		·05	tr		2
3	·54		·10	·12	·01			·25	·03			·55	3
4	·02							·05				·31	4
5	·05	·34		·05						·04		·36	5
6	·41	·04	·03	·28	·60		1·41					·60	6
7	·38	·22	·03				·39	·04				·24	7
8	·13	·51	·03				·12	·08					8
9	·02	·13		·23		·09				·04	·47	·76	9
10	·25	·03	·03					·25				·14	10
11	·02		·05								·73	·09	11
12	·11	·06		·37	·60			·36			·33	·03	12
13		·52		tr	1·76			1·57					13
14		·02					·80	·04	·06			·47	14
15	·14	·06			·06						(·25)	·10	15
16		·40					·77				7rn	·05	16
17		·41			1·23		·04	·44			"		17
18		·28	·03		·19						(·03)		18
19		·04	·03		·03		·08				"		19
20	·35		tr	·03	·02							·22	20
21	·11									·02		·07	21
22	1·25	·10	·24	·06			1·24					·11	22
23		·20	·06	·03			·13		·33	·80		·34	23
24									·53	·34		·52	24
25			·04	·14			·26			·03		·04	25
26		·09				·22	·24					·72	26
27			tr			·21	·04			·35		·06	27
28		·02	·01			·12			1·70	·09			28
29		X	·01					·18			·19	·03	29
30	·06	X				·04				·14	·12		30
31		X		X		X			X	1·03	X	·25	31
Total	5·07	3·85	1·19	1·52	4·52	0·70	5·52	4·06	2·73	3·01	2·37	6·79	YEAR'S TOTAL 41·33
Rain Days.	17	20	17	11	10	6	12	12	6	12	~~7~~ 8	23	154

·28 on them

Estim. Gale evap. all record.

W. 8,000. X. 14.

see back. Big.

~~W~~ C S E

843

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 191

Kept at Isleworth
in the County of Mx.
by A. Worsley

Lat. Long.
Time of Observation 9. A
Nearest Railway Station Isleworth. L. & S. W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02		·46	tr			·38	·04	·52		1
2	·56	·03			·20	evap.			·09	·60	·02		2
3		·46	·23				·03			·35	·58		3
4	·26	·17		·07		·30				·02	·43		4
5	·02				·11	·10	·07			·07	·63		5
6		·07	·70 on thawing	·28	·02	·11	·42			·03	·49		6
7	·06				·15	·18	·10				·55	·14	7
8			·10		·24	·03			·20		·02 Dew	·19	8
9					·23					·08		·05	9
10		·41	·11	·08		·27	·11					·15	10
11	·05	·04	·03	·15	tr	·33						·04	11
12	·02	·03	·17	·03	·40	·15	·02	·12		·12	·03 ≡:		12
13		·26	·12	·07		·09	·36	·16		·02	~~[illegible]~~		13
14		·41	·02	evap.	·11			·74		·06			14
15	·02	·26	·25	evap.			·16	·20		·02		·08	15
16		·05	·33	·18	·02		·15	·36	~~[illegible]~~ Nil				16
17	·14	·16		·03			·03	·04	·39	·67			17
18	·02	·07	·05	·26			·02	·36	·17	·28	·82		18
19	·13	·04	·23	·14				·02	·11		·69	·02	19
20	·20		·27	·02							·03	·80	20
21	·03		·53				·18					·09	21
22		5 days fall have thawed	·02		tr					·08*		·50	22
23	·05					·03		·03		(~~·25~~)		·04	23
24		1·19	·03			·03		·05		·17	·08	·43	24
25			·24		·05			·36		·04	·10	Rain fell, Frozen	25
26			·05			·09		·62		·15		Frozen	26
27	·04		1·10			·11		·42	·07	(·50)		Frozen	27
28		·44	·39			evap		·04	·05	·02		·17 → as thawed	28
29		·08				·35		1·37	·04	·35		·13	29
30		X						·08		·63			30
31		X		X		X		·08	X	·18	X	·04	31
Total	1·60	4·17	4·99	1·31	1·99	2·17	1·65	5·05	1·50	4·48	4·99	2·87	YEAR'S TOTAL 36·77
Rain Days.	14	21	23	13	13	17	12	17	~~10~~ 12	23	12	16	192
	7	Rec 3/or Feb. last 30 years.	1	8	9	4	10	5	12	2	11		

Frozen. 0"·90 on thawing. (estimated as made up in column)

W. 8,000. X. 15.

P. made

860

17 2. JAN 1918
FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Isleworth

in the County of Mx

by A. Worsley.

This is the 5th heaviest yearly rainfall in my records dating back to 1885. The record was 43".59 in 1903. A.W.

Lat. Long.

Time of Observation 9. A.

Nearest Railway Station Isleworth. L. & S. W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04 ·02	·10				1·15	·02		·11		1
2				·67		·03		·06			·32		2
3				·09			·04	·27		·39	·02		3
4	·02						·57	·09		·30			4
5	·35		·20	·24				·02	·41	·18	·13		5
6				·09		·04			·29	·02	·05		6
7	·24		Frzn				·12			·26		·06	7
8	·20		"				1·03	·54	·05	·23	·19	·40	8
9	·05		"				·04	·20	·09		·10	·08	9
10	Frzn		·26	·51				·06			·02	·03	10
11	·40		·46	·23					·65	·23			11
12	·06		·03	·06				·13		·53			12
13	·03		·31	·02				·12	·05	·02		·04	13
14	·03		·02	·21				·19			·02	tr.	14
15	·02			·02			·07	·02		·06			15
16	·05	·43		·19	·10	1·22	·06			·56		·50	16
17				·12	·80		·43	·11	·48	·32			17
18	·04	·06		·10	·07	·48	·14		·22	·10			18
19		·14	·12		·05				·23				19
20	?	·15	·04		·97		·23	·02			·08		20
21		·04	·10	·02	evap.	·02				·03	·03		21
22			·07			·02		·10		·07			22
23		·12	·06		·10	·02		·09		·18			23
24	?	·05				·10		·03		·19	·06		24
25		·02								·02			25
26			·08					·24	·07	·03	·59		26
27			·02			·02		·82					27
28		·02	·02			1·46		·16					28
29		~~·03~~	·07		·20	·11	·62	·02		·28		·15	29
30			·35				2·29	·08		·03		·02	30
31			·11				·43	·07					31
Total	1·49	1·03	2·38	2·67	2·29	3·52	6·07	4·59	2·56	4·03	1·72	1·42	YEAR'S TOTAL 33·77
Rain Days.	15	9	21	15	7	11	13	23	11	21	13	12	171

Feb. 1–15: ← Gauge frozen all these days →

May 1–15: ← Period of 24 days absolute drought →

Jan. 20–31: ← Gauge frozen all these days →

April 22–30: ← 24 days abs. drought →

Dec. 17–28: ← guage frozen. 0".14 on melting precip. on 3 days. →

W. 8,000. VIII. 16

The Δ on Jan 20 & 24 would not have measured more than ·04 altogether. This may be deducted from Feb. total.

Swade

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
30 DEC 1918
9

Kept at Isleworth
in the County of Mx
by A. Worsley

Lat. Long.
Time of Observation 9. A
Nearest Railway Station Isleworth, L. & S.W. Ry.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.06									1
2		.13		.04									2
3			.04	.03	.60								3
4	.03	.06	.15	.02									4
5		.06			.09								5
6	.27	.13		.36	.23								6
7		.13		.12		tr							7
8	frzn	.03		tr									8
9	.03	.04		.12		.14	.34						9
10				.16			.79						10
11	.02			.05	.06		.69						11
12		.04			.27		.09						12
13					.18		.17						13
14	.23		.04			.33	.03						14
15	1.21			.91			↑						15
16	.25			.27		.13							16
17	.45			.24	.02	.07	Observations discontinued, as the observer was unable to obtain enough food to keep himself alive in this part of England.						17
18	.61					.22							18
19	.05		.05	.08		.14							19
20	.05	.14		.69		.02							20
21	.13			.65		tr							21
22	.08			tr	.19								22
23	.03			.02	.23								23
24		.28				.04							24
25				tr									25
26													26
27		.02		.07									27
28		.05	.11	tr		.03							28
29		×	.03										29
30		×	.36										30
31		×	.13	×		×			×		×		31
Total	3.44 ✓	1.11 ✓	.91 ✓	3.89 ✓	1.87 ✓	1.12 ✓							YEAR'S TOTAL
Rain Days.	~~15~~ 14	12 ✓	8 ✓	21 17	9 ✓	11 9							

W. 8,000, IX. 17.

made

Read Cat. 12/7/20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Isleworth (r1.0)

in the County of Middlesex

by

Lat. Long.

Time of Observation 9 h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											-	1·00	1
2											0·04	-	2
3											0·13	0·44	3
4											0·02	0·20	4
5											0·02	0·20	5
6											0·02	0·06	6
7											-	-	7
8											-	-	8
9											0·05	-	9
10											0·02	0·07	10
11											-	0·06	11
12											-	-	12
13											-	-	13
14											-	0·02	14
15											-	0·44	15
16											0·18	0·02	16
17											0·17	0·02	17
18											0·15	0·05	18
19											0·04	0·03	19
20											-	-	20
21											0·03	0·02	21
22											0·02	0·33	22
23											0·03	-	23
24											0·04	0·04	24
25											0·03	-	25
26											-	0·34	26
27											0·04	0·03	27
28											0·37	0·36	28
29											0·10	0·03	29
30		×									0·41	0·31	30
31		×		×		×			×		×	-	31
Total											1·91	4·07	Year's Total
Days with ·01 in. or more											20	21	

First Return November Cat.

(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A.&E.W.

Do

KENSAL GREEN

1911 - 1917

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

REGI

PADDINGTON HARR

Kept at Kensal

in the County of Lon

by C. W. Heineman

in.

und 1 ft. 0 in.

Level 101 ft.

daily.

me Kensal Rise.

tance 600 yards. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	·45	·01	—	—	·03	—	—	—	—	1
2	·14	—	—	·42	·18	—	—	—	—	—	·18	·09	2
3	·10	·01	—	—	·15	—	—	·01	—	—	·10	—	3
4	·03	·02	·07	·12	—	—	—	—	·01	·05	·14	·26	4
5	·02	·01	—	·04	—	—	—	—	—	·15	·03	·22	5
6	·34	—	·12	—	—	—	—	—	—	—	—	·14	6
7	·04	—	—	·03	—	—	—	—	—	·09	·27	·22	7
8	·15	—	·15	—	—	—	—	—	—	—	·20	·19	8
9	·14	—	·04	·02	—	—	—	—	—	—	—	·01	9
10	—	·12	·08	·02	—	—	—	—	—	—	·12	·46	10
11	·28	—	·01	—	·11	—	—	—	—	—	·60	—	11
12	·04	—	·48	—	·07	—	—	—	·04	—	·26	—	12
13	—	—	·10	—	·07	—	—	—	·46	·27	·09	·22	13
14	—	·08	—	—	·29	—	—	—	—	—	—	·39	14
15	—	·07	·20	—	—	—	—	—	—	·02	·05	·01	15
16	—	—	—	—	—	·50	—	—	—	—	·40	·03	16
17	—	—	·03	—	—	·02	—	—	—	—	·33	·15	17
18	—	·13	·02	—	—	·20	—	—	—	—	·56	·16	18
19	—	—	—	—	·01	·21	—	·13	·21	·03	·20	·06	19
20	—	—	·02	—	—	—	—	·18	·04	·10	—	·51	20
21	—	·10	—	—	—	—	—	·47	·10	·44	—	·09	21
22	·08	—	·01	—	—	·02	—	—	—	·11	—	·37	22
23	—	·08	·08	—	—	·75	—	—	·27	—	·04	·11	23
24	—	·15	—	—	—	·04	·02	·04	—	1.22	—	·19	24
25	—	·04	·06	·04	·03	·18	·37	—	·01	·02	—	—	25
26	—	—	·02	·27	—	·21	·07	—	—	·11	·04	·27	26
27	—	·39	·08	·01	—	—	—	—	·13	—	·03	·11	27
28	—	·21	—	·25	·04	—	·09	·06	—	—	—	—	28
29	—		—	·12	—	·19	·08	—	·13	·26	—	—	29
30	—		—	—	·02	—	—	·12	·02	·18	—	—	30
31	—		—		·42		—	—		—		—	31
Total	1.40	1.41	1.57	1.79	1.40	2.32	0.63	1.04	1.42	3.05	3.64	4.26	TOTAL for year 23.93
No. of Rain Days.	12	13	17	12	12	10	5	8	11	14	18	22	154

W. 8,000, X. '11.

Do

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

REGISTER OF RAINFALL IN 1911.

PADDINGTON HARROW RD

Kept at Kensal Green.

in the County of London. 2

by C. W. Heinemann.

RAIN GAUGE
Pattern Casella
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 101 ft.

Time of Observation 8 a. daily.

Nearest Railway Station
Name Kensal Rise.
Distance 600 yards. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	·45	·01	—	—	·03	—	—	—	—	1
2	·14	—	—	·42	·18	—	—	—	—	—	·18	·09	2
3	·10	·01	—	—	·15	—	—	·01	—	—	·10	—	3
4	·03	·02	·07	·12	—	—	—	—	·01	·05	·14	·26	4
5	·02	·01	—	·04	—	—	—	—	—	·15	·03	·22	5
6	·34	—	·12	—	—	—	—	—	—	—	—	·14	6
7	·04	—	—	·03	—	—	—	—	—	·09	·27	·22	7
8	·15	—	·15	—	—	—	—	—	—	—	·20	·19	8
9	·14	—	·04	·02	—	—	—	—	—	—	—	·01	9
10	—	·12	·08	·02	—	—	—	—	—	—	·12	·46	10
11	·28	—	·01	—	·11	—	—	—	—	—	·60	—	11
12	·04	—	·48	—	·07	—	—	—	·04	—	·26	—	12
13	—	—	·10	—	·07	—	—	—	·46	·27	·09	·22	13
14	—	·08	—	—	·29	—	—	—	—	—	—	·39	14
15	—	·07	·20	—	—	—	—	—	—	·02	·05	·01	15
16	—	—	—	—	—	·50	—	—	—	—	·40	·03	16
17	—	—	·03	—	—	·02	—	—	—	—	·33	·15	17
18	—	·13	·02	—	—	·20	—	—	—	—	·56	·16	18
19	—	—	—	—	·01	·21	—	·13	·21	·03	·20	·06	19
20	—	—	·02	—	—	—	—	·18	·04	·10	—	·51	20
21	—	·10	—	—	—	—	—	·47	·10	·44	—	·09	21
22	·08	—	·01	—	—	·02	—	—	—	·11	—	·37	22
23	—	·08	·08	—	—	·75	—	—	·27	—	·04	·11	23
24	—	·15	—	—	—	·04	·02	·04	—	1.22	—	·19	24
25	—	·04	·06	·04	·03	·18	·37	—	·01	·02	—	—	25
26	—	—	·02	·27	—	·21	·07	—	—	·11	·04	·27	26
27	—	·39	·08	·01	—	—	—	—	·13	—	·03	·11	27
28	—	·21	—	·25	·04	—	·09	·06	—	—	—	—	28
29	—		—	·12	—	·19	·08	—	·13	·26	—	—	29
30	—		—	—	·02	—	—	·12	·02	·18	—	—	30
31	—		—		·42		—	—		—		—	31
Total	1.40	1.41	1.57	1.79	1.40	2.32	0.63	1.04	1.42	3.05	3.64	4.26	TOTAL for year 23.93
No. of Rain Days.	12	13	17	12	12	10	5	8	11	14	18	22	~~[illegible]~~ 154

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
27 JAN 1913

REGISTER OF RAINFALL IN 1912

PADDINGTON

740 Harrow Rd W.

Kept at Kensal Green, (Co. of London).

in the County of London 2

by C. W. Heinemann

Lat. 51° 31' 30" N. Long. 0° 13' 0" W.

Time of Observation 8 a.m.

Nearest Railway Station Kensal Rise (L. & N. W. R.)

Diameter of Rain Gauge 8 ins property of M. O.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 101 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 22

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·11	·04	—	·07	·04	—	·05	·26	—	·20	1
2	—	—	·25	·01	—	·05	·29	·05	·04	·02	—	—	2
3	·06	·01	·11	—	·08	·17	—	·34	·01	—	·01	·10	3
4	·25	·01	·53	—	·14	·29	—	·01	—	—	·10	—	4
5	·13	·06	·04	—	—	—	—	·20	—	—	·06	—	5
6	·52	·02	—	—	—	·13	—	·06	·03	—	—	·02	6
7	—	—	·02	—	·07	·58	·03	·07	—	—	—	·01	7
8	·35	·29	·13	—	—	·14	—	·25	—	—	—	—	8
9	—	·08	—	·02	—	·38	·02	—	—	—	—	·20	9
10	—	·04	—	—	—	·02	—	·60	·01	—	·04	·23	10
11	·03	·32	—	—	—	·04	—	—	·03	—	·01	·16	11
12	·04	·06	·08	—	·19	·15	—	—	—	·01	·06	—	12
13	·03	—	·02	—	—	—	—	—	·01	—	·07	·02	13
14	—	—	·01	—	·04	—	—	·08	—	·07	·01	·02	14
15	—	·03	·09	—	·29	·49	—	·01	—	—	·02	·31	15
16	·29	—	·04	—	·03	—	—	·07	—	·05	·11	—	16
17	·54	—	·25	—	—	·07	—	·06	—	—	—	—	17
18	·05	—	·12	—	—	—	—	·07	—	·02	·01	·11	18
19	·08	·07	·10	—	—	—	·08	·44	—	—	—	—	19
20	·02	·01	·09	—	·04	—	—	·15	—	·40	—	—	20
21	—	·03	·19	—	·01	—	—	·18	—	·07	·05	—	21
22	·24	·16	·07	—	·04	—	·08	·08	—	·01	·01	·07	22
23	·34	·34	·33	—	—	—	·08	·50	—	·03	·15	·15	23
24	·43	·03	—	—	—	·17	·03	·23	—	—	—	·16	24
25	·20	—	—	—	—	·25	—	·58	—	—	·23	·36	25
26	—	·01	—	—	—	—	·02	·38	—	·39	·33	·41	26
27	—	—	·01	—	—	·05	—	—	—	·15	—	·23	27
28	—	·04	—	—	—	·05	·12	·02	·05	·30	·30	·08	28
29	·01	·01	·01	—	—	·24	·46	·27	·99	·23	·05	—	29
30	—		—	—	·39	—	—	—	·87	·12	—	—	30
31	·01		·34		·03		·12	·14		·04		—	31
Total	3·62	1.62	2.94	0.07	1.35	3·34	1.37	4.84	2.09	2.17	1.62	2·84	YEAR'S TOTAL 27.87
Rain Days.	19	19	22	3	12	18	12	24	10	16	18	18	191

W. 7,500, XI. ·13

PADDINGTON

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

4-JAN 1914

Kept at Kensal Green. 740, Harrow Road

in the County of London.

by Charles William Heinemann.

Lat. 51°31′30″ N. Long. 0°13′0″ W.

Time of Observation 8h.

Nearest Railway Station Kensal Rise. (N.L.R.)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 101 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	0·23	0.04	0.15	—	—	—	—	0.32	—	0.04	0.09	1
2	·07	·12	—	—	—	—	·06	—	·12	·03	·05	—	2
3	—	—	·02	·21	·31	—	—	—	—	—	—	·05	3
4	·20	—	—	·02	·32	—	·12	—	—	·19	·02	·06	4
5	·17	—	—	—	—	·04	·17	—	·26	·01	·01	·07	5
6	—	·02	·11	—	·07	·08	·25	—	·02	·12	·04	·09	6
7	—	·09	—	—	·04	—	·04	·15	—	·40	·05	—	7
8	—	·03	·04	—	·06	·13	—	—	—	·05	·04	—	8
9	—	·14	—	·01	·04	—	·01	—	·05	—	·03	·03	9
10	·01	—	·10	·11	—	—	·07	·07	—	—	·31	—	10
11	·42	—	—	·48	·02	—	—	·01	—	·46	·11	—	11
12	—	—	—	—	·06	—	—	—	—	—	·35	—	12
13	·07	—	·03	—	—	—	—	·02	·06	—	·23	—	13
14	·03	·01	·11	·07	—	—	·52	·07	·01	·15	·15	—	14
15	·25	·06	·23	·21	—	—	·50	—	·04	—	—	—	15
16	·09	—	·32	·24	—	—	—	—	·39	—	—	—	16
17	·03	·01	·07	·05	—	—	·10	—	—	—	·02	·02	17
18	—	—	·05	·19	—	—	·01	—	·01	—	·02	—	18
19	·15	—	·12	—	·01	·02	·14	—	·30	—	—	·01	19
20	·07	—	·12	·04	·01	·03	—	—	—	·43	·05	—	20
21	·01	·02	·24	·08	—	—	·02	—	—	·20	·72	—	21
22	·40	—	·14	·04	—	—	—	—	·15	—	—	—	22
23	—	—	·02	—	—	·02	—	·20	·04	—	—	·30	23
24	—	—	—	·05	—	·01	—	—	—	—	—	—	24
25	—	·02	—	·15	—	—	—	—	—	—	—	—	25
26	—	·01	·20	·08	—	—	—	·09	—	·71	—	·14	26
27	—	·01	·01	·07	·01	—	—	—	—	—	—	—	27
28	·22	—	·21	·08	—	—	—	—	—	·08	—	—	28
29	·06		·05	·49	·60	—	—	·06	—	·04	—	·01	29
30	·22		—	·04	—	—	—	·13	—	·10	—	—	30
31	—		·06		—		—	·43		·04		—	31
Total	2.50	0.77	2.29	2.86	1.55	0.33	2.01	1.23	1.77	3.01	2.24	0.87	YEAR'S TOTAL 21.43
Rain Days.	18	13	21	21	12	7	13	10	13	15	17	11	171

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 13 JAN 1915

PADDINGTON HARROW RD

Kept at Kensal Green. (740, Harrow Road)

in the County of London. 2

by C. W. Heinemann.

Lat. 51° 31′ 30″ N. Long. 0° 13′ 0″ W.

Time of Observation 9h.

Nearest Railway Station Kensal Rise. 2.10m.

Diameter of Rain Gauge 8 in. Casella.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 101 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	—	—	—	—	·14	—	—	·03	·03	1
2	·01	—	—	—	—	·01	·13	·09	—	—	·03	·14	2
3	—	—	·04	—	·13	—	·07	—	—	—	·07	—	3
4	·05	—	·02	·19	—	—	—	·01	—	—	·29	·19	4
5	·06	—	·07	·18	·10	·04	·41	·71	—	—	—	—	5
6	—	·11	—	·06	·01	·19	·05	·02	—	—	·13	·10	6
7	—	·18	·33	·05	·85	·03	·05	—	—	—	—	·05	7
8	·10	·35	·67	·06	·02	·13	·07	·12	·01	—	—	—	8
9	·17	—	·50	·21	—	·24	—	—	·05	—	—	1.67	9
10	·01	·05	·02	·04	·07	—	—	—	·02	—	—	·02	10
11	—	·35	·34	—	—	·08	—	—	·36	—	·36	·25	11
12	·01	·06	·08	—	—	—	·10	—	·17	—	·01	·41	12
13	—	·20	·15	—	—	—	—	—	·12	·10	·05	·39	13
14	·01	·05	·36	—	—	·02	·15	—	—	·14	·04	·35	14
15	·07	—	·16	—	—	—	·10	·02	—	·01	·28	·06	15
16	—	—	·02	—	—	—	·06	—	·01	—	·01	—	16
17	—	·30	·07	—	—	—	—	—	·05	—	—	·14	17
18	—	·05	·13	—	—	—	—	—	—	—	—	·25	18
19	—	·04	·20	—	—	—	·04	—	·04	—	·17	·36	19
20	—	·19	·34	—	—	·02	—	—	·13	—	—	·09	20
21	—	·48	·07	—	—	·01	—	—	—	·01	—	·05	21
22	—	—	·01	·03	·42	·18	·10	·04	—	·15	—	—	22
23	—	—	·20	—	·13	·03	·04	—	—	·10	—	·01	23
24	—	—	·02	·02	·01	—	—	—	—	·01	·14	—	24
25	·02	—	·13	—	—	—	—	·08	—	·26	—	—	25
26	—	—	·06	—	—	—	·07	·16	—	·07	·14	·56	26
27	·04	—	·03	—	—	—	—	—	—	—	·03	·19	27
28	·01	·05	—	·02	·02	—	—	—	—	·05	·39	·95	28
29	·03	✕	·08	—	—	—	—	—	—	·23	·07	—	29
30	—	✕	·04	—	—	—	—	—	—	·05	·62	·13	30
31	—	✕	—	✕	·15	✕	·04	—	✕	—	✕	·05	31
Total	0.59	2.46	4.21	0.86	1.91	0.98	1.48	1.39	0.96	1.18	2.86	6·44	YEAR'S TOTAL 25.32
Rain Days.	13	14	27	10	11	12	15	10	10	12	18	23	175

W. 8,000. X. 14.

6X ML

35

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL. 4. JAN 1916

PADDINGTON

Kept at Kensal Green. (Co. of London)

in the County of London. 2

by C. W. Heinemann.

Lat. 51° 31′ 30″ N. Long. 0° 13′ 0″ W.

Time of Observation 8h.

Nearest Railway Station Kensal Rise. N.L.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 101 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.43	0.15	0.01	—	0.03	—	—	—	0.06	0.03	0.44	0.49	1
2	0.31	0.14	0.23	0.12	0.01	0.01	—	0.62	—	0.06	—	—	2
3	0.30	—	0.08	0.19	0.01	—	—	0.44	0.04	—	—	0.50	3
4	0.07	—	—	—	—	—	—	0.23	—	—	—	0.31	4
5	0.04	0.34	—	—	—	—	—	0.01	—	0.03	—	0.25	5
6	0.27	0.03	—	0.22	0.74	—	0.79	0.02	—	—	—	0.52	6
7	0.50	0.19	0.05	—	—	—	0.33	0.05	—	—	—	0.18	7
8	0.02	0.36	0.01	0.03	—	—	0.01	—	—	—	—	—	8
9	0.06	0.17	—	0.10	—	0.07	—	0.09	—	0.01	0.35	0.59	9
10	0.26	—	—	—	—	—	—	0.23	—	—	—	0.13	10
11	0.01	—	0.04	—	—	—	—	0.04	—	—	0.63	—	11
12	0.06	—	—	0.26	0.35	—	—	0.56	—	—	0.38	0.01	12
13	0.03	0.37	—	—	1.31	—	—	0.10	—	—	—	—	13
14	—	0.04	—	—	—	—	0.73	(Rain) 0.25	0.05	—	—	0.57	14
15	0.07	—	—	—	0.05	—	—	(Rain)	—	—	0.19	0.11	15
16	—	0.21	—	—	—	—	0.56	0.01	—	—	—	0.06	16
17	—	0.38	—	—	0.72	—	0.04	0.17	—	—	—	—	17
18	—	0.25	0.05	—	0.20	—	—	—	—	—	0.03	—	18
19	—	0.16	—	—	0.01	—	0.08	—	—	—	—	—	19
20	0.35	—	—	0.08	—	—	—	—	—	—	—	0.19	20
21	0.08	—	—	—	—	—	0.01	—	—	0.01	—	0.03	21
22	0.96	0.10	0.19	0.02	—	—	0.76	—	0.01	—	—	0.10	22
23	0.01	0.31	0.07	0.01	—	0.03	0.38	—	0.17	0.39	—	0.26	23
24	—	—	0.01	—	—	0.01	0.04	—	0.21	0.21	—	0.28	24
25	—	—	0.06	0.11	—	0.03	0.12	—	—	0.02	—	0.13	25
26	—	0.06	—	—	—	0.09	0.04	—	—	—	—	0.45	26
27	—	0.02	—	—	—	0.20	0.28	—	—	0.27	—	0.13	27
28	—	0.05	—	—	—	—	—	—	1.68	0.11	—	—	28
29	—	X	0.01	—	—	0.10	0.33	0.13	—	—	0.10	—	29
30	0.03	X	—	—	—	0.07	—	—	—	—	0.15	0.01	30
31	—	X	—	X	—	X	—	0.01	X	0.77	X	0.18	31
Total	3.86	3.33	0.81	1.14	3.43	0.61	4.50	2.96	2.22	1.91	2.27	5.42	YEAR'S TOTAL 32.46 ✓
Rain Days.	19	18	12	10	10	9	15	17	7	11	8	22	158 ✓

W. 8,000. X. 15.

Exc 84

29

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL

Kept at Kensal Green.

in the County of London.

by C. W. Heneman.

Lat. 51° 31′ 30″ N. Long. 0° 13′ 0″ W.

Time of Observation 8h. G.m.T. till May 20 [illegible] 9h. S.T. from [illegible]

Nearest Railway Station Kensal Green - Willesden - Waterloo - 2 m.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 101 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04	—	0.01	—	0.33	0.01	0.01	—	0.18	—	0.39	—	1
2	0.40	0.02	0.08	—	0.32	—	0.01	—	0.31	0.43	—	—	2
3	—	0.37	0.18	—	—	—	0.04	—	0.15	0.15	0.64	—	3
4	0.22	0.09	—	—	0.01	0.26	0.02	—	0.06	0.11	0.41	—	4
5	0.01	—	—	—	0.07	0.06	0.04	—	—	0.06	0.46	0.01	5
6	—	0.04	0.17	0.20	0.04	0.10	0.07	—	—	0.09	0.34	—	6
7	0.04	—	0.33	—	0.13	0.19	0.54	—	—	—	0.75	0.05	7
8	—	—	0.05	—	0.24	—	—	—	—	—	0.01	0.14	8
9	—	0.01	—	—	0.23	0.03	—	—	—	0.06	—	0.08	9
10	0.01	0.12	0.10	0.06	—	0.15	0.06	0.01	—	—	—	0.01	10
11	0.01	0.15	0.02	0.14	—	0.18	—	—	—	—	—	0.15	11
12	0.03	0.02	0.01	0.09	0.23	0.17	0.05	0.05	0.01	0.02	—	—	12
13	—	0.31	0.29	0.09	0.01	0.15	0.39	0.11	—	0.05	—	—	13
14	—	0.34	—	0.01	0.07	—	—	0.52	—	0.01	—	0.08	14
15	—	0.20	0.28	0.01	—	—	—	0.22	—	0.01	—	0.01	15
16	—	0.06	0.16	0.18	—	—	0.22	0.24	—	—	—	—	16
17	0.11	0.05	—	0.02	—	—	0.02	0.32	0.25	0.57	—	—	17
18	—	0.12	0.02	0.20	—	—	—	0.36	0.06	0.13	0.69	—	18
19	0.04	0.04	0.15	0.16	—	—	—	—	0.12	—	0.67	0.02	19
20	0.13	—	0.17	—	—	—	—	—	—	—	0.04	0.11	20
21	—	—	0.45	0.02	—	—	0.13	—	—	—	—	0.49	21
22	—	0.02	0.08	—	0.01	—	—	—	—	0.03	—	0.32	22
23	0.01	0.21	—	—	0.01	0.09	—	0.02	—	0.01	0.04	0.11	23
24	0.01	0.08	—	—	—	0.06	—	—	—	0.04	0.01	0.30	24
25	—	0.55	0.20	—	0.07	—	—	0.28	—	0.09	0.12	0.01	25
26	—	0.19	0.02	—	—	0.07	—	0.20	0.04	0.05	—	—	26
27	0.08	0.04	0.94	—	—	0.05	—	0.62	0.04	0.58	—	—	27
28	—	0.38	0.32	—	—	0.02	—	—	—	0.03	—	0.23	28
29	—	0.05	—	—	—	0.29	—	1.32	0.05	0.23	—	0.14	29
30	—	X	—	0.04	—	—	—	0.05	—	0.51	—	—	30
31	—	X	—	X	—	X	—	0.03	X	0.12	X	0.02	31
Total	1.14	3.43	4.03	1.22	1.77	1.88	1.60	4.35	1.27	3.38	4.57	2.28	YEAR'S TOTAL 30.92
Rain Days.	14	23	21	13	14	16	13	15	11	22	13	18	193

W. 8,000, VIII. 16

From morning of May 21st this year the hour of reading was changed by the S.T. Time and every observation in the future will be the S.T. Time. C.W.H.

Exd. [illegible]

28

FORM A.

BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at Kensal Green.

in the County of London.

by C. W. Hellemann. (of Meteorological Office)

Lat. 51 31 30" Long. 0° 13' 0"

Time of Observation 7 a.m.

Nearest Railway Station Kensal Rise (N.L.R.)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in. till May 4 — 1 ft. 9 in. 25 after

" " " Sea Level ~~about 100~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (see entry above) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.11	—	—	—	1.06	0.07	—	0.05	0.01	1
2	—	—	—	0.49	—	0.03	—	0.06	—	—	—	—	2
3	—	—	—	0.04	—	—	—	0.20	—	0.19	0.36	—	3
4	—	0.11	0.10	—	—	—	0.16	0.21	—	0.32	—	—	4
5	0.27	—	0.05	0.25	—	—	—	0.10	0.62	0.12	—	—	5
6	—	—	0.04	0.13	—	0.03	—	—	0.12	0.01	0.16	—	6
7	0.17	—	—	—	—	—	0.03	—	—	0.20	—	0.01	7
8	0.12	—	—	0.07	—	—	0.68	0.11	0.02	0.21	0.14	0.20	8
9	0.02	—	0.03	0.08	—	—	0.16	0.11	0.07	0.01	0.04	0.15	9
10	0.14	—	0.08	0.04	—	—	—	0.01	—	—	—	0.04	10
11	0.20	—	0.42	0.35	—	—	—	—	0.26	0.21	—	—	11
12	0.08	—	0.05	0.03	0.01	—	—	?0.08	—	0.32	—	—	12
13	0.02	—	0.13	0.03	—	—	—	0.04	0.02	0.01	—	—	13
14	—	—	0.01	0.25	—	—	—	0.18	—	—	—	—	14
15	0.01	—	—	0.01	—	—	0.24	—	—	0.01	—	—	15
16	0.07	0.18	—	0.10	0.09	2.55	0.09	—	—	0.31	—	0.24	16
17	—	0.01	—	0.07	0.64	—	0.22	—	0.35	0.24	—	—	17
18	0.03	0.05	—	0.07	0.08	0.53	0.19	0.09	0.15	0.07	—	—	18
19	0.01	0.07	0.08	0.01	0.15	0.03	—	—	0.14	—	—	—	19
20	0.02	0.27	0.05	—	0.61	—	0.03	—	—	—	0.03	—	20
21	0.01	—	0.03	—	0.04	—	—	—	—	0.01	0.02	—	21
22	0.03	—	0.04	—	—	0.01	—	0.09	—	0.05	—	—	22
23	—	0.12	0.05	—	0.11	—	—	0.10	—	0.01	—	0.01	23
24	—	0.02	—	—	—	0.08	—	0.03	—	0.14	0.01	0.01	24
25	—	0.03	0.03	—	—	0.01	—	—	—	—	0.04	—	25
26	—	—	0.05	—	—	0.01	—	0.16	0.04	—	0.37	—	26
27	—	—	—	—	—	—	—	0.78	—	—	—	—	27
28	—	—	—	—	—	1.47	—	0.08	—	—	—	0.05	28
29	—	X	0.03	—	0.43	0.08	0.31	0.02	—	0.15	—	0.15	29
30	—	X	0.29	—	—	—	1.58	0.08	—	0.08	—	—	30
31	0.04	X	0.06	X	—	X	0.33	—	X	—	X	0.01	31
Total	1.24 ✓	0.86 ✓	1.62 ✓	2.13 ✓	2.16	4.83 ✓	4.02 ✓	3.59 ✓	1.86 ✓	2.67 ✓	1.22 ✓	0.88 ✓	YEAR'S TOTAL 27.08 ✓
Rain Days.	16 ✓	9 ✓	19 ✓	17 ✓	9 ✓	11 ✓	12 ✓	20 ✓	11 ✓	20 ✓	10 ✓	11 ✓	165 ✓

W. 8,000, IX. 17.

5a

KENSINGTON

HOLLAND HSE

LONDON

1911 - 1920

FORM A2.
BRITISH RAINFALL.

6 JAN 1912

Kept at Hollan

in the County of

by Charles

Bottle &

in.

nd 4 ft. in.

Level 68 ft.

e Addison Road

ance ½ mile Direction S.W.

IMPORTANT

result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.01	0.54				0.05					1
2	S 0.23				0.16						0.20	0.07	2
3		0.03		0.24	0.12						0.07	0.07	3
4	0.02	0.01	0.06						0.01	0.03	0.20	028	4
5	0.03			S 0.10						0.22	0.02	0.03	5
6	0.28		0.12	S 0.03								0.26	6
7	0.06			S 0.01						0.11	0.26	0.02	7
8	0.13		0.16								0.20	0.35	8
9	0.11			0.02								011	9
10	0.04	0.12	0.09	0.02							0.09	0.33	10
11	0.23				0.08						0.59		11
12	S 0.02		0.45		0.07				0.05	0.01	0.35		12
13			S 0.08		0.27	0.05			0.45	0.12	0.01	0.22	13
14		0.09	S 0.01		0.08							0.42	14
15		0.05	0.15							0.02	0.02	0.01	15
16						0.65					0.35	0.02	16
17			0.01			0.02					0.26	0.13	17
18		0.12	0.01			0.18					0.47	0.16	18
19					0.01	0.25		0.48	0.19	0.08	0.17	0.08	19
20								0.14	0.11	0.07		0.50	20
21		0.10				0.01		0.10	0.11	0.49		0.05	21
22	0.08		0.09			0.01		0.01		0.07		0.34	22
23		0.06	0.05			0.79			0.30		0.03	0.15	23
24		0.13	S 0.02			0.05	0.02	0.01		1.11		0.17	24
25		0.03	S 0.01	0.07		0.20	0.36	0.01	0.01	0.02		0.01	25
26		0.02	0.03	0.23	0.01	0.18	0.05			0.09	S 0.02	0.25	26
27		0.35	0.07	0.03					0.16		0.05	0.10	27
28		0.14		0.24			0.20	0.07				0.01	28
29				0.09		0.17	0.10		0.11	0.21			29
30					0.04	0.01		028	0.01	0.13			30
31					0.37								31
Total	1.23	1.25	1.42	1.62	1.21	2.57	0.73	1.15	1.51	2.78	3.36	4.14	TOTAL for year 22.97
No. of Rain Days.	11	13	17	12	10	13	5	9	11	15	18	25	159

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 191

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Holland House
in the County of Middlesex 2
by Charles Dixon

RAIN GAUGE
Pattern Cacellas Bottle & Funnel
Diameter of top 5 in.
Height of top above Ground 4 ft. in.
" " " Sea Level 68 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Addison Road
Distance ½ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		—	0.01	0.54				0.05					1
2	$\overset{S}{0.23}$				0.16						0.20	0.07	2
3		0.03		0.24	0.12						0.07	0.07	3
4	0.02	0.01	0.06						0.01	0.03	0.20	028	4
5	0,03			$\overset{S}{0.10}$						0.22	0.02	0.03	5
6	0.28		0.12	$\overset{S}{0.03}$								0.26	6
7	0.06			$\overset{S}{0.01}$						0.11	0.26	0.02	7
8	0.13		0.16								0.20	0.35	8
9	0.11			0.02								011	9
10	0.04	0.12	0.09	0.02							0.09	0.33	10
11	0.23				0.08						0.59		11
12	$\overset{S}{0.02}$		0.45		0.07				0.05	0.01	0.35		12
13			$\overset{S}{0.08}$		0.27	0,05			0.45	0.12	0.01	0.22	13
14		0.09	$\overset{S}{0.01}$		0.08							0.42	14
15		0.05	0.15							0.02	0.02	0.01	15
16						0.65					0.35	0.02	16
17			0.01			0.02					0.26	0.13	17
18		0.12	0.01			0.18					0.47	0.16	18
19					0.01	0.25		0.48	0.19	0.08	0.17	0.08	19
20								0.14	0.11	0.07		0.50	20
21		0.10				0.01		0.10	0.11	0.49		0.05	21
22	0.08		0.09			0.01		0.01		0.07		0.34	22
23		0.06	0.05			0.79			0.30		0.03	0.15	23
24		0.13	$\overset{S}{0.02}$			0.05	0.02	0.01		1.11		0.17	24
25		0.03	$\overset{S}{0.01}$	0.07		0.20	0.36	0.01	0.01	0.02		0.01	25
26		0.02	0.03	0.23	0.01	0.18	0.05			0.09	$\overset{S}{0.02}$	0.25	26
27		0.35	0.07	0.03					0.16		0.05	0.10	27
28		0.14		0.24			0.20	0.07				0.01	28
29				0.09		0.17	0.10		0.11	0.21			29
30					0.04	0.01		028	0.01	0.13			30
31					0.37								31
Total	1.23	1.25	1.42	1.62	1.21	2.57	0.73	1.15	1.51	2.78	3.36	4.14	TOTAL for year 22.97
No. of Rain Days.	11	13	17	12	10	13	5	9	11	15	18	25	159

W. 8,000, X. '11.

ML 31.1.13

FORM A2.

BRITISH RAINFALL. 14 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Holland House Kensington

in the County of London

by Charles Dixon

RAIN GAUGE
Pattern Bottle & funnel
Diameter of top 5 in.
Height of top above Ground 4 ft. in.
„ „ „ Sea Level 68 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Addison Road
Distance 1/2 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	S 0.02	0.07	0.03		0.08	0.02		0.08	0.30		0.23	1
2			0.30	0.01		0.01	0.46	0.06	0.01	0.02			2
3	0.06		0.06			0.23		0.34				0.09	3
4	0.31	S 0.02	0.37		0.15	0.18		0.06			0.15		4
5	0.21	0.01	0.02			0.01		0.37			0.02		5
6	0.43					0.15		0.14	0.02			0.01	6
7			0.02		0.07	0.68	0.09	0.11				0.01	7
8	0.30	0.30	0.10			0.05		0.12					8
9		0.07		0.02		0.11	0.01	0.06				0.14	9
10	0.01	0.03				0.03		0.46			0.03	0.24	10
11	0.02	0.32				0.02		0.03	0.02	Fog 0.01	0.01	0.13	11
12	0.05	0.04	0.08		0.12	0.15					0.04	0.01	12
13								0.01			0.04		13
14			0.01		0.02			0.08	0.01	0.04		0.01	14
15		0.02	0.09		0.23	0.49		0.01			0.02	0.30	15
16	0.34		0.03		0.04	0.02		0.04		0.04	0.06		16
17	S 0.52		0.19			0.05		0.05				0.01	17
18	0.03		0.13					0.11		0.02	0.02	0.08	18
19	0.07	0.03	0.07				0.06	0.54					19
20	0.01	0.01	0.10		0.01	0.02		0.11		0.38			20
21		0.02	0.12		0.05			0.18		0.06	0.05		21
22	0.25	0.13	0.07		0.01		0.07	0.16		0.03		0.08	22
23	0.31	0.35	0.32				0.05	0.48		0.04	0.14	0.12	23
24	0.53	0.02	0.01			0.48	0.02	0.20				0.13	24
25	0.27					0.18		0.72			0.22	0.55	25
26		0.02						0.32		0.36	0.27	0.25	26
27						0.10			0.04	0.15		0.22	27
28		0.03				0.08	0.18	0.02	0.98	0.24	0.32	0.06	28
29		0.01				0.06	0.17	0.27	0.92	0.19			29
30	S 0.01				0.40			0.02		0.14			30
31			0.27		0.04		0.13	0.10		0.03			31
Total	3.73	1.45	2.43	0.06	1.14	3.18	1.26	5.17	2.08	2.05 2.05	1.39	2.67	TOTAL for year 26.59 26.61
No. of Rain Days.	18	18	20	3	11	21	11	28	8	16	14	19	187 days

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL
FORM A.
16 JAN 1914

Kept at Holland House
in the County of London 2
by Charles Dixon

Lat. 51. 31 N Long. 0. 6. W.
Time of Observation 9 a.m.
Nearest Railway Station Addison Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.21	0.03	0.10					0.28		0.06	0.10	1
2	0.02	0.13					0.06		0.14	0.04	00.3		2
3			0.05	0.23	0.37							0.03	3
4	0.17			0.02	0.37		0.10			0.26	0.02	0.07	4
5	0.19					0.07	0.12		0.35	0.01		0.09	5
6	0.01		0.08		0.06	0.13	0.20			0.19	0.07	0.07	6
7		0.09		0.01	0.02	0.02	0.02	0.17		0.28	0.05		7
8		0.02	0.03		0.06	0.10				0.08	0.01		8
9		0.12			0.03				0.0.5		0.02	0.03	9
10			0.08	0.11			0.04	0.03			0.28		10
11	0.30			s 0.47	0.10			0.01		0.51	0.24		11
12					0.06						0.30		12
13	0.06		0.03					0.02	0.06	0.01	0.29		13
14	0.06	0.01	0.06	0.06			0.55	0.08		0.12	0.01		14
15	0.09	0.05	0.22	0.18			0.16		0.06				15
16	0.11		0.32	0.18					0.35				16
17	0.02	0.03		0.10			0.11						17
18			0.11	0.13							0.05		18
19	0.14				0.01	0.02	0.13		0.21	0.01			19
20	0.08		0.21	0.03						0.50	0.03		20
21		0.02	0.19	0.07			0.03			0.25	0.76		21
22	Sleet 0.39		0.13	0.08				0.27	0.15				22
23			0.01			0.04			0.06			0.30	23
24				0.02				0.02			0.01		24
25		0.01		012						0.01		0.06	25
26			0.18	0.06				0.08		0.55		0.07	26
27			0.01	0.05	0.03					0.01			27
28	0.22		0.18	011						0.08			28
29	0.05		0.04	0.45	0.60			0.05		0.02			29
30	016			0.04				0.13		0.12			30
31			0.04					0.53		0.03			31
Total	2.09	069	2.00	2.62	1.71	0.38	1.52	1.39	1.71	3.08	2.23	0.82	YEAR'S TOTAL 2024
Rain Days.	17	10	19	21	11	6	11	11	10	19	16	9	160

W. 7,500, XI. 12

Ex £8416

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Holland House Kensington
in the County of London 2
by Charles Dixon

Lat. 51.31 N. Long. 06 W
Time of Observation 9 a.m.
Nearest Railway Station Addison Road
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								0.19			0.02	0.03	1
2			0.04				0.12	0.10			012	0.12	2
3	0.01		0.05		0.12		0.12	0.03			0.03		3
4	0.07		0.01	0.16				0.01			0.23	0.17	4
5	0.03		0.05	0.14	0.12		0.33	0.78					5
6		0.11	0.01	0.09		0.03	0.02	0.02			0.11	0.07	6
7		0.15	0.22	0.14	0.87	0.21	0.12					0.05	7
8	0.05	0.32	0.68	0.02	0.01	0.03	0.02	0.10	0.01				8
9	0.17	0.01	0.54	0.12		0.15			0.03			1.63	9
10		0.11	0.02	0.03	0.04	0.38			0.25				10
11		0.26	0.37			0.07			0.10		0.30	0.30	11
12	$0.\overset{5}{0}1$	0.07	0.10				0.10		0.20		0.04	043	12
13		0.13	0.13						0.14	0.12	0.02	0.48	13
14		0.05	0.27			023	0.18			0.18	0.05	0.44	14
15			0.13				0.12				0.34	0.06	15
16	0.04		0.02										16
17		0.31	0.06						0.04			0.16	17
18		0.01	0.10									0.18	18
19		0.02	0.22			0.04	0.03		002		0.16	0.31	19
20		0.29	$0\overset{8}{2}5$			0.01			0.13	0.01		0.10	20
21		0.48	0.05			0.03		0.01		0.01		0.03	21
22			0.05		0.28	0.27	0.09	0.01		0.14			22
23			0.14		0.14		005			0.11			23
24			0.09			0.02	0.01				0.12		24
25	003		0.08					0.14		0.27		008	25
26			0.07				0.03	0.07		0.05	0.16	0.52	26
27	0.03										0.03	0.12	27
28		0.04	0.01		0.02					004	0.45	0.70	28
29	0.02									019	0.11		29
30		X	0.06							0.02	0.52	0.15	30
31		X	0.04	X	0.14	X	0.02		X		X	0.03	31
Total	0.46	236 3.86	3.86	0.70	1.74	1.47	1.36	1.46	0.92	1.14	2.81	6.16	YEAR'S TOTAL 24.44 ✓
Rain Days.	10	15	28	7	9	12	15	11	9	11	17	22	166 ✓

W. 8,000. X. 14.

→ taken as 236

cond for auth 21.11.16 WLMC

38

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

6. JAN. 1916

Kept at Holland House

in the County of London 2

by Charles Dixon

Lat. 51.31 Long. 0.6

Time of Observation 9 a.m

Nearest Railway Station Addison Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.41	0.13	0.01	...	0.02	...	...	...	0.07	0.03	0.30	0.55	1
2	0.35	0.15	0.23	0.13	...	...	...	0.62	...	0.04	...	0.15	2
3	0.30	...	0.07	0.16	...	...	...	0.45	...	...	...	0.36	3
4	0.03	...	...	...	...	...	...	0.03	...	...	...	0.23	4
5	0.04	0.38	...	...	...	...	...	0.01	...	0.02	...	0.21	5
6	0.33	0.03	...	0.24	0.22	...	0.71	0.04	...	...	...	0.44	6
7	0.47	0.19	0.03	...	...	...	0.18	0.03	...	...	0.01	0.23	7
8	0.13	0.48	0.01	0.09	...	...	0.04	0.07	...	...	...	...	8
9	0.03	0.03	...	0.08	...	0.08	...	0.01	...	0.02	0.33	0.61	9
10	0.25	...	0.02	...	...	...	...	0.24	...	...	...	0.13	10
11	0.01	...	0.01	0.29	...	...	...	0.03	...	...	0.75	...	11
12	0.07	...	...	...	0.51	...	...	0.58	...	...	0.22	...	12
13	0.01	0.37	...	...	1.50	...	...	0.17	...	...	...	...	13
14	...	0.04	...	...	...	...	0.62	0.04	0.06	...	...	0.51	14
15	0.06	...	...	...	0.05	...	...	0.85	...	...	S 0.21	0.10	15
16	...	0.23	...	...	0.12	...	0.64	0.01	...	...	...	0.09	16
17	...	0.40	...	...	0.69	...	0.03	0.13	...	...		...	17
18	...	0.25	S 0.04	...	0.13	...	...	...	...	...	0.01	...	18
19	...	0.07	...	0.03	...	...	0.05	...	...	...	0.02	...	19
20	0.38	...	...	...	...	...	...	...	...	...	...	0.19	20
21	8 0.07	...	...	0.03	...	...	...	...	...	0.02	...	0.04	21
22	S 1.00	0.10	0.13	...	...	...	0.77	...	...	...	...	0.09	22
23	0.28	8 0.27	0.05	0.03	...	0.02	0.07	...	0.12	0.47	...	0.27	23
24	...	...	...	0.12	...	...	0.05	...	0.19	0.22	...	0.37	24
25	...	...	0.02	...	...	0.02	0.11	...	...	0.01	...	0.03	25
26	...	0.07	...	...	...	0.13	0.26	...	...	...	...	0.53	26
27	...	...	...	...	...	0.15	0.06	...	1.50	0.28	...	0.01	27
28	...	0.03	...	...	...	0.06	...	...	...	0.08	...	...	28
29	...		...	...	...	...	0.21	0.18	...	...	0.09	...	29
30	0.02	X	...	...	...	0.03	...	0.01	...	0.03	0.17	0.01	30
31	...	X	...	X	...	X	...	...	X	0.81	X	0.16	31
Total	4.24	3.22	0.62	1.20	3.24	0.49	3.80	3.50	1.94	2.03	2.11	5.31 5·31	YEAR'S TOTAL 31.70 31·70
Rain Days.	19	17	11	10	8	7	14	18	5	12	10	22	153

W. 8,000. X. 15.

32

FORM A.
BRITISH RAINFALL.

20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Holland House
in the County of London
by Charles Dixon

Lat. 51.31 Long. 0.6
Time of Observation 9 a.m
Nearest Railway Station Addison Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. – – –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03		0.01		0.27		0.01		0.27	0.12	0.34		1
2	0.38	0.01	0.10		0.32				0.20	0.33	0.01		2
3		0.41	0.14				0.04		0.14	0.22	0.62		3
4	0.14	0.10				0.29			0.09	0.01	0.40		4
5	0.01		$\overset{s}{0}.01$		0.09	0.11				0.04	0.39		5
6		0.08	$\overset{s}{0}.31$	0.23	0.03	0.07	0.35				0.33		6
7	0.05		$0.\overset{s}{2}0$		0.13	0.16	0.26				0.56	0.07	7
8			$0.\overset{s}{1}0$		0.26						0.01	0.26	8
9	0.01			0.07	0.17					0.07		0.01	9
10		0.20	0.09	0.13		0.22	0.11	0.02				0.11	10
11	0.01	0.10	0.02	0.03		0.34						0.01	11
12	0.04	0.01		0.07	0.22	0.14	0.03	0.02		0.06			12
13		0.29	0.23	$\overset{s}{0}.04$		0.10	0.15	0.18	0.02	0.02			13
14		$\overset{s}{0}.32$	0.02		0.09		0.01	0.82		0.01		0.07	14
15		0.17	0.23	0.15			0.08	0.50		0.01			15
16		0.01	0.15	0.02			0.13	0.08					16
17	0.07	0.10		0.21				0.35		0.52			17
18		0.06	0.02	0.14				0.41	0.30	0.16	0.81		18
19	0.06	0.06	0.12						0.12		0.58		19
20	0.13		0.20	0.10					0.10		0.02	0.47	20
21	0.01		0.46	0.01			0.12					0.17	21
22			$\overset{s}{0}.05$							0.01		0.40	22
23	0.02	$\overset{s}{0}.21$	$\overset{s}{0}.01$			0.08		0.02		0.01	0.03	0.07	23
24		$\overset{s}{0}.12$			0.08			0.03		0.12	0.03	$\overset{s}{0}.31$	24
25		$\overset{s}{0}.34$	0.24					0.24			0.09		25
26		$\overset{s}{0}.47$	$\overset{s}{0}.03$			0.09		0.65		0.07			26
27	0.04		$\overset{s}{0}.90$			0.01		0.64	0.03	0.54			27
28		0.41	$\overset{s}{0}.23$			0.06		0.02	0.04			0.17	28
29		0.04	0.11			0.30		1.16	0.04	0.20		0.12	29
30		X						0.07		0.40			30
31		X		X		X		0.08	X	0.21	X	0.02	31
Total	1.00	3.51	3.98	1.20	1.66	1.97	1.29	5.29	1.35	3.13	4.22	2.26	YEAR'S TOTAL 3086
Rain Days.	14	20	24	12	10	13	11	17	11	20	14	14	180

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

5 JAN 1918

Kept at Holland House Kensington
in the County of London
by Charles Dixon

Lat. 51.31 n Long. 0.6 w
Time of Observation 9 a.m.
Nearest Railway Station Addison Road
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 68 feet ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				$\overset{s}{0.06}$				1.12	0.03		0.05		1
2				$\overset{s}{0.58}$		0.06		0.07	0.06	0.02	0.36		2
3		$\overset{s}{0.03}$		$\overset{s}{0.03}$				0.05		0.36	0.02		3
4							0.20	0.35		0.27			4
5	0.25	$\overset{s}{0.01}$	$\overset{s}{0.15}$	$\overset{s}{0.23}$				0.18	0.58	0.14	0.07		5
6		$\overset{s}{0.10}$	0.03	$\overset{s}{0.09}$		0.03		0.03	0.18	0.02	0.06		6
7	0.17						0.08			0.15		0.05	7
8	$\overset{s}{0.12}$			$\overset{s}{0.07}$			0.89		0.03	0.25	0.13	0.35	8
9	0.03		0.06	$\overset{s}{0.10}$			0.03	0.11	0.10		0.06	0.11	9
10	$\overset{s}{0.20}$		0.07	$\overset{s}{0.08}$				0.10		0.23	0.01	0.04	10
11	0.10		0.38	$\overset{s}{0.36}$				0.01	0.42	0.44			11
12	0.11		0.04	0.04				0.06		0.03			12
13	0.01		0.18					0.04	0.03			0.01	13
14				0.20				0.11		0.04			14
15							0.03			0.41			15
16	$\overset{s}{0.09}$	0.18		0.12	0.14	4.00	0.07			0.30		$\overset{s}{0.31}$	16
17				0.09	0.60		0.33	0.08	0.40	0.07			17
18	0.03	0.05		0.08	0.06	0.73	0.11	0.01	0.19	0.04			18
19		0.17	0.12		0.50	0.02			0.18				19
20		0.14	0.04		0.70		0.04				0.06		20
21			$\overset{s}{0.02}$		0.01						0.01		21
22			$\overset{s}{0.02}$					0.09		0.08	0.01		22
23		0.11	$\overset{s}{0.03}$		0.10			0.07		0.02		0.03	23
24		0.02				0.16				0.15	0.03		24
25		0.01	$\overset{s}{0.02}$								0.06		25
26	$\overset{s}{0.02}$		$\overset{s}{0.01}$					0.19			0.43		26
27								0.87	0.06	0.01		0.07	27
28			0.04		—	1.72		0.13					28
29			0.06		0.20	0.08	0.28	0.02		0.23		0.16	29
30		X	$\overset{s}{0.23}$				1.81	0.08				0.02	30
31	$\overset{s}{0.06}$	X	$\overset{s}{0.15}$	X		X	0.41	0.04	X	0.01	X		31
Total	1.19	0.82	1.65	2.13	2.31	6.80	4.28	3.81	2.26	3.28	1.36	1.15	YEAR'S TOTAL 31.04
Rain Days.	12	10	18	14	8	8	12	22	12	21	14	10	161 days

W. 8,000, IX. 17.

27

~~[illegible]~~ 9/22 ind for auth

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
16.1.19

Kept at Holland House

in the County of London

by Charles Dixon

Lat. 51.31 Long. 0.6
Time of Observation 9 a.m
Nearest Railway Station Addison Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.12					0,06		0.11	0.04	1
2		0.07		0.03				0.35		0.02	0.27	0.13	2
3	0.01		0.04	0.01	0.47			0.23			0 43	0.02	3
4		0.04	0.17					0.04	0.39		0.43		4
5		0 02	0 01		0.09			0,06	0.39	0.08			5
6	0.18	0 09		0.25	0.16					0.03		0.06	6
7	0.$\overset{s}{0}$3	0 10		0.07	0.16			0.03	0.06	0 20	0.08		7
8		0.02							0.13	0.03	0.07	0.02	8
9		0.04		0.06		0.03	0.43		0.36	0.10		0.14	9
10				0.12			0.51		0.03		0.02	0.38	10
11				0.03	0.04				0.04	0.17	0.09	0.10	11
12		0.03			0 20		0.73		0.03			0.01	12
13	0.$\overset{s}{0}$3				0.12		0.09		0.25			0 02	13
14	0.10					0.33	0.21		0.40	0.11		0.20	14
15	0.$\overset{s}{2}$0			$\overset{s}{0}$ 80		0.07	0.02		0.02			0.05	15
16	0$\overset{s}{,}$18		0.01	0.29			0.19		0 27			0.01	16
17	0,33			0.22		0.55	0.36	0.05				0V2	17
18	0,54					0.27	0.03		1.51	0.18		0.03	18
19	0.02			0$\overset{s}{.}$08		0.02	0.33		0.03	0.06		0 09	19
20	0.02	0.11	0.05	0.60		0.02	0.09		0.15	0.16.			20
21	0.07	0.01		0.31					0.53	0.06			21
22	0,04				0.31		0.19		0.14			0.17	22
23	0.03			0.02	0.23		0.43	0.06	0.07		0.01		23
24		0.22				0.03	0.75		0.06		0.03		24
25							0 68	0.14		0.02	0.02		25
26							0.47	0.12		0.04	0 15	0.14	26
27		0 02		0.08			0.10	0.15	0,06		0.11		27
28		0.02	0.25	0.01				0.01			0.20	0.14	28
29			0.01						1.15		0.01		29
30		X	0.44						0.01		0.05	0.06	30
31		X		X		X			X	0 03	X		31
Total	2.78 ✓	0.79 ✓	0.98 ✓	3.10 ✓	1.78 ✓	1.32 ✓	5.61 ✓	1.24 ✓	6.14 ✓	1.29 ✓	2.08 ✓	1.93 ✓	YEAR'S TOTAL 29.04 ~~28.94~~
Rain Days.	14 ✓	13 ✓	8 ✓	17 ✓	9 ✓	8 ✓	17 ✓	11 ✓	23 ✓	15 ✓	16 ✓	20 ✓	171 ✓

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Holland House, Kensington W.8
in the County of Middlesex
by P. B. Rintoul

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Addison Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. ... in.
" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·29	...	...	0·02	0·03	...	0·30	0·02	...	...	...	0·81	1
2	0·40	0·02	...	...	0·12	...	0·74	0·01	0·25	0·03	0·12	0·09	2
3	0·26	...	...	0·01	0·02	...	0·35	...	0·05	0·03	0·02	0·35	3
4	0·06	0·14	0·32	...	...	0·08	0·21	0·01	...	...	...	0·13	4
5	...	0·25	0·39	...	...	...	0·06	...	0·06	...	0·02	0·24	5
6	...	...	0·63	...	...	...	...	...	...	...	...	...	6
7	0·03	...	0·05	...	...	...	...	...	...	...	...	...	7
8	0·05	...	0·33	0·02	...	...	...	...	...	...	0·02	...	8
9	0·06	...	0·05	0·07	0·09	...	...	...	...	...	...	...	9
10	0·45	...	0·05	...	...	...	...	...	...	0·01	...	...	10
11	0·04	...	0·06	0·27	...	...	0·35	...	...	...	...	0·04	11
12	...	...	...	0·03	...	0·04	0·04	...	...	0·09	...	...	12
13	...	...	...	0·22	...	...	...	...	...	0·05	...	...	13
14	0·19	...	...	0·22	...	...	0·06	...	0·52	...	...	...	14
15	...	0·04	0·22	0·13	...	...	...	...	...	...	...	0·30	15
16	0·21	0·52	...	...	...	...	...	...	...	...	0·15	0·02	16
17	0·05	0·45	0·02	...	...	...	...	...	...	...	0·13	...	17
18	...	0·18	0·08	...	...	...	...	...	0·03	...	0·10	0·05	18
19	...	0·14	0·80	...	...	0·25	0·35	0·14	0·02	...	0·03	0·02	19
20	0·06	0·04	0·03	...	...	0·90	0·28	0·17	...	...	0·02	...	20
21	0·19	0·25	0·01		...	0·11	0·11	...	...	...	0·02	...	21
22	0·16	0·10	...	...	...	0·01	0·13	...	0·15	...	0·01	0·29	22
23	...	...	...	...	...	0·03	...	...	0·02	...	...	0·01	23
24	...	...	...	0·22	...	0·01	0·12	0·03	...	0·19	0·06	...	24
25	0·02	...	...	0·01	...	0·02	...	0·19	...	...	...	...	25
26	...	0·18	0·16	0·08	...	...	...	0·02	0·12	...	...	0·32	26
27	0·48	0·02	0·06	1·23	...	...	...	0·41	...	...	...	0·03	27
28	...	...	0·19	0·03	...	...	...	0·80	...	...	0·22	0·29	28
29	0·03	...	0·03	0·05	...	...	...	0·35	...	0·24	...	0·03	29
30	...	✕	0·05	0·24	...	0·18	...	0·14	...	0·02	0·25	0·23	30
31	...	✕	0·08	✕	...	✕	...	...	✕	...	✕	0·02	31
TOTAL	3·03	2·33	3·61	2·85	0·26	1·63	3·10	2·29	1·22	0·66	1·17	3·27	YEAR'S TOTAL 25·42
Days with ·01 in. or more	18 days	13 days	20 days	16 days	4 days	10 days	13 days	12 days	9 days	8 days	14 days	18 days	155

155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

85-WWS 25

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Holland House Kensington

in the County of Middlesex

by P. Rintoul

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Addison Road Station

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 4 ft. .... in.

" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02	...	...	0·29	0·03	...	0·30	...	...	0·37	...	0·16	1
2	...	...	0·04	...	...	...	...	0·74	...	0·11	...	0·06	2
3	...	0·06	...	0·13	...	...	...	...	0·07	...	...	0·03	3
4	...	...	...	0·06	...	...	0·09	0·04	0·09	0·12	...	0·04	4
5	...	...	0·12	...	0·05	...	0·53	0·01	...	...	...	0·05	5
6	...	...	0·12	...	0·15	...	0·48	...	0·02	...	...	0·03	6
7	0·01	...	...	0·20	0·03	...	0·25	...	...	...	...	0·03	7
8	...	0·05	...	0·15	0·16	...	0·04	...	...	...	...	...	8
9	0·28	...	...	0·02	...	...	...	0·04	...	...	...	...	9
10	0·53	0·05	0·06	...	...	0·01	0·06	...	...	...	0·02	0·01	10
11	0·11	...	0·06	0·13	0·02	0·02	0·29	...	...	...	...	snow 0·16	11
12	0·08	...	...	0·08	...	0·61	...	...	...	0·02	...	...	12
13	0·19	...	0·10	0·17	...	...	...	...	...	...	0·05	...	13
14	0·01	...	0·26	0·21	...	0·57	...	...	0·13	0·02	0·13	0·04	14
15	...	0·03	0·04	0·16	...	...	0·05	...	0·61	0·24	0·10	...	15
16	...	...	...	0·24	...	0·02	...	...	0·25	0·29	...	...	16
17	0·01	...	...	...	0·13	0·05	...	...	0·42	...	...	0·04	17
18	0·02	...	...	0·01	...	...	...	0·75	0·18	...	...	0·03	18
19	0·15	...	...	0·24	...	0·06	...	0·01	...	...	...	0·05	19
20	0·05	0·17	...	0·15	...	0·59	...	...	0·06	...	...	0·01	20
21	...	...	...	...	...	...	0·87	0·02	0·51	...	...	0·03	21
22	...	...	...	0·30	...	...	...	0·03	0·04	...	...	0·37	22
23	...	...	...	...	...	...	0·37	...	...	...	...	0·39	23
24	...	...	0·06	...	...	...	...	...	...	...	...	0·02	24
25	...	0·04	...	...	...	...	0·23	...	0·02	...	...	...	25
26	0·02	...	0·08	...	1·18	...	0·09	...	...	...	...	0·02	26
27	0·12	0·05	0·01	0·28	...	0·12	0·03	...	...	...	0·70	0·07	27
28	0·32	...	0·08	0·25	0·02	...	0·12	...	...	...	...	...	28
29	0·22	...	0·06	...	...	...	...	...	...	...	0·04	0·20	29
30	0·03	X	...	...	0·08	...	0·32	...	0·60	...	0·17	0·12	30
31	...	X	...	X	0·05	X	...	...	X	0·19	X	0·08	31
TOTAL	2·17	0·45	1·09	3·07	1·90	2·05	4·12	1·64	3·00	1·36	1·21	2·04	YEAR'S TOTAL 24·10 in
Days with ·01 in. or more	17 days	7 days	13 days	18 days	11 days	9 days	16 days	8 days	13 days	8 days	7 days	23 days	150 days
Days with ·04 in. or more	10 days	6 days	12 days	16 days	7 days	6 days	15 days	4 days	11 days	6 days	6 days	14 days	113 days

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KENSINGTON
GARDENS
LONDON
1912 — 1918

FORM A.
BRITISH RAINFALL.

2 JAN 1913

RE

Kept at Kensi ... ow.
... ington High Street
in the County of ... in.
by W ... nd 2 ft. 2 in.
... Level ... ft.

IMPORTANT N ... result entered to the previous day. If an ... rule, he is earnestly requested to add the ... the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·10	0·03		0·06	0·10		0·05	~~0·75~~		0·19	1
2		0·03	0·26			0·05	0·28	0·06	0·03	0·25			2
3	0·06		0·08			0·12		0·35		0·02	0·02	0·06	3
4	0·19		0·39		0·11	0·27		0·10			0·13		4
5	0·19		0·02			0·02		0·22			0·04	0·01	5
6	0·36					0·16		0·13	0·01			0·02	6
7	0·[illegible]		0·02		0·05	0·71	0·06	0·09					7
8	0·28	0·26	0·04			0·07		0·09				0·01	8
9	0·04	0·05		0·02		0·09	0·01	0·04				0·11	9
10		0·06				0·01		0·40			0·03	0·21	10
11	0·02	0·30				0·03		0·02	0·02			0·08	11
12	0·05	0·05	0·06		0·15	0·13					0·03	0·01	12
13			0·02								0·03	0·01	13
14					0·05			0·04		0·06	0·01	0·02	14
15		0·04	0·09		0·22	0·38		0·02			0·02	0·33	15
16	0·18		0·04			0·02		0·04		0·03	0·08		16
17	0·43		0·12			0·04		0·06			0·02		17
18	0·13		0·10					0·10				0·09	18
19	0·11	0·02	0·04				0·04	0·42					19
20	0·02		0·16					0·07		0·35	0·22		20
21			0·08					0·13		0·05	0·06		21
22	0·23	0·14	0·06		0·04		0·07	0·07		0·02		0·05	22
23	0·32	0·30	0·35		0·02		0·02	0·51			0·13	0·11	23
24	0·44	0·04				0·31	0·01	0·18				0·07	24
25	0·24					0·17	0·02	0·55			0·12	0·35	25
26		0·05						0·27		0·25	0·21	0·20	26
27										0·10		0·20	27
28						0·06	0·10	0·02		0·16	0·31	0·08	28
29						0·16	0·19	0·16	0·05	0·14	0·04		29
30									0·58	0·07			30
31			0·25		0·32		0·10	0·11	·75	0·03			31
Total	3·29	1·34	2·28	0·05	0·96	2·86	1.00	4·25	1·49 ~~0·74~~	1·53 ~~2·28~~	1·50	2·21	YEAR'S TOTAL 22·76
Rain Days.	17	12	19	2	8	19	12	26	7 ~~6~~	13 ~~14~~	17	29	72

Mill

W. 7,500, XI. 12

RE

FORM A.
BRITISH RAINFALL
2 JAN 1913

Kept at Kensington Gardens
in the County of London 2
by W Beecher

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Kensington High Street
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·10	0·03		0·06	0·10		0·05	~~0·75~~		0·19	1
2		0·03	0·26			0·05	0·28	0·06	0·03	0·25			2
3	0·06		0·08			0·12		0·33		0·02	0·02	0·06	3
4	0·19		0·39		0·11	0·27		0·10			0·13		4
5	0·19		0·02			0·02		0·22			0·04	0·01	5
6	0·36					0·16		0·13	0·01			0·02	6
7	[illegible]		0·02		0·05	0·71	0·06	0·09					7
8	0·28	0·26	0·04			0·07		0·09				0·01	8
9	0·04	0·05		0·02		0·09	0·01	0·04				0·11	9
10		0·06				0·01		0·48			0·03	0·21	10
11	0·02	0·30				0·03		0·02	0·02			0·08	11
12	0·05	0·05	0·06		0·15	0·13					0·03	0·01	12
13			0·02								0·03	0·01	13
14					0·05			0·04		0·06	0·01	0·02	14
15		0·04	0·09		0·22	0·38		0·02			0·02	0·33	15
16	0·18		0·04			0·02		0·04		0·03	0·08		16
17	0·43		0·12			0·04		0·06			0·02		17
18	0·13		0·10					0·10				0·09	18
19	0·11	0·02	0·04				0·04	0·42					19
20	0·02		0·16					0·07		0·35	0·22		20
21			0·08					0·13		0·05	0·06		21
22	0·23	0·14	0·06		0·04		0·07	0·07		0·02		0·05	22
23	0·32	0·30	0·35		0·02		0·02	0·57			0·13	0·11	23
24	0·44	0·04				0·31	0·01	0·18				0·07	24
25	0·24					0·17	0·02	0·55			0·12	0·35	25
26		0·05						0·27		0·25	0·21	0·20	26
27										0·10		0·20	27
28						0·06	0·10	0·02		0·16	0·31	0·08	28
29						0·16	0·19	0·16	0·05	0·14	0·04		29
30									0·58	0·07			30
31			0·25		0·32		0·10	0·11	·75	0·03			31
Total	3·29	1·34	2·28	0·05	0·96	2·86	1.00	4·25	1·49 ~~0·74~~	1·53 ~~2·28~~	1·50	2·21	YEAR'S TOTAL 22·76
Rain Days.	17	12	19	2	8	19	12	26	7 ~~6~~	13 ~~14~~	17	20	[illegible]72

W. 7,500, XI. 12

Ex. HGb

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
5 - JAN 1914

Kept at Kensington Gardens
in the County of London
by W Beecher

Lat. Long.
Time of Observation 8 a.m
Nearest Railway Station Queens Road Tube
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·23	0·06	0·11					0·33	0·02	0·05	0·06	1
2	0·02	0·06					0·08		0·12	0·03	0·04	0·02	2
3			0·04	0·12	0·33							0·04	3
4	0·18			0·02	0·32		0·10			0·17	0·03	0.04	4
5	0·19					0·10	0·13		0·24	0·03		0·07	5
6		0·02	0·06		0·04	0·12	0·17			0·13	0·06	0·08	6
7		0·03		0·02	0·04		0·02	0·14		0·35	0·05	0·02	7
8		0·03	0·05	0·01	0·06	0·12				0·05		0·01	8
9		0·11			0·04				0·04		0·04	0·02	9
10			0·11			0·02	0·04	0·03			0·26		10
11	0·31			0·40	0·08			0·01		0·42	0·09		11
12					0·06						0·22		12
13			0·03					0·02	0·08		0·25		13
14	0·08	0·04	0·09	0·07			0·50	0·07	0·02	0·09	0·04		14
15	0·15	0·07	0·08	0·10			0·15		0·01				15
16	0·11		0·26	0·12					0·33				16
17	0·03	0·03	0·12	0·07			0·08				0·02		17
18			0·04	0·11							0·08		18
19	0·10		0·06			0·07	0·12		0·18				19
20	0·09		0·19	0·02						0·42	0·04		20
21	0·02	0·01	0·15	0·09						0·20	0·68		21
22	0·35		0·10	0·05			0·03		0·22				22
23	0·02		0·02			0·02		0·29	0·02			0·34	23
24				0·02		0·04		0·03			0·02		24
25		0·02		0·11		0·01						0·01	25
26			0·18	0·05				0·09		0·57		0·07	26
27										0·02			27
28	0·21		0·02	0·08	0·02					0·09			28
29	0·07		0·15	0·42	0·54			0·06		0·05		0·01	29
30	0·17		0·05	0·04				0·11		0·08			30
31			0·04					0·32		0·04			31
Total	2·11	0·65	1·90	2·03	1·53	0·50	1·42	1·17	1·59	2·76	1·97	0·79	YEAR'S TOTAL 18·42
Rain Days.	17	11	21	20	10	8	11	11	11	17	16	13	166

W.7,000, XI. 13

Examined LHC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Kensington Gardens
in the County of London 2
by W P Beecher

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Kensington High St.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.06				0.01	0.16			0.04	0.02	1
2	0.01						0.13	0.09			0.11	0.12	2
3					0.13		0.10	0.02			0.11		3
4	0.08		0.03	0.16				0.03			0.28	0.18	4
5	0.03		0.07	0.15	0.17	0.05	0.35	0.65					5
6	0.01	0.08		0.09		0.21		0.04			0.11	0.08	6
7		0.06	0.26	0.14	0.88		0.08					0.06	7
8	0.06	0.20	0.73	0.05	0.02	0.27	0.08	0.09	0.03			0.02	8
9	0.12		0.57	0.11		0.42			0.03			1.61	9
10			0.05	0.04	0.08							0.04	10
11		0.16	0.34			0.10			0.32		0.36	0.30	11
12	0.01	0.05	0.09				0.15		0.20		0.02	0.37	12
13		0.09	0.15						0.14	0.13	0.05	0.39	13
14		0.04	0.30			0.14	0.10			0.17	0.02	0.40	14
15	0.05	0.01	0.14				0.12			0.02	0.40	0.06	15
16	0.01		0.03						0.03				16
17		0.11	0.08									0.13	17
18		0.05	0.06									0.23	18
19		0.03	0.20			0.02	0.06		0.04		0.17	0.38	19
20		0.10	0.37			0.03	0.02		0.14	0.01		0.08	20
21		0.43	0.08			0.03				0.03		0.06	21
22		0.02	0.03		0.18	0.38	0.12	0.03		0.12			22
23			0.13		0.13	0.02	0.10			0.12			23
24			0.08	0.02	0.02		0.02				0.13		24
25	0.05		0.12				0.02	0.08		0.27	0.02		25
26			0.06				0.04	0.16		0.06	0.19	0.58	26
27	0.04		0.02					0.02			0.02	0.16	27
28	0.01	0.05			0.02					0.05	0.48	0.84	28
29	0.02		0.08							0.20	0.08		29
30		X	0.04							0.03	0.63	0.14	30
31	0.02	X		X	0.14	X	0.02		X		X	0.04	31
Total	0.52	1.48	4.17	0.76	1.77	1.67	1.52	1.37	0.93	1.21	3.22	6.29	YEAR'S TOTAL 24.91
Rain Days.	14	15	26	8	10	11	17	11	8	12	18	23	173

W. 8,000. X. 14.

Cmd for auth 21·11·16

51

FORM A.
BRITISH RAINFALL.

4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kensington Gardens

in the County of London 2

by W Beecher

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kensington High St

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·17

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·38	0·14	0·02							0·04	0·39	0·47	1
2	0·34	0·19	0·22	0·10	0·01			0·60	0·09	0·06		0·02	2
3	0·33		0·09	0·22	0·02			0·42				0·53	3
4	0·07		0·01					0·05				0·26	4
5	0·06	0·37								0·04	0·02	0·20	5
6	0·28	0·03		0·23	1·07		0·22	0·05				0·43	6
7	0·55		0·04				0·16	0·05				0·22	7
8	0·06	0·40	0·01	0·04			0·04	0·04					8
9	0·08	0·09		0·10		0·08		0·06		0·03	0·34	0·61	9
10	0·29											0·15	10
11	0·04		0·04					0·04			0·62		11
12	0·07			0·30	0·40			0·45			0·35		12
13	0·04	0·35			1·35			0·14					13
14							0·64	0·07	0·04			0·50	14
15	0·09	0·02			0·06			0·72	0·01		0·19	0·11	15
16		0·19					0·54					0·10	16
17		0·36			0·28		0·05	0·06					17
18		0·29	0·03		0·20						0·04		18
19		0·14					0·06			0·02			19
20	0·38			0·04								0·20	20
21	0·06						0·01			0·02		0·06	21
22	0·87	0·09		0·04			0·64					0·11	22
23	0·11	0·04				0·01	0·17		0·10	0·41		0·28	23
24			0·03			0·06	0·09		0·22	0·22		0·13	24
25			0·05	0·15		0·03	0·10			0·03		0·17	25
26	0·02	0·16					0·06					0·45	26
27						0·34	0·29					0·10	27
28		0·06				0·08			1·61	0·12			28
29			0·02				0·30	0·16			0·10	0·02	29
30	0·04					0·04					0·18		30
31										0·75		0·17	31
Total	4·16	2·92	0·56	1·22	3·39	0·64	3·37	2·91	2·07	1·74	2·23	5·31	YEAR'S TOTAL 30·52
Rain Days.	20	16	11	9	3·39 8	7	15	14	6	11	9	22	30·52 148

W. 8,000. X. 15.

Ex B-L

46

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN. 17

Kept at Kensington Gardens

in the County of London

by W Beecher

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Kensington High St

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·02		0·31				0·22	0·07	0·34		1
2	0·02	0·03	0·10		0·32				0·21	0·47	0·01		2
3	0·43	0·33	0·17				0·05		0·26	0·24	0·62		3
4	0·20	0·16			0·02	0·24			0·08	0·01	0·32		4
5	0·02		0·02	0·01	0·09	0·12				0·06	0·38		5
6		0·10	0·20	0·22	0·05	0·09	0·36			0·02	0·31		6
7	0·08		0·33		0·15	0·17	0·49				0·57	0·08	7
8			0·05		0·24							0·21	8
9	0·01				0·25					0·09		0·07	9
10		0·16	0·12	0·07		0·18	0·13	0·05			0·02	0·11	10
11	0·03	0·17	0·04	0·17		0·22						0·03	11
12	0·04	0·02		0·05	0·24	0·13	0·03	0·06	0·02	0·08			12
13		0·32		0·10		0·09	0·22	0·16					13
14		0·33		0·05	0·08		0·02	0·27		0·05		0·08	14
15		0·20	0·26					0·46					15
16			0·17	0·15			0·22	0·08		0·02			16
17	0·08	0·06		0·03			0·04	0·46	0·28	0·52			17
18	0·03	0·11	0·05	0·18				0·53	0·08	0·17	0·75		18
19	0·08	0·05	0·15	0·15					0·16		0·58		19
20	0·13		0·23								0·03	0·37	20
21	0·03		0·45	0·14			0·06					0·29	21
22			0·09							0·02	0·02	0·39	22
23	0·02	0·25	0·04			0·08		0·03		0·04	0·06	0·09	23
24		0·09				0·02				0·12	0·04	0·32	24
25		0·36	0·25		0·10			0·33		0·04	0·11		25
26		0·22	0·05			0·08		0·65		0·05			26
27	0·06	0·06	0·88			0·03		0·70	0·07	0·06			27
28		0·41	0·27			0·08			0·04	0·01		0·23	28
29		0·04				0·28		1·24	0·04	0·19		0·16	29
30		X				0·02		0·09		0·38			30
31		X		X		X		0·07	X	0·23	X	0·04	31
Total	1·26	3·47	3·94	1·32	1·85	1·83	1·62	5·18	1·46	2·94	4·16	2·47	YEAR'S TOTAL 31·50
Rain Days.	15	20	21	12	11	15	10	15	11	22	15	14	181

W. 8,000, VIII. 16

√ Exd C

44

FORM A.
BRITISH RAINFALL.
JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Kensington Gardens
in the County of London
by W Beecher

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Kensington High St
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.12				1.17	0.04		0.02		1
2				0.44		0.08		0.06			0.27		2
3				0.04				0.37		0.23	0.15		3
4		0.16	0.15				0.16	0.22					4
5	0.24		0.06	0.19				0.06	0.77	0.16	0.07		5
6			0.05	0.12		0.05			0.21		0.07		6
7	0.17						0.08			0.17		0.04	7
8	0.12			0.07			0.85	0.09	0.03	0.23	0.13	0.25	8
9	0.02		0.04	0.09			0.07	0.10	0.06		0.06	0.25	9
10	0.13		0.08	0.04							0.02	0.05	10
11	0.12		0.38	0.32					0.28	0.22			11
12	0.11		0.05	0.06				0.07		0.42	0.02		12
13	0.03		0.17	0.03				0.03	0.03	0.04			13
14	0.01		0.02	0.18				0.10					14
15	0.03						0.04			0.05			15
16	0.07	0.19		0.11	0.15	3.65	0.05			0.35		0.30	16
17		0.02		0.08	0.62		0.23		0.36	0.27			17
18	0.04	0.05		0.06	0.15	0.50	0.18	0.09	0.18	0.08			18
19	0.02	0.16	0.11		0.40	0.04			0.16				19
20	0.03	0.17	0.06		0.71		0.04	0.02			0.06		20
21	0.01		0.04	0.02	0.06	0.01				0.02	0.02		21
22			0.04					0.08		0.08			22
23		0.11	0.04		0.11			0.08		0.02	0.05	0.03	23
24		0.02				0.14		0.02		0.18	0.08	0.03	24
25		0.02	0.04										25
26			0.05					0.18	0.05		0.44		26
27			0.04					0.85					27
28						1.70		0.12				0.05	28
29			0.08		0.46	0.08	0.23	0.03		0.20			29
30		X	0.32				1.75	0.07		0.02		0.03	30
31	0.08	X	0.12	X		X	0.30	0.04	X		X		31
Total	1.23	0.90	1.94	1.97	2.66	6.25	3.98	3.85	2.17	2.74	1.46	1.03	YEAR'S TOTAL 30.18
Rain Days.	16	9	20	16	8	9	12	21	11	17	14	9	162

W. 8,000, IX. 17.

E,e 8L　　　　　　　　　　　　　　　　　　　　41

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Kensington Gardens
in the County of London
by W Beecher

Lat. Long.
Time of Observation 9 a m 9.
Nearest Railway Station Kens. High St.
Diameter of Funnel of Rain Gauge 8 in. 19
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·28

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·			0·13							0·11	0·09	1
2	0·02	0·08		0·04				0·31			0·05	0·14	2
3		0·03	0·04	0·02	0·47			0·30	0·02	0·03	0·65	0·03	3
4		0·06	0·18					0·04	0·40		0·42		4
5		0·04	0·02		0·10			0·09	0·31	0·08			5
6	0·19	0·11		0·24	0·15			0·05	0·02	0·06			6
7	0·04	0·11		0·06	0·16			0·02	0·05	0·03	0·07		7
8		0·03		0·02					0·15	0·19	0·04	0·03	8
9	0·03	0·06		0·07		0·02	0·30		0·36	0·14		0·10	9
10				0·10			0·45		0·04		0·03	0·38	10
11				0·04	0·05		0·82		0·06	0·17	0·11	0·08	11
12		0·04			0·18		0·14		0·04			0·05	12
13					0·14		0·07		0·16				13
14	0·15		0·01			0·33	0·19		0·47	0·13		0·21	14
15	1·12			0·70			0·23		0·03			0·08	15
16	0·20			0·26		0·11	0·02		0·33				16
17	0·21			0·21		0·40	0·35	0·06	0·02			0·03	17
18	0·55					0·20	0·02		1·34	0·18			18
19	0·03		0·07	0·09		0·10	0·30		0·04	0·06		0·06	19
20	0·03	0·13		0·40		0·03	0·10		0·16	0·18		0·05	20
21	0·09	0·02		0·41		0·01	0·01		0·50	0·06			21
22	0·05			0·02	0·32		0·10		0·20	0·03		0·17	22
23	0·03			0·03	0·35		0·50	0·66	0·07		0·02	0·04	23
24		0·23				0·04	0·79		0·07		0·04		24
25				0·04		0·02	0·63	0·14		0·02	0·03		25
26							0·40	0·18		0·07	0·15	0·11	26
27		0·02		0·10			0·06	0·16	0·07		0·09	0·02	27
28		0·03	0·21	0·02			—				0·21	0·15	28
29			0·07						1·01		0·04		29
30		X	0·43						0·02	0·02		0·04	30
31		X		X		X		0·07	X	0·03	X		31
Total	2·74	0·99	1·03	2·99	1·92	1·26	5·48	2·08	5·94	1·48	2·06	1·86	YEAR'S TOTAL 29·83
Rain Days	14	14	8	20	9	10	19	12	25	17	15	19	182

W, 6,500, VII. 18. W W C

KENSINGTON

REC

Kept at Victoria +

in the County of Mi

by

KEN~~S~~SINGTON

V. A. M

1911 - 1920

FORM A2.
BRITISH RAINFALL.

-8 FEB 1912

in.

Ground — ft. 6 in.

Sea Level 26½ ft.

Name

Distance Direction

IMPORTANT NOTE the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	—	—	.52	—	—	—	.03	—	—	—	—	1
2	.23	—	—	.23	.15	—	—	—	—	—	.18	.08	2
3	.01	.01	—	—	.11	—	—	.01	—	—	.06	.05	3
4	.03	.02	.06	.06	—	—	—	—	.02	.02	.17	.27	4
5	.02	—	—	.02	—	—	—	—	—	.25	.02	.10	5
6	.23	—	.15	—	—	—	—	—	—	—	—	.18	6
7	.03	—	—	.01	—	—	—	—	—	.13	.24	.16	7
8	.14	—	.13	—	—	—	—	—	—	—	.21	.20	8
9	.11	—	.02	.03	—	—	—	—	—	—	—	.02	9
10	.03	.13	.06	.02	—	—	—	—	—	—	.15	.34	10
11	.24	—	—	—	.18	—	—	—	—	—	.50	—	11
12	.02	—	.42	—	.04	.03	—	—	.04	.02	.24	—	12
13	—	—	.07	—	.14	—	—	—	.41	.14	—	.20	13
14	—	.08	—	—	.20	—	—	—	—	—	—	.40	14
15	—	.05	.15	—	—	—	—	—	—	.01	.03	.01	15
16	—	—	—	—	—	.61	—	—	—	—	.31	.02	16
17	—	—	—	—	—	.01	—	—	—	—	.20	.14	17
18	—	.15	.02	—	—	.06	—	—	—	—	.44	.17	18
19	—	—	—	—	.01	.31	—	.46	.18	.06	.18	.05	19
20	—	.02	.01	—	—	—	—	.24	.16	.03	—	.47	20
21	—	.08	—	—	—	—	—	.08	.06	.71	—	.06	21
22	.07	—	.07	—	—	.04	—	—	—	.19	—	.34	22
23	—	.08	.05	—	—	.78	—	—	.26	—	.03	.11	23
24	—	.13	.02	—	—	.02	.04	.01	—	.97	—	.27	24
25	—	.03	.01	.07	—	.17	.12	—	.01	.01	—	.01	25
26	—	.01	.03	.20	.01	.17	.04	—	—	.09	.01	.26	26
27	—	.35	.07	.06	—	—	—	—	.18	—	.04	.09	27
28	—	.15	—	.22	—	—	1.11	.06	—	—	.01	—	28
29	—		—	.06	—	.17	.08	—	.10	.20	—	—	29
30	—		—	—	.06	—	—	.28	.01	.15	—	—	30
31	—		—		.25		—	—		—		—	31
Total	1.21	1.29	1.34	1.50	1.15	2.37	1.39	1.17	1.43	2.98	3.02	4.00	TOTAL for year 22.85
No. of Rain Days.	13	14	16	12	10	11	5	8	11	15	18	24	157

W. 8,000, X. '11.

KENSINGTON

REC

FORM A2.
BRITISH RAINFALL.

-8 FEB 1912

Kept at Victoria & Albert Museum

in the County of ~~Middlesex~~ London

by

RAIN GAUGE: Diameter of top 8 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 26½ ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	—	—	.52	—	—	—	.03	—	—	—	—	1
2	.23	—	—	.23	.15	—	—	—	—	—	.18	.08	2
3	.01	.01	—	—	.11	—	—	.01	—	—	.06	.05	3
4	.03	.02	.06	.06	—	—	—	—	.02	.02	.17	.27	4
5	.02	—	—	.02	—	—	—	—	—	.25	.02	.10	5
6	.23	—	.15	—	—	—	—	—	—	—	—	.18	6
7	.03	—	—	.01	—	—	—	—	—	.13	.24	.16	7
8	.14	—	.13	—	—	—	—	—	—	—	.21	.20	8
9	.11	—	.02	.03	—	—	—	—	—	—	—	.02	9
10	.03	.13	.06	.02	—	—	—	—	—	—	.15	.34	10
11	.24	—	—	—	.18	—	—	—	—	—	.50	—	11
12	.02	—	.42	—	.04	.03	—	—	.04	.02	.24	—	12
13	—	—	.07	—	.14	—	—	—	.41	.14	—	.20	13
14	—	.08	—	—	.20	—	—	—	—	—	—	.40	14
15	—	.05	.15	—	—	—	—	—	—	.01	.03	.01	15
16	—	—	—	—	—	.61	—	—	—	—	.31	.02	16
17	—	—	—	—	—	.01	—	—	—	—	.20	.14	17
18	—	.15	.02	—	—	.06	—	—	—	—	.44	.17	18
19	—	—	—	—	.01	.31	—	.46	.18	.06	.18	.05	19
20	—	.02	.01	—	—	—	—	.24	.16	.03	—	.47	20
21	—	.08	—	—	—	—	—	.08	.06	.71	—	.66	21
22	.07	—	.07	—	—	.04	—	—	—	.19	—	.34	22
23	—	.08	.06	—	—	.78	—	—	.26	—	.03	.11	23
24	—	.13	.02	—	—	.02	.04	.01	—	.97	—	.27	24
25	—	.03	.01	.07	—	.17	.12	—	.01	.01	—	.01	25
26	—	.01	.03	.20	.01	.17	.02	—	—	.09	.01	.26	26
27	—	.35	.07	.06	—	—	—	—	.18	—	.04	.09	27
28	—	.15	—	.22	—	—	1.11	.06	—	—	.01	—	28
29	—		—	.06	—	.17	.08	—	.10	.20	—	—	29
30	—		—	—	.06	—	—	.28	.01	.15	—	—	30
31	—		—		.25		—	—		—		—	31
Total	1.21	1.29	1.34	1.50	1.15	2.37	1.39	1.17	1.43	2.98	3.02	4.00	TOTAL for year 22.85
No. of Rain Days.	13	14	16	12	10	11	5	8	11	15	18	24	157

W. 8,000, X. '11.

EX MZ

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
9 - JAN 1913

Kept at V. & A. Museum

in the County of Middlesex 2

by

Lat. Long.

Time of Observation 9. am

Nearest Railway Station South Kensington

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 26½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	·02	—	·09	·08	—	·07	·32	—	·20	1
2	—	—	·28	·02	—	·04	·23	·08	·03	·03	—	—	2
3	·06	—	·06	—	·01	·15	—	·32	·01	—	·01	·08	3
4	·32	—	·45	—	·15	·16	—	·05	—	—	·13	—	4
5	·16	·04	·02	—	·01	—	—	·13	—	—	·05	—	5
6	·44	·01	—	—	—	·26	—	·16	·02	—	—	·01	6
7	—	—	·03	—	·07	·56	·05	·12	—	—	—	—	7
8	·27	·26	·10	—	—	·05	·01	·07	—	—	—	—	8
9	—	·07	—	·02	—	·18	·01	·04	—	—	—	·14	9
10	—	·03	—	—	—	·04	—	·44	·01	—	·04	·25	10
11	·02	·30	—	—	—	·03	—	·03	·01	—	·01	·12	11
12	·04	·05	·08	—	·14	·12	—	·02	—	—	·04	·02	12
13	—	·01	—	—	—	—	—	·01	—	—	·04	·02	13
14	—	—	·02	—	·03	—	—	·16	—	·06	—	·02	14
15	—	·02	·11	—	·26	·48	—	·01	—	—	·02	·35	15
16	·33	—	·03	—	·03	·01	—	·05	—	·04	·05	—	16
17	·53	—	·16	—	—	·05	—	·04	—	—	—	—	17
18	·03	—	·12	—	—	—	—	·11	—	·02	·02	·09	18
19	·09	·04	·09	—	—	—	·03	·41	—	—	—	—	19
20	·01	·02	·08	·01	—	—	—	·06	—	·41	—	—	20
21	—	·02	·18	—	·02	—	—	·12	—	·06	·05	—	21
22	·21	·14	·08	—	·04	—	·08	·10	—	·06	—	·08	22
23	·30	·35	·30	—	—	—	·03	·39	—	·04	·17	·15	23
24	·41	·03	·02	—	—	·19	·04	·20	—	—	—	·13	24
25	·31	—	—	—	—	·15	—	·72	—	—	·23	·47	25
26	—	·02	—	—	—	—	·01	·32	—	·33	·32	·33	26
27	—	—	·01	—	—	·08	·01	—	—	·14	—	·21	27
28	—	·05	—	·01	—	·07	·16	·02	·03	·21	·32	·08	28
29	—	·01	—	·01	—	·06	·17	·22	·87	·15	·03	—	29
30	—		—	—	·40	—	·01	·08	·95	·15	—	—	30
31	·01		·26		—		·10	·11		·05		—	31
Total	3·54	1·47	2·54	·09	1·16	2·77	1.02	4·59	2·00	2·07	1·53	2·75	YEAR'S TOTAL 25·53
Rain Days.	17	18	21	6	11	19	15	29	9	15	16	18	194

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 3 - JAN 1914

Kept at V. & A. Museum.
in the County of Middlesex London
by J Stott

Lat. Long.
Time of Observation 9. am
Nearest Railway Station S. Kensington
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 26½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·23	·03	·15	–	–	–	–	·23	–	·04	·09	1
2	·02	·15	–	–	–	–	·08	–	·10	·02	·05	–	2
3	–	–	·08	·20	·21	–	–	–	–	–	–	·05	3
4	·16	–	–	·04	·29	–	·13	–	–	·18	·02	·07	4
5	·21	–	–	–	–	·07	·11	–	·30	–	–	·10	5
6	·01	·03	·10	–	·05	·11	·25	–	–	·15	·08	·07	6
7	–	·10	–	–	·02	–	·01	·15	–	·42	·05	–	7
8	–	·03	·02	–	·06	·10	–	–	–	·06	·01	–	8
9	–	–	–	–	·03	–	–	–	·04	–	·03	·04	9
10	–	–	·10	·08	–	–	·04	·04	–	–	·29	–	10
11	·30	–	–	·42	·08	–	–	–	–	·50	·09	–	11
12	–	–	–	–	·05	–	–	–	–	·01	·34	–	12
13	·06	–	·03	–	–	–	–	·02	·05	–	·24	–	13
14	·06	–	·07	·07	–	–	·57	·04	·03	·13	·07	·01	14
15	·16	·07	·24	·22	–	–	·22	–	·02	–	–	–	15
16	·10	–	·35	·17	–	–	–	–	·35	–	–	–	16
17	·04	·02	·08	·11	–	–	·09	–	–	–	·02	–	17
18	–	–	·05	·09	–	–	–	–	–	–	·07	–	18
19	·13	–	·05	·01	·02	·03	·13	–	·18	–	–	–	19
20	·09	–	·23	·03	–	·03	–	·08	–	·41	·03	–	20
21	·01	·02	·14	·11	–	–	·03	·19	–	·19	·69	–	21
22	·39	–	·13	·09	–	–	–	·01	·16	–	–	–	22
23	–	–	·05	–	–	·03	–	–	·02	–	–	·33	23
24	·01	–	–	·04	–	·01	–	·10	–	–	·01	–	24
25	–	·02	–	·13	–	·01	–	–	–	–	–	–	25
26	–	·01	·18	·04	–	–	–	–	–	·70	–	·15	26
27	–	–	·01	·04	·02	–	–	–	–	·01	–	–	27
28	·22	–	·20	·08	–	–	–	–	–	·07	–	–	28
29	·06		·04	·43	·63	–	–	·05	–	–	–	·01	29
30	·17		–	·04	–	–	–	·15	–	·07	–	–	30
31	–		·02		–		–	·41		·05		–	31
Total	2·22	·68	2·20	2·59	1·46	·39	1·60	1·24	1·48	2·97	2·13	·92	YEAR'S TOTAL 19·88 ✓
Rain Days.	19	10	21	21	11	8	11	11	11	15	17	10	165

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Victoria & Albert Museum
in the County of ~~Middlesex~~ London
by

Lat. Long.
Time of Observation 9 am
Nearest Railway Station South Ken
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 26½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03				.01	.11			.02	.03	1
2							.17	.13			.23	.14	2
3			.07		.15		.09				.11		3
4	.07		.02	.15				.03			.25	.19	4
5	.04		.06	.14	.12	.02	.31	.59					5
6		.10	.09	.10		.20		.03			.06	.07	6
7	.06	.15	.22	.14	.82	.04	.08					.08	7
8	.18	.30	.70	.03	.02	.13	.16	.07	.03			.01	8
9			.53	.10		.09			.04			1.44	9
10		.07	.05	.03	.04				.11		.01	.03	10
11	.01	.30	.34			.07			.20		.30	.27	11
12		.06	.11				.19		.15	.01	.02	.37	12
13	.02	.14	.12						.13	.11	.07	.33	13
14	.03	.05	.22			.25	.08			.13	.04	.40	14
15		.01	.15				.13	.01			.37	.06	15
16			.03						.03		.02		16
17		.27	.08						.02			.14	17
18		.06	.11									.22	18
19		.02	.22			.09	.05		.02		.16	.41	19
20		.14	.32			.03			.11	.01		.08	20
21		.46	.08			.02				.02		.04	21
22			.03	.01	.16	.32	.11	.03		.10			22
23			.11		.17	.02	.07			.9			23
24			.04	.02	.01						.11		24
25	.03		.10				.02	.11		.25			25
26			.07				.03	.11		.06	.15	.58	26
27	.02		.01								.03	.12	27
28	.02	.02			.02					.05	.46	.88	28
29	.03		.07							.18	.11		29
30		×	.05							.02	.59	.13	30
31		×		×	.11	×	.02		×		×	.04	31
Total	.51	2.15	3.95	.72	1.62	1.28	1.52	1.22	.84	1.03	3.11	6.06	YEAR'S TOTAL 24.01
Rain Days.	11	15	28	9	10	12	15	10	10	12	19	23	174

W. 8,000. X. 14.

Exd LMcC

36

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

4 JAN 1916

Kept at V. & A. Museum

in the County of Middlesex 2

by

Lat. Long.

Time of Observation 9-am

Nearest Railway Station South Kensington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 26 I ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·13	·01	nil	·02	nil	nil	nil	·08	·03	·29	·48	1
2	·43	·21	·21	·13	nil	·02	nil	·59	nil	·04	nil	·10	2
3	·31	nil	·08	·15	·02	nil	nil	·39	·01	nil	nil	·43	3
4	·06	nil	nil	nil	nil	nil	nil	·05	nil	nil	nil	·23	4
5	·03	·37	nil	nil	nil	nil	nil	nil	nil	·02	·01	·22	5
6	·31	·01	nil	·25	·78	nil	·76	·05	nil	nil	nil	·38	6
7	·41	·19	·03	nil	nil	nil	·11	·04	nil	nil	nil	·19	7
8	·15	·46	·01	·08	nil	nil	·09	·05	nil	nil	nil	nil	8
9	nil	·03	nil	·10	nil	·06	nil	·07	nil	·03	·33	·60	9
10	·23	·02	nil	nil	nil	·01	nil	·26	nil	nil	nil	·17	10
11	·02	nil	·03	nil	nil	nil	nil	nil	nil	nil	·61	·07	11
12	·08	·01	nil	·26	·44	nil	nil	·33	nil	nil	·33	·01	12
13	nil	·34	nil	nil	1·19	nil	nil	·14	nil	nil	nil	nil	13
14	nil	·05	nil	nil	nil	nil	·53	·03	·04	nil	nil	·41	14
15	·10	nil	nil	nil	·04	nil	nil	1·06	nil	nil	·22	·09	15
16	nil	·20	nil	nil	nil	nil	·57	·01	nil	nil	nil	·12	16
17	nil	·30	nil	nil	·78	nil	·02	·07	nil	nil	nil	nil	17
18	nil	·26	·05	nil	·12	nil	nil	nil	nil	nil	·04	nil	18
19	nil	·15	nil	nil	·01	nil	·06	nil	nil	·02	nil	nil	19
20	·34	nil	nil	·04	nil	nil	nil	nil	nil	nil	nil	·20	20
21	·06	nil	nil	nil	nil	nil	·01	nil	nil	·04	nil	·06	21
22	·97	·07	·13	·02	nil	nil	·72	nil	nil	·41	nil	·09	22
23	·01	·21	·07	·01	nil	·04	·24	nil	·02	·19	nil	·29	23
24	nil	·07	·07	nil	nil	·01	·08	nil	·20	·01	nil	·24	24
25	nil	nil	·04	·16	nil	·03	·14	nil	nil	nil	nil	·12	25
26	·01	·07	nil	nil	nil	·20	·38	nil	nil	·25	nil	·44	26
27	nil	nil	nil	nil	nil	·28	·09	nil	nil	·13	nil	·05	27
28	nil	·05	nil	nil	nil	·16	nil	nil	1·45	nil	nil	nil	28
29	nil		·02	nil	nil	nil	·24	·18	nil	nil	·07	nil	29
30	·03		nil	nil	nil	·01	nil	nil	nil	·02	·17	nil	30
31	·02		nil		nil		nil	·02		·76		·16	31
Total	3·92	3·20	·75	1·20	3·40	·82	3·98	3·34	1·80	1·95	2·07	5·15	YEAR'S TOTAL 31·58 ✓
Rain Days.	19	20	12	10	9	10	15	16	6	13	9	23	162 ✓

W. 8,000. X. 15.

6XML 36

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at V. & A. Museum
in the County of ~~Middlesex~~ London
by

Lat. Long.
Time of Observation 9. am
Nearest Railway Station S. Kensington
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 26½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·02	-	·25	-	·02	-	·19	·08	·32	—	1
2	·41	·03	·09	-	·31	-	·03	-	·27	·37	·03	-	2
3	-	·29	·15	-	-	-	·04	-	·19	·25	·65	-	3
4	·19	·12	-	-	·02	·26	-	-	·07	·01	·32	-	4
5	·01	-	·02	·01	·08	·16	-	-	-	·05	·35	-	5
6	-	·08	·04	·22	·01	·06	·33	-	-	·02	·28	-	6
7	·07	-	·45	-	·15	·11	·25	-	-	-	·47	·06	7
8	-	-	·05	-	·23	-	-	-	-	-	-	·22	8
9	-	-	-	-	·17	·02	-	-	-	·06	-	·06	9
10	-	·16	·07	·07	-	·17	·10	·05	-	-	-	·12	10
11	-	·13	·02	·17	-	·21	-	-	-	-	-	·01	11
12	·06	·02	-	·05	·23	·12	·03	·05	·02	·06	-	-	12
13	-	·29	·27	·08	·01	·06	·21	·19	-	·03	-	-	13
14	-	·31	·01	·04	·09	-	·01	·72	-	·03	-	·07	14
15	-	·19	·24	·01	-	-	-	·12	-	·02	-	-	15
16	·01	·02	·17	·16	·01	-	·24	·05	-	-	-	-	16
17	·05	·11	-	·02	-	-	·02	·40	·28	·50	-	-	17
18	·01	·08	·03	·19	-	-	-	·47	·09	·17	·75	-	18
19	·07	·06	·15	·14	-	-	-	-	·12	-	·55	·01	19
20	·14	-	·21	-	-	-	-	-	-	-	·02	·35	20
21	·02	-	·44	·07	-	-	·02	-	-	-	-	·28	21
22	·02	-	·06	-	·01	-	-	-	-	-	-	·40	22
23	·03	·07	·01	-	-	·09	-	·02	-	·05	·03	·09	23
24	-	·19	-	-	·05	·02	-	·04	-	·09	·03	·32	24
25	-	·41	·18	-	·06	-	-	·31	-	·04	·10	-	25
26	-	·24	·04	-	-	·02	-	·91	-	·06	-	-	26
27	·05	·01	·91	-	-	·02	-	1·04	·12	·53	-	-	27
28	·01	·38	·22	-	-	·12	-	·02	·03	-	-	·16	28
29	-	·05	·01	-	-	·27	-	1·10	·05	·18	-	·14	29
30	-	X	-	·01	-	·01	-	·07	-	·28	-	-	30
31	-	X	-	X	-	X	-	·05	X	·21	X	·03	31
Total	1·18	3·24	3·86	1·24	1·68	1·72	1·30	5·61	1·43	3·09	3·90	2·32	YEAR'S TOTAL 30·57
Rain Days.	16	21	24	14	15	16	12	17	11	21	13	15	195

W. 8,000, VIII. 16

29

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at V. & A. Museum

in the County of ~~Middlesex~~ London

by

Lat. Long.

Time of Observation 9. am

Nearest Railway Station South Kensington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 26½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	—	·11	—	—	—	1·10	·04	—	·05	·01	1
2	—	—	—	·41	—	·04	—	·07	—	—	·30	—	2
3	·01	—	·12	·05	—	—	—	·34	—	·23	·20	—	3
4	—	·08	·07	—	—	—	·18	·22	—	·39	—	—	4
5	·23	·07	·04	·21	—	—	—	·05	·97	·15	·03	—	5
6	—	—	—	·07	—	·05	—	—	·21	·02	·04	—	6
7	·18	—	—	—	—	—	·08	—	—	·15	—	·03	7
8	·11	—	—	·07	—	—	·85	·08	·03	·22	·12	·26	8
9	·02	—	·03	·09	—	—	·03	·09	·04	·01	·05	·18	9
10	·19	—	·09	·09	—	—	—	·01	—	—	·02	·06	10
11	·11	—	·42	·30	—	—	—	—	·37	·21	—	—	11
12	·09	—	·04	·04	—	—	—	·05	—	·39	—	—	12
13	·01	—	·19	·02	—	—	—	·02	·03	·04	—	—	13
14	·01	—	·04	·15	—	—	—	·34	—	—	—	—	14
15	·02	—	—	—	—	—	·14	·02	—	·04	—	—	15
16	·07	·19	—	·11	·11	·78	·04	—	—	·40	—	·29	16
17	—	·02	—	·08	·61	—	·33	—	·38	·27	—	—	17
18	·03	·05	—	·07	·07	·47	·15	·10	·15	·07	—	—	18
19	·01	·14	·13	·02	·46	—	—	·01	·13	—	—	—	19
20	·01	·18	·05	—	·71	·01	·04	—	—	—	·06	—	20
21	·02	—	·03	·01	·02	·02	—	—	—	·01	·01	—	21
22	·02	—	·02	—	—	—	—	·09	—	·07	·01	—	22
23	—	·10	·02	—	·10	·01	—	·08	—	·03	—	·02	23
24	—	·01	—	—	—	·18	—	—	—	·15	·06	·03	24
25	—	·01	·05	—	—	—	—	—	—	—	·06	—	25
26	—	—	·07	—	—	—	—	·21	·06	—	·46	—	26
27	—	—	·03	—	—	—	—	1·00	—	—	—	·02	27
28	—	—	—	—	—	1·45	—	·11	—	—	—	·05	28
29	—	—	·07	—	·39	·07	·19	·02	—	·20	—	·15	29
30	—	X	·25	—	—	—	1·53	·06	—	·02	—	·02	30
31	·03	X	·16	X	—	X	·35	·02	X	—	X	·01	31
Total	1·17	·88	1·92	1·90	2·47	3·08	3·91	4·09	2·41	3·07	1·47	1·13	YEAR'S TOTAL 27·50
Rain Days.	18	11	20	17	8	10	12	22	11	20	14	13	176

W. 8,000, IX. 17.

exd yes

REGISTER OF RAINFALL IN 1918

9. 1. 19

FORM A.
BRITISH RAINFALL

Kept at Victoria + Albert Museum
in the County of Middlesex London
by

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Brompton Road.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 6 in.
" " " " Sea Level 26½. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	·10	–	–	–	·01	–	–	·11	·10	1
2	–	·06	–	·05	–	–	–	·28	·01	·02	·07	·14	2
3	–	·02	·04	·03	·44	–	–	·28	·49	–	·57	·03	3
4	–	·06	·17	·01	–	–	–	·03	·40	–	·44	·01	4
5	–	·02	·01	–	·10	–	–	·14	–	·08	–	–	5
6	·19	·12	–	·29	·14	–	–	·21	·03	·03	–	·07	6
7	·04	·12	–	·06	·15	–	–	·01	·13	·19	·08	–	7
8	–	·04	–	·01	–	–	–	–	·35	–	·07	·04	8
9	·02	·04	–	·07	–	·03	·25	–	·03	·11	–	·13	9
10	–	–	–	·11	–	–	·51	–	·03	–	·03	·37	10
11	·02	–	–	·03	·05	–	1·21	–	·06	·18	·10	·10	11
12	–	·04	–	–	·18	–	·08	–	·15	–	–	·02	12
13	·03	·01	–	–	·12	–	·21	–	–	–	–	–	13
14	·14	–	·02	·01	–	·29	·06	–	·42	·11	–	·22	14
15	1·16	–	–	·69	–	–	·37	–	·02	–	–	·10	15
16	·24	–	·01	·28	–	·12	·01	–	·27	·01	–	·01	16
17	·22	–	–	·21	·01	·46	·48	·05	–	–	–	·14	17
18	·57	–	–	–	–	·19	·04	–	·91	·21	–	·03	18
19	·03	–	·05	·13	–	·13	·32	–	·04	·07	–	·06	19
20	·02	·14	–	·44	–	·02	·10	–	·11	·15	–	·04	20
21	·07	·01	–	·35	–	·01	·02	–	·52	·07	–	–	21
22	·04	–	–	·01	·35	–	·12	–	·11	–	–	·17	22
23	·02	–	–	·03	·22	–	·52	·05	·09	–	–	·03	23
24	–	·23	–	–	–	·04	·86	–	·07	–	·04	–	24
25	–	–	–	·05	–	·01	·61	·11	–	·02	·03	–	25
26	–	–	–	–	·02	–	·45	·14	–	·06	·14	·11	26
27	–	–	–	·10	–	–	·04	·11	·06	–	·10	·02	27
28	–	·04	·24	·01	–	–	–	·01	–	–	·22	·16	28
29	–	×	·01	–	–	–	–	–	·98	–	·02	–	29
30	–	×	·40	–	–	–	–	–	·01	·01	–	·06	30
31	–	×	–	×	–	×	–	·09	×	·03	×	·01	31
Total	2·83	·95	·95	3·07	1·78	1·30	6·26	1·52	5·29	1·35	2·02	2·17	YEAR'S TOTAL 29·49
Rain Days.	16	14	9	22	11	10	19	14	23	16	14	24	192

W, 6,500, VII. 18. W W C

26

JAN 20

FORM A 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at V. & A. Museum

in the County of Middlesex

by E. Hart for the Director

Lat. Long.

Time of Observation 9. am

Nearest Railway Station South Kensington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 26½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·03	–	·02	·01	–	·31	–	–	·03	·01	·79	1
2	·38	–	·01	–	·16	–	·81	–	·24	·04	·11	·10	2
3	·25	–	·29	–	·01	–	·28	–	·01	–	·02	·36	3
4	·08	·09	·43	–	–	·08	·20	·01	–	–	·02	·11	4
5	–	·27	·48	–	–	–	–	–	·05	–	·02	·25	5
6	·01	–	·08	–	–	–	–	–	–	–	·01	·02	6
7	·01	–	·31	–	+	–	–	–	–	–	·02	–	7
8	·05	–	·04	·04	–	–	–	–	–	–	–	–	8
9	·06	–	·02	·05	·11	–	–	–	–	–	·01	–	9
10	·37	–	·05	·03	–	–	–	–	–	·02	·04	·02	10
11	–	–	·07	·28	·01	–	·25	–	–	–	·01	·01	11
12	·02	–	·02	·03	–	·04	·14	–	–	·09	·01	–	12
13	–	·01	–	·18	–	–	–	–	–	·06	–	·01	13
14	·18	–	–	·26	–	–	·07	–	·43	–	–	·02	14
15	·20	·02	·19	·17	–	–	–	–	–	–	–	·21	15
16	·05	·53	–	·01	–	–	–	–	–	–	·10	·04	16
17	–	·38	·04	·02	–	–	–	–	–	–	·14	·01	17
18	–	·20	·09	–	–	–	–	–	·04	–	·09	·06	18
19	·03	·13	·64	–	–	·18	·25	·17	·03	–	·06	·03	19
20	·19	·06	·05	–	–	·89	·28	·12	·01	–	·03	·02	20
21	·16	·21	·02	–	–	·11	·07	–	–	–	·02	·04	21
22	–	·12	–	–	–	·03	·16	–	·15	–	·02	·25	22
23	–	–	–	–	–	·04	–	–	·04	·16	·02	·02	23
24	–	–	–	·21	–	·01	·08	·03	–	–	·03	·02	24
25	·02	–	–	·02	·01	·01	–	·13	–	–	–	·03	25
26	·06	·17	·17	·08	–	–	–	·02	·12	–	–	·30	26
27	·29	·03	·09	1·20	–	–	–	·38	–	–	·01	·03	27
28	–	–	·21	·05	–	–	·02	·69	–	–	·22	·29	28
29	·03	×	–	·07	–	–	–	·34	–	·22	·09	·04	29
30	–	×	·02	·25	–	·18	–	·15	–	·02	·19	·22	30
31	·03	×	·09	×	–	×	·01	–	×	·02	×	·01	31
TOTAL	2·74	2·25	3·41	2·97	·31	1·57	2·93	2·04	1·12	·66	1·30	3·31	YEAR'S TOTAL 24·61
Days with ·01 in. or more	21	14	22	18	6	10	14	10	10	9	24	27	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

24

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Victoria & Albert Museum
in the County of Middlesex
by

Lat. Long.
Time of Observation 9. am
Nearest Railway Station South Kensington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 26½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	–	–	·27	·02	–	·27	–	–	·20	·01	·16	1
2	–	–	·05	–	·02	–	·01	·78	·07	·14	–	·07	2
3	–	·06	·02	·01	–	–	–	–	·12	·01	–	·04	3
4	·01	·04	–	·05	–	–	·02	·03	–	·12	–	·03	4
5	–	–	·14	–	·03	–	·54	·04	·03	–	–	·05	5
6	–	–	·16	–	·14	–	·34	–	–	–	–	·03	6
7	·01	–	·01	·18	·04	–	·18	–	–	–	–	·05	7
8	–	·03	–	·18	·15	–	·19	·02	–	–	–	–	8
9	·29	·02	–	·03	–	–	–	·02	–	–	–	–	9
10	·54	·07	·07	·02	–	·10	·06	–	–	–	·01	–	10
11	·15	–	·06	·15	·03	·02	·49	–	–	–	–	·02	11
12	·10	·01	–	·09	–	·61	–	–	–	–	–	–	12
13	·19	–	·10	·16	–	–	–	–	·01	–	·03	–	13
14	–	·01	·21	·19	–	·20	–	–	·11	·21	·14	·03	14
15	·02	·02	·06	·17	–	–	·05	–	·53	·20	·14	–	15
16	–	–	–	·27	–	·01	–	–	·30	·09	–	–	16
17	·02	–	–	–	·14	·05	·01	–	·46	–	–	·03	17
18	–	–	–	·03	·01	–	–	·72	·14	–	–	·03	18
19	·15	–	–	·20	–	–	–	–	–	–	–	·06	19
20	·06	·20	–	·12	–	·59	–	–	·03	–	–	·01	20
21	–	–	–	–	–	–	·81	·02	·55	–	–	·03	21
22	–	–	–	·27	–	–	–	·01	·04	–	–	·37	22
23	–	–	–	–	–	–	·31	–	–	–	–	·36	23
24	·01	–	·06	–	–	–	–	–	–	–	–	·02	24
25	–	·08	–	·01	–	–	·13	–	·03	–	–	–	25
26	·01	–	·09	·01	·06	·01	·12	–	·02	–	–	·02	26
27	·11	·06	·04	·25	–	·12	·04	–	–	–	·61	·07	27
28	·35	–	·11	·17	·04	·01	·13	–	–	–	–	·02	28
29	·23	–	·07	–	·01	–	·01	–	–	–	·03	·18	29
30	·02	✕	–	–	·08	–	·25	–	·64	–	·20	·11	30
31	·01	✕	–	✕	·06	✕	–	–	✕	·15	✕	·08	31
TOTAL	2·31	·60	1·25	2·83	·83	1·72	3·96	1·64	3·08	1·12	1·17	1·87	YEAR'S TOTAL 22·38
Days with ·01 in. or more	19	11	15	21	14	10	19	8	15	8	8	23	171
Days with ·04 in. or more	10	6	13	15	8	6	15	3	10	7	4	12	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

50 made

KENSINGTON
ADDISON GDNS
1911- 1912

REG

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at 28 Addison
Ken
in the County of London
by G. H. M. Wh

a, Snowden
5 in.
Ground 1 ft. – in.
Sea Level 23 ft.
am.
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·55	—	—	—	·04	—	—	—	—	1
2	·22	—	—	·25	·16	—	—	—	—	—	·20	·06	2
3	·01	·01	—	—	·12	—	—	—	—	—	·09	·09	3
4	·02	·01	·07	·07*	—	—	—	—	·02	·03	·20	·24	4
5	·03	—	—	·03*	—	—	—	—	—	·22	·03	·08	5
6	·25	—	·13	·01*	—	—	—	—	—	—	·01	·27	6
7	·02	—	—	·01	—	—	—	—	—	·10	·29	·11	7
8	·15	—	·16	—	—	—	—	—	—	—	·20	·22	8
9	·12	—	·01	·02	—	—	—	—	—	—	—	·02	9
10	·04	·13	·06	·02	—	—	—	—	—	—	·07	·30	10
11	·23	—	—	—	·06	—	—	—	—	—	·56	—	11
12	·02	—	·39	—	·10	·06	—	—	·06	—	·36	—	12
13	—	—	·06	—	·17	—	—	—	·43	·12	—	·22	13
14	—	·09	·01	—	·21	—	—	—	—	—	·01	·40	14
15	—	·06	·13	—	—	—	—	—	—	·02	·03	—	15
16	—	—	—	—	—	·58	—	—	—	—	·33	·02	16
17	—	—	·01	—	—	·02	—	—	—	—	·27	·14	17
18	—	·16	·02	—	—	·20	—	—	—	—	·53	·14	18
19	—	—	—	—	—	·25	—	·58	—	·10	·17	·05	19
20	—	·02	—	—	—	—	—	·13	·22	·05	—	·45	20
21	—	·09	—	—	—	·01	—	·11	·06	·56	—	·04	21
22	·07	—	·08	—	—	—	—	·01	·13	·12	—	·34	22
23	—	·07	·06	—	—	·74	—	—	—	—	·03	·10	23
24	—	·13	·02*	—	—	·05	·03	·02	·25	1·21	—	·21	24
25	—	03	·01	·08	·03	·21	·47	·01	—	—	—	·01	25
26	—	·01	·02	·22	·01	·15	·07	—	—	·10	·02	·26	26
27	—	·34	·07	·04	—	—	—	—	·16	—	·03	·11	27
28	—	·14	—	·30	—	—	·10	·05	—	—	—	—	28
29	—	X	—	·11	—	·18	·09	—	·11	·19	—	—	29
30	—		—	—	·05	·01	—	·10	·01	·14	—	—	30
31	—		—	X	·46	X	—	—	X	—	X	—	31
Total	1·23	1·29	1·31	1·71	1·37	2·46	·76	1·05	1·45	2·96	3·43	3·88	TOTAL for Year 22·90
No. of Rain Days.	13	14	17	13	10	12	5	9	10	13	19	23	158

W. 8,000, X. '11.

*: Snow.

Total 22·90. Days 158.

P 50 made

REGISTER

Form A2.
British Rainfall.
17 JAN 1912

Kept at 28 Addison Gardens
Kensington W
in the County of London
by G. H. M. Whish

2

Rain Gauge { Pattern Casella, Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 23 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·55	—	—	—	·04	—	—	—	—	1
2	·22	—	—	·25	·16	—	—	—	—	—	·20	·06	2
3	·01	·01	—	—	·12	—	—	—	—	—	·09	·09	3
4	·02	·01	·07	·07*	—	—	—	—	·02	·03	·20	·24	4
5	·03	—	—	·03*	—	—	—	—	—	·22	·03	·08	5
6	·25	—	·13	·01*	—	—	—	—	—	—	·01	·27	6
7	·02	—	—	·01	—	—	—	—	—	·10	·29	·11	7
8	·15	—	·16	—	—	—	—	—	—	—	·20	·22	8
9	·12	—	·01	·02	—	—	—	—	—	—	—	·02	9
10	·04	·13	·06	·02	—	—	—	—	—	—	·07	·30	10
11	·23	—	—	—	·06	—	—	—	—	—	·56	—	11
12	·02	—	·39	—	·10	·06	—	—	·06	—	·36	—	12
13	—	—	·06	—	·17	—	—	—	·43	·12	—	·22	13
14	—	·09	·01	—	·21	—	—	—	—	—	·01	·40	14
15	—	·06	·13	—	—	—	—	—	—	·02	·03	—	15
16	—	—	—	—	—	·58	—	—	—	—	·33	·02	16
17	—	—	·01	—	—	·02	—	—	—	—	·27	·14	17
18	—	·16	·02	—	—	·20	—	—	—	—	·53	·14	18
19	—	—	—	—	—	·25	—	·58	—	·10	·17	·05	19
20	—	·02	—	—	—	—	—	·13	·22	·05	—	·45	20
21	—	·09	—	—	—	·01	—	·11	·06	·56	—	·04	21
22	·07	—	·08	—	—	—	—	·01	·13	·12	—	·34	22
23	—	·07	·06	—	—	·74	—	—	—	—	·03	·10	23
24	—	·13	·02*	—	—	·05	·03	·02	·25	1·21	—	·21	24
25	—	03	·01	·08	·03	·21	·47	·01	—	—	—	·01	25
26	—	·01	·02	·22	·01	·15	·07	—	—	·10	·02	·26	26
27	—	·34	·07	·04	—	—	—	—	·16	—	·03	·11	27
28	—	·14	—	·30	—	—	·10	·05	—	—	—	—	28
29	—		—	·11	—	·18	·09	—	·11	·19	—	—	29
30	—		—	—	·05	·01	—	·10	·01	·14	—	—	30
31	—		—		·46		—	—		—		—	31
Total	1·23	1·29	1·31	1·71	1·37	2·46	·76	1·05	1·45	2·96	3·43	3·88	TOTAL for Year 22·90
No. of Rain Days.	13	14	17	13	10	12	5	9	10	13	19	23	158

W. 8,000, X. '11.

*. Snow.

Total 22·90. Days 158.

E 88

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

31 JAN 1913

Kept at 28 Addison Gardens Kensington
in the County of London W.
by G. H. M. Whish

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·05	·02	—	·07	·09	—	·08	·31	—	·19	1
2	—	—	·25	·01	—	·04	·29	·03	—	·02	—	—	2
3	·06	·02	·10	—	—	·24	·01	·36	—	—	·01	·08	3
4	·33	·01	·43	—	·16	·19	—	·01	—	—	·16	—	4
5	·17	·06	·02	—	—	—	—	·25	—	—	·02	—	5
6	·45	·02	—	—	—	·08	—	·10	—	—	—	·01	6
7	—	—	·02	—	·06	·78	·04	·11	—	—	—	—	7
8	·27	·24	·09	—	—	·07	—	·11	—	—	—	·01	8
9	—	·07	—	·04	—	·20	·02	·06	—	—	—	·16	9
10	—	·05	—	—	—	·01	—	·41	—	—	·05	·25	10
11	·02	·32	—	—	—	·03	—	·02	—	—	·02	·14	11
12	·06	·04	·09	—	·13	·16	—	—	—	—	·03	—	12
13	—	—	—	—	—	—	—	·01	—	—	·04	·02	13
14	—	—	·01	—	—	—	—	·07	—	·05	—	·02	14
15	—	·02	·08	—	·02	·48	—	·02	—	—	·01	·32	15
16	·35	—	·03	—	·24	·01	—	·05	—	·05	·08	—	16
17	·57	—	·20	—	—	·04	—	·05	—	—	—	—	17
18	03	—	·15	—	—	—	—	·11	—	·02	·02	·08	18
19	·08	·02	·06	—	—	—	·06	·48	—	—	—	—	19
20	·01	—	·10	—	·03	·03	—	·09	—	·36	—	—	20
21	—	·02	·13	—	·06	—	—	·19	—	·07	·05	—	21
22	·25	·12	·09	—	·01	—	·09	·12	—	·02	—	·08	22
23	·31	·34	·29	—	—	—	·11	·42	—	·05	·15	·15	23
24	·49	·02	·01	—	—	·38	·02	·19	—	—	—	·12	24
25	·30	—	—	—	—	·14	—	·73	—	—	·21	·46	25
26	—	·02	—	—	—	—	·01	·30	—	·35	·29	·26	26
27	—	—	—	—	—	·08	—	—	—	·14	—	·21	27
28	—	·04	—	—	—	·08	·22	·01	·05	·23	·30	·06	28
29	—	·01	—	—	—	·11	·22	·22	·86	·18	·04	—	29
30	—		—	—	·41	—	—	·03	·87	·15	—	—	30
31	—		·29		·02		·12	·12		·03		—	31
Total	3·75	1·44	2·49	·07	1·14	3·22	1·30	4·67	1·86	2·03	1·48	2·62	YEAR'S TOTAL 26·07
Rain Days.	16	18	20	3	10	20	13	28	4	15	16	18	181

W. 7,500, XI. ·12

8

KENSINGTON

EDITH RD

1911 - 1915

R 11

owden

Kept at 30 Edith R

in the County of Mid

by G. Searle

5 in.

ove Ground ft. 10 in.

Sea Level 16 ft.

a.m.

Name

Distance Direction

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

IMPORTANT NOTE. nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	—	·55	—	—	—	·04	—	—	—	—	1
2	·20	—	—	·24	·17	—	—	—	—	—	·17	·07	2
3	·01	·01	—	—	·12	—	—	—	—	—	·06	·08	3
4	·03	·01	·06	·11	—	—	—	—	·03	·04	·14	·25	4
5	·03	—	—	·04	—	—	—	—	—	·23	—	·10	5
6	·28	—	·12	—	—	—	—	—	—	—	—	·20	6
7	·04	—	—	·01	—	—	—	—	—	·09	·24	·16	7
8	·14	—	·15	—	—	—	—	—	—	—	·20	·21	8
9	·11	—	·01	·03	—	—	—	—	—	—	—	·03	9
10	·04	·13	·07	·02	—	—	—	—	—	—	·06	·36	10
11	·23	—	—	—	·07	—	—	—	—	—	·56	—	11
12	·03	—	·44	—	·09	·03	—	—	·04	—	·32	—	12
13	—	—	·07	—	·14	—	—	—	·46	·15	—	·22	13
14	—	·07	—	—	·24	—	—	—	—	—	—	·40	14
15	—	·06	·15	—	—	—	—	—	—	·01	·02	·02	15
16	—	—	—	—	—	·64	—	—	—	—	·33	·03	16
17	—	—	—	—	—	—	—	—	—	—	·25	·15	17
18	—	·10	·02	—	—	·10	—	—	—	—	·50	·17	18
19	—	—	—	—	—	·24	—	·16	·19	·08	·14	·07	19
20	—	·01	—	—	—	—	—	·11	·13	·06	—	·45	20
21	—	·08	—	—	—	—	—	·09	·15	·52	—	·06	21
22	·07	—	·12	—	—	—	—	—	—	·16	—	·35	22
23	—	·05	·06	—	—	·71	—	—	·25	—	·04	·10	23
24	—	·13	·03	—	—	·04	—	·03	—	1·09	—	·24	24
25	—	·03	·02	·07	—	·21	·29	—	·01	·01	—	—	25
26	—	·01	·04	·22	·03	·14	·06	—	—	·09	·02	·27	26
27	—	·37	·09	·05	—	—	—	—	·16	—	·04	·11	27
28	—	·13	—	·24	—	—	·07	·06	—	—	—	—	28
29	—		—	·07	—	·17	·10	—	·11	·21	—	—	29
30	—		—	—	·06	—	—	·13	·04	·13	—	—	30
31	—		—		·20		—	—		—		—	31
Total	1·25	1·19	1·45	1·65	1·12	2·28	0·52	0·62	1·57	2·87	3·09	4·10	TOTAL for year 21·71
No. of Rain Days.	13	14	15	12	9	9	4	7	11	14	~~17~~ 16	23	148

W. 8,000, X. '11.

[illegible] 8.I.12

50

R 11

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at 30 Edith Road. West Kensington.

in the County of Middlesex 2

by G. Searle

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 16 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	·55	—	—	—	·04	—	—	—	—	1
2	·20	—	—	·24	·17	—	—	—	—	—	·17	·07	2
3	·01	·01	—	—	·12	—	—	—	—	—	·06	·08	3
4	·03	·01	·06	·11	—	—	—	—	·03	·04	·14	·25	4
5	·03	—	—	·04	—	—	—	—	—	·23	—	·10	5
6	·28	—	·12	—	—	—	—	—	—	—	—	·20	6
7	·04	—	—	·01	—	—	—	—	—	·09	·24	·16	7
8	·14	—	·15	—	—	—	—	—	—	—	·20	·21	8
9	·11	—	·01	·03	—	—	—	—	—	—	—	·03	9
10	·04	·13	·07	·02	—	—	—	—	—	—	·06	·36	10
11	·23	—	—	—	·07	—	—	—	—	—	·56	—	11
12	·03	—	·44	—	·09	·03	—	—	·04	—	·32	—	12
13	—	—	·07	—	·14	—	—	—	·46	·15	—	·22	13
14	—	·07	—	—	·24	—	—	—	—	—	—	·40	14
15	—	·06	·15	—	—	—	—	—	—	·01	·02	·02	15
16	—	—	—	—	—	·64	—	—	—	—	·33	·03	16
17	—	—	—	—	—	—	—	—	—	—	·25	·15	17
18	—	·10	·02	—	—	·10	—	—	—	—	·50	·17	18
19	—	—	—	—	—	·24	—	·16	·19	·08	·14	·07	19
20	—	·01	—	—	—	—	—	·11	·13	·06	—	·45	20
21	—	·08	—	—	—	—	—	·09	·15	·52	—	·06	21
22	·07	—	·12	—	—	—	—	—	—	·16	—	·35	22
23	—	·05	·06	—	—	·71	—	—	·25	—	·04	·10	23
24	—	·13	·03	—	—	·04	—	·03	—	1·09	—	·24	24
25	—	·03	·02	·07	—	·21	·29	—	·01	·01	—	—	25
26	—	·01	·04	·22	·03	·14	·06	—	—	·09	·02	·27	26
27	—	·37	·09	·05	—	—	—	—	·16	—	·04	·11	27
28	—	·13	—	·24	—	—	·07	·06	—	—	—	—	28
29	—		—	·07	—	·17	·10	—	·11	·21	—	—	29
30	—		—	—	·06	—	—	·13	·04	·13	—	—	30
31	—		—		·20		—	—		—		—	31
Total	1·25	1·19	1·45	1·65	1·12	2·28	0·52	0·62	1·57	2·87	3·09	4·10	TOTAL for year 21·71
No. of Rain Days.	13	14	15	12	9	9	4	7	11	14	~~17~~ 16	23	148

W. 8,000, X. '11.

Ca. by [illegible]
8. I. 12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at 30 Edith Road West Kensington.
in the County of Middlesex 2
by G. Searle

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·07	·04	—	·07	·14	—	·07	·31	—	·20	1
2	—	—	·28	·01	—	·05	·26	·06	—	·02	—	—	2
3	·06	·02	·07	—	—	·20	—	·33	—	—	·01	·10	3
4	·24	—	·42	—	·14	·17	—	·04	—	—	·15	—	4
5	·16	·07	·02	—	—	—	—	·25	—	—	·03	—	5
6	·45	·01	—	—	—	·18	—	·15	·01	—	—	·01	6
7	—	—	·04	—	·07	·77	·05	·15	—	—	—	·01	7
8	·27	·27	·11	—	—	·06	—	·09	—	—	—	—	8
9	—	·08	—	·05	—	·14	·01	·05	—	—	—	·16	9
10	—	·05	—	—	—	·02	—	·53	—	—	·03	·25	10
11	·03	·30	—	—	—	·03	—	·02	—	—	—	·12	11
12	·05	·06	·09	—	·14	·15	—	·01	·01	—	·04	·01	12
13	—	—	—	—	—	—	—	·01	·01	—	·05	·01	13
14	—	—	—	—	·03	—	—	·20	—	·03	—	·01	14
15	—	·02	·08	—	·23	·48	—	·02	—	—	·01	·28	15
16	·34	—	·03	—	·06	·01	—	·06	—	·04	·06	—	16
17	·54	—	·20	—	—	·04	—	·05	—	—	—	—	17
18	·05	—	·13	—	—	—	—	·11	—	·01	·02	·09	18
19	·07	·03	·07	—	—	—	·06	·47	—	—	—	—	19
20	·02	—	·11	—	·03	—	—	·07	—	·35	—	—	20
21	—	·02	·12	—	·06	—	—	·15	—	·07	·05	—	21
22	·25	·14	·07	—	·02	—	·07	·14	—	·03	—	·07	22
23	·34	·37	·29	—	—	—	·07	·38	—	·05	·15	·14	23
24	·53	·04	·02	—	—	·39	·02	·19	—	—	—	·13	24
25	·33	—	—	—	—	·17	—	·74	—	—	·24	·47	25
26	—	·02	—	—	—	—	·01	·31	—	·34	·25	·30	26
27	—	—	—	—	—	·10	—	—	—	·15	—	·22	27
28	—	·04	—	—	—	·08	·21	·05	·05	·23	·31	·07	28
29	—	·02	—	—	—	·07	·18	·24	·84	·16	·03	—	29
30	—		—	—	·39	—	—	·10	·95	·13	—	—	30
31	—		·26		·02		·13	·11		·01		—	31
Total	3·73	1·56	2·48	0·10	1·19	3·18	1·21	5·08	1·94	1·93	1·43	2·65	YEAR'S TOTAL 20·48
Rain Days.	16	17	19	3	11	19	12	29	7	15	15	19	182

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
7 JAN 1914

Kept at 30 Edith Road. West Kensington
in the County of Middlesex London
by G. Searle

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·21	·03	·10	—	—	—	—	·25	—	·05	·09	1
2	·01	·14	—	—	—	—	·05	—	·11	·06	·04	—	2
3	—	—	·04	·28	·29	—	—	—	—	—	—	·04	3
4	·17	—	—	·02	·38	—	·09	—	—	·25	·01	·05	4
5	·20	—	—	—	—	·07	·10	—	·34	—	—	·04	5
6	—	·02	·07	—	·05	·07	·18	—	—	·13	·04	·08	6
7	—	·09	—	·01	·02	·01	·02	·17	—	·35	·05	—	7
8	—	·02	·02	—	·06	·13	—	—	—	·06	·01	—	8
9	—	·12	—	—	·03	—	—	—	·04	—	·02	·01	9
10	—	—	·08	·11	—	—	·09	·02	—	—	·29	—	10
11	·29	—	—	·42	·09	—	—	—	—	·51	·11	—	11
12	—	—	—	—	·07	—	—	—	—	—	·39	—	12
13	·07	—	·03	—	—	—	—	·01	·08	—	·23	—	13
14	·04	—	·05	·06	—	—	·56	·07	—	·12	·03	—	14
15	·16	·07	·18	·21	—	—	·17	—	·03	—	—	—	15
16	·11	—	·32	·16	—	—	—	—	·34	—	—	—	16
17	·02	·03	·06	·04	—	—	·12	—	—	—	·01	—	17
18	—	—	·05	·12	—	—	—	—	—	—	·05	—	18
19	·14	—	·02	—	·01	·01	·13	—	·18	—	—	—	19
20	·10	—	·22	·02	—	—	—	—	—	·54	·02	—	20
21	—	—	·17	·06	—	—	·05	—	—	·20	·73	—	21
22	·38	—	·13	·09	—	—	—	·13	·17	—	—	—	22
23	—	—	·01	—	—	·03	—	·14	·01	—	—	·34	23
24	—	—	·01	·03	—	—	—	·05	—	—	—	—	24
25	—	·03	—	·12	—	—	—	—	—	—	—	—	25
26	—	—	·18	·06	—	—	—	·08	—	·71	—	·11	26
27	—	—	·01	·05	·04	—	—	—	—	·01	—	—	27
28	·25	—	·21	·09	—	—	—	—	—	·08	—	—	28
29	·05		·04	·45	·58	—	—	·06	—	·03	—	—	29
30	·17		—	·04	—	—	—	·12	—	·10	—	—	30
31	—		·04		—		—	·53		·02	—	—	31
Total	2·17	0·73	1·97	2·54	1·62	·32	1·56	1·38	1·55	3·17	2·08	0·76	YEAR'S TOTAL 19·85 ✓
Rain Days.	16	9	22	21	11	6	11	11	10	15	16	8	156 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 JAN 1915

Kept at [illegible]5 Edith Road. West Kensington

in the County of ~~Middlesex~~ London Ex BR

by G Searle

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in. Snowdon

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	—	—	—	·18	—	—	·02	·03	1
2	—	—	—	—	—	—	·12	·10	—	—	·10	·11	2
3	—	—	·05	—	·12	—	·15	·02	—	—	·03	—	3
4	·05	—	·01	·14	—	—	—	·03	—	—	·26	·17	4
5	·03	—	·05	·13	·11	·04	·30	·73	—	—	—	—	5
6	—	·10	—	·10	—	·20	·01	·02	—	—	·11	·06	6
7	—	·15	·21	·11	·79	·03	·08	— ~~·04~~	—	—	—	·06	7
8	·06	·32	·66	·01	·01	·17	·08	·09	·01	—	—	—	8
9	·16	—	·55	·10	—	·16	—	—	·06	—	—	1·62	9
10	—	·09	·03	·03	·05	—	—	—	·13	—	—	·02	10
11	—	·27	·35	—	—	·08	—	—	·17	—	·20	·26	11
12	·01	·08	·10	—	—	—	·10	—	·15	—	·01	·45	12
13	—	·13	·13	—	—	—	—	—	·11	·09	·05	·39	13
14	—	·05	·24	—	—	·39	·12	—	·01	·17	·04	·43	14
15	·04	—	·13	—	—	—	·13	—	—	·01	·37	·04	15
16	·01	—	·02	—	—	—	—	—	·02	—	—	—	16
17	—	·27	·06	—	—	—	—	—	·01	—	—	·12	17
18	—	·03	·12	—	—	—	—	—	—	—	—	·20	18
19	—	·02	·21	—	—	·10	·03	—	—	—	·14	·38	19
20	—	·18	·27	—	—	·02	—	—	·14	—	—	·06	20
21	—	·46	·06	—	—	—	—	—	—	·01	—	·02	21
22	—	—	·03	—	·37	·29	·14	·01	—	·13	—	—	22
23	—	—	·12	—	·16	·01	·07	—	—	·11	—	—	23
24	—	—	·09	—	·01	—	·01	—	—	—	·11	—	24
25	·02	—	·09	—	—	—	—	·12	—	·25	—	·06	25
26	—	—	·09	—	—	—	—	·09	—	·05	·16	·53	26
27	·04	—	·01	—	—	—	—	—	—	—	·02	·11	27
28	—	·02	—	—	·01	—	—	—	—	·05	·46	·72	28
29	·02	×	·08	—	—	—	—	—	—	·20	·10	—	29
30	—	×	·03	—	—	—	—	—	—	·03	·51	·15	30
31	—	×	—	×	·14	×	·02	—	×	—	×	·03	31
Total	0·44 ✓	2·17 ✓	3·81 ✓	0·62 ✓	1·77 ✓	1·49 ✓	1·36 ✓	1·39 ✓	0·81 ✓	1·10 ✓	2·69 ✓	6·02 ✓	YEAR'S TOTAL 23·67 ✓
Rain Days.	10	14	27	7	10	11	14	10	10	11	17	23	164 ✓

W. 8,000. X. 14.

W. Jg. 43

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
3 JAN 19

Kept at 30 Edith Road. West Kensington

in the County of Middlesex London 7

by G. Searle

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in. Snowdon

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·12	·01	—	·02	—	—	—	·06	·03	·29	·51	1
2	·38	·16	·22	·12	—	—	—	·53	—	·05	—	·11	2
3	·28	—	·08	·17	·01	—	—	·53	—	—	—	·41	3
4	·04	—	—	—	—	—	—	·16	—	—	—	·23	4
5	·03	·32	—	—	—	—	—	—	—	·02	—	·21	5
6	·32	·03	—	·26	·70	—	·77	·04	—	—	·01	·40	6
7	·34	·17	·03	—	—	—	·12	·02	—	—	—	·24	7
8	·13	·47	·01	·06	—	—	·08	·04	—	—	—	—	8
9	—	·03	~~[illegible]~~	·07	—	·07	—	·05	—	·03	·30	·59	9
10	·21	—	—	—	—	—	—	·37	—	—	—	·15	10
11	·03	—	·02	—	—	—	—	·01	—	—	·62	·04	11
12	·06	·01	~~[illegible]~~	·25	·43	—	—	·43	—	—	·29	·01	12
13	—	·33	—	—	1·25	—	·54	·33	—	—	—	—	13
14	—	·04	—	—	—	—	—	·04	·05	—	—	·42	14
15	·06	—	—	—	·04	—	·47	·86	—	—	·20	·08	15
16	—	·19	—	—	—	—	·02	·01	—	—	—	·08	16
17	—	·35	—	—	·81	—	—	·07	—	—	—	—	17
18	—	·24	·05	—	·13	—	·05	—	—	—	·02	—	18
19	—	·13	—	—	·01	—	—	—	—	—	—	—	19
20	·33	—	—	·01	—	—	·01	—	—	—	—	·19	20
21	·13	—	—	—	—	—	·66	—	—	·02	—	·04	21
22	·85	·07	·16	·03	—	—	·16	—	—	—	—	·09	22
23	—	·23	·05	—	—	·02	·07	—	·14	·47	—	·26	23
24	—	—	—	—	—	—	·12	—	·20	·24	—	·22	24
25	—	—	·09	·19	—	·01	·29	—	—	·01	—	·15	25
26	·01	·06	—	—	—	·13	·11	—	—	—	—	·45	26
27	—	—	—	—	—	·12	—	—	—	·24	—	·06	27
28	—	·02	—	—	—	·21	·08	—	1·41	·07	—	—	28
29	—	✕	—	—	—	—	—	·21	—	—	·10	—	29
30	·03	✕	—	—	—	·06	—	—	—	·02	·18	—	30
31	—	✕	—	✕	—	✕	—	—	✕	·78	✕	·15	31
Total	3·61	2·97	0·72	1·16	3·40	0·62	3·55	3·90 3·70	1·86	1·98	2·01	5·09	YEAR'S TOTAL 30·67 ✓
Rain Days.	17	18	10	9	9	7	15	16	5	12	9	23	150

W. 8,000. X. 15.

Duration worked from charts &

REGI

KENSINGTON
STH
1916- 1919

FORM A.
BRITISH RAINFALL.

Kept at South Ke

in the County of

by

Gauge .... in.

ve Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·8	–	0·1	–	3·2	–	0·3	–	4·3	1·5	2·9	—	1
2	8·5	0·3	5·1	–	4·3	–	0·7	–	2·6	(10·0)	—		2
3	–	9·1	7·4	–	–	–	1·6	–	1·5	3·9	(6·7)		3
4	2·5	0·6	–	–	0·1	5·3	–	–	2·0	1·4	5·5		4
5	0·1	–	0·1	–	2·3	0·8	–	–	–	–	9·0		5
6	–	1·2	3·9	7·8	0·5	0·2	2·8	–	–	–	6·2		6
7	1·0	~~5~~ –	15·0	–	3·9	0·8	2·2	–	–	–	2·3	1·2	7
8	–	–	1·1	–	9·3	–	–	–	–	–	(—)	7·4	8
9	–	–	–	–	3·7	0·2	–	–	–	1·3		0·4	9
10	–	5·1	6·0	2·5	–	3·0	0·7	0·3	–	–		1·5	10
11	0·9	3·0	0·9	3·6	–	6·0	–	–	–	–		(1·0)	11
12	1·0	0·4	0·1	1·8	6·8	5·8	0·3	1·0	–	1·8			12
13	0·1	6·1	2·6	2·0	–	1·3	3·1	0·7	–	1·0			13
14	–	3·8	–	0·3	2·7	–	–	–	–	0·3		5·0	14
15	–	7·1	11·4	0·2	–	–	1·2	1·9	–	0·1			15
16	–	0·1	11·6	4·4	0·1	–	3·5	2·3	–	–			16
17	3·2	3·4	–	0·7	–	–	0·3	3·5	9·1	(8·5)		(~~1·0~~)	17
18	0·1	2·6	0·3	3·0	–	–	–	5·4	1·8	2·3	19·3		18
19	2·2	0·4	3·6	3·7	–	–	–	–	2·7	–	16·0		19
20	1·9	–	7·6	–	–	–	–	–	–	–	0·1	(0·4)	20
21	0·2	–	17·0	1·0	–	–	1·1	–	–	–		1·8	21
22	–	–	1·5	–	0·1	–	–	–	–	–		2·4	22
23	0·5	0·7	–	–	–	0·8	–	0·4	–	0·6	0·3	1·6	23
24	–	(2·5)	–	–	2·0	0·1	–	0·3	–	(0·5)	0·1		24
25	–	16·0	(4·0)	–	0·1	–	–	3·5	–	2·7	0·8		25
26	–	6·8	0·5	–	–	2·0	–	1·8	–	(5·0)			26
27	1·1	–	(1·8)	–	–	0·1	–	2·7	0·5	1·8			27
28	–	7·2	8·7	–	–	0·3	–	0·8	0·3	–		3·5	28
29	–	2·8	1·0	–	–	5·0	–	(12·0)	1·9	5·7		2·4	29
30	–	X	–	0·1	–	0·1	–	2·2	–	1·3			30
31	–	X	–	X	–	X	–	2·3	X	·2	X	0·1	31
Total	24·1	79·2	120·3 ~~99·3~~	31·1	39·1	31·8	17·8	41·1	26·7	59·9	69·2	29·7	YEAR'S TOTAL
Rain Days.													

W. 8,000, VIII. 16

Duration worked from chart at

[illegible]

REGI

FORM A.
BRITISH RAINFALL.

Kept at South Kensington

in the County of London

by M.O.

Time of Observation Worked from

Nearest Railway Station Halliwell Records

Diameter of Funnel of Rain Gauge [illegible] in.

Height of top of Gauge above Ground ft. in.

Halliwell Recorder " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.8	–	0.1	–	3.2	–	0.3	–	4.3	1.5	2.9	–	1
2	8.5	0.3	5.1	–	4.3	–	0.7	–	2.6	(10.0)	–		2
3	–	9.1	7.4	–	–	–	1.6	–	1.5	3.9	(6.7)		3
4	2.5	0.6	–	–	0.1	5.3	–	–	2.0	1.4	5.5		4
5	0.1	–	0.1	–	2.3	0.8	–	–	–	–	9.0		5
6	–	1.2	3.9	7.8	0.5	0.2	2.8	–	–	–	6.2		6
7	1.0	~~3~~ –	15.0	–	3.9	0.8	2.2	–	–	–	2.3	1.2	7
8	–	–	1.1	–	9.3	–	–	–	–	–	(—)	7.4	8
9	–	–	–	–	3.7	0.2	–	–	–	1.3		0.4	9
10	–	5.1	6.0	2.5	–	3.0	0.7	0.3	–	–		1.5	10
11	0.9	3.0	0.9	3.6	–	6.0	–	–	–	–		(1.0)	11
12	1.0	0.4	0.1	1.8	6.8	5.8	0.3	1.0	–	1.8			12
13	0.1	6.1	2.6	2.0	–	1.3	3.1	0.7	–	1.0			13
14	–	3.8	–	0.3	2.7	–	–	–	–	0.3		5.0	14
15	–	7.1	11.4	0.2	–	–	1.2	1.9	–	0.1			15
16	–	0.1	11.6	4.4	0.1	–	3.5	2.3	–	–			16
17	3.2	3.4	–	0.7	–	–	0.3	3.5	9.1	(8.5)		(~~1.0~~)	17
18	0.1	2.6	0.3	3.0	–	–	–	5.4	1.8	2.3	19.3		18
19	2.2	0.4	3.6	3.7	–	–	–	–	2.7	–	16.0		19
20	1.9	–	7.6	–	–	–	–	–	–	–	0.1	(0.4)	20
21	0.2	–	17.0	1.0	–	–	1.1	–	–	–		1.8	21
22	–	–	1.5	–	0.1	–	–	–	–	–		2.4	22
23	0.5	0.7	–	–	–	0.8	–	0.4	–	0.6	0.3	1.6	23
24	–	(2.5)	–	–	2.0	0.1	–	0.3	–	(10.5	0.1		24
25	–	16.0	(4.0)	–	0.1	–	–	3.5	–	2.7)	0.8		25
26	–	6.8	0.5	–	–	2.0	–	1.8	–	(5.0			26
27	1.1	–	(10.8)	–	–	0.1	–	2.7	0.5	1.8)			27
28	–	7.2	8.7	–	–	0.3	–	0.8	0.3	–		3.5	28
29	–	2.8	1.0	–	–	5.0	–	(12.0)	1.9	5.7		2.4	29
30	–	✕	–	0.1	–	0.1	–	2.2	–	1.3			30
31	–	✕	–	✕	–	✕	–	2.3	✕	.2	✕	0.1	31
Total	24.1	79.2	120.3 ~~99.3~~	31.1	39.1	31.8	17.8	41.1	26.7	59.9	69.2	29.7	YEAR'S TOTAL
Rain Days.													

W. 8,000, VIII. 16

J. made

Readings copied from charts.

Gad 97. SRCm

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

Kept at South Kensington
in the County of London
by M.O
Proof J. not print
Check Gauge.

Lat. Long.
Time of Observation Taken from
Nearest Railway Station ~~Holloway~~ Charts at M.O
Diameter of Funnel of Rain Gauge 9AM in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. ~~H. R. Mill~~, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·3	–	–	–	6·4	–	0·4	–	6·1	1·6	7·9	–	1
2	9·7	0·3	2·1	–	7·8	–	0·4	–	5·4	9·1	0·5	–	2
3	–	6·2	3·5	–	–	–	0·7	–	4·5	5·9	16·1	–	3
4	4·1	2·6	–	–	–	5·8	–	–	1·4	0·2	8·5	–	4
5	–	–	0·4	0·2	1·8	3·6	–	–	–	1·2	8·4	–	5
6	–	1·4	5·9	5·3	0·3	1·5	8·3	–	–	–	7·0	–	6
7	1·7	–	5·8	–	3·2	2·7	5·2	–	–	–	12·1	1·6	7
8	–	–	0·6	–	5·4	–	–	–	–	–	–	5·3	8
9	–	–	–	–	3·9	0·3	–	–	–	1·3	–	1·5	9
10	–	3·7	1·6	1·6	–	4·2	2·3	0·9	–	–	–	3·0	10
11	0·3	3·1	0·3	3·5	–	5·6	–	–	–	–	–	0·5	11
12	1·1	0·3	0·2	0·8	5·4	3·0	0·3	1·1	0·3	1·2	–	–	12
13	–	6·7	6·5	2·1	–	1·5	5·2	3·8	–	0·4	–	–	13
14	–	7·6	0·2	1·1	1·8	–	0·1		–	0·5	–	2·0	14
15	–	4·2	5·7	0·2	–	–	1·8	3·1	–	0·4	–	–	15
16	0·1	0·3	4·0	3·5	–	–	4·1	4·9	–	–	–	–	16
17	1·1	2·3	–	0·3	–	–	0·4	6·3	7·0	12·5	–	0·2	17
18	–	1·6	0·5	4·6	–	–	–	12·0	2·1	3·9	18·5	–	18
19	1·5	1·2	3·5	3·3	–	–	–	–	3·0	–	13·0	–	19
20	2·8	–	5·5	–	–	–	–	–	–	–	0·2	8·5	20
21	0·4	–	11·7	1·7	–	–	0·3	–	–	–	–	6·2	21
22	0·2	–	1·3	–	0·1	–	–	–	–	–	–	10·2	22
23	0·6	3·0	0·2	–	–	2·4	–	0·3	–	0·8	0·7	1·7	23
24	–	4·1	–	–	2·1	0·2	–	0·8	–	2·9	0·4	–	24
25	–	8·3	4·2	–	–	–	–	7·6	–	0·8	2·4	–	25
26	–	5·4	0·8	–	–	0·8	–	23·6	–	1·5	–	–	26
27	1·1	–	21·4	–	–	0·2	–	17·2	2·7	13·3	–	–	27
28	–	8·6	5·8	–	–	2·7	–	0·7	0·6	–	–	3·7	28
29	–	1·0	–	–	–	6·6	–	28·1	0·7	4·3	–	3·2	29
30	–	X	–	0·1	–	–	–	1·8	–	7·5	–	–	30
31	–	X	–	X	–	X	–	1·6	X	5·1	X	0·4	31
Total	25·0	71·9	91·7	28·3	38·2	41·1	29·5	113·8	33·8	74·4	95·7	48·0	YEAR'S TOTAL 691·4
~~Rain Days.~~ inches	·99	2·83	3·61	1·12	1·50	1·62	1·16	4·48	1·33	2·93	3·77	1·89	29·22
Days	13	20	23	13	10	15	12	16	11	20	13	14	180

W. 8,000, VIII. 16

Check Gauge ✓ Exet

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at S. Kensington

in the County of London

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	2·3	—	—	—	26·5	·5	—	1·1	—	1
2	—	—	—	9·8	—	1·0	—	1·5	—	—	7·6	—	2
3	—	—	—	1·0	—	—	—	12·1	—	4·9	4·8	—	3
4	—	2·8	2·5	—	—	—	4·2	4·2	—	9·1	—	—	4
5	5·6	—	1·6	6·4	—	—	—	1·3	—	3·6	1·3	—	5
6	—	—	1·0	·6	—	1·0	—	—	5·0	·5	·8	—	6
7	4·5	—	—	—	—	—	2·2	—	—	3·4	—	·5	7
8	2·8	—	—	1·7	—	—	21·8	1·7	·6	5·2	2·8	7·4	8
9	—	—	·6	2·1	·1	—	1·2	1·9	1·0	—	1·1	4·3	9
10	4·2	—	1·9	4·0	—	—	—	—	—	—	—	1·3	10
11	1·8	—	12·3	5·0	—	—	—	·1	8·8		—	—	11
12	2·2	—	·9	·8	—	—	—	1·1	—	5·2	—	—	12
13	·2	—	4·3	·3	—	—	—	·3	·6	9·9 ·8	—	—	13
14	·3	—	·3	3·9	—	—	—	7·8	—	—	—	—	14
15	·5	—	—	—	—	—	3·0	—	—	·9	—	—	15
16	—	4·8	—	2·4	4·2	24·4	·8	—	—	9·9	—	6·0	16
17	·6	—	—	1·9	13·6	—	9·0	1·6	9·0	6·5	—	—	17
18	—	1·1	—	1·1	2·2	—	2·3	·5	3·6	1·5	—	—	18
19	—	3·4	3·0	—	11·9	—	—	—	3·4	—	—	—	19
20		3·8	1·1	—	17·8	—	·6	—	—	—	1·2	—	20 ×
21	·2	—	·5	·2	·3	·3	—	—	—	—	—	—	21
22	—	—	·6	—	—	—	—	2·1	—	1·4	—	—	22
23	·4	2·2	·3	—	2·2	—	—	1·7	—	·3	—	—	23
24	=	·3	—	—	—	4·8	—	—	—	3·4	1·3	·3	24
25	—	—	1·1	—	—	—	—	—	—	—	1·4	—	25
26	—	—	1·4	—	—	—	—	5·3	1·2	—	10·5	—	26
27	—	—	·6	—	—	—	—	24·9	—	—	—	·3	27
28	—	—	—	—	10·1	37·5	—	2·4	—	—	—	·7	28
29	—	—	1·5	—	~~9·8~~	1·4	4·8	·4	—	4·6	—	3·6	29
30	·1	✕	10·4	—	—	—	39·3	1·5	—	·3	—	·2	30
31	1·2	✕	·4	✕	—	✕	10·0	·6	✕	—	✕	—	31
Total	24·6 ✓	18·4 ✓	46·2 ✓	43·5 ✓	72·2 ✓	70·4 ✓	99·2 ✓	99·4 ✓	33·7 ✓	71·4 ✓	33·9 ✓	24·6 ✓	YEAR'S TOTAL 637·5 ✓
Rain Days.	14	7	20	16	9	7	12	20	10	18	11	10	154
	·97 ✓	·72 ✓	1·82 ✓	1·71 ✓	2·84 ✓	2·77 ✓	3·91 ✓	3·91 ✓	1·33 ✓	2·81 ✓	1·33	·97 ✓	25·09 ✓

W. 8,000, IX. 17.

Duration

REGISTER OF RAINFALL IN 1917

Curves Measured by R.C.M.

FORM A.
BRITISH RAINFALL.

Kept at S Kensington
in the County of
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	2·3	—	—	—	10·3	·1	—	1·9	—	1
2	—	—	—	3·7	—	·2	—	1·1	—	—	1·8	—	2
3	—	—	—	2·1	—	—	—	4·4	—	2·3	2·0	—	3
4	—	4·5	6·3	—	—	—	3·6	1·6	—	5·0	—	—	4
5	4·1	—	·6	6·2	—	—	—	·6	—	2·6	1·0	—	5
6	—	—	1·0	·2	—	·9	—	—	3·4	·2	1·1	—	6
7	1·1	—	—	—	—	—	4·0	—	—	2·5	—	·3	7
8	3·1	—	—	·8	—	—	16·2	1·0	·5	4·5	4·5	6·0	8
9	—	—	·1	2·5	·1	—	·4	1·3	1·0	—	1·3	5·5	9
10	2·5	—	1·8	2·7	—	—	—	—	—	—	—	1·3	10
11	3·7	—	7·5	5·7	—	—	—	—	1·1		—	—	11
12	3·8	—	·1	·7	—	—	—	·3	—	3·3	—	—	12
13	~~—~~	—	6·6	·3	—	—	—	·4	·3	4·7 ·3	—	—	13
14	~~—~~	—	·1	1·8	—	—	—	·6	—	—	—	—	14
15	1·2	—	—	—	—	—	·5	—	—	·5	—	—	15
16	—	1·5	—	2·1	2·7	2·2	·5	—	—	9·3	—	7·1	16
17	1·5	—	—	4·5	4·5	—	5·7	·8	6·2	4·7	—	—	17
18	~~—~~	—	—	·8	1·7	—	1·3	·1	3·6	·3	—	—	18
19	~~—~~	4·1	1·0	—	2·0	—	—	—	·5	—	—	—	19
20	2·4	3·3	·3	—	4·1	—	10·7	—	—	—	1·8	—	20
21	~~—~~	—	·2	·1	·2	1·7	—	—	—	—	—	—	21
22	2·3	—	·1	—	—	—	—	·7	—	1·3	—	—	22
23	·6	1·1	·3	—	1·1	—	—	·7	—	—	—	—	23
24	—	0·5	—	—	—	2·2	—	—	—	2·5	·4	·2	24
25	—	—	·3	—	—	—	—	—	—	—	·5	—	25
26	—	—	1·0	—	—	—	—	2·9	·3	—	7·2	—	26
27	—	—	·8	—	—	—	—	9·6	—	—	—	1·5	27
28	—	—	—	—	·5	9·4	—	1·5	—	—	—	3·5	28
29	—		·4	—	·8	3·5	3·0	·9	—	2·8	—	6·6	29
30	2·1	╳	3·8	—	—	—	12·4	1·3	—	—	—	1·0	30
31	1·8	╳	·2	╳	—	╳	11·0	·4	╳	—	╳	—	31
Total	30·2 ✓	15·0 ✓	31·5	36·5 ✓	17·7 ✓	20·1 ✓	69·3 ✓	40·5 ✓	17·0 ✓	46·8 ✓	23·5 ✓	33·0 ✓	YEAR'S TOTAL 381·0
Rain Days.			31·5										

W. 8,000, IX. 17.

Smade

Ex: H.C.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
24 3 19

Kept at South Kensington, check gauge

in the County of London

by M.O. (copied from Halliwell charts by H.C.)

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground on roof of M.O. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
1	~~0.1~~	.	.	2.3	.	.	.	.	.	.	2.7	1.5	1
2	.	1.5	.	1.0	.	.	.	9.9	.	0.2	3.6	3.5	2
3	.	0.1	1.3	0.4	11.4	.	.	4.4	0.3	.	13.6	0.7	3
4	0.1	1.1	4.5	.	.	.	.	1.9	12.9	.	12.5	.	4
5	.	0.4	0.2	.	2.0	.	.	5.7	12.1	2.2	.	.	5
6	4.5	2.4	.	6.8	3.8	.	.	0.4	.	0.1	.	1.7	6
7	.	2.6	.	1.1	3.6	.	.	trace	1.3	4.5	1.9	.	7
8	.	0.5	.	0.1	.	.	.	.	1.7	0.5	1.5	0.8	8
9	0.6	0.9	.	1.6	.	0.5	6.4	.	8.2	2.2	.	3.4	9
10	.	.	.	2.5	.	.	31.2	.	(2.0)	.	0.5	9.5	10
11	0.3	.	-	0.6	1.2	.	24.9	.		4.4	2.6	2.4	11
12	.	0.6	.	.	5.0	.	2.0	.	0.9	.	.	0.3	12
13	0.2	.	.	.	1.7	.	4.8	.	5.3	.	.	.	13
14	3.1	.	0.4	.	.	7.3	1.0	.	9.5	2.3	.	5.5	14
15	21.5	.	.	19.1	.	.	8.5	.	0.2	.	.	2.0	15
16	5.8	.	trace	5.9	.	2.5	0.1	.	6.7	0.1	.	0.2	16
17	5.5	.	.	5.6	trace	11.3	11.4	1.3	.	.	.	3.3	17
18	12.7	.	.	.	.	4.5	0.3	.	23.6	5.1	.	0.6	18
19	0.5	.	1.0	3.0	.	2.5	7.6	trace	0.7	1.1	.	1.7	19
20	0.5	2.8	.	14.2	.	0.3	2.3	.	2.3	3.8	.	0.3	20
21	1.7	0.2	.	6.3	.	.	0.1	.	13.5	1.7	.	0.1	21
22	1.2	.	.	0.2	7.3	.	7.0	.	2.6	.	.	.	22
23	0.7	.	.	0.3	5.1	.	8.2	0.8	2.0	.	.	0.6	23
24	.	5.4	.	.	.	0.4	20.4	.	1.5	.	0.8	.	24
25	.	.	.	0.8	.	.	15.3	3.2	.	0.1	0.7	trace	25
26	.	.	.	.	.	.	10.7	3.7	.	1.6	3.5	2.7	26
27	.	0.4	.	2.3	.	.	0.9	3.0	1.4	.	2.4	0.2	27
28	.	0.5	5.6	.	.	.	.	0.1	.	.	5.0	3.9	28
29	.	X	trace	.	.	.	.	.	26.1	.	0.2	.	29
30	.	X	10.0	.	.	.	.	.	trace	0.1	0.7	1.4	30
31	.	X	.	X	.	X	.	1.5	X	0.7	X	.	31
Total	58.9	19.4	23.0	74.1	41.1	29.3	163.1	35.9	134.8	30.7	52.2	46.3	YEAR'S TOTAL 708.8
Rain Days.	14	13	7	18	9	8	17	11	22	13	15	21	168
ins.	2.32	.76	.91	2.92	1.61	1.16	6.42	1.41	5.31	1.21	2.06	1.82	27.91

W. 6,500, VII. 18. w w c

Duration Ex. H.Eb.

~~REGISTER~~ OF RAINFALL IN 1918

24 3. 19

FORM A. BRITISH RAINFALL.

Entries in Red. Estimated from Camden Sq.

Kept at South Kensington

in the County of London

by M. O. (copied from original charts by H. Eb.) ≮ $\frac{0{\cdot}1\text{ in}}{\text{hr}}$

Lat. .... Long. ....

Time of Observation ....

~~Nearest Railway Station.~~ Halliwell gauge

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, ,, ,, Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.	0.7	.	.	.	.	.	.	3.2	2.5	1
2	.	.	.	0.7	.	.	.	3.4	.	0.7	3.5	}(4.0)	2
3	.	.	.	.	4.5	.	.	2.1	.	.	5.7		3
4	.	1.2	1.8	.	.	.	.	1.7	1.6	.	8.8	.	4
5	.	.	.	.	7.5	.	.	1.2	1.9	2.75	.	.	5
6	5.5	2.3	.	4.8	2.7	.	.	.	.	0.3	.	1.0	6
7	.	1.6	.	1.3	2.3	.	.	.	1.3	0.2	3.3	.	7
8	.	0.3	.	.	.	.	.	.	(2.0)	0.8	0.9	1.8	8
9	0.5	.	.	0.4	.	.	1.2	.	3.5	4.2	.	8.2	9
10	.	.	.	1.6	.	.	(5.0)	.	}(1.0)	.	0.3	6.6	10
11	.	.	.	0.2	0.6	.	7.2	.		4.1	3.9	3.5	11
12	.	0.2	.	.	3.8	.	0.4	.	0.7	.	.	0.2	12
13	.	.	.	.	1.6	.	3.8	.	3.0	.	.	.	13
14	1.75	.	.	.	.	4.8	1.0	.	5.0	6.25	.	7.3	14
15	4.9	.	.	16.7	.	.	0.5	.	0.25	.	.	2.4	15
16	6.0	.	.	8.0	.	6.6	.	.	2.9	0.25	.	0.3	16
17	4.5	.	.	5.7	0.6	0.5	2.0	0.75	.	.	.	4.1	17
18	7.3	.	.	.	.	4.7	0.3	.	6.0	1.6	.	1.6	18
19	.	.	0.8	3.7	.	0.3	4.2	.	0.2	1.6	.	1.8	19
20	0.3	2.5	.	12.5	.	0.2	2.2	.	0.75	5.3	.	0.8	20
21	1.1	0.3	.	13.0	.	.	0.1	.	2.75	0.9	.	.	21
22	1.0	.	.	.	1.5	.	3.0	.	1.3	.	.	4.6	22
23	1.1	.	.	.	4.4	.	2.8	.	0.5	.	.	0.2	23
24	.	3.6	.	.	.	0.8	2.5	.	3.3	.	1.0	.	24
25	.	.	.	.	.	.	}(8.0)	1.7	.	0.5	0.2	.	25
26	.	.	.	.	.	.		0.4	.	1.1	5.6	4.8	26
27	.	.	.	3.0	.	.	0.25	3.2	(1.0)	.	4.3	0.4	27
28	.	.	3.75	.	.	.	.	.	.	.	16.8	3.8	28
29	.	X	.	.	.	.	.	.	15.5	.	0.5	.	29
30	.	X	7.2	.	.	.	.	.	.	.	0.8	3.7	30
31	.	X	.	X	.	X	.	0.75	X	0.9	X	.	31
Total	33.95	12.0	13.55	72.3	29.5	17.9	44.45	15.2	54.45	31.45	58.8	63.6	YEAR'S TOTAL 447.15
Rain Days.													

W. 6,500, VII. 18. W W C

Ex. Hb

FORM A. 3. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Duration of Rainfall in 1919.

Kept at South Kensington

in the County of London

by M. O.

Lat. Long.

Pattern and Maker of Gauge

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

NOTE.—The Duration of Rain should be measured daily at 9 a.m. from the traces of a self-recording rain gauge, and the result entered to the previous day, in hours and tenths of an hour. In computing the mean rate of fall per hour the amount of rain should be taken from a standard rain gauge. Full instructions for the measurement of rainfall duration and the selection and placing of self-recording rain gauges can be obtained on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.	
1	7.5	5.0	-	-	0.9	-	2.2	-	-	0.5	-	12.5	1
2	5.5	-	-	-	1.8	-	2.9	-	2.1	0.5	8.5	1.2	2
3	4.3	-	9.7	-	0.7	-	1.7	-	0.8	-	0.5	(5.0)	3
4	3.9	5.0	22.1	-	-	0.8	8.0	0.1	-	-	1.3	(1.0)	4
5	-	(8.0)	(13.0)	-	-	-	-	-	1.2	-	(0.5)	(6.0)	5
6	-	-	3.6	-	-	-	-	-	-	-	-	0.2	6
7	0.3	-	10.0	-	-	-	-	-	-	-	0.7	-	7
8	2.8	-	2.0	0.5	-	-	-	-	-	-	-	-	8
9	0.9	-	2.4	1.9	0.6	-	-	-	-	-	0.2	-	9
10	7.0	-	2.6	-	-	-	-	-	-	0.3	-	1.0	10
11	0.5	-	1.8	6.3	-	-	3.4	-	-	-	-	-	11
12	-	-	1.4	0.2	-	1.0	(2.0)	-	-	2.3	-	-	12
13	-	0.1	-	6.9	-	-	-	-	-	0.3	-	-	13
14	(4.0)	-	-	6.2	-	-	2.1	-	4.3	-	-	8.5	14
15	1.2	1.0	2.5	2.7	-	-	-	-	-	-	-	0.4	15
16	0.7	(10.0)	-	-	-	-	-	-	-	-	3.5	0.9	16
17	-	8.7	0.5	0.5	-	-	-	-	-	-	7.3	-	17
18	-	6.4	2.2	-	-	-	-	-	1.5	-	4.0	0.7	18
19	0.9	3.7	(20.0)	-	-	3.5	9.0	6.0	0.4	-	(2.0)	0.4	19
20	12.5	(2.5)	0.8	-	-	10.0	6.1	2.1	0.2	-	0.1	-	20
21	6.0	6.0	(1.0)	-	-	0.3	6.3	-	-	-	0.2	2.0	21
22	-	4.4	-	-	-	0.1	2.1	-	1.5	-	0.5	9.2	22
23	-	-	-	-	-	0.3	-	-	(1.0)	-	0.3	(0.5)	23
24	-	-	-	5.8	-	0.5	4.6	0.8	-	7.3	0.5	-	24
25	0.7	-	-	0.5	-	-	-	4.3	-	-	-	0.3	25
26	2.5	3.2	2.0	0.8	-	-	-	0.1	1.7	-	-	6.4	26
27	13.7	0.7	1.4	(15.0)	-	-	-	4.0	-	-	-	0.3	27
28	-	-	(5.8)	1.0	-	-	0.7	5.9	-	-	3.5	6.9	28
29	1.2		-	0.5	-	-	-	5.5	-	6.9	0.3	1.7	29
30	-		0.2	4.3	-	7.8	-	4.3	-	8.6	8.0	5.0	30
31	-		1.7		-		0.1	-		0.3		(1.0)	31
Total Duration	76.1	(64.7)	(106.7)	53.1	4.0	24.3	51.2	33.1	14.7	27.0	41.9	71.1	YEAR'S TOTAL 567.9
Total Fall*	79.5	61.3	90.4	79.2	9.4	42.3	79.7	57.6	29.2	17.6	33.5	87.9	667.6
Mean Rate of Fall per Hour*	1.05	0.95	0.85	1.49	2.35	1.74	1.56	1.74	1.99	0.65	0.80	1.23	1.18

*See Note above.

(44,285). Wt.21,958—218. 250. 10/19. Gp.132. A.&E.W.

8L ✓

50

REGIS

KEW BRIDGE

LOND / MIDDX

1911–20

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Kew Brid

in the County of ~~E Surre~~

by Met Water Boar

in.

ound 3 ft. in.

Level 36·7 ft.

me

tance Direction

IMPORTANT NOTE.—Ra he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·65									1
2	·14			·34	·21						·22	·10	2
3	·04				·15						·10	·11	3
4	·01	·03	·06	·06					·01	·03	·21	·18	4
5				·06						·20	·01	·19	5
6	·29		·13									·25	6
7	·06									·09	·30	·23	7
8	·15		·17								·19	·25	8
9	·13		·03	·03								·02	9
10		·12	·10	·02							·12	·48	10
11	·30				·02						·60		11
12	·04		·55		·40				·04		·31		12
13			·09		·10				·47	·24	·02	·28	13
14		·08			·21							·35	14
15		·06	·10							·02	·03		15
16						·49					·36	·02	16
17			·01			·03					·41	·19	17
18		·19	·02			·28					·50	·20	18
19						·21		·14	·26	·04	·18	·09	19
20								·10	·06	·05		·49	20
21	·01	·13						·27	·05	·50		·07	21
22	·09		·09			·02				·12		·37	22
23		·08	·10			·70			·25		·02	·10	23
24		·14	·02			·06				1·24		·20	24
25		·03	·05	·08		·21	·82	·05	·01	·04		·01	25
26			·01	·23	·02	·07	·09			·12	·02	·31	26
27		·45	·08	·06			·05		·15		·01	·14	27
28		·17		·30				·11				·01	28
29				·10		·21	·10		·15	·30			29
30					·05			·02	·01	·18			30
31					·61								31
Total	1·27	1·48	1·61	1·93	1·77	2·28	1·06	·69	1·46	3·17	3·61	4·64	TOTAL for year 24·97
No. of Rain Days	12	11	16	11	9	10	4	6	11	14	18	24	146

9,000, IX. '10.

82 ✓

50

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 19

Kept at Kew Bridge

in the County of ~~E. Surrey~~ middlesex 1.

by Met. Water Board

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 36½ ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·65									1
2	·14			·34	·21						·22	·10	2
3	·04				·15						·10	·11	3
4	·01	·03	·06	·06					·01	·03	·21	·18	4
5				·06						·20	·01	·19	5
6	·29		·13									·25	6
7	·06									·09	·30	·23	7
8	·15		·17								·19	·25	8
9	·13		·03	·03								·02	9
10		·12	·10	·02							·12	·48	10
11	·30	—			·02						·60		11
12	·04		·55		·40				·04		·31		12
13			·09		·10				·47	·24	·02	·28	13
14		·08			·21							·35	14
15		·06	·10							·02	·03		15
16						·49					·36	·02	16
17			·01			·03					·41	·19	17
18		·19	·02			·28					·50	·20	18
19						·21		·14	·26	·04	·18	·09	19
20								·10	·06	·05		·49	20
21	·01	·13						·27	·05	·50		·07	21
22	·09		·09	—		·02				·12		·37	22
23		·08	·10			·70			·25		·02	·10	23
24		·14	·02	—		·06				1·24		·20	24
25		·03	·05	·08		·21	·82	·05	·01	·04		·01	25
26			·01	·23	·02	·07	·09	—		·12	·02	·31	26
27		·45	·08	·06			·05		·15		·01	·14	27
28		·17		·30				·11				·01	28
29				·10		·21	·10		·15	·30			29
30					·05			·02	·01	·18			30
31					·61								31
Total	1·27	1·48	1·61	1·93	1·77	2·28	1·06	·69	1·46	3·17	3·61	4·64	TOTAL for year 24·97
No. of Rain Days	12	11	16	11	9	10	4	6	11	14	18	24	146

9,000, IX. '10.

126

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Kew Bridge

in the County of Middlesex

by H. F. Rutter

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.11	.02		.08	.20		.07	.33		.21	1
2			.20			.06	.33	.05		.03			2
3		.03	.10			.19	.01	.30			.02	.12	3
4	.28		.54		.14	.25		.01			.18		4
5	.17	.04	.03					.34			.05		5
6	.49	.02				.08		.12	.03			.03	6
7					.08	.75	.04	.35				.03	7
8	.31	.26	.18			.08		.22					8
9		.11	.02	.08		.20	.02	.08				.21	9
10	.02	.05				.04		.59	.01		.08	.25	10
11	.04	.25				.02		.03	.01			.17	11
12	.08	.07	.10		.17	.12	.02			.05	.08		12
13	.01							.26			.07	.04	13
14					.03			.11		.04	.01	.03	14
15		.03	.11		.29	.58		.04			.02	.28	15
16	.35		.04		.05	.03		.07		.05	.10		16
17	.54		.26			.05		.10				.01	17
18	.06		.18					.12		.02	.03	.10	18
19	.05	.05	.09				.15	.51			.02		19
20	.02		.10					.14		.41			20
21		.04	.20		.03			.23		.09	.08		21
22	.19	.17	.06		.03		.08	.16		.01		.05	22
23	.26	.38	.34					.45		.05	.16	.15	23
24	.43	.03				.16	.01	.28				.14	24
25	.33					.22		.74		.02	.29	.46	25
26		.02					.02	.40		.35	.32	.31	26
27						.04				.18		.21	27
28		.05				.05	.22	.06	.05	.37	.39	.09	28
29		.02	.01			.15	.33	.27	1.04	.32	.08		29
30					.52				1.11	.14			30
31			.36				.14	.13		.04			31
Total	3.63	1.62	3.03	.10	1.34	3.15	1.57	6.16	2.32	2.50	1.98	2.89	TOTAL for year 30.29
No. of Rain Days.	17	17	19	2	9	19	13	27	7	17	17	19	183

82 129

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Kew Bridge

in the County of Middlesex 1

by H. F. Rutter. M. W. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·30	·05	·12					·27		·07	·13	1
2	·10	·17					·06		·10	·13	·05		2
3			·06	·21	·42							·05	3
4	·21			·01	·35		·10			·13	·03	·11	4
5	·17					·05	·15		·35	·05		·04	5
6		·03	·12		·08	·08	·21			·21	·07	·13	6
7		·11			·03	·03	·04	·27		·45	·06	·01	7
8		·02		·02	·08	·13				·20	·01		8
9		·15			·03		·02		·05		·04	·02	9
10	·01		·12	·08			·20	·02			·35		10
11	·41	·01		·54	·08					·56	·10		11
12					·08						·43		12
13	·09	·01	·05					·02	·15		·25		13
14	·04	·02	·11	·09			·77	·08		·15	·05	·01	14
15	·21	·06	·27	·30			·21		·09				15
16	·10		·36	·16					·30				16
17	·07		·08	·08			·16				·01		17
18			·05	·19					·01		·09		18
19	·17		·07	·01		·04	·14		·33				19
20	·13		·20	·03		·19				·42	·03		20
21	·01		·22	·10			·05			·18	·83		21
22	·45	·02	·11	·08					·20				22
23						·01		·17	·03			·35	23
24				·08				·07			·01		24
25				·18									25
26		·01	·20	·10				·07		·79		·19	26
27			·02	·06	·09					·03			27
28	·25		·16	·08						·09		·01	28
29	·07		·05	·47	·73			·07		·05			29
30	·21			·07				·13		·07			30
31			·03					·74		·05			31
Total	2·73 ✓	·91	2·33 ✓	3·06 ✓	1·97 ✓	·53 ✓	2·11 ✓	1·64 ✓	1·88 ✓	3·56 ✓	2·48 ✓	1·05 ✓	YEAR'S TOTAL 24·25
Rain Days.	18	12	19	22	10	7	12	10	11	16	17	11	165

W. 7,500, XI. 12

8L

ex LN148.

117

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Kew Bridge

in the County of Middlesex

by H. F. Rutter M. W. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05					·17			·02	·05	1
2							·15	·07			·04	·20	2
3			·05		·13		·08				·04		3
4	·07		·02	·12				·03			·30	·24	4
5	·05		·07	·15	·08	·04	·30	·75					5
6		·14		·10		·18	·02	·02			·08	·08	6
7		·16	·20	·13	·84	·11	·07	·01				·06	7
8	·07	·34	·71	·02	·03	·10	·07	·10				·01	8
9	·16		·49	·21		·49			·21			1·43	9
10		·11	·11	·04	·04				·17		·01	·03	10
11		·24	·39			·07			·14		·26	·20	11
12		·05	·10				·21		·19		·02	·37	12
13		·15	·13						·11	·06	·05	·52	13
14		·06	·25			·55	·08			·14	·03	·37	14
15	·06		·13				·15	·20		·01	·30	·04	15
16			·02						·03				16
17		·27	·08									·12	17
18		·03	·17									·26	18
19		·03	·22				·14				·30	·30	19
20		·19	·25			·01			·10			·13	20
21		·50	·07			·09		·03				·03	21
22			·02		·31	·19	·15			·25			22
23		·02	·17		·13	·02	·08			·10			23
24			·04				·04			·02	·12		24
25	·04		·06				·01	·13		·25		·10	25
26			·04				·05	·04		·06	·15	·47	26
27	·05										·04	·23	27
28		·04			·02					·04	·35	1·02	28
29	·03		·09							·20	·13		29
30			·03							·03	·73	·21	30
31					·22		·02					·05	31
Total	·53	2·33	3·96	·77	1·80	1·85	1·62	1·55	·95	1·16	2·97	6·52	YEAR'S TOTAL 26·01
Rain Days.	8	15	26	7	9	11	16	11	7	11	18	24	163

W.7,000, XI. 13

82

921
H2

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Kew Bridge

in the County of Middlesex 1

by Met: Water Board, H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.46	.14	.04		.02				.08	.03	.21	.59	1
2	.45	.15	.23	.13		.02		.62	.01	.03		.06	2
3	.38		.09	.13				.23				.42	3
4	.02							.05				.27	4
5	.04	.33		.02						.03		.27	5
6	.30	.02	.01	.22	1.11		1.07	.03				.57	6
7	.49	.20	.02				.22	.01				.19	7
8	.14	.46	.01	.08			.11	.02					8
9		.12		.12		.06		.05		.03	.36	.60	9
10	.20							.24				.12	10
11	.12		.03					.04			.64	.04	11
12	.07	.02		.31	.46			.27			.31	.02	12
13		.37			1.25			.80					13
14		.03					.66	.07	.06			.39	14
15	.08	.05			.05			.08			.18	.09	15
16		.26					.59	.08				.03	16
17		.32			.87		.03	.42					17
18		.25	.03		.13						.02		18
19		.09			.03		.09			.02			19
20	.37			.02								.17	20
21	.15									.01		.04	21
22	.95	.05	.18	.08			.91					.10	22
23	.02	.12	.04				.23		.16	.51		.27	23
24				.01		.01	.06		.41	.25		.33	24
25				.08			.20			.02		.15	25
26		.07				.20	.08					.47	26
27						.17	.14			.28		.08	27
28		.04				.06			1.23	.08			28
29			.05					.16			.12	.01	29
30	.03	×				.01				.05	.16	.01	30
31		×		×		×			×	.70	×	.19	31
Total	4.27	3.09	.73	1.20	3.92	.53	4.39	3.17	1.95	2.04	2.00	5.48	YEAR'S TOTAL 32.77
Rain Days.	17	19	11	11	8	7	13	16	6	13	8	25	154

W. 8,000. X. 14.

DL [illegible] DL

895
~~109~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Kew Bridge
in the County of Middlesex
by H. F. Rutter, Met. Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·01		·30				·28	·13	·41		1
2	~~·24~~ ·40	·03	·09		·21				·15	·34	·01		2
3		·38	·12				·03		·26	·28	·55		3
4	·16	·09		·02		·19	·01		·14	·01	·40		4
5	·01				·11	·08	·01			·05	·46	·02	5
6		·09	·21	·19	·03	·02	·35			·02	·35		6
7			·37		·12	·13	·10			·01	·52	·08	7
8			·08		·22	·08						·16	8
9					·19	·01				·07		·06	9
10		·20	·05	·05		·50	·07					·12	10
11	·05	·10	·02	·13		·35					·01	·03	11
12	·03	·02	·02	·04	·34	·15	·02	·07	·01	·08			12
13		·26	·31	·07		·05	·10	·15	·02	·02			13
14		·34			·09			·65		·05		·09	14
15		·20	·21	·15			·11	·19					15
16	·02	·02	·24	·02			·15	·41					16
17	·09	·10		·34			·02	·03	·25	·51			17
18		·08	·04	·14				·45	·27	·21	·65		18
19	·08	·03	·18					·01	·07		·58	·05	19
20	·14		·16								·02	·37	20
21	·02		·37				·21				·01	·28	21
22	·01	·02	·05							·02		·38	22
23	·04	·14				·05		·02		·07	·03	·08	23
24		·09			·07	·01		·03		·15	·04	·31	24
25		·42	·20					·38		·05	·10		25
26		·24	·03			·05		·93		·09			26
27	·03		1·01			·07		·65	·07	·50			27
28		·35	·31					·04	·02			·16	28
29		·05				·30		·95	·04	·31		·11	29
30		✕			·02			·07		·45			30
31		✕		✕		✕		·07	✕	·15	✕	·02	31
Total	1·11 ✓	3·25	4·08	1·15	1·70	2·04	1·18	5·10	1·58	3·57	4·14	2·32	YEAR'S TOTAL 31·22 ✓
Rain Days.	14	21	21	10	11	15	12	17	12	22	15	16	186

W. 8,000. X. 15.

Jl

Exd

862
~~102~~

FORM A.
BRITISH RAINFALL.

26 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Kew Bridge

in the County of Middlesex

by M. W. B. H. F. Rutter

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·02	·22				·91	·03		·05		1
2				·34				·06			·15		2
3	·01			·07		·03		·22		·28	·08		3
4		·10	·10				·02	·08		·31			4
5	·27		·03	·32			·33		·42	·15	·10		5
6			·07	·03					·23	·02	·06	·01	6
7	·18					·02	·07			·20		·03	7
8	·13			·10			·90	·36	·03	·21	·15	·34	8
9	·05		·03	·05			·05	·15	·03		·07	·15	9
10	·16		·07	·20				·03			·02	·03	10
11	·15		·42	·24					·58	·21			11
12	·06		·03	·07				·09		·42			12
13	·03		·17	·03				·08	·04			·02	13
14	·01			·10				·15					14
15	·02						·04			·03			15
16	·05	·20		·19	·14	1·25	·09			·42		·30	16
17		·01		·09	·62		·30	·09	·39	·27			17
18	·02	·06		·06	·06	·73	·09	·02	·16	·10			18
19	·01	·12	·07		·20	·03			·20				19
20	·02	·16	·04		·62		·10	·02			·06		20
21	·01		·02	·02	·01	·03				·02	·02		21
22			·10					·09		·07			22
23		·13	·02		·10			·07		·08		·03	23
24		·05				·08		·02		·17	·06	·08	24
25		·01	·05							·01	·08		25
26			·04					·17	·05		·41	·01	26
27						·03		·72				·01	27
28			·02			1·28		·14				·04	28
29			·07		·46	·08	·44	·02		·26		·13	29
30	·01	X	·36				1·71	·07		·02		·03	30
31	·03	X	·05	X		X	·45	·05	X		X	·01	31
Total	1·22	·85	1·78	2·13	2·21	3·56	4·59	3·61	2·16	3·25	1·31	1·22	YEAR'S TOTAL 27·89
Rain Days.	18	10	20	16	8	10	13	22	11	19	13	15	175

W. 8,000, VIII. 16

81 Exp 81 ~~100~~ 11

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 27. 1. 19

Kept at Kew

in the County of Middlesex

by M. W. B. H. F. Rutter

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.09							.16	.05	1
2	.01	.07		.03					.01	.02	.14	.11	2
3		.01	.03	.02	.58			.41			.56	.03	3
4		.06	.14					.23	.31	.02	.45		4
5		.04			.09			.06	.21	.09			5
6	.20	.16		.31	.15			.06				.08	6
7	.02	.15		.12	.19			.01	.34	.20	.07		7
8		.04						.01	.10	.05	.08	.02	8
9	.02	.07				.10			.38	.09		.25	9
10	.02			.06			.34		.03	.02	.03	.44	10
11	.01			.13	.05		.68		.06	.20	.11	.12	11
12		.05		.03	.20		.59		.02			.02	12
13	.02	.05			.20		.09		.22				13
14	.15	.06	.03			.30	.19		.45	.15		.23	14
15	1.08	.01		.75			.02		.02			.04	15
16	.20			.25		.09	.05		.21	.01		.02	16
17	.23			.18		.05		.06				.14	17
18	.54					.25	.17		1.40	.31		.04	18
19	.05		.03	.05		.18	.03		.07	.05		.05	19
20	.04	.12		.53		.02	.36	.01	.14	.13		.03	20
21	.10	.01		.50			.07		.48	.02		.07	21
22	.07				.17		.04		.19			.20	22
23	.03			.02	.22		.23		.05			.02	23
24		.23				.01	.34		.05		.06		24
25							.48	.04			.02		25
26							.47	.12	.06	.06	.22	.13	26
27		.02					.41	.05			.10	.02	27
28		.04	.26	.06		.01		.15			.15	.17	28
29			.02	.02				.03	1.05				29
30		✕	.48						.05		.05	.11	30
31		✕		✕		✕		.17	✕	.06	✕		31
Total	2.79	1.19	.99	3.15	1.85	1.01	4.56	1.41	5.90	1.48	2.20	2.33	YEAR'S TOTAL 28.86
Rain Days.	17	17	7	17	9	9	17	14	23	16	14	23	183

W. 8,000, VIII. 16

Dl Ex Dl 811

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Kew Bridge
in the County of Middlesex
by M. W. B. H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·04	–	·05	·04		·30			·02	·04	·96	1
2	·42				·09		·13		·29	·08	·09	·15	2
3	·23		·31		·01		·11		·10		·04	·42	3
4	·09		·40			·05	·15		·12		·01	·18	4
5		·35	·36				·10		·16		·02	·26	5
6	·05		·06									·04	6
7	·02		·34								·02		7
8	·05		·05	·03									8
9	·20			·04	·03						·01		9
10	·69		·06								·02	·04	10
11	·02		·06	·24			·32					·02	11
12			·07	·03		·05	·14			·09	·02		12
13	·02			·25			·01			·05			13
14	·24			·23			·09		·47			·01	14
15	·25	·06	·13	·10								·44	15
16	·04	·55									·15	·05	16
17	·02	·30									·15	·02	17
18		·30	·07						·04		·14	·06	18
19	·03	·15	·84			·30	·45	·20	·02		·05		19
20	·26	·07	·13			·86	·21	·14			·01		20
21	·21	·27	·01				·06					·02	21
22		·09					·12		·12		·02	·31	22
23						·09			·03		·03	·03	23
24				·18		·03	·10	·06		·15	·04	·03	24
25	·03	·01						·17				·01	25
26	·08	·21	·11	·07				·13	·14			·29	26
27	·50	·01		1·25				·45			·01	·06	27
28			·21	·03				·65			·02	·31	28
29	·04			·08				·25		·19	·04	·03	29
30		X		·27		·16		·17		·02	·19	·28	30
31		X		X		X	·01		X		X	·02	31
Total	3·79	2·41	3·21	2·85	·17	1·54	2·30	2·22	1·49	·60	1·12	4·04	YEAR'S TOTAL 25·74
Rain Days.	22	13	16	14	4	7	15	9	10	7	21	24	162

W, 6,500, VII. 18. W W C

Ex ML

766

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kew Bridge

in the County of Middlesex

by Metropolitan Water Board. W. D.

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Kew Bridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	Nil	·26	·04	Nil	·28	Nil	Nil	·70	Nil	·20	1
2	Nil	Nil	·04	Nil	Nil	Nil	·01	·76	·06	·02	Nil	·09	2
3	Nil	·06	Nil	·05	Nil	Nil	Nil	Nil	·09	Nil	Nil	·05	3
4	Nil	·02	Nil	·04	Nil	Nil	·44	·04	Nil	·09	Nil	·05	4
5	·03	Nil	·11	Nil	·03	Nil	·62	Nil	·01	Nil	Nil	·04	5
6	Nil	Nil	·18	Nil	·14	Nil	·43	Nil	Nil	Nil	Nil	·03	6
7	·01	Nil	Nil	·22	·02	Nil	·21	Nil	Nil	Nil	Nil	Nil	7
8	Nil	·06	Nil	·10	·15	Nil	·09	Nil	Nil	Nil	Nil	Nil	8
9	·31	Nil	Nil	·05	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	9
10	·50	·02	·04	Nil	Nil	·10	·07	Nil	Nil	Nil	Nil	·01	10
11	·19	Nil	·08	·12	·03	·04	·27	Nil	Nil	Nil	Nil	·14	11
12	·08	Nil	·01	·10	Nil	·90	Nil	Nil	Nil	Nil	Nil	Nil	12
13	·20	Nil	·43	·18	Nil	~~·15~~ Nil	Nil	Nil	Nil	·03	·08	Nil	13
14	Nil	Nil	·26	·23	Nil	·15	Nil	Nil	·16	·46	·18	·03	14
15	·01	·04	·10	·23	Nil	Nil	·05	Nil	·66	·19	·13	Nil	15
16	Nil	Nil	Nil	·22	Nil	·05	Nil	Nil	·11	·20	Nil	Nil	16
17	·01	Nil	Nil	Nil	·14	~~[illegible]~~	Nil	Nil	·38	·06	Nil	·02	17
18	·01	Nil	Nil	·01	Nil	Nil	Nil	·72	·11	Nil	Nil	·02	18
19	·11	Nil	Nil	·29	Nil	·07	Nil	Nil	Nil	Nil	Nil,	·02	19
20	·05	Nil	Nil	·26	Nil	·57	Nil	Nil	·14	Nil	Nil	·01	20
21	Nil	·10	Nil	·01	Nil	Nil	·88	·03	·44	Nil	Nil	·04	21
22	Nil	Nil	Nil	·33	Nil	Nil	Nil	Nil	·3	Nil	Nil	·36	22
23	Nil	Nil	Nil	Nil	Nil	Nil	·37	·03	Nil	Nil	Nil	·40	23
24	·01	Nil	·06	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·03	24
25	~~·03~~ Nil	·03	·03	Nil	Nil	Nil	·16	Nil	Nil	Nil	Nil	Nil	25
26	·03	Nil	·08	Nil	2·45	Nil	·12	Nil	Nil	Nil	Nil	·02	26
27	·16	·03	Nil	·25	Nil	·12	·07	Nil	Nil	Nil	·55	·10	27
28	·35	Nil	·05	·10	·04	·01	·15	Nil	Nil	Nil	Nil	·02	28
29	·26	Nil	·05	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·04	·17	29
30	·01		Nil	Nil	·13	Nil	·32	Nil	·38	Nil	·16	·13	30
31	Nil		Nil		Nil		Nil	Nil		·25		·08	31
TOTAL	~~2·33~~ 2·34	·36	1·22	~~3·63~~ 3·07	~~3·40~~ 3·17	~~2·17~~ 2·01	4·48	1·58	2·57	1·99	1·14	2·06	YEAR'S TOTAL 25·99
Days with ·01 in. or more	~~18~~ 19	8	14	19	10	~~9~~ 8	17	5	12	9	6	23	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2.34 .36 1.22 3.07 3.17 2.01 4.48 1.58 2.57 1.99 1.14 2.06 = 25.99

LEWIS~~HAM~~

LONDON

1911 - 1920

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

R

Kept at Lewisham ... ated Snowdon

... I ft.

in the County of ~~Ke~~ ... el 36 ft.

by G E Dace ... Lewisham Jnc,

½ Direction NE,

IMPORTANT NO... esult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	...	...	·70	...	...	...	·04	...	...	·01	...	1
2	·21	...	...	·22	·15	...	...	...	...	...	·18	·08	2
3	...	·03	...	...	·14	...	...	·01	...	...	·08	·09	3
4	·04	·02	·08	·08	...	...	...	...	·02	·08	·16	·18	4
5	·02	·02	...	·02	...	...	...	...	...	·21	·03	·15	5
6	·17	...	·24	·01	...	...	...	...	...	...	...	·20	6
7	·04	...	·02	·02	...	...	...	...	...	·10	·31	·10	7
8	·12	...	·11	...	...	...	...	...	...	...	·27	·25	8
9	·17	...	·03	·03	...	...	...	...	...	...	·02	·05	9
10	·02	·11	·03	...	...	...	...	...	...	...	·05	·46	10
11	·34	...	...	...	...	...	...	...	...	...	·67	...	11
12	·05	...	·47	...	·22	·06	...	...	·03	...	·23	·01	12
13	...	·09	·06	...	·14	...	...	...	·31	·30	·02	·13	13
14	...	·05	·01	...	·15	...	...	...	...	...	...	·42	14
15	...	...	·25	...	...	...	...	...	...	·04	·03	·02	15
16	...	...	...	...	...	·56	...	...	...	...	·41	·02	16
17	...	·22	·01	...	...	...	...	...	...	·01	·27	·10	17
18	...	·22	·03	...	...	·02	...	...	...	...	·47	·21	18
19	...	...	...	...	·02	·12	...	·70	·20	·17	·20	·09	19
20	·01	·02	·02	...	...	·02	...	·14	·01	·08	...	·57	20
21	...	·12	...	...	...	...	...	·45	·12	·58	...	·07	21
22	·05	...	·10	...	...	·01	...	...	...	·04	...	·39	22
23	...	·09	·04	...	...	·83	...	...	·28	...	·03	·09	23
24	...	·12	...	...	...	·03	·05	·01	...	1·45	...	·23	24
25	...	·02	·01	·06	...	·14	·02	·09	·01	·06	...	·02	25
26	...	·01	·12	·20	·09	·23	...	...	...	·10	·03	·28	26
27	...	·32	·08	·04	...	...	...	...	·18	·03	·05	·05	27
28	...	·10	...	·17	...	...	·03	·20	...	...	·04	...	28
29	...		...	·15	...	·20	·20	...	·13	·22	·01	·01	29
30	...		...	·02	·01	·02	...	·23	·02	·18	...	...	30
31	...		...		1·25		...	...		...		...	31
Total	1·29	1·34	1·71	1·72	2·17	2·24	·30	1·87	1·31	3·65	3·57	4·27 4·29	TOTAL for year 25·[illegible]
No. of Rain Days	13	15	18	13	9	12	4	9	11	16	22	26	152

9,000, IX. '10.

R

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Lewisham.

in the County of ~~Kent~~ London 1.

by G. E. Dacey,

Rain Gauge
Pattern ~~[illegible]~~ [illegible]ated Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 36 ft.

Time of Observation 9. am

Nearest Railway Station
Name Lewisham Junc.
Distance ½ Direction NE,

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	...	...	·70	...	...	...	·04	...	...	·01	...	1
2	·21	...	...	·22	·15	...	...	...	...	...	·18	·08	2
3	...	·03	...	...	·14	...	...	·01	...	...	·08	·09	3
4	·04	·02	·08	·08	...	...	...	...	·02	·08	·16	·18	4
5	·02	·02	...	·02	...	...	...	...	...	·21	·03	·15	5
6	·17	...	·24	·01	...	...	...	...	...	...	...	·20	6
7	·04	...	·02	·02	...	...	...	...	...	·10	·31	·10	7
8	·12	...	·11	...	...	...	...	...	...	...	·27	·25	8
9	·17	...	·03	·03	...	...	...	...	...	...	·02	·05	9
10	·02	·11	·03	...	...	...	...	...	...	...	·05	·46	10
11	·34	...	...	...	...	...	...	...	...	...	·69	...	11
12	·05	...	·49	...	·22	·06	...	...	·03	...	·23	·01	12
13	...	·09	·06	...	·14	...	...	...	·31	·30	·02	·13	13
14	...	·05	·01	...	·15	...	...	...	...	...	...	·42	14
15	...	...	·25	...	...	...	...	...	...	·04	·03	·02	15
16	...	...	...	...	...	·56	...	...	...	...	·41	·02	16
17	...	~~·22~~	·01	...	...	...	...	...	...	·01	·27	·10	17
18	...	·22	·03	...	...	·02	...	...	...	...	·47	·21	18
19	...	...	...	...	·02	·12	...	·70	·20	·17	·20	·09	19
20	·01	·02	·02	...	...	·02	...	·14	·01	·08	...	·57	20
21	...	·12	...	...	...	...	...	·45	·12	·58	...	·07	21
22	·05	...	·10	...	...	·01	...	...	...	·04	...	·39	22
23	...	·09	·04	...	...	·83	...	...	·28	...	·03	·09	23
24	...	·12	...	...	...	·03	·05	·01	...	1·45	...	·23	24
25	...	·02	·01	·06	...	·14	·02	·09	·01	·06	...	·02	25
26	...	·01	·12	·20	·09	·23	...	...	...	·10	·03	·28	26
27	...	·32	·08	·04	...	...	...	...	·18	·03	·05	·05	27
28	...	·10	...	·17	...	...	·03	·20	...	...	·04	...	28
29	...		...	·15	...	·20	·20	...	·13	·22	·01	·01	29
30	...		...	·02	·01	·02	...	·23	·02	·18	...	...	30
31	...		...		1·25		...	...		...		...	31
Total	1·29	1·34	1·71	1·72	2·17	2·24	·30	1·87	1·31	3·65	3·57	~~4·29~~ 4·27	TOTAL for year 25·15
No. of Rain Days	13	15	18	13	9	12	4	9	11	16	22	26	152

9,000, IX. '10.

DL ✓

~~W.~~ S. C. cod for auth 31-1-13

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lewisham

in the County of Thames, Right Bank

by G. E. Dacey

RAIN GAUGE	Pattern
	Diameter of top ___ in.
	Height of top above Ground ___ ft. ___ in.
	„ „ „ Sea Level ___ ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ___ Direction ___

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·15	·18		·09	·33		·16	1
2			·28			·01	·31	·03	·02	·04			2
3	·05	·06	·08			·06	·02	·35				·05	3
4	·23		·56		·18	·16		·03			·11	·01	4
5	·15	·03	·05					·24			·06		5
6	·45	·06	·02		·01	·01		·10				·08	6
7			·01		·06	·62	·08	·25					7
8	·25	·28	·12			·05	·03	·18					8
9		·06	·01	·03		·23	·02	·03			·01	·15	9
10		·04						·17	·01		·10	·27	10
11	·03	·32				·04		·04	·02	·01	·01	·16	11
12		·08	·12		·16	·17				·01	·01	·02	12
13	·02	·04						·03			·12		13
14					·02			·10		·07		·03	14
15	·01	·02	·12		·40	·61		·02			·05	·40	15
16	·28	·01	·02		·01	·03		·06		·05	·05		16
17	·46		·23			·03		·05			·01	·02	17
18	·05		·12					·06		·03	·03	·09	18
19	·12	·08	·13				·02	·38				·01	19
20	·02	·01	·21					·06		·43			20
21		·05	·13		·14			·17		·08	·04		21
22	·15	·15	·06		·02		·17	·12			·01	·05	22
23	·42	·38	·31		·01			·33		·05	·16	·15	23
24	·28	·02	·02			·18	·01	·18				·14	24
25	·15					·14		·81			·24	·48	25
26		·02						·34		·30	·32	·26	26
27						·01				·12		·13	27
28		·10		·02		·03	·10	·03	·03	·21	·38	·10	28
29		·02				·04	·18	·11	·84	·15	·04		29
30					·26	·03	·02	·03	1·22	·09			30
31	·02		·08		·01		·11	·11					31
Total	~~3·94~~ 3·14	1·83	2·77	·05	1·28	2·60	1·25	4·41	2·23	1·97 1·97	1·75	2·76	TOTAL for year 26·04
No. of Rain Days.	17	20	21	2	12	19	13	28	7	15	18	20	192

W. 8,000, X. '11.

Dl ✓ cod fr antts 5.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

L1

Kept at Lewisham

in the County of London 1

by G. E. Dady Dacey

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge — in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·24	·01	·13					·16	·01	·03	·10	1
2	·05	·16					·07		·03	·05	·10	·01	2
3	·01		·02	·20	·28							·06	3
4	·13			·04	·26		·15			·29	·01	·06	4
5	·34					·10	·16		·27	·02	·02	·05	5
6	·02	·02	·12		·04	·05	·37		·01	·15	·22	·06	6
7		·07			·02		·16	·14		·41	·06		7
8		·02	·05		·11	·12				·08	·02		8
9		·10		·01	·05				·09		·03	·02	9
10	·01		·14	·15			·75	·03			·62		10
11	·21			·40	·03					·69	·17		11
12					·03					·01	·26		12
13	·06		·05					·06			·32		13
14	·04		·07	·07			·12	·05	·02	·11	·08		14
15	·37	·07	·29	·11			·17		·11				15
16	·16		·33	·10			·01		·36				16
17	·04	·04	·07	·10			·09						17
18			·09	·15							·02		18
19	·14		·10	·02	·01	·04	·19		·09				19
20	·19		·42	·02		·08				·53	·02		20
21	·01	·01	·11	·07			·08			·23	·65		21
22	·40		·22	·02				·04	·13				22
23			·03			·04		·32	·02			·32	23
24	·01		·03	·02		·02		·01			·02		24
25		·04	·01	·23		·01							25
26		·03	·18	·03			·01	·28		·82		·19	26
27			·03	·10	·03					·06			27
28	·26		·18	·10						·15		·01	28
29	·05		·03	·31	·40			·22		·03			29
30	·23			·14				·24		·10			30
31			·01					·77		·16			31
Total	2·74 ~~2·94~~	·80	2·59	2·52 ~~2·72~~	1·26 126	·46	2·33	2·16	1·29	3·89	2·65	·88	YEAR'S TOTAL 23·57
Rain Days.	21	11	23	22	11	8	13	11	11	18	17	10	176

W. 7,500, XI. ·12

81

Referred 14.II.15

Cont fr audit. Confirmed by Obr. 20.II.15

12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Lewisham

in the County of London R. Bank

by ~~W. W. B.~~ G. E. Dacey

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01				·02	·19			·01	·01	1
2	·01						·10	·07			·10	·31	2
3			·12	·05	·09		·03						3
4	·03		·01	·10				·03			·24	·19	4
5	·06		·06	·20	·20	·03	·38	·24			·01		5
6		·09	·01	·13		·22	·01	·03			·08	·07	6
7		·15	·18	·20	·38	·14	·07					·05	7
8	·06	·27	·67	·05	·08	·07	·15	·06	·01			·02	8
9	·18		·72	·06		·03			·08			1·20	9
10	·02	·03	·05	·04	·05				·07			·01	10
11		·36	·29			·07			·19		·29	·44	11
12	·01	·04	·09				·07		·16	·01	·04	·44	12
13	·02	·15	·08						·11	·05	·09	·46	13
14		·04	·15			·73	·20			·15	·03	·47	14
15	·03	·01	·15				·18	·02		·01	·59	·05	15
16			·02				·01		·01				16
17		·26	·07						·02			·08	17
18		·08	·10									·26	18
19		·02	·21			·08	·04		·03		·21	·28	19
20		·10	·35			·09			·08			·03	20
21		·60	·08									·06	21
22		·03	·02	·03	·29	·04	·16	·02		·05			22
23			·06		·07	·15	·10			·07		·03	23
24			·02	·01						·04	·11		24
25	·02		·21				·02	·09		·22		·04	25
26	·02		·03				·03	·16		·06	·13	·41	26
27	·03		·02					·03			·04	·08	27
28		·01								·02	·35	·95	28
29	·02		·05							·27	·08		29
30			·04							·03	·32	·07	30
31					·23		·02					·03	31
Total	·51	2·24	3·87	·87	1·39	1·65	1·59	·94	·76	·98 ·98	2·72 2·72	6·04 6·04	YEAR'S TOTAL 23·56
Rain Days.	13	16	28	10	8	11	17	11	10	12	17	25	178

W.7,000, XI. 13

8L

cnd pr ault 21.11.15

32
14

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Lewisham W. 88

in the County of London Thames R. Bank

by G. E. Daly

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·10	·02		·04			·02	·03	·04	·38	·31	1
2	·17	·14	·19	·13	·01	·01		·50		·06		·09	2
3	·35		·05	·19	·01			·45	·01			·49	3
4	·07	·29						·14		·04		·21	4
5	·05	·03										·23	5
6	·35	·21		·27			·37					·16	6
7	·20	·37	·02				·06	·03				·15	7
8	·15	·02	·01	·06			·16	·22					8
9				·10		·05		·13		·04	·30	·70	9
10	·20		·02			·01		·64				·19	10
11	·04		·02								·65	·02	11
12	·06	·03		·31	·40			·11		·01	·34	·01	12
13	·01	·45			1·37			·12					13
14		·07					·21	·05	·02			·34	14
15	·08				·03		·01	·10			·23	·03	15
16	·01	·14		·01			·53	·03				·12	16
17		·21			·89		·03	·02					17
18	·01	·09	·07		·30						·06		18
19		·27					·05			·02			19
20	·28			·05						·02		·26	20
21	·20									·03		·06	21
22	1·20	·07	·15	·01			·57		·01			·09	22
23	·01	·43	·05			·07	·21		·05	·39	·01	·25	23
24		·01	·04			·01	·18		·20	·17	·01	·54	24
25			·08	·24			·25			·01		·15	25
26	·01	·04				·12	·03					·38	26
27		·01				·12	·21		·01	·25		·04	27
28		·09				·02			1·70	·30		·01	28
29			·02			·03	·01	·15		·01	·15		29
30	·03	×								·01	·33		30
31	·01	×		×		×		·01	×	·72	×	·19	31
Total	3·89	3·07	·74	1·37	3·05	·44	2·88	2·72	2·03	2·12	2·46	5·02 ~~4·92~~	YEAR'S TOTAL 29·79 ~~29·69~~
Rain Days.	22	20	13	10	8	9	15	16	8	16	10	24	171

W. 8,000. X. 14.

8l

26 ~~14~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Lewisham

in the County of London R. Bank

by G. E. Dacey.

Lat.   Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge   in.

Height of top of Gauge above Ground   ft.   in.

" " " " Sea Level   ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04				·25	·01			·21	·09	·25		1
2	·34	·05	·08		·27		·02		·10	·35	·07		2
3		·56	·18				·03		·09	·20	·50		3
4	·25	·12			·01	·16			·04	·01	·36		4
5			·01	·01	·11	·04				·04	·31		5
6		·03	·31	·37		·34	·29			·01	·25		6
7	·06		·39		·13	·25	·34				·66	·05	7
8			·03		·17							·25	8
9	·01				·20	·01	·01			·05		·16	9
10		·15	·13	·07		·45	·10		·02			·09	10
11	·04	·20	·03	·13		·18			·01			·01	11
12	·02	·02	·02	·05	·30	·14	·01	·04	·01	·05			12
13		·20	·30	·06	·07	·03	·13	·06	·02	·02			13
14		·32	·06	·02	·09			·65		·02		·12	14
15		·26	·24	·03			·04	·13				·02	15
16	·01	·04	·15	·13			·14	·04					16
17	·06	·08		·02			·03	·58	·28	·62			17
18		·07	·02	·21				·21	·03	·11	·76	·01	18
19	·06	·06	·11	·13					·07		·66	·01	19
20	·13		·32								·10	·32	20
21			·51				·02				·01	·29	21
22		·02	·09			·01				·03		·37	22
23	·02	·58	·02			·05		·01		·01	·02	·18	23
24		·08			·07	·05		·02		·10	·03	·31	24
25		·64	·13		·01			·21		·07	·06		25
26		·23	·08			·04		·40		·05			26
27	·04	·01	·76			·13		·59		·40			27
28		·40	·20			·12		·08	·06	·01		·13	28
29		·06				·22		·97	·06	·20		·16	29
30		X			1·12			·10		·21			30
31		X		X		X		·05	X	·12	X	·04	31
Total	1·08	4·18	4·17	1·23	2·80	2·23	1·16	4·14	1·00	2·77	4·04	2·52	YEAR'S TOTAL 31·~~28~~ 32
Rain Days.	13	22	23	12	13	17	12	16	13	22	14	17	194

W. 8,000. X. 15.

Dr

25
13

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Lewisham

in the County of London R. B. Thames

by G. E. Dacey

Lat. Long.

Time of Observation

26. JAN 1918

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·13				1·38	·01		·03	·01	1
2		·01		·38		·01		·07			·16		2
3	·01			·08			·02	·40		·17	·32		3
4		·13	·10				·16	·27		·40			4
5	·22		·05	·26				·15	·29	·16	·05		5
6			·04	·04		·06			·21	·02	·13		6
7	·11						·13			·24		·01	7
8	·09		·01	·08			·88	·16	·04	·24	·18	·34	8
9	·02		·02	·10			·03	·07	·03		·04	·27	9
10	·21		·09	·10				·04				·03	10
11	·08	·01	·61	·12					·28	·20			11
12	·08	·01	·02	·08				·08		·43	·01	·01	12
13	·05		·18	·08				·03	·02	·07			13
14	·02		·01	·12				·08					14
15	·07			·01			·30	·26		·01		·01	15
16	·03	·19		·08	·24		·32			·20		·36	16
17		·01		·08	·57		·24	·05	·32	·09			17
18	·03	·04		·12	·05	·01	·18	·26	·14	·04			18
19	·01	·13	·15		·45	·08			·15				19
20	·03	·22	·03		·60		·02		·01		·06		20
21	·01	·02	·02	·02	·02	·01					·02		21
22			·03					·11		·08			22
23	·02	·12	·01		·14			·05		·02		·01	23
24	·01	·01				·14	·02	·02		·12	·07	·02	24
25			·04			·01				·01	·06		25
26			·05					·26	·03	·01	·58	·01	26
27			·04					·66				·02	27
28		·01	·01			1·80		·03				·07	28
29			·01		·55	·13	·17	·02		·21		·21	29
30	·01	X	·29				1·87	·06		·03		·04	30
31	·07	X	·08	X		X	·56		X		X	·04	31
Total	1·18	·92	1·89	1·88	2·62	2·25	4·90	4·51	1·53	2·75	1·71	1·46	YEAR'S TOTAL 27·60
Rain Days.	20	14	22	17	8	9	14	22	12	20	13	16	187

W. 8,000, VIII. 16

Dl

~~H~~ Dl [illegible]

21
~~13~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27 · 1 19

Kept at Lewisham

in the County of London, Thames R. B.

by G. E. Dacey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.03				.01			.13	.06	1
2	.01	.16	.07	.03				.35			.09	.15	2
3		.01	.15	.01	.41			.06	.01		.45	.03	3
4		.03	.01	.02	.01			.03	.33		.37	.01	4
5		.03			.15			.05	.27	.08	.01		5
6	.21	.12		.26	.25				.01			.07	6
7	.05	.10		.10	.19	.01		.01	.11	.10	.07		7
8		.07							.07	.03	.09	.02	8
9	.03	.02	.01	.05		.03	.36		.23	.09		.17	9
10	.02	.01		.15		.01	.48		.03	.08	.04	.28	10
11	.01			.03	.03		1.65		.05	.21	.12	.10	11
12		.04			.17		.10		.02	.01	.01	.01	12
13	.07	.01		.01	.09		.31		.09				13
14	.11		.01	.01		.26	.05		.18	.20		.20	14
15	1.24			.74			.31		.01			.10	15
16	.36			.29		.10	.01		.05	.01		.01	16
17	.24			.18	.06	.14	1.14	.05				.14	17
18	.47					.12	.04		.60	.31		.04	18
19	.04		.05	.08		.02	.14		.01	.13		.07	19
20	.02	.11		.56		.02	.23		.17	.17	.01	.04	20
21	.07	.01		.26		.01	.01		.51	.10			21
22	.03			.08	.53		.22		.13			.17	22
23	.03			.01	.22		.44	.08	.04			.08	23
24		.24				.05	.67		.13		.01		24
25				.23		.01	.20	.22		.01	.17		25
26					.01		.56	.15		.03	.09	.10	26
27		.01		.12			.03	.14	.13		.10	.03	27
28		.02	.20	.03				.05			.25	.13	28
29									1.12		.05		29
30		X	.49						.01	.04	.02	.12	30
31		X	.03	X		X		.19	X	.03	X	.01	31
Total	3.01	~~.96~~ .99	1.02	3.28	2.12	.78	6.95	1.39	4.31	1.63	2.08	2.14	YEAR'S TOTAL 29.70 ~~29.69~~
Rain Days.	17	16	9	22	12	12	19	13	24	17	18	24	203

W. 8,000, VIII. 16

8L

23

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at *Lewisham*

in the County of *London R. Bank*

by *G. E. Dacey.*

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·08			·01		·21			·11	·13	·88	1
2	·23	·02	·01		·08		·12		·01	·05	·07	·13	2
3	·18		·46		·02	·08	·18		·02		·04	·34	3
4	·09	·06	·45				·27				·02	·11	4
5	·03	·31	·80						·03		·01	·25	5
6	·03		·06									·04	6
7	·02		·25								·06		7
8	·11		·04	·02							·04		8
9	·17		·02	·02	·14						·04		9
10	·15		·01							·01			10
11	·03		·08	·28			·26					·01	11
12	·03		·03	·05		·02	·13			·06			12
13	·01	·01		·17					·01	·07		·03	13
14	·21	·01		·20			·06		·45				14
15	·18	·02	·03	·21						·02		·13	15
16	·04	·57		·01							·12	·06	16
17		·61	·07	·02							·16		17
18		·29	·07						·03		·09	·06	18
19	·05	·05	·31	·01		·21	·26	·22	·11		·07	·01	19
20	·09	·06	·06			·83	·38	·14	·01		·02	·01	20
21	·20	·20	·03			·14	·11				·02	·01	21
22		·14	·01			·01	·15		·18		·04	·25	22
23				·01		·01	·01	·04	·06		·01	·03	23
24				·29		·03	·04			·16	·04		24
25	·01			·01	·06			·12				·02	25
26	·07	·25	·16	·08			·15	·12	·09			·20	26
27	·32	·07	·07	1·16				·35			·01	·03	27
28			·42	·04			·04	·66			·15	·32	28
29	·06			·01		·01		·44		·30	·11	·10	29
30		×	·02	·24		·17		·19		·03	·17	·21	30
31	·07	×	·06	×		×	·02		×	·01	×	·04	31
Total	2·61	2·75	3·52	2·83	·31	1·51	2·39	2·28	1·00	·82	1·42	3·27	YEAR'S TOTAL 24·71
Rain Days.	24	16	23	18	~~6~~ 5	10	16	9	11	10	21	23	186

W, 6,500, VII. 18. w w c

15 22

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

Kept at Lewisham, Clarendon Road

in the County of London R. B. Thames

by G. E. Dacey.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·29	·01		·24	·05		·38	·01	·17	1
2			·18		·01			·48	·04	·11		·05	2
3		·09		·01		·03			·11	·01		·02	3
4		·05		·10	·01		·10	·01	·01	·07	·01	·04	4
5			·16		·04		·50	·24	·05		·01	·02	5
6			·23		·15		·22					·03	6
7			·02	·13	·04		·15					·05	7
8		·01		·20	·07		·13					·01	8
9	·29	·02		·02				·01					9
10	·47	·06	·07	·01		·06	·11				·02	·01	10
11	·17		·06	·30	·01	·01	·46					·24	11
12	·09		·01	·09		·40	·01						12
13	·22		·08	·08					·02		·03	·01	13
14		·01	·17	·14		·16	·01		·16	·03	·16	·01	14
15	·01	·02	·06	·13		·01			·92	·06	·04	·02	15
16			·01	·15	·01	·01			·20	·13			16
17	·01				·11	·12	·01		·37	·01		·03	17
18	·02			·02				1·02	·09			·07	18
19	·16			·19		·05		·02				·05	19
20	·06	·26		·07		·48			·14		·01		20
21							·63	·03	·81	·01		·01	21
22		·01		·28				·01	·15	·01		·35	22
23		·01					·30			·01	·01	·32	23
24	·01	·02	·03									·02	24
25		·01		·03			·12			·01	·01		25
26	·01		·27	·02		·01	·02			·01		·01	26
27	·09	·08	·01	·18		·26					·32	·05	27
28	·36		·19	·20	·04		·09				·02	·02	28
29	·18		·03	·01			·01				·04	·15	29
30	·03	×			·14		·20		·44		·17	·10	30
31	·01	×		×	·05	×	·01		×	·18	×	·08	31
Total	2·24	·65	1·58	~~2·63~~ 2·65	·69	1·60	3·32	1·87	3·51	1·03	·86	1·94	YEAR'S TOTAL ~~21·92~~ 21·94
Rain Days.	18	13	16	22	13	12	19	9	14	14	14	26	190
·04"	11	5	10	15	8	7	13	4	12	6	5	13	109

W. 6,500, VII. 18. W W

W.D.

REG

LEWISHAM

Kept at Syd

in the County of L

by J F Cha

LEWIS~~HAM~~

LETHEN GRANGE

1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

in.

bove Ground ft. in.

, Sea Level ft.

IMPORTANT NO … nd the result entered to the previous day. If an C … niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1915
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						26		3			1	24	1
2			4	5		1		22			6	3	2
3			41	1			20	14			29	34	3
4	1		7	4	11		11	1				21	4
5	8		2	17			1	14			28		5
6	3		4	23	18		34	18			3	4	6
7		11		11		29		3			7	1	7
8	2	32	20	20	27	4	12					12	8
9	6	26	83	6	2	5	42		1		1	2	9
10	20	1	58	10		6		10	9			143	10
11	2	21	7	4	6				27		1	1	245 11
12	2	26	27		6	7			17		20	46	12
13	1	7	14		1						11	61	13
14	2	16	16						15		2	47	14
15	1	5	12			204	35		1	40		69	15
16	3	1	16				14	4	5		10	2	16
17			3				1		1	1	89	1	17
18		27	10								2	12	18
19		2	16									34	19
20		3	30			164				1	20	18	20
21		14	28			8	9		10			6	21
22		80	10			1	1			1		4	22
23		6	2	1	30	6	18			5		2	23
24		1	7		11	10	8			7		1	24
25	1		3				1				12		25
26			24		3	1		18		23	1	31	26
27			6				5	12		6	16	29	27
28	4		2					1				25	28
29	1		-							4	6	87	29
30	5		4							37	34	1	30
31	1	-	-	-	·26	-	·83	-	-	7 ·01	19 ·24	16 ·01	31
	61	279	416	102	~~115~~ 1·41	~~472~~ 4·46	~~212~~ 2·15	~~120~~ 1·17	86	132 1·33	318 3·41	~~626~~	YEAR'S TOTAL 30·41 ~~30·40~~
	16	17	27	11	~~10~~ 11	~~14~~ 13	~~15~~ 16	~~12~~ 11	9	11 ·12	2	~~7·27~~ ~~7·26~~ 7·24 ~~22~~ 29	2

I. 13

cnd for W.D. 2

REC

LEWISHAM

Kept at Sydenham -LETHEN GRANGE

in the County of London

by E F Chambers

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1915
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						26		3			1	24	1
2			4	5		1		22			6	3	2
3			41	1			20	14			29	34	3
4	1		7	4	11		11	1				21	4
5	8		2	17			1	14			28		5
6	3		4	23	18		34	18			3	4	6
7		11		11		29		3			7	1	7
8	2	32	20	20	27	4	12					12	8
9	6	26	83	6	2	5	42		1		1	2	9
10	20	1	58	10		6		10	9			143	10
11	2	21	7	4	6				27		1	1	11
12	2	26	27		6	7			17		20	46	12
13	1	7	14		1						11	61	13
14	2	16	16						15		2	47	14
15	1	5	12			204	35		1	40		69	15
16	3	1	16				14	4	5		10	2	16
17			3				1		1	1	89	1	17
18		27	10								2	12	18
19		2	16									34	19
20		3	30			164				1	20	18	20
21		14	28			8	9		10			6	21
22		80	10			1	1			1		4	22
23		6	2	1	30	6	18			5		2	23
24		1	7		11	10	8			7		1	24
25	1		3				1				12		25
26			24		3	1		18		23	11	31	26
27			6				5	12		6	16	29	27
28	4		2					1				25	28
29	1		-							4	6	87	29
	5		4							37	34	1	30
	1	-	-	-		-		-		7	19	16	31
					·26		·03		-	·01	·24	·01	YEAR'S TOTAL
	61	279	416	102	~~115~~ 1·41	~~472~~ 4·46	~~212~~ 2·15	~~120~~ 1·17	86	132 1·33	318 3·41	~~626~~ ~~727~~ 7·24	30·41 ~~31·40~~
	16	17	27	11	~~10~~ 11	~~14~~ 13	~~15~~ 16	~~12~~ 11	9	~~11~~ 12	21	~~20~~ 29	92

2e

Cov. for

REC

LONDON

GUILDHALL

1911-17, 19-20

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at City of Lond

in the County of Lon

by The City E

in.

round 51 ft. — in.

ea Level ft.

a.m.

ame

stance Direction

IMPORTANT NOTE.– … daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·		·130		·090*	1·380	·010						1
2	·060*		·010					·035					2
3	·260			·180*	·165						·240		3
4	·010			·010	·130						·070	·160*	4
5	·030			·070					·030	·020		·210	5
6	·020	·010*	·080*	·030						·230	·210	·170	6
7	·210		·180									·190	7
8				·010							·280	·150	8
9	·170*		·130							·080*	·240	·240	9
10	·130		·020	·020*									10
11	·040		·070								·160	·380*	11
12	·240				·560								12
13	·060		·440*			·030			·040		·820*		13
14			·090						·390	·300	·010	·180	14
15		·100	·020		·350*							·400	15
16		·060	·210							·030*	·050	·070	16
17						·770					·290		17
18			·070								·230	·150*	18
19						·140*						·100	19
20		·140*	·020*			·200			·160	·110	·640*	·050	20
21		·020	·030					·810*	·040	·070		·470	21
22		·110	·010					·180	·030			·065	22
23	·060*		·060							·750*		·380	23
24		·120	·070			·970**							24
25		·140	·010				·080	·010	·280*	·820			25
26				·080		·160*	·120		·020				26
27		·050*	·060*	·210		·170	·030			·110	·030*	*** ·690	27
28		·390	·070	·035					·210		·090	·080	28
29				·190	·020*		·620	·050			·030		29
30						·170			·130	·200*			30
31					·020		·100*	·130		·120			31
Total	~~1·290~~ 1·290	·13 ~~1·140~~ 1·270	~~1·480~~ 1·650	·09 1·435 1·525	1·38 1·335 2·625	·07 3·990 ~~2·620~~	·960 ~~·950~~	1·215 ~~1·215~~	~~1·330~~ ~~1·330~~	2·840 ~~2·840~~	~~3·420~~ ~~3·420~~	4·075 ~~4·075~~	TOTAL for Year 24·810
No. of Rain Days.	15	~~13~~ 14	21	12	10	~~11~~ 13	7	7	10	16	18	24	140

W. 8,000, X. '11.

* 2 Days rainfall ** 3 Days rainfall *** 4 Days rainfa

24·810

Cov. for

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

20

REGISTER OF RAINFALL IN 191

NO

Kept at City of London Guildhall

in the County of London 2

by The City Engineer

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	51 ft. — in.
	" " " Sea Level	ft.

Time of Observation 9·0 am.

Nearest Railway Station: Name ______ Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		·130		·090*	1·380	·010						1
2	·060*		·010					·035					2
3	·260			·780*	·165						·240		3
4	·010			·010	·130						·070	·160*	4
5	·050			·070					·030	·020		·210	5
6	·020	·010*	·080*	·030						·230	·210	·170	6
7	·210		·180									·190	7
8				·010							·280	·150	8
9	·170*		·130							·080*	·240	·240	9
10	·130		·020	·020*									10
11	·040		·070								·160	·380*	11
12	·240				·560								12
13	·060		·440*			·030			·040		·820*		13
14			·090						·390	·300	·010	·180	14
15		·100	·020		·350*							·400	15
16		·060	·210							·030*	·050	·070	16
17						·770					·290		17
18			·070								·230	·150*	18
19						·140*						·100	19
20		·140*	·020*			·200			·160	·110	·640*	·050	20
21		·020	·030					·810*	·040	·070		·470	21
22		·110	·010					·180	·030			·065	22
23	·060*		·060							·750*		·380	23
24		·120	·070			·970**							24
25		·140	·010				·080	·010	·280*	·820			25
26				·080		·160*	·120		·020				26
27		·050*	·060*	·210		·170	·030			·110	·030*	·690***	27
28		·390	·070	·035					·210		·090	·080	28
29				·190	·020*		·620	·050			·030		29
30						·170			·130	·200*			30
31					·020		·100*	·130		·120			31
Total	~~1·290~~ 1·290	·13 ~~1·140~~ 1·270	1·780 1·650	·09 1·435 1·525	1·38 1·335 2·625	·01 3·990 2·620	·960 ·950	1·215 1·215	1·330 1·330	2·840 2·840	3·420 3·420	4·075 4·075	TOTAL for Year [illegible]·810
No. of Rain Days.	15	~~13~~ 14	24	12	10	~~14~~ 13	7	7	10	16	18	24	170

W. 8,000, X. '11.

* 2 Days rainfall ** 3 Days rainfall *** 4 Days rainf

29·810

FORM A.
BRITISH RAINFALL.

10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Guildhall
in the County of London 2
by The City Engineer

Lat. Long.
Nearest Railway Station
RAIN GAUGE. Time of Observation 9. am.
Diameter 8 in.
Height of top above Ground 51 ft. — in.
" " Sea Level about 97 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	·050	.	.	.	·390	.	·250	·330	.	·250	1
2	.	.	.	.	.	·290	·290	·120	·020	·020	.	.	2
3	·080		·300	.	·020	·140	.			.	.	·070	3
4	·330	·030	·450	.	.	·120	.	.	.	.	·150	.	4
5	·170	·070	·030	.	·220	.	.	·600	.	.	·080	.	5
6	.	·030	·015	.	.	·140	.	·080	.	.	.	·040	6
7	·450	.	·020	.	·080	·660	·090	·120	.	.	.	.	7
8	·310	·220	·090	.	.	.	·020	·170	.	.	.	·020	8
9	.	·060	.	·030	.	·210	·020	·050	.	.	.	·150	9
10	.	.	.	.	.	·020	.	.	.	.	·050	·280	10
11	·020	·400	.	.	.	·060	.	·420	·020	.	·020	·120	11
12	·040	·060	·080	.	·110	·120	.	.	.	.	·030	·020	12
13	.	·020	·010	.	.	.	.	.	.	.	·070	·020	13
14	·010	.	·015	.	·050	.	.	·070	.	·050	·010	.	14
15	.	·030	·070	.	·250	.	.	·010	.	.	·020	·400	15
16	·270	.	.	.	·020	·560	.	·050	.	·090	.	.	16
17	·650	.	·180	.	.	·060	.	.	.	.	·060	.	17
18	·030	.	·140	.	.	.	.	·090	.	·040	·020	·090	18
19	·120	·050	·090	.	.	.	·030	·460	.	.	·010	.	19
20	.	·010	·110	.	·020	.	.	·070	.	·350	.	.	20
21	·020	·020	·140	.	·020	.	.	·115	.	·060	·040	~~·090~~	21
22	·240	·150	·070	.	·020	.	·230	·140	.	·080	.	·090	22
23	·370	·380	.	.	.	.	·010	·430	.	·050	.	·190	23
24	·240	.	·340	.	.	·160	·020	.	.	.	·150	.	24
25	·250	·050	·010	.	.	·150	.	·930	.	.	·240	.	25
26	.	·020	.	.	.	.	·020	·250	.	.	·250	·900	26
27	.	.	.	.	.	·070	.	.	.	·560	.	·210	27
28	.	·060	.	.	.	·050	·110	·030	.	·260	·350		28
29	.	·020	·010	.	.	.	·200	·150	·920	·070	·110	·110	29
30	.		~~·230~~	.	·270	·090	·010	·030	1·060	·110			30
31	·010		·230		.		·120	.		.			31
Totals	3·610	1·680	2·450	·030	1·080	2·900	1·560	4·385	2·270	2·070	1·660	2·960	26·655
Rain Days	~~20~~	~~20~~	~~24~~	~~21~~	~~13~~	~~19~~	~~16~~	~~29~~	~~6~~	~~15~~	~~20~~	~~22~~	~~203~~ ~~204~~

18 18 Not read on Sundays or holidays. 5 13 17 16 171

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Ex DL

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.
14 JAN 1914

Kept at Guildhall
in the ~~County~~ City of London
by The City Engineer

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 51 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·020			·130		·010			·200			·080	1
2	·030	·350	·060				·080		·150	·010	× ·070	·010	2
3			·080	·100								·020	3
4				·020	× ·640		·140				·020	·030	4
5	× ·480					·060			·270	× ·130		·060	5
6	·010	·030			·050	·090	× ·540			·130	·090		6
7		·110	·060		·070		·090	·060		·480	·060	·070	7
8					·110	·090				·070			8
9		× ·150	·030	·010	·060				·050		·050	·030	9
10	·010		·150	·120				·080			·280		10
11				·490			·140	·010			·140		11
12	·420				× ·120					·580	·120		12
13	·070		·030					·030			·300		13
14	·120		·070	·090			·480	·080	× ·070	·170	·070		14
15	·340			·230 ~~·090~~			·220		·010				15
16	·080	× ·060	× ·540	·140 ~~·230~~					·420				16
17	·030		·110	·060 ~~·140~~			·130				·020		17
18			·060	·110 ~~·060~~			·010				·060		18
19	·170		·040		·040	·150			·390				19
20	·130			× ·040		·210	× ·170			·370	·040		20
21	·010	·020	× ·290	·050			·050			·200	·640		21
22	·350							·090	·190				22
23						·050			·030			·310	23
24	·010		× ·170	·050		·050		× ·190					24
25				·170		·030							25
26		·030	·220					·190		·780			26
27		·030	·030	× ·090						·020			27
28	·220		·180	·080						·120		× ·115	28
29	·040			·400	·340			·090		·020		·020	29
30	·160		·040	·100						·070			30
31			·040					× ·550		·080			31
Total	2·700	·780	2·200	2·480	1·430	·690	2·050	1·370	1·780	3·230	1·960	·745	YEAR'S TOTAL 21·415
Rain Days.	20	10	22	21	10	8	13	11 12	12	16	15	11	~~169~~ 170

W.7,000, XI. 13

× = 2 or more days rainfall

No Readings on Sundays or Bank Holidays.

Sed D.J.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL
7 - JAN 1915

Kept at Guildhall

in the ~~County~~ City of London

by The City Engineer

Lat. ______ Long. ______

Time of Observation 9. a.m.

Nearest Railway Station ——

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·060									·020	1
2				·030			·260				·210	·120	2
3			·100	·020	·130		·030	·310×					3
4	·080		·020					·040			·270	·150	4
5	·030		·070	·280×	·100	·030	·420	·450				·090	5
6		·110		·070			·020	·030			·050		6
7				·100	·640	·380×	·090					·090	7
8	·140	·380×	·970×	·040	·200	·060	·090						8
9	·170	·010	·480			·050		·100	·130			·890	9
10		·070		·120×	·080				·100			·010	10
11	·020	·310	·310			·070			·190		·240	·330	11
12	·010	·050	·100				·150				·030		12
13		·100	·120						·240×	·110	·060	·680×	13
14						·100	·050			·110		·430	14
15		·050	·300×				·030			·030	·360×	·050	15
16			·010				·020	·020	·030		·010		16
17		·260	·060						·030			·140	17
18		·050	·150									·220	18
19	·010	·030	·210			·200	·060				·150		19
20		·100	·360				·010		·140	·020		·320×	20
21						·090				·020		·050	21
22		·560×	·090×	·010	·350	·240	·120	·020		·110			22
23			·090			·015	·060			·070		·020	23
24			·030		·190		·020				·120		24
25	·040		·150					·120		·280			25
26	·020		·010				·040	·090		·070	·140		26
27	·030										·030	·660×	27
28	·020				·020					·040		·990	28
29	·030		·070							·210	·460×		29
30		X	·040							·030	·460	·110	30
31		X		X	·150	X	·020		X	·020	X	·040	31
Total	·600	2·080	3·800	·670	1·860	1·235	1·490	1·180	·860	1·120	2·590	5·410	YEAR'S TOTAL 22·895
Rain Days.	12	~~13~~ 15	25	10	9	11	17	10	8	13	16	23	~~167~~

W. 8,000. X. 14.

× Indicates 2 days rainfall.

169

4 R1

78

FORM A.
BRITISH RAINFALL
19 JAN 1916

REGISTER OF RAINFALL IN 19*15*

Kept at Engineer's Office, Guildhall

in the City and *County of* London 2

by The City Engineer

Lat. ______ Long. ______

Time of Observation 9 a. m. each day

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 49 ft. 0 in.

" " " " Sea Level 96' 6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·330	·140	·030		·030	—	—	—	·110	·040	·190	·510	1
2		·160	·220	·112	—	·010	—	·600	—	·050	—	·110	2
3	·730	—	·090	·190	·020	—	—	·480	·070	—	—	·500	3
4	·040	—	—	—	—	—	—	·170	—	—	—	·240	4
5	·050	·390	—	—	—	—	—	—	—	·020	·010	·270	5
6	·300			·240	1·150	—	·600	·020	—	—	—	·420	6
7	·460	·200	·030	—	—	—	·090	·040	—	—	—	·100	7
8	·070	·500	·010	·020	—	—	·070	·100	—	—	—	—	8
9		·030	—	·100	—	·110	—	·030	—	·020	·400	·640	9
10	·250	—	·030	—	—	·020	—	·230	—	—	—	·160	10
11	·020	—	·020	—	—	—	—	·020	—	—	·880	·040	11
12	·060	·020	—	·260	·480	—	—	·150	—	—	·330	·010	12
13	·020		—	—	1·270	—	—	·090	—	—	—	—	13
14	—	·380	—	—	—	—	·480	·020	·030	—	—	·510	14
15	·090	—	—	—	·020	—	—	·330	—	—	·290	·090	15
16	—	·220	—	—	—	—	·540	—	—	—	—	·130	16
17	—	·230	—	—	·830	—	·030	·240	—	—	—	—	17
18	—	·220	·050	—	·170	—	—	—	—	—	·040	—	18
19	—	·120	—	—	·020	—	·060	—	—	—	—	—	19
20	·350	—	—	·050	·010	—	—	—	—	—	—	·230	20
21	·190	—	—	—	—	—	—	—	—	·030	—	·050	21
22	1·050	·090	·114	·040	—	—	·700	—	—	—	—	·080	22
23	—	·410	·060	·020	—	·080	·290	—	·060		—	·300	23
24	—	—	·040	—	—	·020		—	·220	·490	—	·280	24
25	—	—	·080	·150	—	—	·170	—	—	·020	—	·060	25
26	·020	·080	—	—	—	—	·050	—	—	—	—	·530	26
27	—	·040	—	—	—	·380	·350	—	—	·330	—	—	27
28	—	—	—	—	—	·060	—	—	1·170	·150	—	—	28
29	—	×	—	—	—	—	·230	·170	·010	—	·090	—	29
30	—	×	—	—	—	·020	—	—	—	—	·190	—	30
31	·030	×	—	×	—	×	—	·020	×	1·090	×	·200	31
Total	4·060	3·230	·774	1·182	4·000	·700	3·660	2·710	1·670	2·240	2·420	5·460	YEAR'S TOTAL 32·106
Rain Days.	19	18	13	11	10	8	14	16	7	11	9	22	158

W. 8,000. X. 15. E

[illegible] 2 Aug 17

Esed GW

cordly obr (telephone) 17.11.17

72

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at City Engineers Office, Guildhall

City &

in the County of London

by The City Engineer

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Electrical Self Recording

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 49 ft. 0 in.

" " " " Sea Level 99 ft above O.D.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·020	---	---	---	·330	---	---	---	·050	·070	·330	---	1
2	·560	·020	·080	---	·360	---	·020	---	·060	·310	·020	---	2
3	---	·370	·170	---	---	2 days }	·010	---	·200	·290	·630	---	3
4	·140	·110	·010	---	---	·270 }	---	---	·010	·020	·300	---	4
5	---	---	·010	---	·080	·110	·220	---	---	·040	·340	---	5
6	---	·080	·090	·330	·050	·040	·340	---	---	---	·270	---	6
7	·090	---	·570	---	·100	·060	·350	---	---	---	·580	·060	7
8	---	---	·010	---	·330	---	---	---	---	---	---	·220	8
9	---	---	---	---	·270	---	---	---	---	·060	---	·030	9
10	---	·200	·120	·120	---	·450	·050	---	---	---	---	·090	10
11	·050	·100	·100	·160	---	·170	---	---	---	---	---	---	11
12	·030	·020	·100	·020	·350	·110	·030	·020	---	·060	---	---	12
13	---	·320	·360	·120	·030	·010	·210	·150	·020	·030	---	---	13
14	---	·270	·060	·040	·070	---	---	·800	---	---	---	·090	14
15	---	·210	·290	---	---	---	·020	·090	---	---	---	---	15
16	---	·010	·120	·160	---	---	·160	·060	---	---	---	---	16
17	·040	·130	---	·020	---	---	·010	·660	·170	·500	---	---	17
18	·010	·060	·010	·080	---	---	---	·310	·050	·060	·800	---	18
19	·070	·020	·150	·190	---	---	---	---	·090	---	·700	·010	19
20	·130	---	·250	---	---	---	---	---	---	---	·010	·350	20
21	---	---	·560	·020	---	---	---	---	---	---	---	·240	21
22	·010	·010	·050	---	---	---	---	---	---	·010	---	·500	22
23	·010	·070	---	---	---	·020	---	·020	---	·030	·030	---	23
24	---	·240	·010	---	·100	---	---	·020	---	·090	·020	x	24
25	---	·430	·180	---	·010	·020	---	·480	---	·040	·110	—	25
26	---	·280	·030	---	---	·010	---	·800	---	·050	---	·460	26
27	·060	---	·870	---	---	·030	---	·300	·030	·660	---	---	27
28	---	·330	·250	---	---	·030	---	·010	·030	---	---	·250	28
29	---	·050	---	---	---	·260	---	1·300 ~~·130~~	·040	·200	---	·180	29
30	---	X	---	---	·010	---	---	·090	---	·220	---	---	30
31	---	X	---	X	---	X	---	·030	X	·010	X	·030	31
Total	1·220	3·330	4·450	1·260	1·970	1·590	1·420	~~3·970~~ 5·140	·750	2·750	4·130	2·510	YEAR'S TOTAL 30·82 ~~29·150~~
Rain Days.	13	21	24	11	13	15	11	16	11	19	13	13 or ~~16~~	180 of ~~183~~

✓ 64

FORM A.
BRITISH RAINFALL.

6 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Engineers Office Guildhall

in the ~~County~~ City *of* London.

by The City Engineer.

Lat. .... Long. ....

Time of Observation 9 AM each day

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 49 ft. – in.

" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	- - -	- - -	- - -	·08	- - -	- - -	Electric gauge not reliable	Electric gauge not reliable	·02	Electric gauge not reliable	·05	Electric gauge refitted - - -	1
2	- - -	- - -	- - -	·39	- - -	·01			- - -		·07	- - -	2
3	- - -	- - -	- - -	·02	- - -	- - -			- - -		2 days	- - -	3
4	- - -	·04	·11	- - -	- - -	- - -	·18		- - -		·39	- - -	4
5	·25	·07	·11	·29	- - -	- - -	- - -		·82		·05	- - -	5
6	- - -	·02	·02	·05	- - -	·02	- - -		·12		·08 old roof gauge in use	- - -	6
7	·18	- - -	- - -	- - -	- - -	- - -	·10		- - -		Electric gauge returned	·01	7
8	·09	- - -	- - -	·10	- - -	- - -	Electric gauge not reliable		·02		·17	·24	8
9	- - -	- - -	·03	·04	- - -	- - -			·03		·04	·25	9
10	·23	- - -	·07	·13	- - -	- - -			- - -		- - -	·05	10
11	·10	- - -	·41	·09	- - -	- - -			·35		- - -	- - -	11
12	·07	- - -	—	- - -	- - -	- - -			- - -		- - -	- - -	12
13	·02	- - -	·12	·10	- - -	- - -			·03		- - -	- - -	13
14	- - -	- - -	- - -	- - -	- - -	- - -			- - -		- - -	- - -	14
15	·02	- - -	- - -	- - -	- - -	- - -	·11		- - -		- - -	- - -	15
16	·07	·16	- - -	·10	·04	- - -	·11		- - -		- - -	·28	16
17	- - -	- - -	- - -	·07	·53	- - -	·41		·38		- - -	- - -	17
18	·02	·04	- - -	·07	·05	Electric rain gauge failed	·10		·15		- - -	- - -	18
19	·01	·20	·01	-o+	·31		- - -		·15		- - -	- - -	19
20	·02	·19	·07	- - -	·49		- - -		- - -		Electric gauge not reliable	- - -	20
21	·02	- - -	·01	- - -	·03		- - -		- - -			- - -	21
22	- - -	- - -	·01	- - -	- - -		- - -		- - -			- - -	22
23	·01	·03	- - -	- - -	·10		- - -		- - -			- - -	23
24	- - -	·01	- - -	- - -	- - -		- - -		- - -			·02	24
25	- - -	- - -	·05	- - -	- - -		- - -		- - -			- - -	25
26	- - -	- - -	·03	- - -	- - -		- - -		·04			- - -	26
27	- - -	- - -	- - -	- - -	- - -		- - -		- - -			·01	27
28	- - -	- - -	- - -	- - -	- - -		Electric gauge not reliable +		- - -			·06	28
29	- - -	X	·01	- - -	·37				- - -	·17		·20	29
30	- - -	X	·25	- - -	- - -			·04		·02		·02	30
31	·05	X	·15	X	- - -	X		·01	X	- -	X	·01	31
Total	1·16	·76	1·46	1·53	1·92	Electric gauge not reliable			2·11	Electric gauge not reliable		1·15	YEAR'S TOTAL
Rain Days.	15	9	16	13	8				11			11	

W. 8,000, IX. 17.

66

29 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Guildhall
in the ~~County~~ City of London
by The City Engineer

Lat. ——
Long. ——
Time of Observation 9 am each day
Nearest Railway Station ——
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 51 ft 6 in.
" " " " ~~Sea Level~~ Ordnance Datum 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	{ ·06 ·03	{ ...	·01	·01	...	·19	...	...	·02	{ ·08 ...	·76	1
2	·32	·03		...	·19	...	·09	{ ...	·40	·06	·08	·07	2
3	·18	...	·37	...	{ ·02 ...	...	·23	·03 ...	·30	...	·02	·32	3
4	{ ·09 ·06	·06	·43	{ ...	...	·07	·25	·03	...	{ ...	·02	·15	4
5	·02	·31	·71		...	...	{ ...	...	·30		·01	·24	5
6	·01	...	·07	...	...	...		...	{ ...	...	...	{ ·02 ·02	6
7	...	...	·35	...	...	{ ...	...	...		...	·03	...	7
8	·07	{ ...	{ ·05 ·05	·03	...		...	...	...	...	{ ·01	...	8
9	·07			·04	·07		...	{ ...	...	...		...	9
10	·35	...	·04	·01	{ ...	...	...		...	...	·01	·01	10
11	{ ·03 ...	...	·08	·28		...	·21	...	...	{ ·08 ...	...	·01	11
12	·02	...	...	{ ·17 ...	...	·02	{ ·15 ·15	...	...	·08	...	...	12
13	...	...	...	·15	...	...	...	...	{ ·35 ...	·02	...	{ ·02 ...	13
14	·20	...	...	·27	...	{ ...	·10	...	·44	...	...	·02	14
15	·20	{ ·62 ·01	{ ...	·20	...		...	...	...	·01	{ ·11 ...	·16	15
16	·03	·60		...	...	...	...	{ ...	...	...	·11	·04	16
17	...	·56	·04	{ ·01 ·01	{ ...	...	...		...	...	·15	·01	17
18	{ ·08 ...	·19	·03	...		...	{ ·15	...	·04	{ ...	·07	·03	18
19	·08	·16	·80	...	...	·17	·35 ·16	·13	·09		·07	·01	19
20	·10	·02	·03	...	...	·91		·10	{ ·01 ...	...	...	{ ·05 no record	20
21	·18	·20	·01	...	...	{ ·03 ·04	·09	...	...	...	·01		21
22	...	{ ·12 ·12	{ ...	...	...	...	·13	...	·13	...	{ ·04 ·03	·25	22
23	...	...		...	...	·02	...	{ ·03 ...	·02	...	·01	·01	23
24	...	...	...	·12	{ ·04	·02	·02	·02	...	·16	·02	{ ·01	24
25	{ ·08 ·01	...	...	·03	·05	...	...	·15	...	{ ...	...	·02	25
26	·07	·12	·12	{ 1·20 ·09	...	...	{ ·13 ·10	·01	·11		...	·60 ·24	26
27	·35	·03	·03	(1·07)	...	...	...	·45	{ ...	...	...	...	27
28	...	...	·18	·03	...	{ ...	·01	·60		...	·16	·28	28
29	·01	×	{ ·03 ...	·01	...		...	·28	...	·23	{ ·26 ...	·04	29
30	...	×	·03	·25	...	·18	...	{ ...	...	·02	·26	·26	30
31	...	×	·05	×	...	×	·01	·15 ·13	×	·01	×	·02	31
TOTAL	2.65 ✓	2.45	3.42 ✓	2.66	·33 ✓	1.42 ✓	1.96 ✓	1.93 ✓	1.75 ✓	·61	1.07 ✓	3.08 ✓	YEAR'S TOTAL 23·33
Days with ·01 in. or more	20 ✓	14 ✓	18	16 ✓	5	8	15	10 ✓	10 ✓	9 ✓	17	24 ✓	(166)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

65

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

9 JAN 1921

Kept at Guildhall
in the ~~County~~ City of London
by The City Engineer

Lat. ——— Long. ———
Time of Observation 9am. each day
Nearest Railway Station ———
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 51 ft. 6 in.
" " " " ~~Sea Level~~ Ordnance Datum 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	...	...	·27	·02	...	·27	...	...	·24	·01	·17	1
2	...	...	·05	...	...	...	...	·74	·07	·07	...	·05	2
3	...	·05	...	·01	...	...	...	...	·06	...	...	·02	3
4	...	·03	·02	·06	...	...	·01	·02	...	·11	...	·02	4
5	...	...	·15	...	·02	...	·47	·09	·04	...	...	·03	5
6	...	...	·17	...	·13	...	·36	...	...	...	...	·02	6
7	·01	...	...	·21	·10	...	·12	...	...	...	...	·01	7
8	·01	·02	...	·08	·05	...	·07	·01	...	...	...	...	8
9	·30	·01	...	·03	·01	...	...	·01	...	...	...	...	9
10	·62	·06	·08	...	...	·09	·11	...	...	...	...	...	10
11	·08	·01	·06	·21	·01	·01	·27	...	...	...	...	✓+ ·06	11
12	·09	·01	...	·07	...	·52	...	...	...	·02	...		12
13	·14	...	·08	·12	...	...	...	...	...	...	·03	...	13
14	...	·01	·24	·15	...	·25	...	...	·12	·08	·11	·07	14
15	·01	·01	·07	·14	...	...	·01	...	·59	·12	·08	...	15
16	...	...	·01	·14	...	·01	...	...	·32	·32	...	·01	16
17	·04 +	...	...	...	·15	·02	...	...	·73	·07	...	·02	17
18		...	...	·02	·02	...	...	·78	·15	...	...	✓+ ·09 +	18
19	·10	...	...	·23	...	...	...	...	...	...	...		19
20	·06	·25	...	·10	...	·51	...	...	·03	...	...	...	20
21	...	...	...	...	...	...	·69	·01	·61	...	...	·05	21
22	...	...	...	·26	...	...	...	...	·04	...	...	·33	22
23	...	...	...	...	...	...	·26	...	...	...	...	·36	23
24	...	...	·05	·01 +	...	...	...	...	...	...	...	+ ·11 + ✓+	24
25	...	·01	...		...	...	·10	...	·02	...	...		25
26	·01	...	·10	·02	...	...	·10	...	...	...	...		26
27	·10	·07	·06	·21	...	·08	·10	...	...	...	✓+ ·41		27
28	·41	...	·11	·07	·01	...	·08	...	...	...		·02	28
29	·20	...	·06	...	...	...	...	...	...	...	·03	·21	29
30	·02		...	...	·06	...	·43	...	·44	...	·12	·14	30
31	...		...		·03		...	...		·15		·08	31
TOTAL	2.22	·54	1.31	2.41	·61	1.49	3.45	1.66	3.22	1.18	·79	1.87	YEAR'S TOTAL 20·75
Days with ·01 in. or more	17	12	15	20	12	8	16	7	13	9	7	~~20~~ 23	~~156~~ 159
Days with ·04 in. or more	11	4	13	15	~~4~~ 5	5	14	3	11	8	4	~~12~~ 14	~~104~~ 107

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

wrong day

Cor. for wrong

REG

LONDON

GUILDHALL

1911 - 1920

FORM A2.
BRITISH RAINFALL.
18 APR 1912

Kept at Guildhall

in.

round 2 ft. 6 in.

in the County of Lond

ea Level ft.

by F. Su

m.

ame

istance Direction

IMPORTANT NOTE. he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
rail
...

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	S.	...	·180	...	·090	1·060	·010	...	...	S.	...	...	1
2	·050	...	·010	S.	...	...	S.	·035	...	...	...	...	2
3	·250	...	...	·750	·170	...	...	...	S.	...	·190	S.	3
4	·010	...	...	·015	·100	S.	...	...	...	...	·070	·150	4
5	·030	S.	S.	·070	...	B.Holiday	...	...	·030	·020	S.	·190	5
6	·020	·010	·070	·020	...	...	...	S.	...	·230	·180	·170	6
7	·220	...	·170	...	S.	...	...	B.Holiday	...	...	...	·180	7
8	S.	...	...	·020	...	...	...	...	...	S.	·190	·140	8
9	·190	...	·130	S.	...	...	S.	...	...	·070	·240	·230	9
10	·130	...	·030	·030	...	...	...	...	S.	...	...	S.	10
11	·040	...	·080	...	...	S.	...	...	...	...	·160	·380	11
12	·220	S.	S.	...	·340	...	...	...	...	...	S.	...	12
13	·060	...	·440	...	...	·030	...	S.	·040	...	·780	...	13
14	...	...	·080	Good Friday	S.	...	...	...	·360	·300	·010	·170	14
15	S.	·090	·020	...	·370	...	...	...	...	S.	...	·420	15
16	...	·050	·200	S.	...	...	S.	...	...	·030	·050	·015	16
17	...	...	...	B.Holiday	...	·760	...	...	S.	...	·280	S.	17
18	...	...	·070	...	...	S.	...	...	...	...	·210	·140	18
19	...	S.	S.	...	...	·080	...	...	...	...	S.	·150	19
20	...	·100	·030	...	...	·170	...	S.	·160	·110	·610	·060	20
21	...	·030	·030	...	S.	...	...	·790	·040	·070	...	·410	21
22	S.	·110	·020	...	...	Office closed	...	·180	·030	S.	...	·060	22
23	·070	...	·050	S.	...	D°	S.	...	...	·660	...	·370	23
24	...	·090	·070	...	...	·950	...	...	S.	...	...	S.	24
25	...	·120	·010	...	...	S.	·080	·010	·270	·790	...	X.mas	25
26	...	S.	S	·070	...	·190	·110	...	·020	...	S.	B.Holiday	26
27	...	·030	·060	·200	...	·120	·030	S.	...	·110	·030	·660	27
28	...	·380	·080	·030	S.	...	...	...	·200	...	·080	·070	28
29	S.	...	...	·200	·025	...	·410	·050	...	S.	·020	...	29
30	...	...	...	S.	...	·160	S.	...	·130	·190	...	...	30
31	...	...	...	...	·020	...	·100	·110	...	·110	...	...	31
Total	~~1·290~~ 1·290	·110 ~~1·010~~ 1·120	~~1·760~~ 1·650	·090 ~~1·405~~ 1·495	1·060 ~~1·115~~ 2·085	·010 ~~3·520~~ 2·470	~~·440~~ ·730	~~1·175~~ 1·175	~~1·280~~ 1·280	~~2·690~~ 2·690	~~3·100~~ 3·100	~~3·966~~ 3·965	TOTAL for year
No. of Rain Days.	12.	~~10.~~ 11	~~20.~~ 19	~~10.~~ 11	7.	9.	~~6.~~ 5	6.	10.	12.	15.	18.	23·050

W. 8,000, X. '11.

Cor. for wrong

wrong day

REG

FORM A2.
BRITISH RAINFALL.
18 APR 1912

Kept at Guildhall London

in the County of London 2

by F. Sumner

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level .... ft.

Time of Observation 9 am.

Nearest Railway Station
Name
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil
. . .

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	S.	. . .	·180	. . .	·090	1·060	·010	. . .	. . .	S.	. . .	. . .	1
2	·050	. . .	·010	S.	. . .	. . .	S.	·035	. . .	. . .	. . .	. . .	2
3	·250	. . .	. . .	·750	·170	. . .	. . .	. . .	S.	. . .	·190	S.	3
4	·010	. . .	. . .	·015	·100	S.	. . .	. . .	. . .	. . .	·070	·150	4
5	·030	S.	S.	·070	. . .	B.Holiday	. . .	. . .	·030	·020	S.	·190	5
6	·020	·010	·070	·020	. . .	. . .	. . .	S.	. . .	·230	·180	·170	6
7	·220	. . .	·170	. . .	S.	. . .	. . .	B.Holiday	. . .	. . .	. . .	·180	7
8	S.	. . .	. . .	·020	. . .	. . .	. . .	. . .	. . .	S.	·190	·140	8
9	·190	. . .	·130	S.	. . .	. . .	S.	. . .	. . .	·070	·240	·230	9
10	·130	. . .	·030	·030	. . .	. . .	. . .	. . .	S.	. . .	. . .	S.	10
11	·040	. . .	·080	. . .	. . .	S.	. . .	. . .	. . .	. . .	·160	·380	11
12	·220	S.	S.	. . .	·340	. . .	. . .	. . .	. . .	. . .	S.	. . .	12
13	·060	. . .	·440	. . .	. . .	·030	. . .	S.	·040	. . .	·780	. . .	13
14	. . .	. . .	·080	Good Friday	S.	. . .	. . .	. . .	·360	·300	·010	·170	14
15	S.	·090	·020	. . .	·370	. . .	. . .	. . .	. . .	S.	. . .	·420	15
16	. . .	·050	·200	S.	. . .	. . .	S.	. . .	. . .	·030	·050	·015	16
17	. . .	. . .	. . .	B.Holiday	. . .	·760	. . .	. . .	S.	. . .	·280	S.	17
18	. . .	. . .	·070	. . .	. . .	S.	. . .	. . .	. . .	. . .	·210	·140	18
19	. . .	S.	S.	. . .	. . .	·080	. . .	. . .	. . .	. . .	S.	·150	19
20	. . .	·100	·030	. . .	. . .	·170	. . .	S.	·160	·110	·610	·060	20
21	. . .	·030	·030	. . .	S.	. . .	. . .	·790	·040	·070	. . .	·410	21
22	S.	·110	·020	. . .	. . .	Office closed	. . .	·180	·030	S.	. . .	·060	22
23	·070	. . .	·050	S.	. . .	Do.	S.	. . .	. . .	·660	. . .	·370	23
24	. . .	·090	·070	. . .	. . .	·950	. . .	. . .	S.	. . .	. . .	S.	24
25	. . .	·120	·010	. . .	. . .	S.	·080	·010	·270	·790	. . .	X.mas	25
26	. . .	S.	S	·070	. . .	·190	·110	. . .	·020	. . .	S.	B.Holiday	26
27	. . .	·030	·060	·200	. . .	·120	·030	S.	. . .	·110	·030	·660	27
28	. . .	·380	·080	·030	S.	. . .	. . .	. . .	·200	. . .	·080	·070	28
29	S.	. . .	. . .	·200	·025	. . .	·410	·050	. . .	S.	·020	. . .	29
30	. . .	. . .	. . .	S.	. . .	·160	S.	. . .	·130	·190	. . .	. . .	30
31	. . .	. . .	. . .	. . .	·020	. . .	·100	·110	. . .	·110	. . .	. . .	31
Total		·110		·090	1·060	·010							TOTAL for year
	~~1·290~~	~~1·010~~	~~1·760~~	~~1·405~~	~~1·115~~	~~3·520~~	~~·740~~	~~1·175~~	~~1·280~~	~~2·690~~	~~3·100~~	~~3·966~~	
	1·290	1·120	1·650	1·495	2·085	2·470	·730	1·175	1·280	2·690	3·100	3·[illegible]	23·05
No. of Rain Days.	12.	~~10.~~ 11	~~20.~~ 19	~~10.~~ 11	7.	9.	~~6.~~ 5	6.	10.	12.	15.	18.	

W. 8,000, X. '11.

6 X m Cor. by other g. 27.III.13

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.

10 JAN 1913

Kept at Guildhall

in the County of London 2

by The City Engineer

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level About 46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·070	~~[illegible]~~	·	·	·290	·	·250	Note	·	·210	1
2	·	·	·	·	·	·280	·280	·100	·020	·330	·	·	2
3	·080	·	·280	·	·020	·140	·	·	·	·020	·	·070	3
4	·280	·020	·450	·	·	·110	·	·	·	·	·120	·	4
5	·160	·060	·030	·	·230	·	·	·590	·	·	·070	·	5
6		·030	·020	·	·	·140	·	·070	·	·	·	·040	6
7	·390	·	·020	·	·080	·710	·100	·090	·	·	·	-	7
8	·280	·240	·100	·	·	·	·020	·130	·	·	·	·020	8
9	·	·070	·	·030	·	·220	·020	·050	·	·	·	·140	9
10	·	·	·	·	·	·020	·	·	·	·	·030	·260	10
11	·020	·400	·	·	·	·060	·	·410	·020	·	·020	·100	11
12	·050	·070	·080	·	·100	·140	·	·	·	·	·030	·020	12
13		·020	·010	·	·	·	·	·	·	·	·050	·020	13
14	·010	·	·020	·	·040	·	·	·050	·	·050	·010	·	14
15	·	·030	·090	·	·240	·	·	·010	·	·	·020	·420	15
16	·260	·	·	·	·020	·540	·	·060	·	·060	·	·	16
17	·600	·	·210	·	·	·070	·	·	·	·	·050	·	17
18	·030	·	·130	·	·	·	·	·100		·030	·020	·090	18
19	·120	·060	·100	·	·	·	·030	·440	·	·	·010	·	19
20	·	·010	·110	·	·020	·	·	·060	·	·330	·	·	20
21	·020	·030	·120	·	·020	·	·	·115	·	·050	·040	·	21
22	·240	·140	·060	·	·020	·	·240	·130	·	·070	·	·080	22
23	·300	·360	·	·	·	·	·020	·420	·	·040	·	·170	23
24	·230	·	·340	·		·130	·020	·15	·	·	·130	·	24
25	·240	·040	·010	·	·	·180	·	·84 ·990	·	·	·210	·	25
26	·	·030	·	·	·	·	·020	·260	·	·	·230	·850	26
27	·	·	·	·	·	·080	·	·	·	·530	·	·230	27
28	·	·060	·	·	·	·070	·100	·030	·	·240	·400	·	28
29	·	·020	·010	·	·	·	·140	·160	990	·060	·090	·110	29
30	·	—	·	·	·270	·090	·010	·030	1·010	·090		·	30
31	·015	—	·230				·100	·	-	·		·	31
Total	3·325	1·690	2·490 ~~[illegible]~~	·030 ~~·260~~	1·060	2·980	1·390	4·295	2·290 ~~1·280~~	1·900 ~~2·910~~	1·530	2·830	YEAR'S TOTAL 25·810
Rain Days.	~~20~~ 18	~~20~~ 18	24	~~21~~	13	19	16	27	6	15	20	22	~~203~~ ~~204~~

W. 7,500, XI. 12

Not Read on Sundays or holidays.

✓

~~W~~ DL

cord for cutt 21.1.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

14 JAN 1914

Kept at Guildhall
in the ~~County~~ City *of* London
by The City Engineer

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·020			·140		·010			·190			·070	1
2	·030	·330	·050				·070		·140	·010	×·070	·010	2
3			·090	·100								·020	3
4				·020	×·670		·120				·020	·030	4
5	×·470					·060			·250	×·120		·060	5
6	·010	·030	·060		·050	·080	×·490			·130	·080		6
7		·110			·080		·080	·030		·460	·060	·070	7
8					·100	·080				·070			8
9		×·160	·030	·010	·060				·040		·050	·030	9
10	·010		·140	·130			·120	·080			·260		10
11				·510				·010			·120		11
12	·410				×·110					·580	·120		12
13	·060		·030					·030			·300		13
14	·110		·060	·080			·450	·080	×·070	·160	·060		14
15	·360			·210			·210		·010				15
16	·080	×·060	×·480	·150					·400				16
17	·030		·100	·050			·130				·020		17
18			·060	·120			·010				·060		18
19	·170		·040		·040	·130			·360				19
20	·120			×·040		·190	×·160			·350	·040		20
21	·010	·020	×·270	·050			·050			·190	·620		21
22	·370							·100	·170				22
23						·050			·030			·300	23
24	·010		×·150	·050				×·180					24
25		·030		·150		·030							25
26		·030	·210					·170		·750			26
27			·030	×·130						·020			27
28	·210		·210	·080						·120		×·115	28
29	·050			·410	·250			·070		·020		·020	29
30	·170		·040	·110						·070			30
31			·040					×·560		·080			31
Total	2·700	·770	2·090	2·540	1·360	·630	1·890	1·310	1·660	3·130	1·880	·725	YEAR'S TOTAL 20·685 20·685
Rain Days.	20	10	22	21	10	8	13	~~11~~ 12	12	16	15	11	~~169~~

× 2 or more days rainfall

W.7,000, XI. 13 Note:- Readings frequently include 2 days rainfall – as on Mondays &c.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
7 JAN 1915

Kept at Guildhall
in the ~~County~~ City of London
by The City Engineer

Lat. ______ Long. ______
Time of Observation 9. a.m.
Nearest Railway Station —
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 51 ft. — in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·070									·020	1
2				·020			·270				·230	·140	2
3			·100	·020	·130		·030	·330 ×					3
4	·100		·020					·040			·270	·170	4
5	·030		·060	·280 ×	·170	·030	·430	·590				·080	5
6		·120 ×		·080			·020	·030			·050		6
7				·130	·810	·540 ×	·080					·100	7
8	·150	·410	·990 ×	·050	·300	·070	·080						8
9	·170	·010	·560			·060		·090	·140			·940	9
10		·060		·130 ×	·090				·130			·010	10
11	·010	·290	·300			·080			·210		·280	·350	11
12	·010	·050	·110				·170				·030		12
13		·120	·130						·230 ×	·110	·060	·650 ×	13
14						·130	·060			·110		·460	14
15		·050	·360 ×				·040			·030	·410 ×	·060	15
16			·010				·020	·010	·030		·010		16
17		·270	·070						·030			·160	17
18		·040	·150									·250	18
19	·010	·020	·240			·240	·070				·150		19
20		·100	·460				·010		·140	·010		·350 ×	20
21						·080				·020		·060	21
22		·570 ×	·090 ×	·010	·380	·290	·150	·020		·110			22
23			·090			·010	·060			·070		·020	23
24			·040		·190		·020				·140		24
25	·040		·180					·130		·240			25
26	·020		·010				·050	·100		·070	·150		26
27	·030										·030	·620 ×	27
28	·015				·010					·040		·930	28
29	·030		·080							·230	·550 ×		29
30		X	·040							·030	·490	·100	30
31		X		X	·170	X	·020		X	·020	X	·040	31
Total	·615	2·110	4·160	·720	2·250	1·530	1·580	1·340	·910	1·090	2·850	5·510	YEAR'S TOTAL 24·665
Rain Days.	12	1~~3~~5	25	10	9	11	17	10	8	13	16	23	167

169

W. 8,000. X. 14.

× Indicates 2 days rainfall

St Pl

79

FORM A.
BRITISH RAINFALL.
1[illegible] JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Engineer's Office, Guildhall
in the City and County of London 2
by The City Engineer

Lat. Long.
Time of Observation 9 a.m each day
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 50'. 0" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·340	·150	·020		·030	—	—	—	·100	·040	·240	·390	1
2		·120	·200	·112	—	·015	—	·460	—	·050	—	·130	2
3	·690	—	·080	·180	·020	—	—	·370	·050	—	—	·410	3
4	·040	—	—	—	—	—	—	·140	—	—	—		4
5	·050	·390	—	—	—	—	—	·010	—	·020	·010	·470	5
6	·300			·220	·840	—	·580	·030	—	—	—	·310	6
7	·440	·200	·030	—	—	—	·120		—	—	—	·160	7
8	·060	·470	·010	·020	—	—	·070	·370	—	—	—	—	8
9		·030	—	·090	—	·110	—	·070	—	·030	·400	·670	9
10	·260	—	·020	—	—	·020	—	·250	—	—	—	·170	10
11	·020	—	·020	—	—	—	—	·020	—	—	·640		11
12	·060	·020	—	·250	·460	—	—	·120	—	·010	·390	·030	12
13	·020		—	—	1·180	—	—	·080	—	—	—	—	13
14	—	·390	—	—	—	—	·490		·040	—	—	·410	14
15	·080	—	—	—	—	—	—	·360	—	—	·230	·080	15
16	—	·210	—	—	·020	—	·580	—	—	—	—	·150	16
17	—	·250	—	—	·790	—	·050	·210	—	—	—	—	17
18	—	·210	·050	—	·150	—	—	—	—	—	·030	—	18
19	—	·110	—	—	·020	—	·060	—	—	·010	—	—	19
20	·330	—	—	·050	·020	—	—	—	—	—	—	·230	20
21	·180	—	—	—	—	—	—	—	—	·040	—	·050	21
22	·920	·090	·113	·040	—	—	·690	—	—	—	—	·080	22
23	—	·390	·060	·020	—	·080	·200	—	·050		—	·270	23
24	—	—	·030	—	—	·020		—	·200	·480	—		24
25	—	—	·080	·140	—	—	·130	—	—	·020	—		25
26	·010	·070	—	—	—	—	·060	—	—	—	—	3 days rain	26
27	—	·040	—	—	—	·340	·310	—	—	·280	—	·740	27
28	—	—	—	—	—	·060	—	—	1·170	·160	—	—	28
29	—	X	—	—	—	—	·220	·120	·010	—	·090	—	29
30	—	X	—	—	—	·020	—	—	—	—	·160	·010	30
31	·040	X	—	X	—	X	—	·030	X	·880	X	·160	31
Total	3·840	3·140	·713	1·122	3·530	·665	3·560	2·640	1·620	2·020	2·190	4·920	YEAR'S TOTAL 29·960
Rain Days.	19	18	13	11	10	8	14	17	7	13	9	23	162

W. 8,000. X. 15.

reported 16.11.17 7 aug 29 ✓ Exd ends obs. (telephone) 17.11.17 73

FORM A. BRITISH RAINFALL.

30. JAN. 1917

REGISTER OF RAINFALL IN 1916.

Kept at City Engineer's Office Guildhall
in the City & County of London.
by The City Engineer

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 50ft above O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2 days	---	·010	---	·270	·010	---	---	~~·190~~ ·040	·040	·210	---	1
2	·480	·030	·060	---	·240	---	·030	---	2 days	·350	·020	---	2
3	---	·350	·120	---	---	2 days	·030	---	·450	·250	·630	---	3
4	·120	·120	2 days	---	·020	·270	---	---	~~·030~~ ·010	·020	2 days	---	4
5	·010	---	·030	---	·080	·110	·220	---	---	·050	·650	---	5
6	---	·070	·130	·290	2 days	·040	·330	---	---	·020	·270	---	6
7	·070	---	·410	---	·200	·110	·370	---	---	---	·480	·050	7
8	---	---	·030	---	·270	·020	---	---	---	---	---	·190	8
9	---	---	---	---	·200	---	---	---	---	·060	---	2 days	9
10	---	·180	·080	·100	---	2 days	·040	---	---	---	---	·130	10
11	·050	·110	2 days	·110	---	·490	---	---	---	---	---	---	11
12	·030	2 days	·030	·050	·300	·130	·030	2 days	---	·060	---	---	12
13	---	·310	·320	·090	2 days	·050	·200	·140	·030	·030	---	---	13
14	---	·290	·030	·040	·100	---	---	·800	---	---	---	·090	14
15	---	·170	·280	---	---	---	2 days	·070	---	·010	---	---	15
16	---	---	·120	·150	---	---	·170	·080	---	---	---	---	16
17	·060	·090	---	·020	---	---	·010	·640	·250	·520	---	---	17
18	·020	·090	2 days	·090	---	---	---	·300	·050	·050	2 days	---	18
19	·070	·040	·150	·160	---	---	---	---	·090	---	1·300	·010	19
20	·110	---	·180	---	---	---	---	---	---	---	·010	·300	20
21	---	---	·530	·030	---	---	---	---	---	---	---	·320	21
22	2 days	---	·050	---	---	---	---	---	---	·010	---	·420	22
23	·020	·100	---	---	---	·040	---	·020	---	·050	·030		23
24	---	·070	·010	---	·070	---	---	·020	---	·090	·020	x	24
25	---	·370	2 days	---	·050	·020	---	·480	---	·040	2 days	—	25
26	---	·270	·150	---	---	·030	---	2 days	---	·030	·080	·470	26
27	·060	---	·870	---	---	·030	---	·890	·030	·600	---	---	27
28	---	·350	·220	---	---	·050	---	·010	·030	---	---	·190	28
29	---	·050	·010	---	---	·270	---	~~·130~~ 1·300	·070	·200	---	·170	29
30	---	X	---	---	·020	·010	---	·070	---	·210	---	---	30
31	---	X	---	X	---	X	---	·060	X	·010	X	·030	31
Total	1·100	3·060	3·820	1·130	1·820	1·680	1·430	~~3·710~~ 4·880	1·050	2·700	3·700	2·370	YEAR'S TOTAL ~~27·570~~ 28·740
Rain Days.	14	19	26	11	14	18	11	16	11	21	13	12 or 15	186 or ~~189~~

W. 8,000, VIII. 16

Esc J.J. May 29. from high gauge

REGISTER OF RAINFALL IN 1917

70

FORM A. BRITISH RAINFALL.

5 FEB 1918

Kept at Engineers Office Guildhall

in the ~~County~~ City *of* London

by The City Engineer

Lat. ______ Long. ______

Time of Observation 9 AM each day

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
				2 days									
1	---	---	---	·24	---	---	---	·93	2 days	---	·05	---	1
2	---	---	---	·50	---	2 days	---	·08	·02	---	·05	---	2
3	---	---	---	·03	---	·02	---	·31	---	·16	2 days	---	3
4	---	---	·10	---	---	---	·16	---	---	·25	·38	---	4
5	3	---	·06	2 days	---	---	---	---	·70	·10	·05	---	5
6	days	---	·02	·32	---	·04	---	·24	·12	2 days	·08	---	6
7	·39	---	---	3	---	---	2 days	---	---	·18	---	·02	7
8	·09	---	---	days	---	---	·82	·11	2 days	·21	·15	2 days	8
9	---	---	·03	·16	---	---	·02	·06	·05	·02	·04	·38	9
10	·24	---	2 days	·17	---	---	---	·01	---	---	---	·04	10
11	·11	---	·46	·10	---	---	---	2 days	·29	·21	---	---	11
12	·07	---	·02	·01	---	---	---	·03	---	·40	---	---	12
13	2 days	---	·13	·01	---	---	---	·02	·03	·05	---	---	13
14	·02	---	·01	2 days	---	---	2 days	·23	---	2 days	---	---	14
15	·02	---	---	·10	---	---	·07	·01	---	·04	---	2 days	15
16	·05	·16	---	·08	·09	---	·08	---	---	·40	---	·21	16
17	---	2 days	---	·08	·63	·06	·33	---	·32	·25	---	---	17
18	·03	·04	---	·08	·05	·24	·12	2 days	·18	·07	---	---	18
19	·02	·20	·02	·01	2 days	·09	---	·16	·16	--	---	---	19
20	2 days	·25	·05	---	·76	---	---	---	---	2 days	·05	---	20
21	·05	---	·03	2 days	·05	---	---	---	---	·01	·03	---	21
22	---	---	·01	·01	---	---	---	·06	---	·08	---	---	22
23	---	·01	---	---	·10	2 days	---	·06	---	---	---	---	23
24	---	2 days	2 days	---	---	·01	---	---	---	·16	2 days	3	24
25	---	·02	·05	---	---	---	---	2 days	---	---	·08	days	25
26	---	---	·06	---	---	---	---	·25	·04	---	·40	·02	26
27	---	---	·01	---	---	---	---	·80	---	---	---	---	27
28	---	---	---	---	---	1·76	2 days	·09	---	---	---	·06	28
29	---	X	·04	---	Gauge under	·03	·13	---	---	·16	---	2 days	29
30	---	X	·35	---	repair	---	1·14	·05	---	·02	---	·17	30
31	·04	X	---	X	"	X	·46	·01	X	---	X	·01	31
Total	1·13 ✓	·68 ✓	1·45 ✓	1·96	Gauge under repair 3 days (2·05)	2·25 ✓	3·33 ✓	3·51 ✓	1·91 ✓	2·77 ✓	1·36 ✓	·91 ✓	YEAR'S TOTAL (23·25)
Rain Days.	~~16~~	~~8~~	~~19~~	~~21~~		~~10~~	~~13~~	~~22~~	~~12~~	~~21~~	~~13~~	~~13~~	~~175~~

W. 8,000, IX. 17.

67

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Engineers Office Guildhall
in the ~~County~~ City of London
by The City Engineer

Lat. ________ Long. ________
Time of Observation 9.0. am each day.
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·09							·01	·04		1
2				·49					·10		·09	·12	2
3				·04				·36				·15	3
4		·09	·03	·01	·38				·01		·53	·02	4
5		·06	·12	·01					·46		·39	·01	5
6		·01			·16			·46	·41				6
7	·16	·10			·13			·17		·08		·04	7
8		·13		·25	·13			·02	·13	·09	·06		8
9		·03							·35	·02	·04	·03	9
10	·03	·03		·03		·02	·49		·02	·11		·18	10
11	·02			·08			·60		·04	·01	·02	·24	11
12	·02			·02			1·06		·04	·15	·09	·10	12
13		·04			·20		·04		·13			·02	13
14	·02				·12								14
15	·14		·01			·31	·22		·44	·15			15
16	1·18			·72		·03	·46		·22			·31	16
17	·25			·28			·01		·01			·01	17
18	·21			·24	1·02	·08	1·15		·71			·13	18
19	·49					·19	·02	·04	·02	·19		·03	19
20			·06	·07		·27	·29		·10			·09	20
21	·06	·13				·02				·13		·03	21
22	·06	·01		·68			·14		·48	·05			22
23	·03			·03	·43		·13		·01			·05	23
24	·03			·03	·16		·51	·03	·08			·02	24
25		·21				·03	·54				·02		25
26				·01		·02	·23	·15		·02	·05		26
27							·29	·08	·05		·16	·09	27
28								·13		·02	·09	·02	28
29				·08			·01	·08	1·00		·22		29
30		✕	·27								·01	·15	30
31		✕		✕		✕			✕		✕	·08	31
Total	~~2·71~~ 2·10	·09 ~~·84~~ ·93	~~·58~~ ·49	3·07	2·73	·97	6·19	1·52	·01 ~~4·81~~ 4·82	·04 ~~1·03~~ 1·06	~~1·81~~ 1·77	·01 ~~1·92~~ 1·93	YEAR'S TOTAL 28·18
Rain Days.	14	11	~~6~~ 5	17	9	9	17	10	21	13	13	23	164

W, 6,500, VII. 18. w w c

E+RL 65

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Guildhall
in the ~~County~~ City of London
by The City Engineer

Lat. —— Long. ——
Time of Observation 9 am each day
Nearest Railway Station ——
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft 6 in.
" " " " ~~Sea Level~~ Ordnance Datum 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·05	·01	·01	·01	...	·19	...	...	·02	·08	·45	1
2	·33			...	·19	...	·09	·04	·30	·05		·07	2
3	·16	...	·32	...	·02	...	·18		·30	...	·02	·30	3
4	·07	·05	·43	...		·07	·25		...	...	·02	·10	4
5		·28	·51	...	...	...	...	...	·30		·01	·21	5
6	·02	...	·07		...	...		...	...	...	...	·02	6
7	·02	...	·23	...	...	...	...	...		...	·03		7
8	·07	...	·05	·04	...		...	...	...	...	·01	...	8
9	·05			·04	·07		...	...	...	...		...	9
10	·32	...	·04	·02	...	...	...		...	...	·01	·01	10
11	·03	...	·08	·28		...	·21	...	...	·08	...	·01	11
12		...	·02	·17	...	·02	·15	...	...		...	...	12
13	...	...	...		...	...		...	·32	·02	...	·02	13
14	·19	...	...	·21	...	...	·09	...		...	...		14
15	·17	·49	...	·20	...		...	...	...	·01	·11	·15	15
16	·03			...	...	...	...	...	...	...		·04	16
17	...	·37	·04	·02	...	...	...		...	...	·16	·01	17
18	·07	·21	·08			...	·34	...	·04	...	·07	·02	18
19		·14	·63		...	·17		·15	·08		·07	·01	19
20	·11	·05	·04		...	·88		·10	·01	...	...	·05	20
21	·20	·20	·01	...	...	·03	·09	...		...	·01		21
22	...	·11	...	...	...		·12	...	·12	...	·04	·24	22
23	...			...	...	·02	...	·03	·02	...		·01	23
24	...	...	...	·19	·04	·02	·02		...	·16	·02	·59	24
25	·07	...	...	·03		...	...	·15	...	...	...		25
26		·12	·09	1·21	...	...	·13	·01	·10		...		26
27	·28	·02	·03		...	...		·45	...	...	...		27
28	...	...	·28	·03	...	...	·01	·60		...	·15		28
29	·03		·03	·01	...		...	·28	...	·22	·25	·04	29
30	...			·25	...	·18	...	·15	...	·02		·25	30
31	...		·06		...		·01			·01		·02	31
TOTAL	2·48	2·09	3·05	2·71	·33	1·39	1·88	1·96	1·59	·59	1·06	2·92	YEAR'S TOTAL 22·05
Days with ·01 in. or more	~~22~~	~~13~~	~~26~~	~~17~~	~~5~~	~~8~~	~~15~~	~~10~~	~~11~~	~~9~~	~~17~~	~~23~~	~~164~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ex 75

2 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Guildhall
in the City ~~County~~ *of* London
by The City Engineer

Lat. ——— Long. ———
Time of Observation 9 am each day
Nearest Railway Station ———
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " Ordnance Datum ~~Sea Level~~ 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	...	...	·27	·03	...	·28	·76	...	·23	·01	·17	1
2	...	...	·04	·07		...	...		·07	·07	...	·05	2
3	...	·05	...		...	...	·01	...	·06		...	·02	3
4		·03	·02		...	...		·02	·04	·10	...	·05	4
5	...	...	·14		·03	...	·44	·08		...	...		5
6	...	...	·17	...	·10		·37	...	...	...	...	·02	6
7	·01	·02		·20	·06	...	·12	·01	...	...		·01	7
8	·01		...	·08	·07	...	·07		...	...	...	...	8
9	·29	·01	...	·03		...	...	·01	...	...	...	...	9
10	·50	·06	·08	·20	...	·09	·37	...	...		...	...	10
11		·01	·06		·01	·01		...	...	...	...	·06	11
12	·08	·01	...	·07	...	·57	...	...		·02	...		12
13	·14	...	·30	·12	...		...	...	...	...	·14	...	13
14	...	·02		·15	...	·24	...	...	·12	·08		·06	14
15	·01		·06	·11	...	...	·01		·58	·11	·08	...	15
16	...	...	·01	·13		·01	...	...	·32	·37	...	·01	16
17	·03	...	...	·02	·10	·02	...	...	·49		...	·02	17
18		...	...		·01	...		·71	·15	...	...	·09	18
19	·10	...	...	·17	...	·54	...	...		...	...		19
20	·05	·23	...	·09	...		...	...	·03	...	...	...	20
21	...	...		...	...	...	·68	·01	·56	...		·04	21
22	...		...	·28	...	...	...		·04	...	...	·30	22
23	...	...	...	...		...	·25	...	...	...	...	·35	23
24	...	...	·04	·01		...	·10	...	...		...	·11	24
25		·01	...		...	...		...	·02	...	...		25
26	·01	...	·09	·02	...	·08	·10	...		...	...		26
27	·11	·07	·17	·20	...		·09	...	...	...	·40		27
28	·34	...		·07	·02	...	·08	...	...	...		·02	28
29	·18		·06	...	·06	...	...		...	...	·03	·20	29
30	·02		...	...		...	·42	...	·44	·14	·12	·13	30
31	...		...		·03		...	...				·08	31
TOTAL	1·90	·52	1·24	2·29	·52	1·56	3·39	1·60	2·92	1·12	·78	1·79	YEAR'S TOTAL 19·63
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MILL HILL
MYLES DOWN
1917 - 1919

REG

FORM A.
BRITISH RAINFALL.
7. JAN 1918

Kept at Myles Down
in the County of Midd
by Willoughby Sallen

9·30 (Summer [illegible])
5 in.
ove Ground 1 ft. 0 in.
Sea Level ft.

IMPORTANT NO d the result entered to the previous day. If an O iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				[illegible]		—	—	·92	·03	—	·10	—	1
2						·01	—	·11	—	—	·15	—	2
3						—	—	·32	—	·20	·31	—	3
4						—	·10	·23	—	·30	—	—	4
5						—	—	·05	·50	·10	·13	—	5
6						·02	—	—	·10	·05	·18	—	6
7						—	·11	—	—	·23	·01	·03	7
8						—	·92	·12	—	·22	·18	[illegible]	8
9						—	·06	·22	·01	·25	·08	[illegible]	9
10						—	—	·11	—	·01	—	[illegible]	10
11						—	—	·04	(·01)	·35	—	·01	11
12						—	—	·12	—	·38	—	·01	12
13						—	—	—	·03	—	—	·01	13
14						—	—	·16	—	·05	—	—	14
15						—	·45	·06	—	(·07)	—	[illegible]	15
16						·18	·04	—	—	·01	·01	·07	16
17						—	·11	·04	·47	·20	—	—	17
18						·15	·09	·02	·16	·10	—	—	18
19						·02	—	·03	·37	·01	—	—	19
20						—	—	—	·01		[illegible]	·03	20
21						·02	—	—	—	·01	·04	·01	21
22						·12	—	·12	—	·07	·02	—	22
23						—	—	·10	—	—	—	·02	23
24						·05	—	·08	—	·31	·15	·03	24
25						—	—	—	—	—	·10	—	25
26						—	—	·17	·03	—	·39	—	26
27						—	—	·69	—	—		—	27
28						1·11	—	·18	—	—	—	·06	28
29					·54	·02	1·45	·08	—	·25	—	·08	29
30					—	—	1·29	—	—	—	—	—	30
31					—	X	·37	—	X	—	X	·01	31
Total						1·70	4·69	4·00	1·72	3·96	1·80	·80	YEAR'S TOTAL
Rain Days.						10	11	22	11	20	15	16	

W. 7,500, XI. 12

5·8 148

REGISTER

FORM A.
BRITISH RAINFALL
7 JAN 1918

Kept at Mylis Down - Mill Hill

in the County of Middlesex

by Willoughby Salter & Patrick Rogers.

Lat. Long.

Time of Observation 9·30 (Summer [illegible])

Nearest Railway Station [illegible]

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						–	–	·92	·03	–	·10	–	1
2						·01	–	·11	–	–	·15	–	2
3						–	–	·32	–	·20	·31	–	3
4						–	·10	·23	–	·30	–	–	4
5						–	–	·05	·50	·10	·13	–	5
6						·02	–	–	·10	·05	·18	–	6
7						–	·11	–	–	·23	·01	·03	7
8						–	·92	·12	–	·22	·18	[illegible]	8
9						–	·06	·22	·01	·25	·06	[illegible]	9
10						–	–	·11	–	·01	–		10
11						–	–	·04	(·01)	·35	–	·01	11
12						–	–	·12	–	·38	–	·01	12
13						–	–	–	·03	–	–	·01	13
14						–	–	·16	–	·05	–	–	14
15						–	·45	·06	–	(·07)	–	[illegible]	15
16						·18	·04	–	–	·61	·01	·07	16
17						–	·11	·04	·47	·20	–	–	17
18						·15	·09	·02	·16	·10	–	–	18
19						·02	–	·03	·37	·01	–	–	19
20						–	–	–	·01		[illegible]	·03	20
21						·02	–	–	–	(·01)	·04	[illegible]	21
22						·12	–	·12	–	·07	·02	–	22
23						–	–	·10	–	–	–	·02	23
24						·05	–	·08	–	·31	·05	·02	24
25						–	–	–	–	–	·10	–	25
26						–	–	·17	·03	–	·37	–	26
27						–	–	·69	–	–	–	–	27
28						1·11	–	·18	–	–	–	·06	28
29					·54	·02	1·15	·08	–	·25	–	·08	29
30					–	–	1·29	–	–	–	–	–	30
31					–		·37	–		–		·01	31
Total						1·10	4·69	4·00	1·72	3·96	1·80	·80	YEAR'S TOTAL
Rain Days.						10	11	22	11	20	15	16	

W. 7,500, XI. 12

5 85 · 148

Exc 81

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 7.1.19

Kept at Myles Down Mill Hill

in the County of Middlesex.

by Willoughby de C. Salter.

Lat. Long.

Time of Observation 9.30. AM

Nearest Railway Station Mill Hill. (G.N.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·22	·02	—	—	—	—	—	—	·06	1
2	·01	·02	—	·07	—	—	—	·50	—	·01	—	—	2
3	—	·07	—	·02	·45	—	-		·03	+	·78	—	3
4	—	·06	·06	·02	·11	—	-	·06	·35	·06	·59	·25	4
5	—	·05	—	—		—	—	·12	·02	+	—	—	5
6	·11	·14	—	·27	·15	—	—	·02	+	·06	—	—	6
7	·03	·10	—	·10	·12	·01	—	·02	·27	+	·15	—	7
8	—	·06	—	·01	—	—	—	·01	+	·20	·06	·08	8
9	·03	·09	—	·03	—	·06	·26	—	·40	+	—	·28	9
10	·03	—	—	·04	·06	—	·47	—	·01	·03	—	·28	10
11	·01	—	—	·02	·16	·24	·33	—	·16	·23	·06	·14	11
12	—	·09	—	—	·20		·11	—	·08	—	—	—	12
13	·01	·02	—	—	—		·13	—	+	·17	—	·05	13
14	·16	—	—	—	—	·47	·23	—	·55	+	—	·22	14
15	1·02	—	—	1·00	—			—	—	—	—	·08	15
16	·16	—	—	·34	·92		—	·01	·20	·05	—	—	16
17	·18	—	—	·26	—		·19	—	+	—	—	·12	17
18	·53	—	—	—	—	·35	·01	—	1·20	·12	—	·08	18
19	·08	·01	·04	·08	—		·27	—	·05	·10	—	—	19
20	·02	·13	—	·76	—		·10	—	·48	·19	—	·17	20
21	·08	—	—		—	—		—	+	·01	—	—	21
22	·06		—	—	·18	—	·09	—	·13	—	·01	·15	22
23	·02	·23	—	·01	·27	—	·44	·05	·08	—	—	—	23
24	—		—	—	—	·05	·14	—	·06	—	·05	—	24
25	—	—	—	—	—	—	·23	·10	—	—	·07	—	25
26	—	—	—	—	—	—	·32	·17	·01	·03	—	·19	26
27	—	—			·05	—		·28	·04	—	·35	·01	27
28	—	—	·60	·11		·01	·11	—	—	—	·21	·14	28
29	·01	X			—	—	—	—	1·17	—	·01	—	29
30	—	X		—	—	—	—	—	·01	—	·05	—	30
31	—	X	·01	X	—	X	—	·01	X	·10	X	·08	31
Total	2·55	1·08	·71	3·36	2·69	1·19	3·43	1·35	5·30	1·36	2·39	2·38	YEAR'S TOTAL 27·79
Rain Days.	18	...	...	...	...	...	...	...	~~20~~	~~[illegible]~~	12	17	...

W. 8,000, IX. 17.

835

B. made

FORM A.
BRITISH RAINFALL

1 MAR 20

REGISTER OF RAINFALL IN 1919

Cast. HWL

Kept at Mylodon, Mill Hill

in the County of Middlesex

by A. H. G. Rogers

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39		·01	·01	—	—	·34	—		·02	—	—	1
2	·1		—	—	·28	—	·54	—		·07	·15	—	2
3	·58		·20	—	·01	—	·11	—		—	·14	1·42	3
4	·09		·30	—	—	—	·15	·42		—	·05	—	4
5	—	1·18	·37	—	—	—	—	—		—	·01	·42	5
6	·01		·08	·02	—	—	·38			—	—	—	6
7	·07		·34	—	—	—	—			—	—	·02	7
8	[illegible]	—	·08	·06	—	—	—			—	·01	—	8
9	·03	—	—	·03	·05	—	—			—	—	—	9
10	·37	—	·07	—	~~·01~~	·10	—		—	—	·09	·06	10
11	—	—	—	—	·01	—	·28		—	—	—	—	11
12	·04	—	—	·28	—	—	·10		·30	·05	—	·02	12
13	·01	—	·18	—	—	—	—			·05	—	—	13
14	—	—	—	·51	—	—	·70			·04	·05	—	14
15	·55	—	·19	·15	—	—	—			—	—	·51	15
16	—	·60	—	·01	—	—	—			—	—	·02	16
17	·06	—	·03	·01	—	—	—			—	·34	—	17
18	—	·75	·08	—	—	—	—			—	—	—	18
19	—	—	·75	—	—	—	—			—	·20	—	19
20	·33	·10	·07	—	—	1·10	·55			—	—	·17	20
21	·21	·30	·04	—	—	—	—			·15	—	—	21
22	—	·20	·01	—	—	·04	·27		·33	—	·03	·39	22
23	—	—	—	[illegible]	—	·07	—		—	·13	—	—	23
24	—	—	—	·14	—	—	·07		—	—	—	—	24
25	·04	—	—		·05	—	—		—	—	·06	—	25
26	[illegible]	·18	·12		—	—	—		—	—	—	—	26
27		·04	·02	1·35	—	—	—		—	—	—	·41	27
28		—	·13	—	—	—	—		·18	—	—	—	28
29		X	—	·08	—	—	—		—	·15	·65	—	29
30		X	·06	·23	—	—			—	1·01	—	—	30
31		X	·01	X	—	X			X		X	·61	31
Total	2·88	3·35	2·84	2·88	·40	1·31	2·89	·12	·81	1·57	1·78	4·05	YEAR'S TOTAL 24·88
Rain Days.													

W. 6,500, VII. 18. W W C

FORM A.
BRITISH RAINFALL.

23 APR 1912

MILL HILL

THE HOLLIES

1911–14 [illegible]

REG

Kept at The Hollies
in the County of Mid
by Mr. H. R. M

ong.
on

in.
Ground 1 ft. in.
Sea Level 380 ft.

NOTE.—Full instructions respecting … nfall Organization are given in "Rules for Rainfall Obser… Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	·56	·01	–	–	·04	–	–	–	–	1
2	·13	–	–	·35	·22	–	·01	–	–	–	·21	·18	2
3	·03	–	–	·01	·18	–	–	–	–	·04	·13	·11	3
4	·07	·04	·07	·16	–	–	–	–	–	·08	·10	·27	4
5	·02	–	–	·05	–	–	–	·01	–	·14	·01	·08	5
6	·40	–	·10	·01	–	–	–	–	–	–	–	·34	6
7	·04	–	–	·01	–	–	–	–	–	·07	·25	·26	7
8	·16	–	·18	–	–	–	–	–	–	–	·16	·14	8
9	·10	–	–	·02	–	–	–	–	–	–	–	·01	9
10	·04	·07	·14	·01	–	–	–	–	–	–	·03	·36	10
11	·25	–	–	·02	·19	–	–	–	–	–	·60	·01	11
12	–	–	·42	–	·12	·16	–	–	·04	–	·35	·01	12
13	·03	–	·10	–	·16	–	–	–	·42	·27	·01	·23	13
14	–	·08	–	–	·26	–	–	–	–	–	–	·43	14
15	–	·06	·21	–	–	–	–	–	–	·03	·04	·02	15
16	–	–	–	–	–	·35	–	–	–	–	·36	·04	16
17	–	–	·07	–	–	·10	–	–	–	–	·47	·16	17
18	–	·23	·02	–	–	·21	–	–	–	–	·49	·19	18
19	–	–	–	–	·01	·14	–	–	·22	·05	·25	·10	19
20	–	·03	·01	–	–	–	–	·32	·10	·10	–	·61	20
21	·01	·05	–	–	–	–	–	·15	–	·61	–	·10	21
22	·08	–	·02	–	–	·02	–	·01	–	·14	·01 ~~·07~~	·41	22
23	–	·11	·18	–	–	·72	–	–	·26	–	·03	·16	23
24	–	·13	·03	–	–	·06	·01	·01	–	1·10	–	·17	24
25	–	·04	·02	·05	–	·28	1·31	·02	–	·01	–	–	25
26	–	–	·02	·17	–	·07	·08	·01	–	·17	·02	·30	26
27	–	·45	·08	·03	–	–	–	·01	·12	–	·01	·09	27
28	–	·30	–	·25	–	–	·03	·06	–	–	·02	–	28
29	–		–	·03	–	·20	·11	–	·25	·28	·01	–	29
30	–		–	·11	·03	·01	–	·01	·03	·14	–	·01	30
31	–		–		·28		–	–		·01		–	31
Totals	1·40	1·59	1·67	1·84	1·46	2·32	1·55	·65	1·44	3·24	~~3·62~~	4·79	25·51 ~~25·57~~
Total from Jan. 1	14	12	16	16	10	12	6	16	8	18	21	26	168

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

3·56

FORM A.
BRITISH RAINFALL.
23 APR 1912

REG

Kept at The Hollies, Mill Hill

in the County of Middlesex

by Mrs H. R. Mill

Lat. Long.
Nearest Railway Station
RAIN GAUGE.
Time of Observation
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 380 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·56	·01	—	—	·04	—	—	—	—	1
2	·13	—	—	·35	·22	—	·01	—	—	—	·21	·18	2
3	·03	—	—	·01	·18	—	—	—	—	·04	·13	·11	3
4	·07	·04	·07	·16	—	—	—	—	—	·08	·10	·27	4
5	·02	—	—	·05	—	—	—	·01	—	·14	·01	·08	5
6	·40	—	·10	·01	—	—	—	—	—	—	—	·34	6
7	·04	—	—	·01	—	—	—	—	—	·07	·25	·26	7
8	·16	—	·18	—	—	—	—	—	—	—	·16	·14	8
9	·10	—	—	·02	—	—	—	—	—	—	—	·01	9
10	·04	·07	·14	·01	—	—	—	—	—	—	·03	·36	10
11	·25	—	—	·02	·19	—	—	—	—	—	·60	·01	11
12	—	—	·42	—	·12	·16	—	—	·04	—	·35	·01	12
13	·03	—	·10	—	·16	—	—	—	·42	·27	·01	·23	13
14	—	·08	—	—	·26	—	—	—	—	—	—	·43	14
15	—	·06	·21	—	—	—	—	—	—	·03	·04	·02	15
16	—	—	—	—	—	·35	—	—	—	—	·36	·04	16
17	—	—	·07	—	—	·10	—	—	—	—	·47	·16	17
18	—	·23	·02	—	—	·21	—	—	—	—	·49	·19	18
19	—	—	—	—	·01	·14	—	—	·22	·05	·25	·10	19
20	—	·03	·01	—	—	—	—	·32	·10	·10	—	·61	20
21	·01	·05	—	—	—	—	—	·15	—	·61	—	·10	21
22	·08	—	·02	—	—	·02	—	·01	—	·14	·01 ~~·07~~	·41	22
23	—	·11	·18	—	—	·72	—	—	·26	—	·03	·16	23
24	—	·13	·03	—	—	·06	·01	·01	—	1·10	—	·17	24
25	—	·04	·02	·05	—	·28	1·31	·02	—	·01	—	—	25
26	—	—	·02	·17	—	·07	·08	·01	—	·17	·02	·30	26
27	—	·45	·08	·03	—	—	—	·01	·12	—	·01	·09	27
28	—	·30	—	·25	—	—	·03	·06	—	—	·02	—	28
29	—		—	·03	—	·20	·11	—	·25	·28	·01	—	29
30	—		—	·11	·03	·01	—	·01	·03	·14	—	·01	30
31	—		—		·28		—	—		·01		—	31
Totals	1·40	1·59	1·67	1·84	1·46	2·32	1·55	·65	1·44	3·24	~~3·62~~ 3·56	4·79	25·51 ~~25·57~~
Total from Jan. 1	14	12	16	16	10	12	6	16	8	18	21	26	168

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL
-1 JAN 1913

Kept at The Hollies, Mill Hill
in the County of Middlesex
by Mrs H. R. Mill

Lat. .... Long. ....
Nearest Railway Station Mill Hill, Midland
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 380 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·12	·02	—	·11	·17	—	·05	·30	—	·14	1
2	—	—	·12	·01	·02	·04	·31	·11	·01	—	—	—	2
3	·05	—	·14	—	·05	·18	·03	·32	·01	—	—	·08	3
4	·33	—	·58	—	·25	·20	—	·01	—	—	·20	—	4
5	·20	·04	·08	—	—	—	—	·22	—	—	·04	—	5
6	·56	·10	·01	—	—	·02	—	·11	·01	—	—	·08	6
7	—	·01	·01	—	·03	·36	·02	·24	—	—	—	·02	7
8	·40	·36	·20	—	—	·02	—	·15	·01	—	—	·02	8
9	·01	·10	—	·05	—	·16	·04	·02	—	·01	—	·15	9
10	—	·04	·01	—	—	·08	—	·36	·03	·01	·07	·18	10
11	·04	·33	—	—	—	·03	—	—	·03	—	·03	·11	11
12	·07	·11	·11	—	·19	·07	·01	—	—	·01	·09	—	12
13	—	·01	·02	—	—	—	—	—	·01	·02	·10	·02	13
14	·01	—	·02	—	·01	—	—	·10	—	·05	—	·02	14
15	—	·03	·04	—	·24	·56	—	·05	—	—	·02	·28	15
16	·30	—	·05	—	·05	·03	—	·15	—	·06	·04	—	16
17	·51	—	·29	—	—	·11	—	·06	—	—	—	·01	17
18	·06	—	·13	—	—	—	—	·38	—	—	·01	·13	18
19	·11	·05	·11	—	—	—	·11	·40	—	—	·01	—	19
20	·02	—	·12	—	—	·04	—	·26	—	·34	—	—	20
21	—	·08	·41	—	·04	—	·01	·10	—	·06	·06	—	21
22	·23	·21	·07	—	·07	—	·11	·15	—	·06	·01	·04	22
23	·41	·37	·33	—	—	—	1·34	·52	—	·02	·17	·14	23
24	·39	·01	—	—	—	·09	·02	·12	—	—	—	·12	24
25	—	—	—	—	—	·14	—	·62	—	—	·25	·49	25
26	—	—	—	—	—	—	·11	·31	—	·42	·36	·31	26
27	—	—	·01	—	—	·01	—	—	—	·16	—	·20	27
28	—	·06	—	—	—	·04	·10	·06	·03	·31	·30	·17	28
29	—	·03	—	—	—	·15	·41	·23	1·16	·44	·04	—	29
30	—		—	—	·38	—	—	—	·81	·13	—	—	30
31	—		·38		·02		·19	·17		—		·05	31
Total	3·70	1·94	3·36	·08	1·35	2·44	2·98	5·22	2·16	2·40	1·80	2·76	TOTAL for year 30·79
No. of Rain Days.	17	17	23	3	12	20	15	25	11	16	17	21	197

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

OVER

Price 2d.

completed by Dr Mills register.

REGISTER OF RAINFALL IN 1913

Particulars in former years when recorded by Dr Mill

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at "The Hollies" Mill Hill
in the County of Middx
by Chas. Wright

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										—	-04	·15	1
2										—	—	—	2
3										—	—	·01	3
4										·25	·05	·05	4
5										·01	—	·04	5
6										·14	·05	·07	6
7										·38	·11	—	7
8										·02	·04	—	8
9										—	·04	·06	9
10										—	·33	—	10
11										·38	·08	—	11
12										—	·37	—	12
13										—	·30	—	13
14										·15	·11	—	14
15										—	—	—	15
16										—	—	—	16
17										—	·03	·02	17
18										—	·04	—	18
19										—	·	·03	19
20										·41	·	—	20
21										·17	·68	—	21
22										—	—	—	22
23									1·22	—	—	·19	23
24									—	—	·02	—	24
25									—	—	—	—	25
26									—	·68	—	·28	26
27									—	·01	—	·	27
28									—	·07	—	·	28
29									—	—	—	·02	29
30					—				—	·09	—	—	30
31										·03		—	31
Total	2·65	·69	1·79	2·71	1·64	·46	2·13	1·00	1·22	2·79	2·29	·92	YEAR'S TOTAL 20·29
Rain Days.										14	15	11	✓...

Records previous to Sept 24th kept by Dr. Mill.

W.7,000, XI. 13

from originals.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
21 JAN 1914

Kept at The Hollies Mill Hill
in the County of Middlesex | Jan 1 – Sept 19
by Mr H. R. Mill
Ridgeway House Mill Hill
Sep 20 – Dec 31st
F. Turner Esq

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.19	.08	.17					.14		.055	.15	1
2	.08	.13					.07		.05	.01	.02		2
3			.04	.24	.47							.01	3
4	.21		.01	.01	.14		.24			.23	.03	.05	4
5	.07	.01			.01	.01	.09		.19	.01		.04	5
6	.01	.03	.04		.08	.20	.10		.02	.13	.04	.06	6
7		.10		.01	.12	.01	.23	.04		.36	.11		7
8		.08	.03		.11	.26				.02	.03		8
9		.17		.01	.03				.05		.04	.05	9
10	.02		.07	.13	.01		.49	.07			.33		10
11	.75			.49	.04			.05		.39	.07		11
12		.02			.03						.37		12
13	.05		.02		.01			.02	.04		.29		13
14	.07	.03	.10	.04			.40	.08		.14	.11		14
15	.12	.04	.16	.24			.20						15
16	.13		.26	.17					.17				16
17	.02		.02	.03			.17	.01	.04		.03	.03	17
18	.02		.07	.12							.04		18
19	.20		.07	.02			.11		.31			.02	19
20	.09		.06	.03			.02			.38	.01		20
21	.02		.21	.11						.16	.63		21
22	.41	.02	.12	.02				.03	16				22
23			.01			.02		.09	02			.20	23
24	.03			.04				.04			.01		24
25		.03		.15									25
26		.05	.22	.08				.07		.65		.25	26
27		.01	.02	.05	.02					.01			27
28	.23		.22	.07	.61					.06			28
29	.06		.08	.50				.04		.01		.02	29
30	.20			11				.09		.08			30
31	.01		.03					.31		.02			31
Total	2.83	.86	1.94	2.84	1.68	.50	2.12	.94	1.19	2.66	2.215	.88	YEAR'S TOTAL 20.655
Rain Days	22	14	22	23	13	5	11	13	11	16	17	11	178
Monthly	2.65	.69	1.79	2.71	1.64	.46	2.13	1.00	1.22				

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

CX 918

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at "The Hollies" Mill Hill
in the County of Middx
by Chas. Wright

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Mill Hill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·06	.	.	.	.	·32	.	.	·05	·04	1
2	.	.	.	.	.	.	·12	·14	.	.	·07	·06	2
3	.	.	·10	.	·15	.	·09	.	.	.	·02	.	3
4	·16	.	·01	·16	.	.	.	·12	.	.	·40	·16	4
5	·03	.	·09	·19	·24	·07	·48	·27	.	.	.	.	5
6	.	·13	.	.	·02	·11	·04	·03	.	.	·34	·18	6
7	.	·12	·31	·13	·54	·10	·07	.	.	.	.	·11	7
8	·05	·29	·66	·10	·04	·15	·24	·11	·01	.	.	·05	8
9	·18	.	·65	·02	.	·39	.	.	·10	.	.	1·52	9
10	·03	·13	.	·06	·04	.	.	.	·18	.	.	·01	10
11	.	·18	·43	.	·02	·32	.	.	·04	.	·32	·27	11
12	.	·03	·12	.	.	.	·10	.	·23	.	.	·49	12
13	.	·23	·07	.	.	.	.	.	·14	·06	·07	·53	13
14	.	·06	·46	.	.	.	·09	.	·01	·20	·09	·29	14
15	·07	.	·17	.	.	.	.	.	.	·06	·07	·05	15
16	.	.	·03	.	.	.	·02	.	·12	.	·02	.	16
17	.	·38	·04	.	.	.	.	.	.	.	.	·12	17
18	.	·03	·12	.	.	.	.	.	.	.	.	·23	18
19	.	·[illegible]3	·20 Rain & snow	.	.	·07	·08	.	.	.	·19	·20	19
20	.	·18	·25 snow	.	.	·04	.	.	·17	·02	.	·17	20
21	.	·44	·06	.	.	.	.	.	.	·01	.	·08	21
22	.	.	.	.	·43	·05	·19	·03	.	·23	.	.	22
23	.	·02	·10	.	·25	·01	.	.	.	·12	.	.	23
24	.	.	·02	·04	.	.	·03	.	.	·02	·11	.	24
25	·03	.	·15	.	.	.	.	·14	.	·26	.	·09	25
26	·02 snow	.	·03	.	.	.	·09	·06	.	·04	·17	·54	26
27	·04	.	·01	.	.	.	.	·02	.	.	·01	·18	27
28	..	·02	.	.	·02	.	.	.	.	·03	·32	1·27	28
29	07	.	·12	.	.	.	.	.	.	·31	·08	.	29
30	.	✕	·04	.	.	.	.	.	.	·03	·45	·23	30
31	.	✕	.	✕	·18	✕	·03	.	✕	.	✕	·01	31
Total	·68	2·27	4·30	·70	1·93	1·31	1·67	1·24	1·00	1·39	2·78	6·88	YEAR'S TOTAL 26·15
Rain Days.	10	15	25	7	11	10	14	10	9	~~14~~ 13	17	24	165

W. 8,000. X. 14.

N

FORM A.
BRITISH RAINFALL

12 JAN 1916

REG

MILL HILL

CLEVELAND

1915 - 1920

Kept at Cleveland

o a. m.

Mill Hill G.N.R. or Midland

in the County of Midd

n Gauge 5 in.

by Mrs Stewart K

ove Ground 1 ft. in.

Sea Level 400 ft.

IMPORTANT NOT d the result entered to the previous day. If an Observer prefers not to conform iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·18	·05	–	·01	– ~~·01~~	–	·01	·13	·05	·29	·44	1
2	·37	·12	·28	·13	–	·01	–	·62	–	·05	·01	·59	2
3	·29	–	·05	·16	–	–	–	·39	–	–	–		3
4	·17	–	–	–	–	–	–	·06	–	–	–	·61	4
5	·04	·40	–	–	–	–	–	–	–	·03	–		5
6	·22	·02	·01	·25	·07	–	1·00	·01	–	–	–	·51	6
7	·20	·26	·02	·01	–	–	·46	·03	–	–	–		7
8	·04	·50	·03	·08	–	–	·01	·05	–	–	–	·78	8
9	–	·10	–	·09	–	·06	–	·07	–	–	·33		9
10	·29	–	–	–	–	–	–	·14	–	–	–		10
11	·01	–	·03	–	–	–	–	·01	–	–	·69	·03	11
12	·11	·02	–	·29	·39	–	–	·18	–	–	·41		12
13	–	·32	–	–	1·22	–	–	·01	–	·01	·01	·72	13
14	–	·06	–	–	–	–	1·29	·16	·08	–	–		14
15	·22	–	–	–	·06	–	·03	·35	–	–	·20	·14	15
16	·01	·39	–	–	–	–	·77	·01	–	–	–		16
17	–	·35	–	–	·74 ~~·74~~	–	·11	·14	–	–	–		17
18	–	·18	·05	–	·08	–	–	–	–	–	·05	–	18
19	–	·04	·04	–	·01	–	·14	–	–	–	–		19
20	·32	–	·01	·04	–	–	–	–	–	–	–	·29	20
21	·16	·03	–	–	–	–	·02	·01	–	·01	–		21
22	·79	·14	·25	·02	–	–	·72	–	–	–	–	·19	22
23	–	·23	·10	–	–	·09	·30	–	·26	·38	–	·29	23
24	–	–	·08	–	–	–	·20	–	·30	·10	–	·18	24
25	–	–	·09	·05	–	·03	·17	–	·01	·02	–	·17	25
26	–	·10	–	–	–	·12	·10	–	–	–	–	·45	26
27	–	–	·01	–	–	·70	·09	·01	–	·39	–	·10	27
28	–	·05	–	–	–	·06	–	–	1·21	·17	–	–	28
29	–	–	·01	–	–	–	·38	·15	–	–	·16	·01	29
30	·05	╳	–	–	–	·20	–	–	–	·02	·14	·01	30
31	·02	╳	–	╳	–	╳	–	·10	╳	1·14	╳	·21	31
Total	3·79	3·49	1·11 ~~1·10~~	1·12	2·58	1·27	5·79	2·57	1·99	2·37	2·29	5·72	YEAR'S TOTAL 34·03
Rain Days.	18	19	16	10	8	8	16	20	6	12	10	?	?

W. 8,000. X. 15.

REG

N

FORM A.
BRITISH RAINFALL

Kept at Cleveland, Mill Hill

in the County of Middlesex

by Mrs Stewart King

Time of Observation 9-0 a.m.

Nearest Railway Station Mill Hill G.N.R. or Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·18	·05	–	·01	~~·01~~	–	·01	·13	·05	·29	·44	1
2	·37	·12	·28	·13	–	·01	–	·62	–	·05	·01	·59	2
3	·29	–	·05	·16	–	–	–	·39	–	–	–		3
4	·17	–	–	–	–	–	–	·06	–	–	–	·61	4
5	·04	·40	–	–	–	–	–	–	–	·03	–		5
6	·22	·02	·01	·25	·07	–	1·00	·01	–	–	–	·51	6
7	·20	·26	·02	·01	–	–	·46	·03	–	–	–		7
8	·04	·50	·03	·08	–	–	·01	·05	–	–	–	·78	8
9	–	·10	–	·09	–	·06	–	·07	–	–	·33		9
10	·29	–	–	–	–	–	–	·14	–	–	–		10
11	·01	–	·03	–	–	–	–	·01	–	–	·69	·03	11
12	·11	·02	–	·29	·39	–	–	·18	–	–	·41		12
13	–	·32	–	–	1·22	–	–	·01	–	·01	·01	·72	13
14	–	·06	–	–	–	–	1·29	·16	·08	–	–		14
15	·22	–	–	–	·06	–	·03	·35	–	–	·20	·14	15
16	·01	·39	–	–	–	–	·77	·01	–	–	–		16
17	–	·35	–	–	·74 ~~·74~~	–	·11	·14	–	–	–		17
18	–	·18	·05	–	·08	–	–	–	–	–	·05	–	18
19	–	·04	·04	–	·01	–	·14	–	–	–	–		19
20	·32	–	·01	·04	–	–	–	–	–	–	–	·29	20
21	·16	·03	–	–	–	–	·02	·01	–	·01	–		21
22	·79	·14	·25	·02	–	–	·72	–	–	–	–	·19	22
23	–	·23	·10	–	–	·09	·30	–	·26	·38	–	·29	23
24	–	–	·08	–	–	–	·20	–	·30	·10	–	·18	24
25	–	–	·09	·05	–	·03	·17	–	·01	·02	–	·17	25
26	–	·10	–	–	–	·12	·10	–	–	–	–	·45	26
27	–	–	·01	–	–	·70	·09	·01	–	·39	–	·10	27
28	–	·05	–	–	–	·06	–	–	1·21	·17	–	–	28
29	–	–	·01	–	–	–	·38	·15	–	–	·16	·01	29
30	·05	✕	–	–	–	·20	–	–	–	·02	·14	·01	30
31	·02	✕	–	✕	–	✕	–	·10	✕	1·14	✕	·21	31
Total	3·79	3·49	1·11 ~~1·11~~	1·12	2·58	1·27	5·79	2·57	1·99	2·37	2·29	5·72	YEAR'S TOTAL 34·03
Rain Days.	18	19	16	10	8	8	16	20	6	12	10	?	?

W. 8,000. X. 15.

919

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
6 JAN 1917

Kept at "Cleveland", Mill Hill, N.W.

in the County of Middlesex

by Mrs Stewart King

Lat. .... Long. ....

Time of Observation 9-0 a.m.

Nearest Railway Station Mill Hill (G.N. or Midland)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	–	·01	–	·24	·03	–	–	·10	·05	·31	–	1
2	·63	·01	·10	–	·23	·03	–	–	·16	·48	·01	–	2
3	–	·40	·20	–	·01	–	·04	–	·23	·31	·48	–	3
4	·30	·06	–	–	–	·46	·12	–	·09	·14	·50	–	4
5	·03	–	–	·02	·06	·16	–	–	·04	·12	·56	·02	5
6	·01	·08	·26	·22	–	·08	·33	–	–	·05	·44	–	6
7	·09	–	·16	–	·12	·14	·17	–	–	·01	·67	·06	7
8	–	·01	·05	–	·32	·01	·02	–	–	–	–	·26	8
9	·01	–	–	–	·32	·15	–	–	–	·10	–	·03	9
10	–	·17	·07	·09	·01	·46	·13	–	–	–	·01	·08	10
11	·08	·15	·02	·18	·01	·14	}	–	·03	–	–	·08	11
12	·06	·03	·01	·04	·35	·17	×	–	·01	·08	·01	·01	12
13	–	·52	·24	·09	·06	·15	×	} ·65 ×	–	·04	–	–	13
14	–	·26	·01	·03	·12	–		×	–	·02	–	·23	14
15	–	·58	·41	·05	–	–	×	·09	–	–	–	–	15
16	·01	·02	·19	·17	·03	–	} ×49	·16	–	·01	–	–	16
17	·11	·08	–	·07	–	–	×	·89	·30	·01	–	–	17
18	·02	·09	·04	·09	–	–		·65	·10	·04	·56	·01	18
19	·15	·03	·20	·25	–	–		–	·12	–	·74	·09	19
20	·18	–	·20	·07	–	–	}	–	–	–	·07	·40	20
21	·01	–	·70	–	–	–	·06	–	–	–	–	·38	21
22	–	·01	·06	–	·01	–	–	–	–	·05	·01	·51	22
23	·03	·20	·01	–	–	·07	–	*	–	·07	·06	·11	23
24	–	·02	–	–	·04	·34	–	·04	–	} ·06 ×	·04	·34	24
25	–	·30	·11	–	·08	–	–	·03	–	# ×	·14	–	25
26	–	·15	·02	–	–	·03	–	·18	·01	·06	–	–	26
27	·07	–	·79	–	–	·03	–	·13	·12	·47	–	–	27
28	–	·26	·20	–	–	·16	–	·35	·14	–	·01	·26	28
29	–	·07	·01	–	–	·25	–	·11	·04	·40	·01	·17	29
30	–	✕	–	·02	–	·03	–	1·65	–	·61	–	·01	30
31	–	✕	–	✕	–	✕		·11	✕	·13	✕	·04	31
Total	2·00	3·50	4·07	1·39	2·01	2·89	1·36	~~5·04~~ 5·14 ·10	~~1·49~~ 1·39	3·31	4·63	3·09	YEAR'S TOTAL 34·78
Rain Days.	17	22	24	14	16	19	(17)	(16)	19	23	18	19	(213)

W. 8,000. X. 15.

√

885

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
9 - JAN 1918

Kept at "Cleveland", Mill Hill, N.W. 7

in the County of Middlesex

by Mrs Stewart King

Lat. Long.

Time of Observation 9-0 a.m.

Nearest Railway Station Mill Hill

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	~~·01~~	·22	–	–	–	·99	·13	–	·12	–	1
2	–	–	·01	·38	–	·04	–	·11	–	·01	·10	–	2
3	–	–	–	·06	–	–	–	·34	–	·29	·41	–	3
4	–	·16	·15	·01	–	–	·10	·24	–	·39	–	–	4
5	·24	–	·04	·34	–	–	–	·05	·46	·10	·15	–	5
6	·01	–	–	·02	–	·03	–	–	·11	·03	·14	–	6
7	·22	–	–	–	–	–	·10	–	–	·30	·01	·05	7
8	·14	–	–	·13	–	–	·81	·13	·01	·25	·20	·25	8
9	·05	–	·05	·10	–	–	·05	·27	·01	–	·09	·15	9
10	·25	–	·17	·27	–	–	–	·13	–	–	·02	·04	10
11	·14	–	·42	·10	–	–	–	–	·01	·37	–	–	11
12	·11	–	·03	·02	·05	–	–	·06	–	·53	·01	·02	12
13	·04	–	·15	·01	–	–	–	·17	·05	·01	·01	·01	13
14	·05	–	·02	·20	–	–	–	·17	–	–	–	–	14
15	·01	–	–	·03	–	–	·40	·08	–	·07	–	·02	15
16	–	·16	–	·17	·13	·18	·05	·01	–	·78	·01	–	16
17	·05	·02	–	·12	·62	–	·30	·02	·51	·30	–	·12	17
18	–	·07	–	·12	·12	·16	–	·04	·20	·11	–	–	18
19	·01	·19	–	·01	·15	·02	–	·04	·41	–	–	–	19
20	·01	·21	·08	–	·56	–	·01	·01	–	–	·08	–	20
21	·06	–	·08	–	·05	–	–	–	–	·02	·05	·03	21
22	·01	–	·03	–	–	·12	–	·09	–	·09	·02	–	22
23	–	–	·04	–	·12	·02	–	·17	–	–	–	·02	23
24	–	·09	–	–	·01	·06	–	·07	–	·35	–	·02	24
25	–	·11	·01	–	–	–	–	–	–	·01	·13	–	25
26	–	·03	·03	–	–	–	–	·18	·05	–	·43	·01	26
27	–	–	·02	–	–	–	–	·81	–	–	·01	·03	27
28	–	–	·06	–	–	1·08	–	·16	–	–	–	·03	28
29	–	–	·02	–	·37	·03	1·68	·12	–	·30	–	·13	29
30	–	✕	·28	–	–	–	1·18	·11	·01	·02	–	·02	30
31	·05	✕	·04	✕	–	✕	·37	·01	✕	–	✕	·01	31
Total	1·45	1·04	1·73	2·31	2·18	1·74	5·05	4·58	1·96	4·33	1·99	·96	YEAR'S TOTAL 29·32
Rain Days.	17	9	20	18	10	10	11	26	12	20	18	17	188

4·67

W. 8,000, VIII. 16

E.F.E

32

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6.1.19

Kept at "Cleveland", Mill Hill
in the County of Middlesex
by Mrs Stewart King

Lat. .... Long. ....
Time of Observation 9-0 a.m.
Nearest Railway Station Mill Hill, Midland Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	·27	–	–	–	–	–	–	·13	·06	1
2	–	·09	–	·05	–	–	–	·25	–	·02	·07	·25	2
3	–	·01	·04	·02	·56	–	–	·20	·05	·01	·61	·04	3
4	–	·08	·11	·03	–	–	–	}·20	·32	·02	·65	·02	4
5	–	·06	·01	·01	·11	–	–		·04	·10	–	·01	5
6	·12	·24	–	·30	·11	–	–	–	·14	·01	–	·07	6
7	·04	·12	–	·10	·14	–	–	·05	·12	·08	}·20	–	7
8	–	·07	–	·03	–	–	–	–	·11	·04		·03	8
9	·03	·12	–	·03	–	·09	·32	–	·39	·16	·01	·30	9
10	·03	–	–	·05	–	·01	·40	–	·05	·03	·01	·29	10
11	·01	–	–	·03	·07	–	·32	–	·14	·24	·05	·14	11
12	–	·03	–	–	·13	–	·13	–	·10	–	–	–	12
13	·02	–	–	–	·24	–	·14	–	·15	–	·01	·04	13
14	·21	–	·03	–	–	·23	·10	–	·42	·19	–	·25	14
15	·53	–	–	·75	–	–	·23	–	·01	–	–	·10	15
16	·34	–	–	·41	–	·09	–	–	·19	·05	–	·01	16
17	·29	–	–	·25	·47	·47	·21	–	·06	·10	–	·12	17
18	·59	–	–	–	–	·23	·02	·01	1·06	·09	–	·09	18
19	·03	·03	·04	–	–	·14	·28	–	·05	·19	–	·14	19
20	·03	–	·01	·10	–	·01	·20	–	·12	·01	·01	·04	20
21	·08	·02	–	·60	–	–	–	–	·43	–	–	·03	21
22	·08	–	–	·30	·19	–	}·55	–	·15	–	·02	·16	22
23	·03	–	–	–	·33	–		·04	·03	–	·01	·06	23
24	–	·24	–	–	–	·06	·20	–	·08	–	–	–	24
25	–	·01	–	–	·01	·08	·30	·10	–	–	·13	–	25
26	–	–	–	–	·08	–	·25	·19	·02	·04	·23	·14	26
27	–	·02	·01	·09	–	–	·11	·39	·04	–	·13	·05	27
28	–	·03	·23	·07	–	–	·01	·01	–	–	·22	·16	28
29	–	X	·02	–	–	–	–	–	1·23	–	·02	·03	29
30	·02	X	·42	–	–	–	–	·03	·01	–	·08	·05	30
31	–	X	·02	X	–	X	–	–	X	·10	X	·03	31
Total	2·78	1·18	·94	3·49	2·44	1·41	3·77 3·77	1·47	5·51	1·48	2·59	2·71	YEAR'S TOTAL 29·77
Rain Days.	17	16	11	19	12	10	18	12	26	18	19	27	205

29·77

W. 8,000, IX. 17.

–2HR1 836

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at "Cleveland" Mill Hill
in the County of Middlesex
by Mrs Stewart King

Lat. Long.
Time of Observation 9-0 a.m.
Nearest Railway Station Mill Hill G N R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	·05	–	·02	·12	–	·17	–	–	·03	–	·80	1
2	·29	–	·03	–	·18	–	·40	–	·23	·06	·14	·20	2
3	·33	–	·22	–	·02	–	·11	–	·04	–	·04	·38	3
4	·10	–	·22	–	–	·09	·15	·12	·02	–	·02	·16	4
5	·01	·35	·47	–	–	–	·31	–	·22	–	·03	·32	5
6	·03	–	·11	–	–	–	–	–	·02	–	·01	·04	6
7	·08	–	·43	–	–	–	–	–	–	–	–	–	7
8	·05	–	·03	·07	–	–	–	–	–	–	·01	–	8
9	·35	–	·08	·02	·02	–	–	–	–	–	·09	–	9
10	·05	–	·11	·04	–	–	–	–	–	–	·03	–	10
11	–	–	·11	·25	–	–	·24	–	–	–	–	·05	11
12	–	–	–	·02	–	·05	·13	–	–	·05	–	·03	12
13	·02	–	–	·29	–	–	–	–	·01	·06	–	·01	13
14	·39	–	–	·30	–	–	·06	–	·28	–	–	·01	14
15	·23	–	·19	} ·15 ×	–	–	–	–	–	·04	·04	·56	15
16	·06	·75	·01	}	–	–	–	–	–	–	·13	·04	16
17	–	} ·60	·03	·01	–	–	–	–	–	–	·36	·03	17
18	–	}	·08	–	–	–	–	·02	·03	–	·09	·09	18
19	·05	·18	·80	–	–	·24	·26	·28	·14	–	·13	·02	19
20	·34	·12	·08	–	–	·84	·28	·26	·03	–	·01	·02	20
21	·24	·35	·04	–	–	·03	·12	–	–	–	·02	·12	21
22	–	·22	–	–	–	·01	·15	·02	·18	–	·03	·37	22
23	–	–	·01	–	–	·07	·01	·02	·09	–	·03	·01	23
24	–	–	–	·13	–	·02	·06	·10	–	–	·06	·02	24
25	·04	–	–	·10	·05	·01	–	·30	–	·22 ~~·05~~	–	·04	25
26	·07	·20	·12	·13	–	–	–	·14	·17	–	–	·37	26
27	·65	·04	·03	·85	–	–	–	·35	–	–	–	·03	27
28	–	–	·15	–	–	–	–	·62	–	·05	·24	·30	28
29	·06	–	–	–	–	–	–	·30	–	·08	·21	·06	29
30	–		–	·30	–	·18	–	·11	–	·06	·27	·33	30
31	–		·04		–		·03	·05		·01		·02	31
TOTAL	3·91	2·86	3·39	2·68	·39	1·54	2·48	2·69	1·46	·66 ~~·49~~	1·99	4·43	YEAR'S TOTAL 28·48
Days with ·01 in. or more	21	11	22	15	5	10	15	14	13	10	21	27	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

791

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cleveland, Mill Hill

in the County of Middlesex

by Mrs Stewart King

Lat. Long.
Time of Observation 9-0 a.m.
Nearest Railway Station Mill Hill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
„ „ „ „ Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·47	·10	·01	·34	–	–	·81	·02	·26	1
2	–	–	·02	–	–	–	·02	·74	·10	·06	–	·12	2
3	·01	·11	–	·03	–	–	·04	–	·10	·02	–	·05	3
4	–	·05	·01	·07	–	–	·04	·07	–	·19	–	·32	4
5	–	–	·07	–	·03	–	·65	·04	·03	–	–	·05	5
6	–	–	·13	–	·16	–	·35	·04	–	–	–	·04	6
7	·10	–	·02	·40	·02	–	·24	–	–	–	–	–	7
8	·35	·04	–	–	·10	–	·04	·09	–	·01	·01	·02	8
9	–	·02	·02	–	·05	–	–	·02	–	~~·09~~	–	–	9
10	·80	·05	·10	–	–	·12	·12	–	–	–	–	·01	10
11	·28	–	·06	·32	·03	·06	·23	·02	–	–	·01	·20	11
12	·10	·01	·02	·12	–	·60	–	–	–	–	·03	–	12
13	·14	·01	·10	·14	–	·01	–	–	–	–	·05	–	13
14	·02	–	·24	·25	–	·50	·02	–	·25	·54	·20	·06	14
15	·01	·02	·16	·17	–	·01	–	–	·73	·45	·11	·01	15
16	–	–	·02	·12	–	·05	–	–	·30	·27	–	–	16
17	·03	·01	–	·03	·19	·01	–	–	·28	·01	·01	·03	17
18	·04	–	–	·02	–	·03	–	·73	·10	–	–	·04	18
19	·15	–	–	·22	–	·59	–	–	–	–	·01	·03	19
20	·07	·08	–	·20	–	–	–	–	·03	–	·02	·02	20
21	–	–	–	–	–	·01	·84	–	·48	–	–	·10	21
22	·02	–	–	·31	–	–	·01	–	·06	·03	–	·26	22
23	–	–	–	·01	–	–	1·73	–	–	–	–	·49	23
24	·02	·01	·08	·01	–	–	·01	–	–	·01	·02	·05	24
25	–	·03	·09	·01	–	·03	·17	–	–	–	·02	·01	25
26	} ·80	·01	·07	·02	·23	·08	·08	–	–	–	·01	·04	26
27		·09	·01	·24	·01	·06	·02	–	–	·01	·78	·12	27
28	–	·01	·11	·05	·07	–	·10	–	–	·01	·01	·02	28
29	·24	–	·10	·01	–	–	·01	–	–	–	·09	·35	29
30	·04		–	–	·07	·02	·47	–	·53	–	·25	·30	30
31	·03		–		·03		·02	–		·23		·14	31
TOTAL	3·25	·55	1·43	3·22	1·09	2·19	5·55	1·75	2·99	2·65	1·65	3·14	YEAR'S TOTAL 29·46
Days with ·01 in. or more	? 20	15	19	22	13	16	22	8	12	14	17	26	204
Days with ·04 in. or more	? 13	6	12	~~13~~ 14	8	8	15	6	10	7	6	18	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG

MILL ~~HILL~~ HILL
TENNYSON RD
1911- 1916

FORM A2.
BRITISH RAINFALL.

-6 APR 1912

Kept at Tennyson R
5 in.
in the County of Midd
round 1 ft. 0 in.
ea Level 250 ft.
by Mr Edwards
a-m.
ame
stance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	[illegible]		—	·57	—	—			—	—			1
2	—		—	·37	·23	—	—	—	—	—	·22	·20	2
3			—	·15	·18	—	—	—	—	·09	—	·13	3
4	·05	·03	·08	·02	—	—	—	—	·02	·07	·23	·30	4
5	·04	—		·05	—	—	—	—	—	·14	—	—	5
6	[illegible]	—	·10	·01	—	—	—	—	—	—	—	·46	6
7	·06	—	—	—	—	—	—	—	—	·06	·30	·27	7
8	·19	—	·24	—	—	—	—	—	—	—	·17	·15	8
9	·10	·07	—	·04	—	—	—	—	—	—	—	·06	9
10	—	—	·14	·05	—	—	—	—	—	—	·02	·33	10
11	·31	—	—	—	·45	—	—	—	—	—	·60	—	11
12	·04	—	·43	—	·12	·14	—	—	·05	—	·25	—	12
13	—	—	·14	—	·20	—	—	—	·41	·42	—	·05	13
14	—	·09	·02	—	·25	—	—	—	—	—	·02	·63	14
15	—	·06	·20	—	—	—	—	—	—	·02	·03	·03	15
16	—		—	—	—	·36	—	—	—	—	·38	·05	16
17	—		·08	—	—	·10	—	—	—	—	·47	·17	17
18	—	·22	·03	—	—	·19	—	—	—	—	·55	·22	18
19	—		[illegible]	—	—	·14	—	—	·22	·06	·26	·11	19
20	—		·01	—	—	—	—	·42	·11	—	~~·27~~	·70	20
21	·06	·07	—	—	—	—	—	·16	—	·66	—	·11	21
22	·07	—	·04	—	—	—	—	·01	—	·15	—	·41	22
23	—	·11	[illegible]	—	—	[illegible]	—	—	·27	—	[illegible]	·20	23
24	—	·15	·15	—	—	·07	·02	—	—	1·12	[illegible]	·16	24
25	·07	·05	·07	·07	—	·29	·04	—	—	·02	—	—	25
26		·04	·02	·20	—	·09	·09	·07	·12	·18	—	·31	26
27		·48	·07	—	—	—	—	·02	—	—	·07	·11	27
28		·27		·32	·02	—	·04	·07	—	—	—	—	28
29				·03	—	·22	·11		·28	·31	—	—	29
30				·07	·03	·02	—			·13	—	·02	30
31					·25		—						31
Total	1·66	1·64	1·84	1·95	1·73	2·35	1·30	·75	1·48	3·42	3·65	5·20	TOTAL for year 26·97
No. of Rain Days	13	12	16	13	9	11	5	6	8	14	15	23	145

9,000, IX. '10.

S. made ✓

REG

FORM A2.
BRITISH RAINFALL.

-6 APR 1912

Kept at Tennyson R^d Mill Hill
in the County of Middlesex
by M^r Edwards

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 250 ft.

Time of Observation 9 - a - m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	[illegible]		–	'57	–	–	–	–	–	–			1
2	–		–	'37	'23	–	–	–	–	–	'22	'20	2
3	[illegible]		–	'15	'18	–	–	–	–	'09	–	'13	3
4	'05	'03	'08	'02	–	–	–	–	'02	'07	'23	'30	4
5	[illegible]	–		'05	–	–	–	–	–	'14	–	–	5
6	'15	–	'10	'01	–	–	–	–	–	–	–	'46	6
7	'06	–	–	–	–	–	–	–	–	'06	'30	'27	7
8	'19	–	'24	–	–	–	–	–	–	–	'17	'15	8
9	'10	'07	–	'04	–	–	–	–	–	–	–	'08	9
10	–	–	'14	'05	–	–			–	–	'02	'33	10
11	'31	–	–	–	'45	–	–	–	–	–	'60	–	11
12	'04	–	'45	–	'12	'14	–	–	'05	–	'25	–	12
13	–	–	'14	–	20	–	–	–	'41	'42	–	'05	13
14	–	'09	'02	–	'25	–	–	–	–	–	'02	'63	14
15	–	'06	'20	–	–	–	–	–	–	'02	'03	'03	15
16	–		–	–	–	'36	–	–	–	–	'38	'05	16
17	–		'08	–	–	'10	–	–	–	–	'47	'07	17
18	–	'22	'03	–	–	'19	–		–	–	'55	'22	18
19	–			–	–	'14	–	–	'22	'06	'28	'11	19
20	–		'01	–	–	–	–	'42	'11	–	~~'27~~	'80	20
21	'06	'07	–	–	–	–	–	'16	–	'66	–	'11	21
22	'07	–	'04	–	–	–	–	'01	–	'15	–	'41	22
23	–	'11	–		–	'72	–	–	'27	–		'20	23
24	–	'15	'15	–	–	'07	'02	–	–	1'12	'06	'16	24
25	07	'05	'07	'07	–	'29	1·04	–	–	'02	–	–	25
26		'04	02	'20	–	'09	'09	'07	12	'18	–	'31	26
27		'48	'07	–	–	–	–	'02	–	–	'07	'11	27
28		'27		'32	'02	–	'04	'07	–	–	–	–	28
29				'03	–	'22	'11		'28	'31	–	–	29
30				'07	'03	'03	–			'13	–	'02	30
31					'25		–						31
Total	1.66	1.64	1.84	1.95	1.73	2.35	1.30	.75	1.48	3.42	3.65	5.20	TOTAL for year 26.97
No. of Rain Days	13	12	16	13	9	11	5	6	8	14	15	23	145

9,000, IX. '10.

S made

67 × 92

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at Dorisdene, Flower Lane MILL HILL
in the County of Middlesex
by Mrs E Edwards

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					–	·13	·17	–	·06	·33		–	1
2					–	·04	·31	·11	·01	·03		–	2
3					·06	·19	·04	·33	·01	–		·30	3
4					·25	·17	–	·06	–	–	·23		4
5					–	–	–	·26	–	–			5
6					–	·04	–	·15	–	–		·10	6
7					·03	·39	·03	·33	–	–		·03	7
8					–	·01	–	·18	–	–		·02	8
9					–	·16	·08	–	–	–		·08	9
10					–	·06	–	·43	·04	–	·03	·23	10
11					–	·03	–	–	·05	–	·12	·14	11
12					·18	·07	–	–		–	·10	–	12
13					–	–	–	–		–	·12	·05	13
14					·03	–	–	·11		·06	–	·02	14
15					·22	·61	–	·06		–	–	·29	15
16					·05	·02	–	·16		·07	·05	–	16
17					–	·11	–	·07		–	–	·03	17
18					–	–	–	·31		–	–	–	18
19					–	~~·06~~	·16	·40		–	–	–	19
20					–	·06	–	·29		·37	–	·07	20
21					·05	–	–	·09		·18	·08		21
22					·08	–	·12	·16		·07	–		22
23						–	1·23	·55		–	·19	·20	23
24						·07	·04	·13		–	–	–	24
25						·16	–	·66		–	·28	·72	25
26						–	·07	·29		·41	·38	·28	26
27						–		–		·18	–	·22	27
28						·06	·09	·10	·04	·40	·33	·20	28
29						·17	·34	·25	1·25	·54			29
30					·37		–	·01	·80	·14			30
31					·01		·18	·18					31
Total					1·33	2·55	2·86	5·67	2·26	2·68	1·91	2·98	TOTAL for year
No. of Rain Days					11	19	13	25	8	12	11	17	

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

FORM A. BRITISH RAINFALL.

28 MAR 1914

REGISTER OF RAINFALL IN 1913

✓MILL HILL

Kept at "Dorisdene" Flower Lane

in the County of Middlesex

by Mrs Edwards

Lat. Long.

Time of Observation 9 - a m.

Nearest Railway Station Mill Hill

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·20	·11	·18	—	—	—		·15	—	·10	·20	1
2	·10	·15	—		—	—	·07		·07	·02	—	—	2
3	·07	—	·04	·23	·48	—	—		—	—	·03	—	3
4	·15	—	—	—	·14	—	·23		—	·20	·04	·02	4
5	·10	—	—	—	·07	—	·10		·20	·01	·01	·12	5
6	—	·02	·05	—	·09	·18	·13		·02	·15	·04	·08	6
7	—	·13	—	—	·10	—	·18	·06		·38	·12	—	7
8	—	·03	0·5	—	·03	·23	—	—		·03	·04	—	8
9	—	·18	—	·03	—	—	—	—		—	—	·07	9
10	—	—	·06	·10	—	—	·23	·07		—	·35	—	10
11	·62	—	—	·52	·05	—	—	·08		·43	·10	—	11
12	—	·01	—	—	·02	—	—	—		—	·42	—	12
13	·06	—	·02	—		—	—	·04	·10	—	·32	—	13
14	·10	·03	·10	·06		—	·44	·08	—	·15	·13	—	14
15	·10	·04	·18	·30		—	·23	—	—	—	—	—	15
16	·13		·30	·16		—	—	—	·15	—	—	—	16
17	—		·05	·04		—	·16	—	·04	—	—	—	17
18	·07		·11	·10		—	—	—	—	—	·08	—	18
19	·19		·07	·04		—	·12	—	·35	—	—	—	19
20	·08		·05	·04		—	—	—	—	·44	·02	—	20
21	—		·18	·10		—	·03	—	—	·17	·68	—	21
22	·42		—	—		—		—	·18	—	—	—	22
23	—		—	—		·05		·15	·03	—	—	·25	23
24	—		—	·04		—		·05		—	—	—	24
25	—	·04	·01	·15		—		—		—	—	—	25
26	—	·07	·21	·09		—		·07		·70	—	27	26
27	·06		·03	·05		—		—		·01	—	—	27
28	·17		·20	·08		—		—		·09	—	—	28
29	·07		·08	·54	·59	—		·05		·03	—	—	29
30	·25		—	·10		—		·12		·11	—		30
31			·03					·27					31
Total	2·82	·90	1·93	2·97	1·57	·46	1·92	1·04	1·29	2·92	2·48	1·01	YEAR'S TOTAL 21·31 ✓
Rain Days.	18	11	20	20	9	3	11	11	10	15	15	9	149

150

W. 7,500, XI. ·12

Feb 22–Mar 31 est^d 16·III·15

MILL HILL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
25 FEB 1915

Kept at "Dorisdene" Flower Lane
in the County of Middlesex
by Mrs Edwards

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station Mill Hill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–			–	–	–	·39			–	·06	1
2	–	–			–	–	·15	·18			·10	·07	2
3	–	–			·16	–	·12	–			–	·03	3
4	·21	–		·19	–	–	–	·09			·40	·30	4
5	–	–		·19	·21	·06	·48	·30			–	–	5
6	–	·14		–	·02	·10	·03	·03			·44	·18	6
7	–	·23		·15	·59	·10	·08	–				·12	7
8	·08	·30		·09	·10	·10	·23	·13			–	·03	8
9	·19	–		·05	–	·31	–	–	·13		–	1·44	9
10	·02	·20		·06	·06	·33	–	–	·13		–	·02	10
11	–	·21			·02	–	–	–	·25		·32	·23	11
12	–	·03			–	–	·15	–	·24			·48	12
13	–	·32			–	–	–	–	–	·10	·2 ·02	·59	13
14	–	·08			–	–	·07	–	–	·24	·16	·31	14
15	–	–			–	–	–	·02	–	·04	–	·05	15
16	–	–			–	–	·03	–	·08	–	–	–	16
17	–	·4[illegible]			–	–	–	–	·10	–	–	·17	17
18	–	–			–	–	–	–	–	–	–	·29	18
19	–	–			–	·04	·08	–	·03	–	·27	·21	19
20	–	·38				·01	–	–	·16	·01	–	·19	20
21	–	·46			–	–	–	–		·02	–	·08	21
22	–			·01	·44	·08	·18	02		·44	–	–	22
23	–	(·03)		–	·23	·0[illegible]	·01	–		·12	–	–	23
24	–			·04	–	–	·03	–		·03	·12	–	24
25	·11				–	–	–	·10		·33		·09	25
26	–				–	–	·10	·05		·05	·20	·59	26
27	–				–	–				–		·23	27
28	–				·02	–				·05	·35	1·19	28
29	·15					–				·33	·12	~~·27~~	29
30						–				·03	·50	·27	30
31					·19		·02					·02	31
Total	·76	2·8 ~~2·84~~	(4·25)	·78	2·04	1·16	1·76	1·31	1·12	1·79	3·00	7·24	YEAR'S TOTAL (28·08)
Rain Days.	6	12 ~~11~~	(25)	8	11	10	15	10	8	13	12	25	(155)

W.7,000, XI. 13

Make B
made

945

FORM A.
BRITISH RAINFALL.

11 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Orrisdene Mill H[illegible]ll FLOWER LANE

in the County of Middlesex

by Mrs Edwards

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·18	·01	–	·02	–	–	–	·15	–	·30	·19	1
2	·33	·12	·28	·10	–	–	–	·54	–	·05	·01	·22	2
3	·41	–	·04	·17	–	–	·03	·27	·02	–	–	·35	3
4	·05	–	–	–	–	–	–	·20	–	–	–	·26	4
5	·04	·39	–	–	–	–	–	–	–	–	–	·33	5
6	·25	·04	–	·24	·05	–	1·04	·03	–	–	–	·39	6
7	·17	·26	·04	–	–	–	·49	·04	–	–	–	·16	7
8	·04	·53	–	·04	–	–	·02	·05	–	–	–	–	8
9	–	·11	–	·18	–	·04	–	·07	–	–	·33	·60	9
10	·29	–	–	–	–	–	–	·19	–	–	–	·15	10
11	·04	–	·08	–	–	–	–	–	–	–	·77	·02	11
12	·10	·05	–	·30	·45	–	–	·20	–	–	·36	–	12
13	–	·37	–	–	1·30	–	–	·10	–	–	–	–	13
14	·05	·05	–	–	·02	–	·21	·02	·07	–	–	·79	14
15	·18	–	–	–	·06	–	·04	·25	–	–	·22	·05	15
16	–	·45	–	–	–	–	·75	·02	–	–		–	16
17	–	·30	–	–	·80	–	·10	·04	–	–		–	17
18	–	·20	·08	–	·10	–	–	–	–	–		–	18
19	–	·04	–	–	–	–	–	–	–	·04		–	19
20	·30	~~·35~~	–	–	–	–	·14	–	–	–		·23	20
21	·17	~~·15~~	–	–	–	–	·03	–	–	–		–	21
22	·97	–	·24	–	–	–	·75	–	–	–		·19	22
23	·05	·35	·08	–	–	·08	·20	–	·21	·39		·28	23
24	–	·15	·12	–	–	·04	·27	–	·29	·10		·25	24
25	–	–	·01	·11	–	–	·18	–	–	–		·10	25
26	–	·10	·02	–	–	·11	·13	–	–	–		·46	26
27	–	–	–	–	–	·64	·06	–	–	·41		–	27
28	–	·06	–	–	–	·04	–	–	1·35	·17		·02	28
29	–	–	–	–	–	–	·37	·13	–	–	·19	·03	29
30	·06	X	–	–	–	·21		–	–	·04	·35	·03	30
31	–	X	–	X	–	X		·07	X	1·16	X	·12	31
Total	4·00	3·75	1·01	1·06	2·80	1·16	5·81	2·22	2·09	2·36	2·53	5·22	YEAR'S TOTAL 34·01
Rain Days.	18	18	11	7	8	7	17	16	6	8	8	22	146

W. 8,000. X. 14.

918

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Dorisdene

in the County of Middlesex

by Mrs Edwards

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	—	—	—	·17	—	—	—	·14	·02	·32		1
2	·60	—	·02	—	·08	—	—	—	·13	·35	·02		2
3	—	·39	·40	—	·09	—	—	—	·15	·32	·67		3
4	·27	·07	—	—	·07	·25	·23	—	·03	·12	·35		4
5	·03	·03	—	—	—	·30	—	—	—	·07	·39		5
6	—	·02	·45	·23	·03	·10	·39	—	—	·04	·36		6
7	·04		·25	—	·08	·12	·15	—	—	·03	·82		7
8	—		—	—	·26	—	—	—	—	—			8
9	—		·77	—	·39	·13	—	—	—	—			9
10	—	·19		·10	—	·44	·11	—	—	·10			10
11	·07	·10		·15	·11	·14	—	—	—	—			11
12	—	·24		·05	·20	·15	—	·19	—	—			12
13	·02	·26	·30	·05	·03	·13	·20	·12	—	—			13
14		·35	—	·07	·11	—	—	·34	—	·02			14
15		·44	·44	·03	·02	—	·06	·08	—	—			15
16		—	·19	·09	·07	—	·16	·15	—	·24			16
17		—	—	·10	—	—	—	·50	·29	—			17
18	·08	·15	·03	·10	—	—	—	·69	·07	·01			18
19	·16	·04	·20	·19	—	—	—	—	·12	—			19
20	·10	—	·28	·06	—	—	—	—	—	—			20
21	—	—	·77		—	—	·09	—	—	—			21
22	—	—	·09		—	—	—	—	—	—			22
23	·02	·65	—		—	—	—	—	—	—			23
24	—	·34			—	·35	—	—	—	·10			24
25	—	·13	·18		—	—	—	·20	—	·08			25
26	—	~~·45~~	·02		—	·02	—	·12	—	·02			26
27	·06	—	1·01		—	·03	—	·29	·05	—			27
28		·45	·46		—	·13	—		·20	—			28
29		·07			—	·25	—	1·90	·02	·07			29
30		☒			—	—	—	·09		—			30
31		☒		☒	—	☒	—	·07	☒	—	☒		31
Total	1·67 ✓	3·92 ✓	5·26 ✓	1·22 ✓	1·71 ✓	2·54 ✓	1·39 ✓	4·74 ✓	1·20 ✓	1·59 ✓			YEAR'S TOTAL
Rain Days.	12 ✓	17 ✓	17 ✓	12 ✓	14 ✓	14 ✓	8 ✓	13 ✓	10 ✓	15 ✓			

W. 8,000. X. 15.

REGIST

MILL HILL
RIDGEWAY HOUSE
LOND/MIDDX
[illegible] 1914,20

FORM A.
BRITISH RAINFALL.
12 MAR 1915

Kept at Ridgeway House

in the County of Middlesex

by F. J. Turner

in.

nd 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·09	-	-	-	-	·06	-	-	·045	·05	1
2	-	-	-	-	-	-	·11	·14	-	-	·055	·07	2
3	-	-	·085	-	·14	-	·09	-	-	-	·03	-	3
4	·13	-	·015	·16	-	-	-	·05	-	-	·38	·19	4
5	·04	-	·07	·18	·24	·055	·46	·27	-	-	-	-	5
6	-	·13	-	-	·02	·015	·035	·04	-	-	·35	·20	6
7	-	·17	·30	·125	·52	·09	·065	-	-	-	-	·11	7
8	·05	·28	·65	·75	·045	·145	·235	·12	-	-	-	·045	8
9	·15	-	·59	·03	-	·365	-	-	·11	-	-	1·46	9
10	·05	·12	·005	·05	·045	-	-	-	·17	-	-	·01	10
11	-	·22	·44	-	·02	·31	-	-	·06	-	·29	·255	11
12	-	·04	·11	-	-	-	·09	-	·22	-	·015	·49	12
13	·025	·27	·075	-	-	-	-	-	·14	·06	·06	·54	13
14	-	·06	·47	-	-	-	·10	-	-	·19	·09	·27	14
15	·04	-	·17	-	-	-	-	-	-	·045	·065	·05	15
16	-	-	·03	-	-	-	·02	-	·045	-	·015	-	16
17	-	·405	·045	-	-	-	-	-	·08	-	-	·13	17
18	-	·02	·12	-	-	-	-	-	-	-	-	·25	18
19	-	·025	·17	-	-	·065	·065	-	-	-	·18	·19	19
20	-	·20	·26	-	-	·03	-	-	·17	-	-	·15	20
21	-	·43	·06	-	-	-	-	-	-	·035	-	·07	21
22	-	-	-	-	·42	·035	·18	·015	-	·245	-	-	22
23	-	·03	·10	-	·235	·02	-	·005	-	·11	-	-	23
24	·02	-	·02	·04	-	-	·02	-	-	·02	·115	-	24
25	·02	-	·135	-	-	-	-	·13	-	·27	-	·07	25
26	-	-	·04	-	-	-	·04	·055	-	·04	·16	·55	26
27	·055	-	·01	-	-	-	-	·005	-	-	·01	·20	27
28	-	-	-	-	·015	-	-	-	·005	·025	·315	1·16	28
29	·07		·12	-	-	-	-	-	-	·315	·08	·085	29
30	-		·04	-	-	-	-	-	-	·025	·45	·24	30
31	-		-		·19		-	-		-		·02	31
Total	·65	2·40	4·22	1·335	1·89	1·13	1·51	·89	1·00	1·38	2·705	6·86	YEAR'S TOTAL 25·97
Rain Days.	11	14	26	7	11	10	13	11	9	12	18	25	167

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 MAR 1915

Kept at Ridgeway House Mill Hill

in the County of Middlesex

by F. J. Turner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·09	-	-	-	-	·06	-	-	·045	·05	1
2	-	-	-	-	-	-	·11	·14	-	-	·055	·07	2
3	-	-	·085	-	·14	-	·09	-	-	-	·03	-	3
4	·13	-	·015	·16	-	-	-	·05	-	-	·38	·19	4
5	·04	-	·07	·18	·24	·055	·46	·27	-	-	-	-	5
6	-	·13	-	-	·02	·015	·035	·04	-	-	·35	·20	6
7	-	·17	·30	·125	·52	·09	·065	-	-	-	-	·11	7
8	·05	·28	·65	·75	·045	·145	·235	·12	-	-	-	·045	8
9	·15	-	·59	·03	-	·365	-	-	·11	-	-	1·46	9
10	·05	·12	·005	·05	·045	-	-	-	·17	-	-	·01	10
11	-	·22	·44	-	·02	·31	-	-	·06	-	·29	·255	11
12	-	·04	·11	-	-	-	·09	-	·22	-	·015	·49	12
13	·025	·27	·075	-	-	-	-	-	·14	·06	·06	·54	13
14	-	·06	·47	-	-	-	·10	-	-	·19	·09	·27	14
15	·04	-	·17	-	-	-	-	-	-	·045	·065	·05	15
16	-	-	·03	-	-	-	·02	-	·045	-	·015	-	16
17	-	·405	·045	-	-	-	-	-	·08	-	-	·13	17
18	-	·02	·12	-	-	-	-	-	-	-	-	·25	18
19	-	·025	·17	-	-	·065	·065	-	-	-	·18	·19	19
20	-	·20	·26	-	-	·03	-	-	·17	-	-	·15	20
21	-	·43	·06	-	-	-	-	-	-	·035	-	·07	21
22	-	-	-	-	·42	·035	·18	·015	-	·245	-	-	22
23	-	·03	·10	-	·235	·02	-	·005	-	·11	-	-	23
24	·02	-	·02	·04	-	-	·02	-	-	·02	·115	-	24
25	·02	-	·135	-	-	-	-	·13	-	·27	-	·07	25
26	-	-	·04	-	-	-	·04	·055	-	·04	·16	·55	26
27	·055	-	·01	-	-	-	-	·005	-	-	·01	·20	27
28	-	-	-	-	·015	-	-	-	·005	·025	·315	1·16	28
29	·07		·12	-	-	-	-	-	-	·315	·08	·085	29
30	-		·04	-	-	-	-	-	-	·025	·45	·24	30
31	-		-		·19		-	-		-		·02	31
Total	·65	2·40	4·22	1·335	1·89	1·13	1·51	·89	1·00	1·38	2405	6·86	YEAR'S TOTAL 25·94
Rain Days.	11	14	26	7	11	10	13	11	9	12	18	25	167

W. 8,000. X. 14.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

28 JAN 1921

Kept at THE VINERIES, MILL HILL
in the County of MIDDLESEX
by WILLOUGHBY DE C. SALTER

Lat. 51° 36′ 25″ N. Long. 0° 14′ 30″ W.
Time of Observation 9 A.M. G.M.T.
Nearest Railway Station –
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·47	·09	–	·33	–	–	·72	·02	·24	1
2	–	–	–	–	–	–	·02	·65	·09	·03	–	·10	2
3	·01	·11	–	·03	–	–	·04	–	·10	·01	–	·02	3
4	–	·06	–	·09	–	–	·15	·06	·01	·15	–	·21	4
5	–	–	·07	–	·04	–	·54	·03	·05	–	–	·05	5
6	–	–	·13	–	·13	–	·36	·03	–	–	–	·03	6
7	·10	·01	·02	·24	–	–	·16	–	–	–	–	·04	7
8	·35	·04	–	·15	·09	–	·02	·06	–	–	–	–	8
9	–	·01	–	·01	–	–	–	·02	–	–	–	–	9
10	·80	·04	·08	–	–	·13	·10	–	–	–	–	·01	10
11	·28		·06	·28	·03	·04	·23	–	–	–	–	·22	11
12	·10	–	·01	·11	–	·51	–	–	–	·01	·01	–	12
13	·14	–	·10	·13	–	–	–	–	–	–	·06	–	13
14	·02	–	·24	·25	–	·53	–	–	·21	·59	·17	·03	14
15	·01	·02	·09	·15	–	–	–	–	·64	·29	·08	–	15
16		–	·01	·11	–	·07	–	–	·22 (? con)	·29	–	·02	16
17	·02	·01	–	·03	·17		–	–	·14	–	–	·04	17
18	·04	–	–	·01	–	·07	–	·75	·09	–	–	·04	18
19	·19	–	–	·21	–	·57	–	–	–	–	–	·03	19
20	·06	·10	–	·16	–	–	–	–	·03	–	–	·01	20
21	–	–	–	–	–	–	·88	·03	·46	–	·02	·06	21
22	·01	–	–	·28	–	–	·01	–	–	·01	·01	·2[illegible]	22
23	–	–	–	–	–	–	1·55	–	–	–	–	·[illegible]	23
24	·02	·02	·07	–	–	–	–	–	–	–	–	·04	24
25	–	·02	·06	·02	–	–	·15	–	–	–	·01	–	25
26	·06	–	·07	·01	·22	·03	·08	–	–	·01	–	·03	26
27	·19	·09	·01	·31	·01	·08	·02	–	–	–	·74	·09	27
28	·49	–	·11	·04	·06	·07	·07	–		·01	·01	·01	28
29	·21	–	·10	–	–	–	·01	–	–	–	·07	·30	29
30	·04	✕	–	–	·06	·03	·39	–	·53	–	·23	·20	30
31	·01	✕	–	✕	·03	✕	·01	–	✕	·23	✕	·11	31
TOTAL	(3·15)	·53	1·24	3·07	·93	2·13	5·12	1·63	2·92	2·35	1·43	2·58	YEAR'S TOTAL 27·08
Days with ·01 in. or more	(21)	12	17	21	11	11	20	8	12	12	12	25	(182)
days with ·04	(14)	6	12	15	8	9	14	4	10	6	6	16	(120)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

MUSWELL HILL
HILLFIELD PARK
1911 – 1920

REG

Kept at Hillfield Pa

in the County of Midd

by Ernest A.

rden

in.

round 1 ft. – in.

a Level 294 ft.

a.m.

ame Muswell Hill

istance 88 ft Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	·70	–	–	·01	·04	–	–	–	–	1
2	·15	–	–	·23	·16	–	–	–	–	–	·17	·17	2
3	·03	–	–	–	·15	–	–	–	–	·01	·07	·02	3
4	·04	·02	·07	·10	–	–	–	–	·01	·02	·27	·27	4
5	·01	–	–	·01	–	–	–	–	–	·14	·02	·18	5
6	·35	–	·15	–	–	–	–	–	–	–	–	·19	6
7	·03	–	–	·02	–	–	–	–	–	·13	·28	·32	7
8	·14	–	·15	–	–	–	–	–	–	–	·25	·16	8
9	·14	–	·05	·02	–	–	–	–	–	–	–	–	9
10	–	·10	·10	·01	–	–	–	–	–	–	·04	·42	10
11	·32	–	·01	–	·03	–	–	–	–	–	·67	–	11
12	·02	–	·50	–	·15	·15	–	–	·05	–	·33	–	12
13	–	–	·05	–	·21	–	–	–	·45	·34	·06	·22	13
14	–	·09	–	–	·30	–	–	–	–	–	–	·40	14
15	–	·06	·22	–	–	–	–	–	–	·02	·04	·01	15
16	–	–	–	–	–	·46	–	–	–	–	·39	·02	16
17	–	–	·10	–	–	·02	–	–	–	–	·36	·12	17
18	–	·21	·01	–	–	·12	–	–	–	–	·48	·14	18
19	–	–	–	–	·01	·19	–	·18	·19	·11	·25	·12	19
20	–	·01	·01	–	–	–	–	·24	·10	·13	–	·53	20
21	–	·09	–	–	–	–	–	·26	–	·48	–	·10	21
22	·09	–	–	–	–	·02	–	–	–	·03	–	·41	22
23	–	·11	·20	–	–	·92	–	–	·27	–	·02	·15	23
24	–	·14	–	–	–	·06	·02	·02	–	1·17	–	·25	24
25	–	·02	·03	·02	–	·19	·20	·01	–	·02	–	·01	25
26	–	–	·02	·27	–	·08	·02	–	–	·16	·04	·31	26
27	–	·41	·07	·02	–	–	–	–	·11	–	·06	·08	27
28	–	·28	–	·34	–	–	·31	·07	–	–	–	–	28
29	–		–	·08	–	·16	·10	–	·18	·24	–	–	29
30	–		–	·07	·03	·03	–	·01	·03	·17	–	–	30
31	–		–		·04		–	–		–		–	31
Total	1·34	1·54	1·74	1·89	1·08	2·40	·66	·83	1·39	3·17	3·80	4·60	TOTAL for year 24·44
No. of Rain Days.	12	12	16	13	9	12	6	8	9	15	18	23	153

W. 8,000, X. '11.

REG

rden

FORM A2. BRITISH RAINFALL. 4 - JAN 1912

Kept at Hillfield Park Muswell Hill

in the County of Middlesex 2

by Ernest A. Lee

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 294 ft.

Time of Observation 8·15 a.m.

Nearest Railway Station Name Muswell Hill
Distance 880ft Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–	–	·70	–	–	·01	·04	–	–	–	–	1
2	·15	–	–	·23	·16	–	–	–	–	–	·17	·17	2
3	·03	–	–	–	·15	–	–	–	–	·01	·07	·02	3
4	·04	·02	·07	·10	–	–	–	–	·01	·02	·27	·27	4
5	·01	–	–	·01	–	–	–	–	–	·14	·02	·18	5
6	·35	–	·15	–	–	–	–	–	–	–	–	·19	6
7	·03	–	–	·02	–	–	–	–	–	·13	·28	·32	7
8	·14	–	·15	–	–	–	–	–	–	–	·25	·16	8
9	·14	–	·05	·02	–	–	–	–	–	–	–	–	9
10	–	·10	·10	·01	–	–	–	–	–	–	·04	·42	10
11	·32	–	·01	–	·03	–	–	–	–	–	·67	–	11
12	·02	–	·50	–	·15	·15	–	–	·05	–	·33	–	12
13	–	–	·05	–	·21	–	–	–	·45	·34	·06	·22	13
14	–	·09	–	–	·30	–	–	–	–	–	–	·40	14
15	–	·06	·22	–	–	–	–	–	–	·02	·04	·01	15
16	–	–	–	–	–	·46	–	–	–	–	·39	·02	16
17	–	–	·10	–	–	·02	–	–	–	–	·36	·12	17
18	–	·21	·01	–	–	·12	–	–	–	–	·48	·14	18
19	–	–	–	–	·01	·19	–	·18	·19	·11	·25	·12	19
20	–	·01	·01	–	–	–	–	·24	·10	·13	–	·53	20
21	–	·09	–	–	–	–	–	·26	–	·48	–	·10	21
22	·09	–	–	–	–	·02	–	–	–	·03	–	·41	22
23	–	·11	·20	–	–	·92	–	–	·27	–	·02	·15	23
24	–	·14	–	–	–	·06	·02	·02	–	1·17	–	·25	24
25	–	·02	·03	·02	–	·19	·20	·01	–	·02	–	·01	25
26	–	–	·02	·27	–	·08	·02	–	–	·16	·04	·31	26
27	–	·41	·07	·02	–	–	–	–	·11	–	·06	·08	27
28	–	·28	–	·34	–	–	·31	·07	–	–	–	–	28
29	–		–	·08	–	·16	·10	–	·18	·24	–	–	29
30	–		–	·07	·03	·03	–	·01	·03	·17	–	–	30
31	–		–		·04		–	–		–		–	31
Total	1·34	1·54	1·74	1·89	1·08	2·40	·66	·83	1·39	3·17	3·80	4·60	TOTAL for year 24·44
No. of Rain Days.	12	12	16	13	9	12	6	8	9	15	18	23	153

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Muswell Hill Hillfield Pk.

in the County of Middlesex 2

by Ernest A. Lee

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 294 ft.

Time of Observation 8·15 am

Nearest Railway Station
Name Muswell Hill
Distance 88 ft Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·09	·01	—	·13	·55	—	·04	·32	—	·20	1
2	—	·02	·20	—	—	·03	·32	·03	·01	·01	—	·01	2
3	·06	·01	·24	—	·03	·18	·02	·41	·01	—	—	·08	3
4	·32	·01	·54	—	·24	·19	—	·03	—	—	·13	—	4
5	·16	·09	·07	—	—	—	—	·15	—	—	·07	—	5
6	·67	·02	—	—	—	·28	—	·09	·01	—	—	·03	6
7	—	—	·01	—	·05	·55	·02	·18	—	—	—	·03	7
8	·42	·37	·13	—	—	·04	·03	·11	·01	·01	—	—	8
9	·01	·09	—	·04	—	·37	·02	·02	—	—	—	·15	9
10	·01	·06	—	—	—	·01	—	·16	·02	·01	·07	·20	10
11	·02	·31	·01	—	—	·04	—	—	·02	·01	—	·15	11
12	·07	·10	·08	—	·18	·16	—	—	—	·01	·03	—	12
13	·02	—	·02	—	—	—	—	—	—	—	·10	·03	13
14	—	—	·01	—	·05	—	—	·14	—	·07	·01	·02	14
15	—	·02	·07	—	·22	·56	—	·06	—	—	·01	·38	15
16	·23	—	·05	—	·03	·07	—	·09	—	·05	·06	—	16
17	·46	—	·25	—	—	·08	—	·05	—	—	—	·01	17
18	·15	—	·12	—	—	—	—	·07	—	·01	·01	·14	18
19	·18	·09	·14	—	—	—	·06	·47	—	—	·01	·01	19
20	·02	·01	·12	—	—	—	—	·33	—	·36	—	—	20
21	·01	·07	·28	—	·02	—	—	·09	—	·07	·04	—	21
22	·22	·19	·11	—	·01	—	·25	·09	—	·04	—	·05	22
23	·38	·41	·32	—	—	—	·19	·56	—	·01	·18	·17	23
24	·49	·02	—	—	—	·23	·02	·16	—	—	—	·14	24
25	·02	·01	—	—	—	·27	—	·64	—	—	·23	·44	25
26	—	·01	—	—	—	—	·09	·35	—	·45	·35	·29	26
27	—	—	·01	—	—	·06	·01	—	—	·19	—	·22	27
28	—	·04	—	·01	—	·04	·12	·03	·03	·30	·33	·12	28
29	—	·02	—	—	—	·43	·33	·28	1·14	·24	·07	—	29
30	—		—	—	·26	—	—	—	1·06	·16	—	—	30
31	·01		·36		·02		·15	·19		—		—	31
Total	3·93	1·97	3·23	·06	1·11	3·72	2·18	4·78	2·35	2·32	1·70	2·87	TOTAL for year 30·22
No. of Rain Days.	21	21	22	3	11	19	15	25	10	18	16	21	202 ~~200~~

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8- JAN 1914

MUSWELL HILL - HILLFIELD PARK
Kept at Alexandra Park (Grove Avenue)
in the County of Middlesex
by Ernest A. Lee.

Lat. 51° 35' N. Long. 7' W.
Time of Observation 8·15 a.m.
Nearest Railway Station Alexandra Palace
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·19	·08	·35	—	—	—	—	·23	—	·11	·16	1
2	·02	·15	·01	—	—	—	·07	—	·13	·13	·02	·01	2
3	·01	·01	·02	·19	·41	—	—	—	—	—	—	·04	3
4	·22	—	·01	·02	·31	—	·22	—	—	·21	·04	·04	4
5	·14	—	—	—	—	·04	·10	—	·15	·01	·01	·02	5
6	·01	·01	·08	—	·09	·17	·08	—	·03	·11	·04	·07	6
7	—	·11	—	—	·01	·04	·12	·07	—	·44	·10	—	7
8	—	·04	·05	—	·18	·10	—	—	—	·12	·08	—	8
9	—	·17	—	·02	·04	—	—	—	·03	—	·07	·05	9
10	·01	—	·11	·10	—	—	·71	·09	—	—	·31	·01	10
11	·72	—	—	·48	·05	—	—	·02	—	·47	·17	—	11
12	—	·01	—	—	·03	—	—	—	—	·02	·45	—	12
13	·08	—	·01	—	—	—	—	·03	·05	—	·33	—	13
14	·04	·01	·11	·05	·01	—	·69	·10	·04	·18	·13	—	14
15	·19	·06	·25	·17	—	—	·33	—	·01	—	—	—	15
16	·14	—	·38	·21	—	—	—	—	·35	—	—	—	16
17	·02	·02	·03	·05	—	—	·15	·02	·01	—	·03	—	17
18	·01	—	·06	·11	—	—	—	—	—	—	·05	—	18
19	·13	—	·13	·03	—	—	·11	—	·31	—	—	·01	19
20	·07	—	·07	·05	—	·26	—	—	—	·53	·03	—	20
21	·01	—	·21	·09	—	—	·03	—	—	·22	·69	—	21
22	·41	—	·14	·03	—	—	—	—	·17	—	—	—	22
23	·01	—	—	—	—	·01	—	·21	·04	—	·01	·21	23
24	—	—	·01	·05	—	—	—	·04	—	·01	·02	—	24
25	—	·01	—	·20	—	·02	—	—	—	·01	—	—	25
26	—	·09	·22	·06	—	—	—	·13	—	·70	·01	·24	26
27	—	—	·02	·04	·01	—	—	—	—	·02	—	—	27
28	·20	—	·24	·10	—	—	—	—	·01	·11	—	—	28
29	·07		·07	·44	·59	—	—	·08	—	·06	—	—	29
30	·28		—	·21	—	—	—	·19	—	·10	—	—	30
31	—		·03		—		—	·45		·04		—	31
Total	2·81	·88	2·34	3·05	1·73	·64	2·61	1·43	1·56	3·49	2·70	·86	YEAR'S TOTAL 24·10
Rain Days.	22	13	23	22	11	7	11	12	14	19	20	11	185

W.7,000, XI. 13

Exd DSS

REGISTER OF RAINFALL IN 1914

H

FORM A. BRITISH RAINFALL.
14 JAN 1915

Kept at Alexandra Park (Grove Avenue) ~~Brookleigh Grove Avenue Muswell Hill~~

in the County of Middlesex

2

by Ernest A. Fee

Lat. 51°35″ Long. 7W

Time of Observation 8·15 am

Nearest Railway Station Alexandra Palace

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·11	—	—	—	—	·17	—	—	·04	·02	1
2	—	—	·01	—	—	—	·10	·20	—	—	·12	·14	2
3	—	—	·11	—	·14	—	·43	—	—	—	·19	—	3
4	·13	—	·02	·19	—	—	—	·02	—	—	·36	·19	4
5	·05	—	·09	·24	·09	·04	·42	·54	—	—	—	—	5
6	—	·11	—	·01	·02	·13	·12	·03	—	—	·33	·17	6
7	—	·17	·32	·15	·82	·07	·02	—	—	—	—	·08	7
8	·04	·34	·63	·05	·06	·17	·15	·11	·01	—	·01	·02	8
9	·14	—	·56	·15	—	·25	—	—	·13	—	—	1·42	9
10	·03	·04	—	·05	·05	—	—	—	·02	—	—	·01	10
11	—	·38	·49	—	·01	·20	—	—	·22	—	·35	·20	11
12	·02	·07	·09	—	—	—	·10	—	·22	—	·02	·45	12
13	—	·26	·13	—	—	—	—	—	·12	·10	·07	·45	13
14	·01	·07	·51	—	—	—	·16	—	—	·12	·09	·75	14
15	·04	—	·18	—	—	—	—	·01	—	·06	·16	·07	15
16	—	—	·03	—	—	—	·03	—	·02	—	·02	—	16
17	—	·41	·05	—	—	—	—	—	·13	—	—	·15	17
18	—	·05	·08	—	—	—	—	—	—	—	—	·24	18
19	—	·02	·19	—	—	·06	·05	—	·05	—	·18	·23	19
20	—	·17	·36	—	—	·05	—	—	·12	—	—	·10	20
21	—	·45	·07	—	—	·02	—	—	—	·02	—	·09	21
22	—	·01	—	·01	·33	·04	·11	·03	—	·17	—	—	22
23	—	·01	·15	—	·18	·05	·01	—	—	·10	—	·01	23
24	—	—	·04	·02	·01	—	·04	—	—	·01	·14	—	24
25	·03	—	·19	—	—	—	—	·08	—	·34	—	·03	25
26	—	—	·02	—	—	—	·06	·12	—	·04	·20	·58	26
27	·04	—	—	—	—	—	—	·01	—	—	·03	·19	27
28	—	~~·04~~	—	—	—	—	—	—	—	·03	·57	1·11	28
29	·04	~~[illegible]~~	·10	—	—	—	—	—	—	·28	·13	—	29
30	—	×	·07	—	—	—	—	—	—	·02	·77	·14	30
31	·01	×	—	×	·18	×	·03	—	×	—	×	·04	31
Total	·58	2·60	4·60	·87	1·89	1·08	1·83	1·32	1·04	1·29	3·78	6·88	YEAR'S TOTAL 27·76
Rain Days.	12	16	25	9	11	11	15	11	10	12	19	25	176

W. 8,000. X. 14.

Exc D2

959

FORM A.
BRITISH RAINFALL.
12 JAN 1916

REGISTER OF RAINFALL IN 1915

(Alexandra Park, Grove Avenue)

Kept at "Brockleigh," Grove Avenue Muswell Hill N.
in the County of Middlesex
by Ernest A Lee

Lat. 51°35' Long. 7 W
Time of Observation 8·15 am.
Nearest Railway Station Alexandra Palace
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·16	·09	—	·03	—	—	—	·11	·03	·41	·47	1
2	·37	·15	·27	·08	—	—	—	·53	—	·06	—	—	2
3	·40	—	·07	·25	·01	—	·02	·54	—	—	—	·60	3
4	·06	—	·01	—	—	—	—	·14	—	—	—	·25	4
5	·04	·37	—	—	—	—	—	·01	—	·02	—	·26	5
6	·23	·01	—	·21	·30	—	·82	—	—	—	—	·51	6
7	·33	·27	·04	·02	—	—	·54	·02	—	—	—	·21	7
8	·03	·44	·02	·13	—	—	·06	·01	—	—	—	—	8
9	·02	·13	—	·09	—	·18	—	·09	—	·02	·34	·73	9
10	·29	—	·02	—	—	·01	—	·30	—	—	—	·10	10
11	·02	—	·01	—	—	—	—	·01	—	—	·76	·01	11
12	·09	·01	—	·23	·43	—	—	·55	—	·01	·39	·01	12
13	·04	·35	—	—	1·68	—	—	—	—	—	—	—	13
14	—	·03	—	—	—	—	1·10	—	·06	—	—	·70	14
15	·15	—	—	—	·07	—	·06	·32	—	—	·25	·14	15
16	·01	·28	—	—	—	—	·76	—	—	—	—	·06	16
17	—	·36	—	—	·86	—	·11	·05	—	—	—	—	17
18	—	·26	·06	—	·14	—	—	—	—	—	·05	—	18
19	—	·07	—	—	—	—	·14	—	—	—	—	—	19
20	·35	—	·01	·03	—	—	—	—	—	—	—	·28	20
21	·13	—	—	—	—	—	—	—	—	·01	—	·03	21
22	·82	·12	·25	·01	—	—	·76	—	·01	—	—	·15	22
23	·01	·20	·10	—	—	·07	·36	—	·14	·33	—	·29	23
24	—	—	—	—	—	·01	·11	—	·26	·09	—	·24	24
25	—	—	·21	·07	—	·02	·25	—	—	·03	—	·12	25
26	—	·08	—	—	—	—	·04	—	—	—	—	·40	26
27	—	—	—	—	—	·44	·37	—	—	·37	—	·10	27
28	—	·07	—	—	—	·22	—	—	1·40	·14	—	—	28
29	—		·02	—	—	—	·18	·16	—	·01	·11	·01	29
30	·06	X	—	—	—	·05	—	—	—	—	·15	—	30
31	·03	X	—	X	—	X	—	·02	X	·88	X	·15	31
Total	3·87	3·36	1·18	1·12	3·52	1·00	5·68	2·75	1·98	2·00	2·46	5·82	YEAR'S TOTAL 34·74
Rain Days.	21	18	14	10	8	8	16	14	6	13	8	23	159

W. 8,000. X. 15.

Exd 4W

932

FORM A.
BRITISH RAINFALL.
25. JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at Alexandra Park (Grove Avenue)
in the County of Middlesex
by Ernest A Lee

Lat. 51° 35" Long. ¼ W
Time of Observation 8·15 am
Nearest Railway Station Alexandra Palace
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	—	·02	—	·21	·02	·01	—	·14	·04	·38	—	1
2	·64	·02	·10	—	·24	—	·01	—	·28	·36	·01	—	2
3	—	·38	·19	—	·01	—	·05	—	·26	·22	·70	—	3
4	·29	·11	·01	—	·01	·36	·01	—	·02	·17	·40	—	4
5	·02	—	·03	—	·07	·25	—	—	—	·05	·43	—	5
6	·01	·04	·32	·26	·03	·11	·14	—	—	·03	·41	—	6
7	·07	—	·27	—	·18	·37	·38	—	—	·01	·72	·04	7
8	—	—	·04	—	·31	·01	—	—	—	—	·01	·29	8
9	—	—	—	—	·38	·04	—	—	—	·07	—	·18	9
10	—	·12	·10	·08	—	·35	·20	—	—	—	—	·06	10
11	·06	·18	·03	·12	·01	·17	—	—	—	—	·01	·07	11
12	·03	·02	·02	·06	·34	·12	·02	·10	—	·06	·01	—	12
13	—	·47	·23	·09	·06	·08	·45	·10	—	·03	·01	—	13
14	—	·41	·01	·04	·11	—	—	·35	—	—	—	·15	14
15	—	·34	·41	·03	—	—	·03	·21	—	—	—	—	15
16	—	·02	·16	·14	·01	—	·20	·40	—	·02	—	—	16
17	·09	·06	—	·03	—	—	·03	1·04	·30	·62	—	—	17
18	·01	·09	·03	·06	—	—	—	·20	·07	·03	·64	—	18
19	·08	·01	·14	·18	—	—	—	—	·17	—	·83	—	19
20	·17	—	·22	·15	—	—	—	—	—	—	·04	·32	20
21	—	—	·84	·02	—	—	·03	—	—	—	—	·41	21
22	·02	·01	·09	—	—	—	—	—	—	·02	—	·40	22
23	·02	·25	—	—	·01	·16	—	·01	—	·01	·05	·16	23
24	·02	·05	—	—	·01	·15	—	—	—	·04	·02	·36	24
25	—	·50	·12	—	·10	—	—	·25	—	·05	·11	—	25
26	—	·18	·04	—	—	·02	—	·08	—	·03	—	—	26
27	·09	·01	1·00	—	—	·02	—	·29	·05	·56	—	—	27
28	—	·43	·33	—	—	·12	—	·01	·18	—	—	·25	28
29	—	·07	—	—	—	·29	—	1·90	·03	·34	—	·14	29
30	—	×	—	·03	—	·01	—	·08	—	·44	—	·01	30
31	—	×	—	×	—	×	—	·04	×	·11	×	·03	31
Total	1·74	3·77	4·75	1·29	2·09	2·65	1·56	5·06	1·50	3·61	4·78	2·87	YEAR'S TOTAL 35·67
Rain Days.	16	22	24	14	17	18	13	15	10	22	17	15	203

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Alexandra Park (Grove Avenue)
in the County of Middlesex
by Ernest A. Lee

Lat. 51° 35′ N Long. ·7 W
Time of Observation 8·15 am
Nearest Railway Station Alexandra Palace
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ~~·235~~ ft. – in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·19	–	–	–	·87	·08	·01	·10	·01	1
2	–	–	–	·53	–	–	–	·05	–	–	·01	–	2
3	–	–	–	·07	–	–	–	·36	–	·23	·55	–	3
4	–	·14	·23	–	–	–	·06	·27	–	·45	–	–	4
5	·27	–	·02	·44	–	–	–	·05	1·33	·09	·11	–	5
6	–	–	·05	·02	–	·05	–	–	·08	·02	·15	–	6
7	·21	–	–	–	–	–	·14	–	–	·28	–	·03	7
8	·10	–	–	·12	–	–	·96	·08	–	·24	·20	·28	8
9	–	–	·04	·11	–	–	·95	·10	·03	–	·06	·11	9
10	·20	–	·10	·05	–	–	–	·02	–	–	–	·05	10
11	·14	–	·37	·29	–	–	–	–	·18	·36	–	–	11
12	·12	–	·03	·09	–	–	–	·02	–	·46	·01	·01	12
13	·01	–	·14	·03	–	–	–	·02	·03	·03	·01	–	13
14	–	–	·01	·31	–	–	–	·13	–	–	–	–	14
15	·02	–	–	–	–	–	·28	·04	–	·02	–	·03	15
16	·06	·14	–	·17	·13	·57	·13	–	–	·50	–	·18	16
17	–	–	–	·09	·66	–	·20	·01	·47	·35	–	–	17
18	·04	–	–	·09	·10	·28	·10	·07	·19	·08	–	–	18
19	–	·19	·06	–	·28	·01	–	–	·25	–	–	–	19
20	·06	·22	·07	–	·70	–	–	–	·04	–	·06	–	20
21	–	–	·04	–	·05	·01	–	–	–	·01	·06	·03	21
22	–	–	·02	–	~~·12~~	·08	–	·08	–	·08	·01	–	22
23	–	·10	–	–	·12	·01	–	·13	–	–	–	–	23
24	–	·05	–	–	–	·06	–	·02	–	·41	·08	·02	24
25	–	–	·07	–	–	–	–	–	–	·01	·08	–	25
26	–	–	·08	–	–	–	–	·25	·04	–	·50	–	26
27	–	–	–	–	–	–	–	·95	–	–	·01	·02	27
28	–	–	·02	–	–	·91	~~·2~~	·11	–	–	–	·04	28
29	–		·01	–	·10	·04	·26	·15	–	·18	–	·15	29
30	–		·35	–	–	–	1·60	·05	–	·03	–	·03	30
31	·12		·02		–		·29	·01		·01		–	31
Total	1·35	·84	1·73	2·60	2·14	2·02	4·07	3·84	2·72	3·85	2·00	·99	YEAR'S TOTAL 28·15
Rain Days.	12	6	19	15	8	10	11	23	11	21	16	14	166

W. 8,000, IX. 17.

Ex ME

44

FORM A.
BRITISH RAINFALL.
20.1.19

REGISTER OF RAINFALL IN 1918

Kept at Alexandra Park (Grove Avenue)
in the County of Middlesese
by Ernest A Lee

Lat. 51°35' Long. 7W
Time of Observation 8.15 am
Nearest Railway Station Alexandra Palace
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·09	—	—	—	—	—	—	·11	·05	1
2	—	·07	—	·02	—	—	—		—	·01	·22	·22	2
3	—	—	·04	·03	·50	—	—		·01	—	·40	·02	3
4	~~·01~~	·08	·16	·04	—	—	—	·76	·68	—	·62	·01	4
5	—	·02	—	—	·12	—	—		·05	·09	—	—	5
6	·13	·24	—	·30	·10	—	—		—	—	—	·10	6
7	·04	·08	—	·06	·13	·01	—		·20	·06	·10	—	7
8	—	·08	—	—	—	—	·01		·09	·01	·08	·02	8
9	·02	·03	—	·03	—	·05	·23	—	·46	·15	—	·17	9
10	·01	—	—	·06	—	—	·64	·01	·01	·03	·02	·38	10
11	·03	—	—	·03	·07	—	·67	—	·11	·18	·08	·13	11
12	—	·08	—	—	·09	—	·11	—	·09	—	—	·02	12
13	·01	·02	—	—	·28	—	·19	—	·06	—	—	·01	13
14	·17	—	·01	—	—	·18	·04	—	·51	·17	—	·27	14
15	1·22	—	—	·42	—	·01	·04	—	·02	·01	—	·07	15
16	·17	—	—	·45	—	·17	—	—	·25	·07	—	·01	16
17	·25	—	·01	·26	·54	·07	·42	·02	·01	—	—	·15	17
18	·59	—	—	—	—	·24	·12	—	1·48	·10	—	—	18
19	·05	—	·04	·08	—	·25	·34	—	·02	·06	—	·07	19
20	·02	·14	—	·65	—	·02	·09	—	·09	·15	·01	·12	20
21	·08	·01	—	·15	—	—	—	—	·41	·03	—	·12	21
22	·06	—	—	·01	·25	—	·08	—	·12	·01	—	·02	22
23	·02	—	—	·01	·38	—	·49	·05	·08	—	·01	·14	23
24	—	·23	—	—	·01	·04	·11	—	·06	—	·03	·07	24
25	—	—	—	—	—	—	·35	·11	—	—	·04	—	25
26	—	—	—	—	—	—	·45	·19	—	·03	·20	·12	26
27	—	·02	—	·10	—	—	·01	·21	·04	—	·10	·02	27
28	—	—	·16	·04	—	—	—	·01	—	—	·28	·14	28
29	·01		·01	—	—	—	—	—	1·35	—	·03	—	29
30	—		·49	—	—	—	—	—	·02	—	·06	·06	30
31	—		·01		—		—	·03		·05		·01	31
Total	2·89	1·12	·93	3·13	2·47	1·04	4·39	1·39	6·22	1·21	2·39	2·52	YEAR'S TOTAL 29·70
Rain Days.	18	14	9	19	11	10	18	13	24	17	17	26	196

W. 8,000, IX. 17.

SW 8 50

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Alexandra Park (Grove Avenue)
in the County of Middlesex
by Ernest A Lee

Lat. 51° 35" Long. 7 W.
Time of Observation 9 A.M.
Nearest Railway Station Muswell Hill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, ,, ,, ,, Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	—	—	·02	·02	—	·26	·02	—	·01	·03	·90	1
2	·35	·06	·01	—	·26	—	·11	—	·27	·08	—	·17	2
3	·34	—	·30	—	·02	—	—	—	·02	—	·15	·40	3
4	·15	—	·32	—	—	·07	·22	·09	—	—	·01	·47	4
5	·01	·40	·47	—	—	—	·05	—	·09	—	·02	·30	5
6	·01	—	·08	—	—	—	—	—	—	—	·01	·05	6
7	·04	—	·38	—	—	—	—	—	—	—	·03	—	7
8	·09	—	·06	·01	—	—	—	—	—	—	·02	—	8
9	·22	—	·02	·04	·05	—	—	—	—	—	·12	—	9
10	·46	—	·06	·04	—	—	—	—	—	—	·02	—	10
11	02	—	·11	·28	·01	—	·12	—	—	—	—	·03	11
12	—	—	·09	·06	—	·04	·20	—	—	·05	—	—	12
13	·02	—	—	·23	—	—	—	—	—	·04	—	·01	13
14	·33	—	—	·34	—	—	·08	—	·41	—	—	·01	14
15	·19	·06	·15	·18	—	—	—	—	—	·08	·02	·33	15
16	·06	·77	—	·01	—	—	—	—	—	—	·10	·03	16
17	—	·29	·04	·02	—	—	—	—	—	—	·25	·02	17
18	—	·38	·07	—	·01	—	—	·01	—	—	·06	·08	18
19	·02	·18	·85	—	—	·15	·17	·35	·08	—	·16	—	19
20	·40	·09	·08	—	—	·95	—	·23	·01	·01	·01	·03	20
21	·16	·34	·03	—	—	·02	·27	—	—	—	—	·12	21
22	—	·15	—	—	—	·01	·14	—	·16	—	·03	·32	22
23	—	—	—	—	—	·05	—	·03	·07	—	—	·04	23
24	—	—	—	·18	—	·02	·03	·07	—	·18	·05	·01	24
25	—	—	—	—	·08	—	—	·18	—	—	—	·04	25
26	·12	·18	·13	·15	—	—	—	·16	·10	—	—	·33	26
27	·70	·02	·03	1·33	—	—	—	·33	—	—	—	·06	27
28	—	—	·18	·04	—	—	—	·98	—	—	·12	·32	28
29	·04	×	—	·04	—	—	—	·23	—	·17	·14	·04	29
30	—	×	·03	·25	—	·21	—	·11	—	—	·21	·28	30
31	—	×	—	×	—	×	·03	—	×	·04	×	·02	31
TOTAL	4·19	2·92	3·49	3·22	·45	1·52	1·68	2·79	1·21	·66	1·56	4·41	YEAR'S TOTAL 28·10
Days with ·01 in. or more	21	12	21	17	7	9	12	13	9	9	20	25	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ced

805

27 JUL 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Alexandra Park (Grove Avenue)
in the County of Middlesex
by Ernest A Lee

Lat. .... Long. ....
Time of Observation 8.15 am
Nearest Railway Station Alexandra Palace
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	·08	—	·36	—	—	·25	—	—	1
2	—	—	·01	·43	·01	—	·01	·82	·10	·12	—	·34	2
3	—	·08	—	—	—	—	—	—	·10	·03	—	·05	3
4	—	·04	—	·03	—	—	·01	·05	—	·19	—	·02	4
5	—	—	·10	·07	·03	—	·51	·05	·07	—	—	—	5
6	—	—	·18	—	·17	—	·36	·03	—	—	—	·05	6
7	—	—	·04	·25	·03	—	·21	—	—	—	—	·03	7
8	·11	·03	—	·12	·11	—	·08	·01	—	·01	—	—	8
9	·40	·02	—	·04	—	—	—	·03	—	—	—	—	9
10	·52	·05	—	—	—	·12	·07	—	—	—	—	—	10
11	·20	—	·06	·41	—	·04	·20	—	—	—	—	·26	11
12	·10	—	·01	·13	·03	·56	·01	—	—	—	·01	—	12
13	·13	—	·12	·23	—	—	—	—	·01	—	·10	—	13
14	—	·01	·28	·16	—	·55	—	—	·14	·03	·16	—	14
15	·01	—	·13	·32	—	—	·01	—	·52	·29	·10	—	15
16	—	—	·01	·13	—	·05	—	—	·36	·30	—	—	16
17	·02	—	—	—	·18	—	—	—	·23	—	—	—	17
18	·03	—	—	·16	—	—	—	·75	·33	—	—	—	18
19	·13	—	—	·25	—	—	—	—	—	—	—	·06	19
20	·06	·20	—	·19	—	·63	—	—	·03	—	—	·02	20
21	—	—	—	·37	—	—	—	·02	·73	—	—	·06	21
22	—	—	—	—	—	—	·96	—	·18	—	—	·31	22
23	·01	—	—	—	—	—	·47	—	·01	—	—	·40	23
24	·02	·03	—	—	—	—	—	—	—	—	—	·06	24
25	—	—	—	·09	—	—	·18	—	·04	—	—	—	25
26	·03	—	·15	·02	·53	·01	·03	—	—	—	—	·03	26
27	·19	·10	·01	·36	—	·10	·02	—	—	—	·62	·14	27
28	·45	—	·21	·03	—	·03	·06	—	—	—	·01	·01	28
29	·27	—	·09	—	·03	—	—	—	—	—	·05	·35	29
30	—	×	—	—	·11	—	·44	—	·57	—	·19	·20	30
31	·05	×	—	×	·04	×	·02	—	×	·20	×	·16	31
TOTAL	2·73	·56	1·40	3·79	1·35	2·09	4·01	1·76	3·42	1·42	1·24	2·55	YEAR'S TOTAL 26·32"
Days with ·01 in. or more	18	9	14	20	12	9	19	8	15	9	8	18	159
Days with ·04 in. or more	13	5	10	17	7	7	12	4	12	6	6	13	113 ~~103~~ 111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl

126

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

MUSWELL HILL

COLNEY HATCH LANE

1911 - 1920

911

Kept at Muswel

in the County of M

by Miss Abe

…p.............in.

…above Ground.........ft.........in.

„ Sea Level.........ft.

…n { Name
Distance......... Direction.........

IMPORTANT NO… …measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·62									1
2	·15			·35	·18			·05			·19	·18	2
3	·03	·01			·17			·03		·02	·07	·09	3
4	·05	·04	·08	·08					·02	·05	·17	·29	4
5		·01		·05						·17	·02	·15	5
6	·41		·14	·08						·01		·29	6
7	·04		·01	·02						·15	·26	·32	7
8	·17		·19								·27	·17	8
9	·11		·03	·03							·01	·01	9
10	·06	·11	·12	·03							·05	·46	10
11	·28				·05						·71	·02	11
12	·04		·46		·22	·10			·05		·29		12
13			·07		·14				·49	·42	·02	·25	13
14		·09	·04		·43 ·43							·45	14
15		·06	·23							·03	·03	·03	15
16			·01			·46					·39	·03	16
17			·13			·03					·40	·14	17
18		·27	·02			·36					·48	·22	18
19		·01			·02	·16		·18	·20	·16	·24	·12	19
20		·03	·02					·34	·10	·11	·01	·55	20
21		·08	·01					·23	·30	·54		·10	21
22	·01		·06			·03		·01		·06		·45	22
23	·09	·12	·21			·95					·02	·16	23
24		·15	·04			·05	·03			1·30		·27	24
25		·04	·06	·09		·21	·22			·02		·01	25
26	·01	·02	·04	·22		·08	·04			·18	·04	·33	26
27		·43	·08	·03					·14		·06	·09	27
28		·33		·36			·37	·10			·02	·01	28
29				·09		·18	·11		·21	·29	·01		29
30				·07	·03	·04		·02	·03	·19			30
31					·05							·01	31
Total	1·47 1·47	1·80	2·06 2·05	2·12 2·12	1·29	2·65	·77	·96	1·54	3·70 3·70	3·76	5·20 5·20	TOTAL for year 27·32
No. of Rain Days	14	16	22	14	9	12	5	8	9	16	22	27	174

9,000, IX. '10.

Dl 126

911

FORM A2. BRITISH RAINFALL. 23 JAN 1912

Kept at Muswell Hill COLNEY HATCH LANE
in the County of Middlesex 2
by Miss Abethell

Rain Gauge
Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station
Name
Distance ..... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·62									1
2	·15			·35	·18			·05			·19	·18	2
3	·03	·01			·17			·03		·02	·07	·09	3
4	·05	·04	·08	·08					·02	·05	·17	·29	4
5		·01		·05						·17	·02	·15	5
6	·41		·14	·08						·01		·29	6
7	·04		·01	·02						·15	·26	·32	7
8	·17		·19								·27	·17	8
9	·11		·03	·03							·01	·01	9
10	·06	·11	·12	·03							·05	·42	10
11	·28				·05						·71	·02	11
12	·04		·46		·22	·10			·05		·29		12
13			·07		·14				·49	·42	·02	·25	13
14		·09	·04		·43 ·43							·45	14
15		·06	·23							·03	·03	·03	15
16			·01			·46					·39	·03	16
17			·13			·03					·40	·14	17
18		·27	·02			·36					·48	·22	18
19		·01			·02	·16		·18	·20	·16	·24	·12	19
20		·03	·02					·34	·10	·11	·01	·55	20
21		·08	·01					·23	·30	·54		·10	21
22	·01		·06			·03		·01		·06		·45	22
23	·09	·12	·21			·95					·02	·16	23
24		·15	·04			·05	·03			1·30		·27	24
25		·04	·06	·09		·21	·22			·02		·01	25
26	·01	·02	·04	·22		·08	·04			·18	·04	·33	26
27		·43	·08	·03					·14		·06	·09	27
28		·33		·36			·37	·10			·02	·01	28
29				·09		·18	·11		·21	·29	·01		29
30				·07	·03	·04		·02	·03	·19			30
31					·05							·01	31
Total	1·47 1·47	1·80	2·06 2·05	2·12 2·12	1·29	2·65	·77	·96	1·54	3·70 3·70	3·76	5·20 5·20	TOTAL for year 2732
No. of Rain Days	14	16	22	14	9	12	5	8	9	16	22	27	174

9,000, IX. '10.

Dl

cord by manth 8.11.13 ~~W~~ KP

132

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Muswell Hill COLNEY HATCH LANE
in the County of Middlesex 2
by Miss S. G. Abethell

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·01		·13	·55		·05	·31		·21	1
2		·02	·23		·01	·04	·31	·03		·01		·01	2
3	·06	·01	·28		·03	·25	·04	·42	·01			·07	3
4	·34	·02	·61		·25	·12		·03			·18		4
5	·20	·09	·07			·01		·18			·05	·01	5
6	·62	·05				·20		·09	·01		·01	·04	6
7	·01	·01	·01		·04	·57	·02	·18			·01	·03	7
8	·43	·40	·15			·02	·03	·16	·01			·01	8
9	·04	·10		·09		·33	·03	·05			·01	·18	9
10	·01	·06				·02		·13	·03		·06	·21	10
11	·03	·35				·05			·04			·16	11
12	·09	·10	·09		·23	·17					·06		12
13	·02		·01				·01			·02	·09	·04	13
14					·05			·12		·13		·03	14
15	·01	·02	·08		·22	·56		·06			·03	·38	15
16	·27		·05		·04	·04		·10		·08	·08		16
17	·31		·29			·10		·06				·02	17
18	·14		·14					·11		·02	·01	·15	18
19	·20	·08	·13				·07	·44					19
20	·03	·01	·13				·01	·43		·37			20
21		·07	·28		·02			·09		·08	·06		21
22	·23	·19	·09		·02		·26	·16		·04	·01	·06	22
23	·38	·41	·33				·28	·55		·04	·20	·19	23
24	·53	·03				·23	·02	·16			·01	·16	24
25	·03	·01				·32		·74			·25	·50	25
26		·01				·01	·09	·29		·47	·36	·28	26
27						·07	·02			·22		·23	27
28		·07		·02		·05	·19	·06	·05	·31	·34	·14	28
29		·03				·38	·32	·27	1·24	·26	·06		29
30					·25	·01		·02	1·07	·18			30
31			·41		·03		·16	·21				·01	31
Total	3·98	2·14	3·47	·12	1·19	3·68	2·41	5·~~44~~ 5·14	2·51	2·54	1·88	3·12	TOTAL for year 32·18
No. of Rain Days.	21	22	19	3	12	22	17	26	9	15	19	23	208

W. 8,000, X. '11.

88 25·11·14 136

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

27 JAN 1914

Kept at Muswell Hill Colney Hatch Lane

in the County of Middlesex 2

by Miss S. G. Abethell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·20	·09	·35					·26		·12	·16	1
2	·03	·16	·01				·07		·13	·08	·03	·01	2
3	·01	·01	·03	·19	·45				·01			·05	3
4	·25	·01	·02	·03	·32		·22			·24	·05	·04	4
5	·15					·06	·12		·17	·02	·01	·04	5
6	·01	·03	·09		·09	·17	·10		·03	·15	·02	·07	6
7		·12			·02	·04	·12	·06		·43	·14		7
8		·05	·05		·15	·13				·12	·07		8
9		·18	·01	·03	·04	·01			·04		·07	·07	9
10	·02		·12	·10			·55	·09			·33		10
11	·70	·01		·51	·05			·02		·47	·18	·01	11
12		·01			·03			·04		·02 ~~·18~~	·49		12
13	·09		·02						·06		·33		13
14	·06	·02	·11	·06	·02		·79	·12	·04	·19	·11		14
15	·21	·07	·25	·23			·27		·01		·01		15
16	·15		·38	·25			·01		·35				16
17	·03	·02	·03	·05			·16		·01		·04		17
18	·03		·08	·13							·08		18
19	·17		·15	·04			·11		·33			·02	19
20	·09		·08	·05		·24				·62	·04		20
21	·02		·21	·10			·03			·21	·73		21
22	·45		·16	·03				·07	·19				22
23	·01		·01			·01		·15	·04			·23	23
24	·01		·02	·07				·04			·03		24
25		·03		·22		·03					·01	·01	25
26		·08	·23	·05				·14		·72		·24	26
27	·21	·01	·03	·09						·03			27
28			·25	·12						·10			28
29	·09		·08	·46	·63			·06		·07			29
30	·34			·24				·19		·11	·02		30
31			·04					·48		·04			31
Total	3·1~~2~~6	1·01	2·55	3·40	1·80	·69	2·55	1·46	1·67	3·62 ~~3·78~~	2·91	·95	YEAR'S TOTAL 25·77
Rain Days.	23	16	25	22	10	8	12	12	14	17	21	12	192

W. 7,500, XI. 12

Dl

cnd for auth 27.11.15

WLMcC

124

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Muswell Hill COLNEY HATCH LANE

in the County of Middlesex 2

by Miss S. G. Abethell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12					·12			·05	·03	1
2	·03						·13	·19			·16	·16	2
3	·02		·11	·02	·16		·33	·01			·71	·01	3
4	·14		·02	·20	·01			·06			·37	·20	4
5	·04		·10	·26	·08	·05	·43	·54				·01	5
6		·11				·15	·14	·03			·31	·18	6
7		·18	·34	·16	·83	·10	·08	·01				·09	7
8	·05	·35	·67	·04	·06	·17	·11	·08				·03	8
9	·16		·53	·17		·32		·01	·15			1·45	9
10	·03	·11		·06	·04				·15			·02	10
11		·32	·50		·02	·19			·12		·30	·28	11
12	·01	·08	·13				·11		·23		·02	·44	12
13		·28	·13						·14	·01	·10	·48	13
14		·07	·52				·16			·10	·10	·85	14
15	·05		·19							·14	·13	·06	15
16			·04				·04		·05	·07	·02		16
17		·45	·07						·11			·18	17
18		·04	·14									·26	18
19		·04	·19			·06	·08		·05		·20	·25	19
20		·19	·34			·06	·01		·11			·12	20
21		·48	·08			·17				·02		·09	21
22			·01		·35	·06	·14	·03		·14			22
23			·12		·20	·03	·01			·10		·02	23
24			·06	·03	·02	·01				·02	·16		24
25	·04		·18				·03	·12		·37	·01	·13	25
26	·01		·03				·10	·09		·05	·21	·55	26
27	·05							·02		·01	·04	·21	27
28	·01									·01	·54	1·09	28
29	·05	·05	·14							·31	·11		29
30	·01		(·09)							·02	·77	·18	30
31	·01				·20		·04					·04	31
Total	·71	2·75	4·85	·94	1·97	1·37	1·94	1·31	1·11	1·37	4·31	7·41 7·40	YEAR'S TOTAL 30·94
Rain Days.	16	14	25 24	8	11	12	16	13	9	14	19	27	183

30·04

W.7,000, XI. 13

Cor.d for arith. 28.2.11

957
~~118~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Muswell Hill
in the County of Middlesex 2d
by S. G. Abethell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	(·51)	·18	·10		·03				·10	·06	·34	·52	1
2	·35	·16	·29	·13				·54	·01	·06	·14	·13	2
3	·44	·02	·06	·22	—	—	·03	·55	·03		·02	·50	3
4	·06			·02				·18				·28	4
5	·04	·40					(·80)	·02		·04		·30	5
6	·26	·02		·23	·31			·03				·54	6
7	·31	·39	·05	·03			·55	·06				·23	7
8	·04	·53		·11			·06					·02	8
9		·09		·09		·08		·07			·36	·78	9
10	·30		·04	·02				·49		·02	·02	·12	10
11	·05		·01					·02			·76	·02	11
12	·10	·03	·01	·24	·50			·59		·02	·43	—	12
13	·02	·35		·02	1·57			·02			·02		13
14		·05					1·08		·07			·81	14
15	·15				·08		·30				·24	·14	15
16	·02	·35			·02		·57	·30			·02	·07	16
17		·38			·92		·12					·02	17
18		·27	·04		·14			·02	·02		·04		18
19		·06	·02	·04	·02		·16						19
20	·39		·07									·30	20
21	·08									·03		·06	21
22	·90	·15	·25	·02			·83		·22			·16	22
23	·02	·17	·12			·03	·26			·34	·01	·30	23
24			·09				·15		·30	·13		·27	24
25			·13	·09		·04	·26		·01	·04		·14	25
26		·12		·01		·23	·12			·01		·44	26
27		·01	·01			·20	·28			·40		·16	27
28		·05				·19			1·44	·11		·02	28
29						·02	·21	·18	·02	·02	·15	·02	29
30	·07	X				·05					·17	·02	30
31	·04	X		X		X	·01	·03	X	·99	X	·19	31
Total	4·15 ~~3·64~~	3·78	1·29	1·27	3·59 ~~2·59~~	·84	5·79	3·10 ~~3·60~~	2·22	2·27	2·72	6·56	YEAR'S TOTAL 37·58 ~~35·97~~
Rain Days.	20 ~~19~~	20	15	14	9	8	17	15	10	14	14	27	183 ~~182~~

W. 8,000. X. 14.

930
~~115~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13 MAR 1917

Kept at Muswell Hill

in the County of Middlesex

by S. G. Abethell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13		·02		·24	·03	·02		·17	·05	·40		1
2	·70	·04	·10		·23		·02		·20	·37	·02		2
3	·02	·43	·19		·02		·06		·30	·28	·70		3
4	·28	·10	·02			·39	·03		·03	·14			4
5	·04	·02	·04		·08	·21				·07	·47	·01	5
6	·02	·05	·43	·26	·04	·11	·43			·05	·46		6
7	·07		·35		·17	·38	·17			·03	·72	·05	7
8	·01		·05 (30)	·01	·32	·10	·01				·04	·30	8
9					·36	·03	·03			·09	·03	·16	9
10	·01	·17	·11	·09	·01	·26	·04					·13	10
11	·08	·16	·04	·15	·02	·19			·02	·02		·02	11
12	·05	·04	·03	·05	·36	·15	·05	·14	·02	·08			12
13		·49	·25	·10	·07	·09	·33	·12		·04			13
14		·44	·02	·04	·12	·02	·01	·44		·03		·17	14
15		·34	·42	·04	·01		·03	·21					15
16	·02	·03	·17	·17			·25	·55		·02			16
17	·11	·09	·02	·04			·05	1·47	·31	·65			17
18	·02	·09	·04	·08				·26	·08	·04	·63	·05	18
19	·09	·03	·16	·19				·02	·19		·83	·13	19
20	·17		·27	·09					·02		·06	·41	20
21	·04		·81	·03			·03				·01	·36	21
22		·05	·07							·03		·50	22
23	·04	·31	·03		·04	·17		·03		·03	·08	·09	23
24		·09			·05	·18		·03		·10	·05	·31	24
25		·72	·14		·07	·02		·23			·11	·05	25
26	·02	·13	·05			·04		·09		·04	·02		26
27	·10	·10	1·11			·03		·36	·07	·62			27
28		·40	·42			·13		·02	·33	·02	·02	·28	28
29	·01	·08	·02			·32		2·27	·05	·46			29
30		×		·04	·01	·03		·10		·70		·19	30
31		×		×		×		·05	×	·17	×	·05	31
Total	2·03	4·40	~~5·83~~ 5·38	1·38	2·22	2·88	~~2·16~~ 1·56	6·39	1·79	4·13	4·65	3·26	YEAR'S TOTAL ~~41·12~~ ~~41·09~~ 40·07
Rain Days.	21	23	27	15	18	20	16	17	13	24	17	18	229

W. 8,000. X. 15.

8L ✓ ~~H~~ 81 [illegible] 395 ~~108~~

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Muswell Hill Grand Avenue

in the County of Middlesex

by S. G. Abethell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·46				·92	·09		·14		1
2	·02	·03		·60		·04		·07			·09		2
3			·23	·14				·43		31	·57		3
4		·21		·36			·07	·31		·32	·13		4
5	·19		·05					·07	1·35	·10			5
6	·02					·04			09	·04	·17		6
7	·24						·10			·28	·02		7
8	·14			·12			1·08	·09		·24	·21	·32	8
9	·04			·14			·05	·11	·04		·08	·16	9
10	·15		·18	·25							·02	·03	10
11	·34		·39	·25					·15	·38			11
12	·15		·06	·04				·07	·01	·45			12
13	·03		·15	·32				·04	·04	·05		·02	13
14	·01		·02	·04				·17		·01			14
15	·04			·17			·29	·06		·06		·04	15
16	·07	·17		·12	·14	·68	·14	·02		·55		·21	16
17	·02	·03			·75		·26	·02	·48	·34			17
18	·05	·09		·11	·12	1·33		·07	·20	·09			18
19	·03	·16	·10		·27	·03	·13		·27	·02			19
20	·06	·14	·10		·81				·05		·10		20
21	·02	·03		·02	·05			·11		·02	·07		21
22			·11					·14		·09	·02		22
23	·03	·11			·14	·13				·01		·03	23
24		·07								·42	·07	·02	24
25		·03								·01	·60		25
26			·14			·08		·34	·05			·02	26
27			·02			1·15		·97				·03	27
28			·02			·06		·13				·05	28
29			·03		·21		·35	·17		·22		·14	29
30	·03	X					1·69	·07			·02		30
31	·09	X	·46	X		X	·35	·03	X	·03	X	·03	31
Total	1·78	1·07	4·96 2·06	3·14	2·49	~~3·52~~ 2·54	4·51	4·41	2·82	4·04	~~1·81~~ 2·31	1·10	YEAR'S TOTAL 32·27 32·27
Rain Days.	22	11	~~15~~ 18	15	8	9	11	22	12	22	15	13	178

W. 8,000, VIII. 16

81

42
~~106~~

FORM A.
BRITISH RAINFALL.
27. 1 19

corrd by B & pr auth

REGISTER OF RAINFALL IN 1918

Kept at Muswell Hill

in the County of Middlesex

by S. G. Abethell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10						·01	·12	·09	1
2		·08		·04	·53			·02		·02	·07	·25	2
3		·02	·05					·34	·03		·56	·03	3
4		·12	·17	·05	·02			·61	·68	·02	·63	·03	4
5	·15	·04	·02	·33	·15	·02		·08	·06	·12	·02	·02	5
6		·25			·16					·02		·11	6
7	·07	·10		·07				·16	·15	·09	·12		7
8	~~·08~~	·08		·03	·16		·01	·10	·15	·03		·04	8
9	·04	·05		·04		·07	·41	·02	·50			·26	9
10	·03			·08			·81		·02	·04	·09	·35	10
11	·02			·05	·10		·84		·12	·19	·09	·13	11
12		·09			·09		·10		·09	·02	·02	·04	12
13	·02	·04			·27		·15		·15	·01		·03	13
14	·18		·04	·01		·23	·12		·43	·18		·27	14
15	·40			·83		·01	·06		·03	·01		·09	15
16	·43			·34		·26	·01		·26	·05			16
17	·25		·02	·29	·82		·43	·04	·03			·19	17
18	·67					·36	·18		1·43	·11		·08	18
19	·08		·06	·10		·18	·37		·02			·17	19
20	·03	·17	·02	·54		·03	·05		·09	·24		·09	20
21	·11	·04		·26		·01	·02		·40	·05	·01	·02	21
22	·09	·02		·03	·40		·09		·13			·16	22
23	·05				·27	·09	·60	·08	·08		·01		23
24		·24		·01	·02	·01	·13		·07	·04	·04		24
25		·02					·50	·17	·02		·04		25
26						·05	·60	·20			·22	·15	26
27		·03		·11			·03	·27			·10	·04	27
28		·04	·17	·05				·09	1·40		·29	·15	28
29									·03		·03	·01	29
30		✕	·53							·02	·04	·06	30
31		✕		✕		✕		·06	✕	·06	✕	·03	31
Total	2·62 ~~2·70~~	1·43	1·08	3·36 ~~2·06~~	2·99	1·32	5·51	2·24	6·37	1·33	2·50	2·89	YEAR'S TOTAL 33·64 ~~33·42~~
Rain Days.	17	17	9	20	12	12	20	14	24	20	18	26	208 ~~209~~

W. 8,000, IX. 17.

8L

N DL

848
~~104~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Muswell Hill.

in the County of Middlesex

by S. G. Abethell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·06								·04		·98	1
2	·35		·03		·03		·14	·02	·28	·08	·12	·15	2
3	·35		·30		·25		·08		·03		·05	·42	3
4	·15	·08	·33		·02		·05	·10	·04		·02	·17	4
5	·12	·60	·39								·01	·22	5
6	·02	·02	·11									·04	6
7	·05		·40								·04		7
8	·11		·07	·01	·04					·01	·01		8
9	·02		·03	·03							·11		9
10	·47		·08	·05	·02						·01	·04	10
11	·03		·12	·30			·17			·01		·02	11
12	·02		·07	·05		·04	·15						12
13	·02	·03		·27					·01	·07		·02	13
14	·37			·31			·05		·45	·05		·02	14
15	·21	·03	·15	·19							·06	·38	15
16	·17	·80	·01	·01						·08	·07	·04	16
17		·46	·04	·02							·25	·02	17
18		·31	·03					·02			·07	·08	18
19	·05	·20	·90			·19	·13	·40	·10		·14	·02	19
20	·41	·12	·07			1·00	·20	·19	·02			·03	20
21	·17	·37	·03			·04	·17		·19		01	·11	21
22		·18				·02	·12		·06		·05	·33	22
23			·01			·05	·01					·04	23
24		·01					·02			·18	·05	·01	24
25	·05			·18	·09	·03		·10	·10			·04	25
26	·09	·12	·13	·09		·01	·04	·19				·35	26
27	·73	·03	·03	·06				·13				·04	27
28			·17	2·21				·46	·01		·22	·34	28
29	·14		·01	·23				·90		·17	·02	·05	29
30		X	·03	·25		·22		·23		·03	·24	·29	30
31	·05	X	·01	X		X	·03	·10	X	·02	X	·02	31
Total	4·63	3·42	~~3·65~~ 3·55	4·26	~~·41~~ ·45	1·60	1·36	~~[illegible]~~ 2·84	1·29	·74	1·55	~~4·22~~ 4·27	YEAR'S TOTAL ~~[illegible]~~ 29·96
Rain Days.	24	16	25	16	6	9	14	12	11	11	19	27	190

W. 6,500, VII. 18. w w c

190

135

803

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Muswell Hill Page's Lane
in the County of Middlesex
by Miss Abethell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·39	·09				·11		·01	·24	1
2			·02		·01				·10	·27		·09	2
3		·09		·02						·10		·04	3
4		·04		·07			·10	·07	·07	·03		·02	4
5			·10		·06		·45	·03		·19		·04	5
6			·19		·15		·39	·03				·04	6
7	·04		·04	·27	·03		·20					·03	7
8	·08	·03		·15	·11		·06	·02					8
9	·39	·02		·04				·04					9
10	·50	·05	·11			·13	·06					·01	10
11	·23		·07	·40	·03	·05	·20	·02				·26	11
12	·10	·01	·01	·13		·53							12
13	·11	·01	·11	·23					·01	·03	·10		13
14	·01	·01	·30	·27		·45			·23	·04	·15	·04	14
15	·02	·03	·10	·23			·01		·65	·32	·10		15
16	·01		·01	·13		·05			·13	·31			16
17	·02			·07	·17				·41			·05	17
18	·04			·02	·02			·75	·18			·03	18
19	·14			·26		·05						·03	19
20	·05	·15		·19		·59			·13			·01	20
21							·98	·03	·63			·06	21
22	·02			·35					·17			·30	22
23							·49					·40	23
24	·02		·07									·06	24
25		·03	·03	·07			·18		·04				25
26	·04		·08	·01	·61	·01	·04		·01		·02	·03	26
27	·20	·09	·02	·32	·01	·08					·62	·13	27
28	·45		·17	·04	·03	·02	·06						28
29	·26				·02		·01				·06	·31	29
30	·05				·11	·01	·39		·58		·19	·24	30
31	·01		·01		·04		·01			·20		·12	31
TOTAL	2·79	·56	1·44	3·66	1·49	1·97	3·63	·99	3·45	1·49	1·25	2·58	YEAR'S TOTAL 25·30
Days with ·01 in. or more	22	12	17	21	15	11	16	8	15	9	8	23	177
·04	15	6	11	18	8	8	13	3	13	7	6	16	123

(24263). Wt.21,058—218/7500. 10/19. Gp.132. A.&E.W.

MUSWELL HILL
[illegible] for Aug. 8-II-12

MUSWELL HILL
GRAND AVE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

R

Kept at Parc Bra
Muswel
in the County of Mi
by G. Micha

ll
wdon
5 in.
ove Ground 1 ft. 0 in.
, Sea Level 317 ft.
9 A.M.
Name Cranley Gardens
Distance 200 yds Direction South

IMPORTANT NOTE.—Rain should be … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·01	·89	—	—	—		—	—	·01	—	1
2	·15	—	—	·08	·18	—	—		—	—	·18	·19	2
3	·03	·02	—	·01	·17	—	—		—	·02	·08	·03	3
4	·06	·03	·08	·12	—	—	—		·01	·04	·29	·28	4
5	·02	·01	·01	·07	—	—	—		—	·17	·03	·21	5
6	·39	—	·16	·01	—	—	—		—	—	—	·23	6
7	·04	—	·01	·03	—	—	—		—	·15	·29	·34	7
8	·16	—	·18	—	—	—	—		—	—	·26	·18	8
9	·12	—	·04	·04	—	—	—		—	—	·01	·06	9
10	·02	·11	·14	·03	—	—	—		—	—	·05	·40	10
11	·32	·01	·01	—	·04	—	—		—	—	·84	·02	11
12	·04	—	·54	—	·16	·18	—		·07	—	·15	·01	12
13	—	—	·08	—	·23	—	—		·46	·35	·07	·25	13
14	—	·10	·01	—	·33	—	—		—	—	—	·42	14
15	—	·07	·23	—	—	—	—		—	·03	·05	·02	15
16	—	·01	·01	—	—	·45	—		—	—	·42	·04	16
17	—	—	·01	—	—	·03	—		—	—	·41	·15	17
18	—	·22	·02	—	—	·13	—		—	—	·48	·18	18
19	—	·02	—	—	·02	·20	—		·22	·11	·25	·14	19
20	—	·02	·02	—	—	·01	—		·10	·14	·01	·56	20
21	·01	·11	·01	—	—	—	—		—	·53	—	·11	21
22	·09	·01	·03	—	—	·03	—		—	·02	—	·44	22
23	—	·12	·22	—	—	·93	—		·29	—	·03	·15	23
24	—	·15	·04	—	—	·08	·03		—	1·27	—	·26	24
25	—	·03	·03	·07	—	·20	·24		·02	·02	—	·01	25
26	—	—	·03	·26	—	·08	·05		—	·18	·07	·33	26
27	—	·44	·09	·03	—	—	~~—~~		·15	·01	·07	·10	27
28	·01	·29	·01	·35	—	—	·20		—	—	·01	·01	28
29	—		·01	·09	—	·17	·11		·21	·28	·01	—	29
30	—		·01	·06	·04	·04	—		·03	·20	—	·01	30
31	—		—		·05		—			·01		—	31
Total	1·50	1·77	2·04	2·14	1·22	2·53	·63	·93	1·56	3·53	4·07	5·13	TOTAL for year 27·05
No. of Rain Days.	15	18	27	15	9	13	5	(8)	10	17	23	28	(188)

W. 8,000, X. '11.

✓ MUSWELL HILL R

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

II-12

Kept at Parc Bracken, [illegible]
Muswell Hill N 2
in the County of Middlesex
by G. Michael Williams

...wdon
5 in.

GAUGE { Height of top above Ground 1 ft. 0 in.
,, ,, ,, Sea Level 317 ft.

Time of Observation 9 A M

Nearest Railway Station { Name Cranley Gardens
Distance 200 yd Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·01	·89	—	—	—		—	—	·01	—	1
2	·15	—	—	·08	·18	—	—		—	—	·18	·19	2
3	·03	·02	—	·01	·17	—	—		—	·02	·08	·03	3
4	·06	·03	·08	·12	—	—	—		·01	·04	·29	·28	4
5	·02	·01	·01	·07	—	—	—		—	·17	·03	·21	5
6	·39	—	·16	·01	—	—	—		—	—	—	·23	6
7	·04	—	·01	·03	—	—	—		—	·15	·29	·34	7
8	·16	—	·18	—	—	—	—		—	—	·26	·18	8
9	·12	—	·04	·04	—	—	—		—	—	·01	·06	9
10	·02	·11	·14	·03	—	—	—		—	—	·05	·40	10
11	·32	·01	·01	—	·04	—	—		—	—	·84	·02	11
12	·04	—	·54	—	·16	·18	—		·07	—	·15	·01	12
13	—	—	·08	—	·23	—	—		·46	·35	·07	·25	13
14	—	·10	·01	—	·33	—	—		—	—	—	·42	14
15	—	·07	·23	—	—	—	—		—	·03	·05	·02	15
16	—	·01	·01	—	—	·45	—		—	—	·42	·04	16
17	—	—	·01	—	—	·03	—		—	—	·41	·15	17
18	—	·22	·02	—	—	·13	—		—	—	·48	·18	18
19	—	·02	—	—	·02	·20	—		·22	·11	·25	·14	19
20	—	·02	·02	—	—	·01	—		·10	·14	·01	·56	20
21	·01	·11	·01	—	—	—	—		—	·53	—	·11	21
22	·09	·01	·03	—	—	·03	—		—	·02	—	·44	22
23	—	·12	·22	—	—	·93	—		·29	—	·03	·15	23
24	—	·15	·04	—	—	·08	·03		—	1·27	—	·26	24
25	—	·03	·03	·07	—	·20	·24		·02	·02	—	·01	25
26	—	—	·03	·26	—	·08	·05		—	·18	·07	·33	26
27	—	·44	·09	·03	—	—	~~—~~		·15	·01	·07	·10	27
28	·01	·29	·01	·35	—	—	·20		—	—	·01	·01	28
29	—		·01	·09	—	·17	·11		·21	·28	·01	—	29
30	—		·01	·06	·04	·04	—		·03	·20	—	·01	30
31	—		—		·05		—			·01		—	31
Total	1·50	1·77	2·04	2·14	1·22	2·53	·63	·93	1·56	3·53	4·07	5·13	TOTAL for year ✓
No. of Rain Days.	15	18	27	15	9	13	5	(8)	10	17	23	28	27·05 (188)

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL

1 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at 16 Grand Avenue, Muswell Hill, N.
in the County of Middlesex. 2
by G. Michael Williams

Lat. 51° 35' N Long. 0° 8' W
Time of Observation 9 O'Clk
Nearest Railway Station Cranley Gardens G.N.Ry.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground ~~2"~~ ft. 12" in.
" " " " Sea Level 317. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·11	·02	—	·12	·56	—	—	·31	—	·20	1
2	—	·03	·28	·01	—	·03	·36	·03	—	·01	—	·01	2
3	·07	·02	·20	—	·03	·18	·01	·43	·01	—	—	·07	3
4	·30	·01	·62	—	·25	·20	—	·03	·04	—	·14	—	4
5	·16	·10	·07	—	—	·01	—	·18	—	—	·08	·01	5
6	·59	·02	·01	—	—	·28	—	·10	·01	—	—	·04	6
7	·01	·01	·01	—	·06	·56	·02		—	—	—	·03	7
8	·38	·39	·16	—	—	·08	·04		·01	—	·01	·01	8
9	·01	·10	·02	·04	—	·27	·02		—	—	—	·16	9
10	·01	·06	—	—	—	·01	—		·03	·01	·07	·21	10
11	·08	·34	·01	—	—	·05	—		·02	·01	—	·14	11
12	·03	·09	·09	—	·20	·17	—		—	·01	·05	·01	12
13	·03	·01	·02	—	—	·01	—		—	—	·08	·03	13
14	—	—	·01	—	·05	—	—		—	·09	·01	·02	14
15	—	·03	·07	—	·20	·55	—		—	—	·01	·36	15
16	·26	—	·06	—	·02	·04	—		—	·06	·06	·01	16
17	·61	—	·27	—	—	·09	—		—	—	—	·02	17
18	·08	—	·12	—	—	—	—		—	·02	·03	·14	18
19	·20	·09	·12	—	—	—	·07		—	—	—	·01	19
20	·03	—	·12	—	—	—	·01		—	·33	—	—	20
21	·01	·08	·31	—	·02	—	—		—	·08	·05	—	21
22	·24	·22	·08	—	·02	—	·28		—	·05	·01	·05	22
23	·41	·43	·32	—	—	—	·30		—	·02	·17	·16	23
24	·52	·03	—	—	—	·22	·02		—	—	—	·14	24
25	·03	—	—	—	—	·31	—		—	—	·24	·45	25
26	—	·01	—	—	—	—	·07		—	·46	·36	·24	26
27	—	—	·02	—	—	·06	·01		—	·21	—	·23	27
28	—	·04	—	·02	—	·04	·15		·08	·32	·32	·12	28
29	—	·03	—	—	—	·40	·33		1·10	·25	·08	·01	29
30	—		—	—	·27	—	—	~~3·94~~	1·10	·17	—	—	30
31	·01		·37		·01		·16			—		·02	31
Total	4·07	2·14	3·47	·09	1·13	3·68	2·41	4·71	2·40	2·41	1·77	2·90	YEAR'S TOTAL 31·18
Rain Days.	22	21	24	4	11	21	16		9	17	17	27	

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Parc Bracket Grand Avenue Muswell Hill Hornsey

in the County of Middlesex 2

by G. Michael Williams

Lat. 51° 35' N. Long. 0° 8' W

Time of Observation 9 a.m.

Nearest Railway Station Cranley Gardens

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·20	·08	·32	·01	—	—			—	·11	·13	1
2	·02	·14	·01	—	—	—	·09			·08	·03	·01	2
3	·01	—	·03	·20	·41	—	—			—	—	·05	3
4	·24	—	·01	·02	·34	—	·22			·21	·04	·04	4
5	·16	—	—	—	—	·05	·17			·01	·01	·05	5
6	·01	·02	·08	—	·09	·12	·15			·12	·01	·08	6
7	—	·11	—	·01	·02	·06	·10			·46	·05	—	7
8	—	·04	·05	·01	·15	·07	—			·12	·09	—	8
9	—	·17	—	·02	·05	·01	—			—	·05	·08	9
10	·02	·01	·10	·11	·01	—	·63			—	·32	—	10
11	·69	—	—	·48	·07	—	—			·47	·17	—	11
12	—	·01	—	—	·04	—	—			·01	·40	—	12
13	·08	·01	·02	—	—	—	—			—	·28	—	13
14	·05	·02	·05	·06	—	—	·82			·17	·12	·01	14
15	·20	·07	·22	·17	—	—	·30			—	—	—	15
16	·15	—	·38	·23	—	—	—			—	—	—	16
17	·03	·03	·03	·07	—	—	·14			—	·02	·01	17
18	·02	—	·05	·13	—	—	·01			—	·04	—	18
19	·15	—	·10	·02	—	·01	·10			—	—	·02	19
20	·10	—	·06	·05	—	·20	—			·53	·02	—	20
21	·02	—	·19	·07	—	—	·02			·22	·67	—	21
22	·44	—	·17	·03	—	—	·01			—	—	—	22
23	·01	—	·01	—	—	·01	—			—	—	·21	23
24	·01	—	·01	·05	—	·01	—			—	·02	—	24
25	—	·02	—	·18	—	·01	·01			—	—	·02	25
26	—	·08	·22	·07	—	—	·01			·67	—	·23	26
27	—	·01	·02	·05	·01	—	—			·01	—	—	27
28	·21	—	·24	·10	—	—	—			·09	·01	—	28
29	·08		·09	·50	·46	—	—			·05	—	—	29
30	·28		—	·18	—	—	—			·11	—	—	30
31	·01		·03		—		—			·03		—	31
Total	3·00	·94	2·25	3·13	1·66	·55	2·78	·96	2·09	3·36	2·46	·94	YEAR'S TOTAL 24·12
Rain Days.	24	15	24	24	12	10	15			17	19	13	

W.7,000, XI. 13

Exd D.J.J

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 - JAN 1915

*Kept at** 16 Grand Avenue, Muswell Hill
in the County of Middlesex 2 London. N
by J. Michael Williams.

Lat. 51° 35′ N Long. 0° 8′ W
Time of Observation 9 a.m.
Nearest Railway Station Cranley Gardens.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 317. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·12	—	—	—	—	·18	—	—	·03	·01	1
2	·01	—	·02	·01	—	—	·13	·23	—	—	·09	·14	2
3	—	—	·12	—	·15	—	·32	—	—	—	·16	·01	3
4	·14	—	·01	·20	—	—	—	·02	—	—	·37	·19	4
5	·05	—	·09	·26	·06	·05	·42	·63	—	—	—	—	5
6	—	·12	·01	·02	·02	·15	·11	·02	—	—	·22	·17	6
7	·01	·19	·33	·12	·80	·11	·04	—	—	—	—	·09	7
8	·03	·35	·70	·02	·05	·17	·17	·13	·02	—	—	·03	8
9	·15	·01	·59	·19	·01	·32	·01	·01	·14	—	—	1·45	9
10	·02	·05	—	·06	·06	—	—		·01	—	—	·01	10
11	—	·42	·47	—	·01	·16	—		·25	—	·24	·20	11
12	·01	·07	·10	—	·01	—	·10		·21	—	·01	·46	12
13	—	·26	·14	—	—	—	—		·13	·09	·10	·43	13
14	·01	·08	·50	—	—	—	·15		—	·20	·11	·91	14
15	·04	—	·16	—	—	—	—		—	·08	·16	·06	15
16	—	—	·04	—	—	—	·09		—	—	·01	—	16
17	—	·43	·06	—	—	—	—		·13	—	—	·15	17
18	—	·05	·10	—	—	—	—		—	—	—	·26	18
19	—	·03	·16	—	—	·10	·08		·04	—	·19	·24	19
20	—	·18	·35	—	—	·06	—		·13	—	—	·13	20
21	—	·47	·08	—	—	·10	—		—	·01	—	·08	21
22	—	·01	·02	·01	·34	·04	·13		—	·16	—	—	22
23	—	·01	·16	—	·17	·06	·01		—	·09	—	—	23
24	·01	·01	·07	·03	·01	—	—		—	·01	·15	—	24
25	·03	—	·18	—	—	—	—		—	·36	·01	·09	25
26	·04	—	·03	—	—	—	·09		—	·05	·18	·57	26
27	·04	—	·02	—	—	—	—		—	—	·04	·20	27
28	·01	·04	·01	—	·01	—	—		—	·02	·48	1·02	28
29	·04		·10	—	—	—	—		—	·32	·09	—	29
30	·01	✕	·08	—	—	—	—		—	·02	·80	·15	30
31	—	✕	·01	✕	·20	✕	·03	·25	✕	—	✕	·04	31
Total	·65	2·78	4·83	·92	1·90	1·32	1·88	1·47	1·06	1·41	3·44	7·09	YEAR'S TOTAL 28·75
Rain Days.	17	18	30	10	14	11	15		9	12	19	25	

W. 8,000. X. 14.

Exd. — [illegible] Completed by [illegible] stats. 955

FORM A. BRITISH RAINFALL. 3 - JAN 16

REGISTER OF RAINFALL IN 1915

Kept at Parc Bracket Grand Avenue, Muswell Hill N
in the County of Middlesex
by G. Michael Williams

Lat. 51° 35' Long. 0° 8' W
Time of Observation 9 a. m.
Nearest Railway Station Cranley Gardens
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·17	·10	—	·03	—	—	—	·06	·04	·42	·49	1
2	·35	·15	·28	·15	—	—	—	·62	—	·08	—	·01	2
3	·35	—	·08	·18	—	—	·01	·52	·02	—	—	·60	3
4	·06	—	—	—	—	—	—	·24	—	—	—	·25	4
5	·04	·37	—	—	—	—	—	·02	—	·03	—	·27	5
6	·24	·01	—	·22	·33	—	·77	—	—	—	—	·52	6
7	·34	·28	·03	·01	—	—	·49	·02	—	—	—	·20	7
8	·02	·44	·01	·05	—	—	·09	·01	—	—	—	—	8
9	·02	·16	—	·08	—	·08	—	·09	—	·01	·38	·73	9
10	·30	—	·01	—	—	—	—	·38	—	—	—	·11	10
11	·02	—	·01	—	—	—	—	·02	—	—	·70	—	11
12	·10	·01	—	·23	·40	—	—	·54	—	·01	·41	—	12
13	·01	·36	—	—	1·61	—	—		—	—	·01	—	13
14	—	·06	—	—	·01	—	1·08		·05	—	—	·78	14
15	·13	—	—	—	·07	—	·09		—	—	·24	·14	15
16	—	·27	—	—	·89	—	·77		—	—	—	·06	16
17	—	·38	—	—	·16	—	·10		—	—	—	—	17
18	—	·26	·08	—	—	—	—		—	—	·05	—	18
19	—	·07	—	—	—	—	·15		—	—	—	—	19
20	·35	—	·01	·03	—	—	—		—	·02	—	·29	20
21	·17	—	—	—	—	—	·01		—	·01	—	·03	21
22	·80	·13	·23	·01	—	—	·77		—	—	—	·15	22
23	·01	·25	·12	—	—	·07	·44		·21	·34	—	·28	23
24	—	—	—	—	—	·02	·16		·27	·10	—	·26	24
25	—	—	·20	·08	—	·03	·33		—	·03	—	·13	25
26	—	·08	—	—	—	·21	·04		—	—	—	·45	26
27	—	—	·01	—	—	·17	·44		—	·35	—	·08	27
28	—	·04	—	—	—	·15	—		1·37	·15	—	—	28
29	—		·02	—	—	·01	·26	Total from 13th to 31	·01	·01	·12	—	29
30	·06	X	—	—	—	·02	—		—	·02	·16	—	30
31	·02	X	—	X	—	X	—	·54	X	·85	X	·15	31
Total	3·79	3·49	1·19	1·04	3·50	·76	6·00	3·00	1·99	2·05	2·49	5·98	YEAR'S TOTAL 35·28
Rain Days.	20	18	14	10	8	9	17	(14)	7	15	9	21	162

W. 8,000. X. 15.

~~W~~ 378E

929

FORM A. BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Parc Bracket, Grand Avenue, Muswell Hill N.

in the County of Middlesex

by Cy. Michael Williams

Lat. 51° 35′ Long. 0° 8′ W

Time of Observation 9 a. m

Nearest Railway Station Cranley Gardens

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	–	·01	–	·25	·03	–	–	·15	·03	·45	–	1
2	·60	·02	·09	–	·25	–	–	–	·31	·37	·01	–	2
3	–	·40	·18	–	–	–	·05	–	·27	·25	·72	–	3
4	·24	·10	–	–	·01	·40	·03	–	·03	·14	·38	–	4
5	·02	–	·02	–	·07	·21	–	–	–	·06	·45	–	5
6	–	·04	·30	·26	·03	·15	·09	–	–	·07	·42	–	6
7	·07	–	·28	–	·15	·30	·45	–	–	·03	·71	·04	7
8	–	–	·03	–	·23	·01	–	–	–	–	·02	·27	8
9	–	–	–	–	·38	·02	–	–	–	·07	–	·17	9
10	–	·13	·07	·07	·01	·39	·23	–	–	·01	–	·14	10
11	·07	·18	·05	·13	–	·14	–	–	·01	–	–	–	11
12	·04	·03	·01	·08	·36	·15	·03	·10	·01	·06	–	–	12
13	–	·51	·26	·13	·06	·09	·27	·01	–	·03	–	–	13
14	–	·39	·01	·01	–	–	·01	x	–	·03	–	·18	14
15	–	·31	·41	·03	·11	–	·03	x	–	–	–	–	15
16	–	·06	·18	·16	·01	–	·17	x	–	–	–	–	16
17	·09	–	–	·03	–	–	·03	x	·28	·65	–	·02	17
18	–	·11	·03	·28	–	–	–	x	·10	·04	·62	–	18
19	·06	·02	·16	·18	–	–	–	x	·19	–	·86	–	19
20	·16	–	·24	·09	–	–	–		–	–	·03	·30	20
21	–	–	·88	·01	–	–	·02	(4·62)	–	–	–	·42	21
22	·02	·01	·09	–	–	–	–		–	·02	–	·40	22
23	·02	·25	·01	–	·02	·16	–	x	–	·01	·06	·15	23
24	·01	·04	–	–	–	·15	–	x	–	·04	·02	·35	24
25	–	·37	·13	–	·09	–	–	x	–	·05	·10	–	25
26	–	·30	·03	–	–	·03	–	x	–	·03	·01	–	26
27	·07	·01	1·04	–	–	·02	–	x	·09	·58	–	–	27
28	·01	·40	·45	–	–	·09	–	x	·19	·01	–	·25	28
29	–	·07	–	–	–	·30	–	1·80	·04	·33	–	·13	29
30	–	X	–	·02	–	·02	–	·10	–	·82	–	·01	30
31	–	X	–	X	–	X	–	·05	X	·11	X	·03	31
Total	1·67	3·75	4·96	1·48	2·03	2·66	1·41	6·68 ✓	1·67	3·84	4·86	2·86	YEAR'S TOTAL 37·77
Rain Days.	15	21	24	14	15	18	12	(17)	12	24	15	15	(202)

W. 8,000, VIII. 16

894

FORM A.
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 16 Grand Avenue N. 10

in the County of Middlesex

by G. Michael Williams

Lat. 51° 35' N Long. 0° 8' W

Time of Observation 9 a.m.

Nearest Railway Station Cranley Gardens

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·38	—	—	—	·93	—	—	·13	—	1
2	—	·01	—	·48	—	·03	—	·06	—	—	·01	—	2
3	—	—	—	·05	—	—	—	·39	—	·23	·58	—	3
4	—	·17	·19	—	—	—	·07	·31	—	·47	—	—	4
5	·27	·01	·04	·40	—	—	—	·10	1·22	·10	·10	—	5
6	·01	—	·03	·08	—	·02	—	—	·08	·02	·19	—	6
7	·22	—	—	—	—	—	·12	—	—	·30	·01	·03	7
8	·13	—	—	·10	—	—	·92	·08	—	·26	·18	·28	8
9	·01	—	·04	·14	—	—	·05	·10	·03	·01	·07	·11	9
10	(·24) ·10	—	·10	·05	—	—	—	·02	—	—	·02	·04	10
11	·13	—	·37	·40	—	—	—	—	·03	·32	—	—	11
12	·13	—	·04	—	—	—	—	·03	—	·40	—	—	12
13	·02	—	·13	·02	—	—	—	·02	·03	·04	—	—	13
14	—	—	·02	·31	—	—	—	·14	—	—	—	—	14
15	·03	—	—	·02	—	—	·34	·05	—	·08	—	·02	15
16	·07	·15	—	·16	·12	·71	·15		—	·43	—	—	16
17	·01	·01	—	·09	·62	—	·23		·46	·34	—	—	17
18	·04	·08	—	·10	·11	·38	·16		·20	·08	—	—	18
19	·01	·12	·10	·01	·26	·02	—		·27	—	—	—	19
20	·05	·24	·08	—	·86	—	—		·03	—	·06	·01	20
21	—	—	·05	—	·05	·01	—	2·07	·01	—	·07	—	21
22	—	—	·06	—	—	·07	—		—	·08	·01	—	22
23	—	·12	·01	—	·13	·03	—		—	—	—	·01	23
24	—	·05	—	—	—	·08	—		—	·37	·04	—	24
25	—	·02	·02	—	—	—	—		—	—	·10	—	25
26	—	—	·09	—	—	·02	—		·05	—	·53	·01	26
27	—	—	—	—	—	—	—		—	—	—	·01	27
28	—	—	·01	—	—	1·15	—		—	—	—	·04	28
29	—	X	·01	—	·40	·04	·62		—	·19	—	·14	29
30	·02	X	·35	—	—	—	1·45		—	·02	—	·01	30
31	·06	X	·06	X	—	X	·35		X	—	X	·02	31
Total	1·45	·99	1·80	2·79	2·55	2·56	4·46	4·30	2·41	3·74	2·10	·73	YEAR'S TOTAL 29·88
Rain Days.	17	12	20	16	8	12	11	(23)	11	18	15	13	(176)

W. 8,000, IX. 17.

W.E.F.E.

41

FORM A.
BRITISH RAINFALL
6. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at 16 Grand Avenue Muswell Hill N.10
in the County of Middlesex
by Cp. Michael Williams

Lat. Long.
Time of Observation 9. a. M
Nearest Railway Station Cranley Gardens
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 319 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·07	—	—	—	·02	—	—			1
2	·01	·07	—	·02	—	—	—	·25	—	·01			2
3	—	—	·04	·02	·51	—	—	·35	·01	—			3
4	—	·09	·18	·04 ·02	—	—	—	·06	·70	—			4
5	—	·03	—	—	·13	—	—	·10	·08	·10			5
6	·16	·23	—	·33	·11	—	—	·06	—	—			6
7	·05	·06	—	·07	·20	·01	—	·01	·21	·08			7
8	—	·09	—	·02	—	—	·01	—	·08	—			8
9	·02	·04	—	·03	—	·06	·20	—	·43	·16			9
10	·01	—	—	·07	—	—	·69	—	·02	·02			10
11	·03	—	—	·03	·07	—	·86	—	·11	·19			11
12	—	·08	—	—	·09	—	·08	—	·06	—			12
13	·01	·02	—	—	·27	—	·20	—	·06	—			13
14	·18	—	·01	—	—	·20	·05	—	·53	·17			14
15	1·30	—	—	·83	—	·16	·04		·01	—			15
16	·24	—	—	·30	—	·16	—		·27	·03			16
17	·25	—	—	·28	·63	·07	·40		·01	—			17
18	·61	—	—	·01	—	·23	·11		1·50	·11			18
19	·05	—	·05	·10	—	·17	·39	·57	·01	·06			19
20	·02	·15	—	·56	—	·02	·10		·10	·15			20
21	·09	·02	—	·24	—	—	·01		·41	·03			21
22	·07	—	—	·01	·39	—	·09		·13	·01			22
23	·03	—	—	·02	·37	—	·48		·03	—			23
24	—	·23	—	—	·02	·04	·09		·06	—			24
25	—	—	—	—	—	·04	·39		—	—			25
26	—	—	—	—	—	—	·39		—	·03			26
27	—	·01	—	·13	—	—	·02		·04	—			27
28	—	·02	·15	·03	—	—	—		—	—			28
29	—		—	—	—	—	—		1·29	—			29
30	—	X	·50	—	—	—	—		·03	—			30
31	—	X	—	X	—	X	—	·04	X	·04	X		31
Total	3·13	1·14	·93	3·21	2·29	1·16	4·60	1·46	6·18	1·19	2·25	2·46	YEAR'S TOTAL 30·50
Rain Days.	17	14	6	21	11	11	19	9	24	15			

847

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 16 Grand Avenue
in the County of Middlesex
by Cp. Michael Williams

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Cranley Gardens
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·06	–	–	·03	–	·23		·02	·04	·02	·83	1
2	·35	–	–	–	·25	–	·15		·26	·06	·10	·24	2
3	·32	–	·27	–	·02	–	·13		·02	–	·06	·40	3
4	·13	·04	·27	–	–	·06	·13		·01	–	·02	·16	4
5	·01	·40	·49	–	–	–	·04		·09	–	·01	·34	5
6	·01	–	·06	–	–	–	–		–	–	·01	·03	6
7	·03	–	·39	–	–	–	–		–	–	·02	–	7
8	·08	–	·07	·01	–	–	–		–	–	·03	–	8
9	·24	–	·02	·03	·03	–	–		–	–	·10	–	9
10	·47	–	·05	·04	–	–	–		–	–	·02	–	10
11	·02	–	·12	·26	–	–	·08		–	–	·01	·04	11
12	–	–	·07	·06	–	·05	·25		–	·06	·01	–	12
13	·02	–	–	·23	–	–	–		·01	·03	–	–	13
14	·32	–	–	·36	–	–	·06		·60	–	–	·02	14
15	·20	·02	·16	·22	–	–	–		–	·09	·02	·31	15
16	·07	·73	–	·02	–	–	–		–	–	·11	·05	16
17	–	·40	·04	·02	–	–	–		–	–	·22	·01	17
18	–	·17	·07	–	–	–	–		·02	–	·06	·07	18
19	–	·18	·85	–	–	·15	·19		·10	–	·18	·01	19
20	·40	·10	·10	–	–	·96	·16		·03	–	·01	·02	20
21	·15	·34	·02	–	–	·02	·12		–	–	–	·11	21
22	–	·15	–	–	–	·01	·20		·16	–	·04	·30	22
23	–	–	–	–	–	·05	–		·08	–	·01	·06	23
24	–	–	–	·18	–	·03	·02		–	·18	·03	·01	24
25	·03	–	–	·01	·08	·01	–		–	–	–	·04	25
26	·08	·17	·11	·16	–	–	·08		·09	–	–	·34	26
27	·67	·03	·03	1·11	–	–	–		–	–	·01	·05	27
28	–	–	·20	·04	–	–	–		–	–	·11	·33	28
29	·03	×	–	·05	–	–	–		–	·19	·12	·03	29
30	·01	×	·03	·25	–	·22	–		–	·02	·19	·27	30
31	·06	×	–	×	–	×	·02		×	·01	×	·01	31
TOTAL	4·15	2·79	3·42	3·05	·41	1·56	1·86	2·78	1·49	·68	1·52	4·08	YEAR'S TOTAL 27·79
Days with ·01 in. or more	23	13	20	17	5	10	15	(·11)	13	9	25	25	(186)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W~~ WRO [illegible] 802

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 16 Grand Avenue, Muswell Hill N.10.

in the County of Middlesex

by G. Michael Williams

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Cranley Gardens

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	·07	—	·38	—	—	·28	—	·23	1
2	—	—	·01	—	·01	—	·02	·96	·10	·12	—	·08	2
3	—	·10	—	·20	—	—	—	—	·09	·02	—	·05	3
4	—	·03	—	·16	—	—	·08	·05	·01	·21	—	·03	4
5	—	·01	·10	·9	·03	—	·56	·05	·07	—	—	·04	5
6	—	—	·18	·01	·16	—	·41	·04	—	—	—	·02	6
7	·02	—	·03	·28	—	—	·22	—	—	—	—	·03	7
8	·05	·02	—	·12	·13	—	·06	·01	—	—	—	—	8
9	·38	·02	—	·03	—	—	—	·03	—	—	—	—	9
10	·49	·03	·10	·02	—	·13	·06		—	—	—	·01	10
11	·21	—	·07	·33	—	·04	·21		—	—	—	·25	11
12	·09	—	·01	·12	—	·57	—		—	—	—	—	12
13	·12	·01	·12	·24	—	—	—		—	·03	·08	·01	13
14	—	·01	·28	·16	—	·37	—		·14	·24	·16	·03	14
15	—	·03	·08	·32	—	—	—		·45	·32	·10	—	15
16	—	—	·01	·10	—	·06	—		·43	—	—	—	16
17	·01	—	—	·02	·18	—	—		·21	—	—	·03	17
18	·03	—	—	·02	·02	—	—	·76	·33	—	—	·03	18
19	·14	—	—	·23	—	·07	—		—	—	—	·03	19
20	·05	·16	—	·17	—	·60	—		·02	—	—	—	20
21	—	—	—	—	—	—	·96		·76	—	—	·06	21
22	—	—	—	·34	—	—	—		·17	—	—	(·29)	22
23	—	—	—	—	—	—	·50		—	—	—	·40	23
24	·01	—	·07	—	—	—	—	·03	—	—	—	·06	24
25	—	·02	·02	·03	—	—	·18		·03	—	—	—	25
26	·03	—	·07	·02	1·00	—	·04		—	—	—	·02	26
27	·19	·08	·02	·30	—	·09	·01		—	—	·61	·12	27
28	·42	—	·14	·06	·02	·02	·05		—	—	—	—	28
29	·27	—	·10	—	·01	—	·01		—	—	·05	·35	29
30	·02	✕	—	—	·12	—	·43		·57	—	·20	·19	30
31	·03	✕	—	✕	·03	✕	·01		✕	·19	✕	·17	31
TOTAL	2·56	·52	1·41	3·37	1·78	1·95	4·19	1·93	3·38	1·41	1·20	2·53	YEAR'S TOTAL 26·23
Days with ·01 in. or more	18	12	17	23	12	9	18	8	14	8	6	23	168
Days with ·04 in. or more	11	3	11	16	6	8	14	5	11	6	6	13	110

MUSWELL HILL

TOLLINGTON SCH

1911-17, 1920,

FORM A2.
BRITISH RAINFALL.
9 MAY 1912

RI 11

ndard.

Kept at Muswel 4 in.

e Ground 3 ft. — in.

in the County of Mi Sea Level 380 ft. (approx.)

0 a.m. (approx.)

by A. G. W Name Muswell Hill

fa W.

Distance ½ mile Direction E. SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. No rainfall on this day.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	—	0·30	—	0·05	0·04	0·08	—	—	0·03	—	—	1
2	0·02	—	—	0·67	—	—	0·02	0·05	—	—	—	—	2
3	0·13	—	—	0·35	0·15	—	—	—	—	—	0·17	0·17	3
4	—	0·01	—	—	0·17	0·01	—	0·02	—	0·06	0·06	0·075	4
5	0·04	0·02	0·07	0·07	—	—	—	—	0·01	0·05	0·20	0·26	5
6	0·02	0·01	—	0·04	—	—	—	0·005	—	0·17	0·02	—	6
7	0·33	—	0·14	0·015	—	0·05	—	—	—	—	—	0·39	7
8	0·02	—	—	0·01	—	—	—	—	—	0·14	0·26	0·32	8
9	0·13	—	0·15	—	—	—	—	—	—	0·005	0·24	0·17	9
10	0·09	—	0·02	0·01	—	—	—	—	—	0·01	—	0·08	10
11	0·03	0·09	0·11	0·01	—	—	—	—	—	—	0·20	0·05	11
12	0·22	—	—	—	0·04	—	—	—	—	—	0·69	0·02	12
13	0·02	—	0·43	—	0·18	0·12	—	—	0·06	—	0·30	0·0025	13
14	—	—	0·06	0·005	0·23	—	—	—	0·49	0·35	0·04	0·25	14
15	—	0·07	0·01	—	0·29	—	—	—	—	—	—	0·44	15
16	—	0·045	0·21	—	—	—	—	—	—	0·02	0·03	0·03	16
17	—	—	0·01	—	—	0·41	—	—	—	—	0·39	0·03	17
18	—	—	0·11	—	—	0·02	—	—	—	—	0·40	0·13	18
19	—	0·21	0·01	—	—	0·31	—	—	—	—	0·49	0·21	19
20	—	0·01	0·001	—	0·02	0·15	—	0·17	0·18	0·15	0·23	0·10	20
21	—	0·02	0·01	—	—	—	—	0·35	0·12	0·10	—	0·70	21
22	0·01	0·06	0·01	—	0·001	—	—	0·20	—	0·52	—	0·07	22
23	0·08	—	0·01	—	—	0·02	—	0·01	—	0·02	—	0·43	23
24	0·01	0·09	0·20	—	—	0·91	—	—	0·26	—	—	0·165	24
25	0·01	0·12	0·02	—	—	0·08	0·02	0·02	—	1·27	0·02	0·25	25
26	—	0·02	0·05	0·10	—	0·17	0·24	—	0·15	0·02	—	0·0025	26
27	—	0·02	0·02	0·20	—	0·11	0·04	—	—	0·17	0·04	0·30	27
28	—	0·35	0·02	0·02	—	—	—	—	0·11	—	0·06	0·09	28
29	0·01		—	0·42	—	—	0·25	0·08	—	0·005	0·0075	—	29
30	—		·005	0·09	—	0·18	0·12	—	0·20	0·22	—	—	30
31	—		0·005		0·03		—	0·05	~~[illegible]~~	0·18		0·01	31
Total	~~1·18~~ 1·17	·30 ~~1·145~~ 1·445	~~1·981~~ 1·681	·05 ~~2·01~~ 2·06	·04 ~~1·161~~ 1·151	·08 ~~2·58~~ 2·62	~~0·77~~ 1·169	~~0·955~~ ·955	·03 ~~1·58~~ 1·61	~~3·49~~ 3·46	~~3·85~~ 3·85	~~4·715~~ 4·765	TOTAL for year ~~25·447~~
No. of Rain Days.	~~17~~ 16	~~15~~ 16	~~23~~ ~~24~~ 21	~~14~~ 15	~~10~~ 9	14	~~4~~ 6	10	~~9~~ 10	~~19~~ 17	19	~~26~~ 24	~~[illegible]~~ ~~184~~

178

W. 8,000, X. '11. ~~Including those with under ·01 ins.~~

R 1

ndard.

FORM A2.
BRITISH RAINFALL.
9 MAY 1912

Kept at Muswell Hill TOLLINGTON SCHOOL

in the County of Middlesex.

by A. G. Warburton.
for W. C. Brown.

RAIN GAUGE Diameter of top 4 in.
Height of top above Ground 3 ft. — in.
" " " Sea Level 380 ft. (approx.)

Time of Observation 9·0 a.m. (approx.)

Nearest Railway Station Name Muswell Hill
Distance ½ mile Direction E. SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. No rainfall on this day.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	—	0·30	—	0·05	0·04	0·08	—	—	0·03	—	—	1
2	0·02	—	—	0·67	—	—	0·02	0·05	—	—	—	—	2
3	0·13	—	—	0·35	0·15	—	—	—	—	—	0·17	0·17	3
4	—	0·01	—	—	0·17	0·01	—	0·02	—	0·06	0·06	0·075	4
5	0·04	0·02	0·07	0·07	—	—	—	—	0·01	0·05	0·20	0·26	5
6	0·02	0·01	—	0·04	—	—	—	0·005	—	0·17	0·02	—	6
7	0·33	—	0·14	0·015	—	0·05	—	—	—	—	—	0·39	7
8	0·02	—	—	0·01	—	—	—	—	—	0·14	0·26	0·32	8
9	0·13	—	0·15	—	—	—	—	—	—	0·005	0·24	0·17	9
10	0·09	—	0·02	0·01	—	—	—	—	—	0·01	—	0·08	10
11	0·03	0·09	0·11	0·01	—	—	—	—	—	—	0·20	0·05	11
12	0·22	—	—	—	0·04	—	—	—	—	—	0·69	0·02	12
13	0·02	—	0·43	—	0·18	0·12	—	—	0·06	—	0·30	0·0025	13
14	—	—	0·06	0·005	0·23	—	—	—	0·49	0·35	0·04	0·25	14
15	—	0·07	0·01	—	0·29	—	—	—	—	—	—	0·44	15
16	—	0·045	0·21	—	—	—	—	—	—	0·02	0·03	0·03	16
17	—	—	0·01	—	—	0·41	—	—	—	—	0·39	0·03	17
18	—	—	0·14	—	—	0·02	—	—	—	—	0·40	0·13	18
19	—	0·21	0·01	—	—	0·31	—	—	—	—	0·49	0·21	19
20	—	0·01	0·001	—	0·02	0·15	—	0·17	0·18	0·15	0·23	0·10	20
21	—	0·02	0·01	—	—	—	—	0·35	0·12	0·10	—	0·70	21
22	0·01	0·06	0·01	—	0·001	—	—	0·20	—	0·52	—	0·07	22
23	0·08	—	0·01	—	—	0·02	—	0·01	—	0·02	—	0·43	23
24	0·01	0·09	0·20	—	—	0·91	—	—	0·26	—	—	0·165	24
25	0·01	0·12	0·02	—	—	0·08	0·02	0·02	—	1·27	0·02	0·25	25
26	—	0·02	0·05	0·10	—	0·17	0·24	—	0·15	0·02	—	0·0025	26
27	—	0·02	0·02	0·20	—	0·11	0·04	—	—	0·17	0·04	0·30	27
28	—	0·35	0·02	0·02	—	—	—	—	0·11	—	0·06	0·09	28
29	0·01		—	0·42	—	—	0·25	0·08	—	0·005	0·0075	—	29
30	—		·005	0·09	—	0·18	0·12	—	0·20	0·22	—	—	30
31	—		0·005		0·03		—	0·05		0·18		0·01	31
Total	~~1·18~~ 1·17	~~1·145~~ ·30 1·445	~~1·981~~ 1·981	~~2·01~~ ·05 2·06	~~1·161~~ ·04 1·151	~~2·58~~ ·08 2·62	~~0·77~~ 1·69	~~0·955~~ ·955	~~1·58~~ ·03 1·61	~~3·49~~ 3·46	~~3·85~~ 3·85	~~4·715~~ 4·765	TOTAL for year 25·447
No. of Rain Days.	~~17~~ 16	~~15~~ 16	~~22~~ ~~24~~ 21	~~14~~ 15	~~10~~ 9	14	~~4~~ 6	10	~~9~~ 10	~~19~~ 17	19	~~26~~ 24	~~188~~ ~~184~~

W. 8,000, X. '11. ~~Including those with under ·01 ins.~~

178

c'od for auto – PMWD } 8.11.13

W DL

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

15 JAN 19

Kept at Tollington School Muswell Hill

in the County of Middlesex 2

by W. C. Brown.

Lat. 50°31′N Long. 0°5′W

Time of Observation 9·0'c A.M.

Nearest Railway Station Cranley Gardens Muswell Hill GNR.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground one ft. three in.

" " " " Sea Level 376 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·r

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·02	·11	·00	·17	·35	·00	·05	·32	·00	·21	1
2	·00	·00	·04	·00	·01	·00	·32	·02	·00	·00	·00	·01	2
3	·00	·00	·26	·00	·03	·24	·03	·42	·01	·00	·00	·00	3
4	·05	·03	·28	·00	·27	·16	·02	·04	·00	·00	·17	·00	4
5	·36	·01	·00	·00	·00	·00	·00	·19	·00	·00	·04	·01	5
6	·20	·10	·60	·00	·00	·17	·00	·04	·00	·00	·00	·00	6
7	·63	·00	·00	·00	·03	·60	·01	·17	·00	·00	·00	·02	7
8	·00	·00	·00	·00	·00	·04	·00	·17	·01	·00	·00	·03	8
9	·44	·40	·15	·00	·00	·20	·02	·03	·01	·00	·00	·20	9
10	·01	·05	·00	·04	·00	·01	·00	·11	·01	·00	·06	·21	10
11	·00	·05	·00	·00	·00	·04	·00	·00	·02	·03	·00	·16	11
12	·03	·36	·00	·00	·24	·19	·00	·00	·00	·00	·05	·00	12
13	·08	·10	·10	·00	·00	·00	·00	·00	·00	·00	·09	·02	13
14	·00	·00	·00	·00	·05	·00	·00	·13	·00	·00	·00	·02	14
15	·00	·00	·01	·00	·22	·58	·00	·06	·00	·00	·02	·04	15
16	·00	·20	·08	·00	·03	·05	·00	·10	·00	·00	·05	·37	16
17	·27	·00	·06	·00	·00	·09	·00	·05	·00	·00	·00	·01	17
18	·55	·00	·37	·00	·00	·06	·00	·11	·00	·01	·00	·16	18
19	·07	·00	·15	·00	·00	·00	·08	·43	·00	·00	·00	·01	19
20	·21	·07	·13	·00	·00	·00	·00	·42	·00	·26	·00	·00	20
21	·01	·00	·13	·00	·02	·00	·00	·06	·00	·08	·05	·00	21
22	·00	·08	·29	·00	·01	·00	·26	·14	·00	·05	·05	·05	22
23	·23	·18	·11	·00	·00	·00	·35	·61	·00	·03	·18	·17	23
24	·43	·39	·30	·00	·00	·26	·01	·13	·00	·00	·00	·13	24
25	·58	·03	·00	·00	·00	·35	·00	·67	·00	·00	·26	·51	25
26	·01	·00	·00	·00	·00	·00	·07	·34	·00	·48	·34	·25	26
27	·00	·00	·01	·00	·00	·09	·03	·00	·00	·25	·00	·23	27
28	·00	·00	·00	·01	·00	·10	·20	·10	·07	·35	·34	·13	28
29	·00	·03	·00	·00	·00	·41	·32	·22	1·23	·25	·07	·14	29
30	·00		·00	·00	·03	·00	·00	·01	1·10	·18	·00	·01	30
31	·00		·34		·00		·15	·20		·00		·01	31
Total	4·16 4·16	·02 2·10 2·10	3·46 3·46	0·16	0·96	3·80	2·22	5·04	2·51	2·29	1·77	3·11	YEAR'S TOTAL 31·58 31·58
Rain Days.	18	~~15~~ 16	18	3	11	18	15	26	9	12	14	25	18~~3~~4

W. 7,500, XI. ·12

cndtyc 25·11·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
28 JAN 1914

Kept at Muswell Hill.

2

in the County of Middlesex.

by A. G. Warburton (for Tollington School)
R. Ruthick

Lat. 51°.36′ N Long. 0°.7′ W

Time of Observation 9.0 a.m. (approx.)

Nearest Railway Station Muswell Hill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 375 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·25	·085	·35	trace	—	—	—	·28	—	·105	·15	1
2	·03	·15	nil	—	—	—	·075	—	·13	·075	·015	—	2
3	·01	—	·02	·195	—	—	—	—	—	—	trace	·025	3
4	·24	trace	·02	·015	·33	—	·215	—	—	·24	·04	·375	4
5	·14	—	nil	—	trace	·06	·125	—	·18	—	·01	·03	5
6	·005	·02	·09	—	·075	·165	·13	—	trace	·15	·015	—	6
7	—	·12	—	—	·005	·03	·10	·065	—	·46	·15	·0025	7
8	—	·04	·05	—	·14	·08	—	—	—	·10	·015	trace	8
9	—	·175	—	·01	·03	·005	—	—	·035	—	·055	·06	9
10	·015	—	·11	·11	trace	—	·455	·095	—	—	·33	trace	10
11	·71	—	—	·52	·045	—	—	·015	trace	·475	·17	—	11
12	—	·01	—	—	·03	—	—	—	—	—	·51	—	12
13	·14	·005	·02	—	—	—	—	·04	·06	—	·31	—	13
14	·05	·015	·11	·055	·015	—	·765	·15	·04	·17	·085	—	14
15	·225	~~·02~~ nil	·25	·225	—	—	·25	—	·01	—	—	—	15
16	·155	·02	·39	·21	—	—	—	—	·36	—	—	—	16
17	—	~~nil~~ ·02	·02	·40	—	—	·165	·01	·01	—	·025	—	17
18	·02	nil	·07	·165	—	—	—	—	·005	—	·065	—	18
19	·15	nil	·13	—	trace	—	·11	—	·32	—	—	·015	19
20	·08	nil	·07	·045	—	·16	—	—	—	·60	·01	—	20
21	·015	·005	·20	·08	—	—	·125	·045	—	·19	·69	—	21
22	·46	—	·15	·02	—	—	—	·205	·18	—	—	—	22
23	—	—	·01	—	—	·005	—	·01	·02	·005	·005	·22	23
24	·005	—	trace	·06	—	—	—	·03	—	—	·01	—	24
25	—	·02	·005	·20	—	·03	trace	—	—	·005	—	—	25
26	—	·08	·235	·08	—	—	trace	·13	—	·70	—	·235	26
27	trace	—	·025	·06	trace	—	·005	—	—	·0125	—	—	27
28	·235	—	·235	·12	—	—	—	—	—	·10	—	—	28
29	·075		·075	·485	·62	—	—	·07	—	·05	—	—	29
30	·34		—	·20	—	—	—	·18	—	·115	·005	—	30
31	—		·03		—		—	·42		·035		—	31
Total	3·110	·930	~~2·365~~ 2·400	3·605	1·290	·535	~~1·920~~ 2·520	1·465	1·630	3·4825	2·620	1·125	YEAR'S TOTAL ~~24·0650~~ 24·700
Rain Days.	20	14	23	21	9	8	12	14	13	17	29	8 9	~~181~~ 175

20 13

W.7,000, XI. 13

Corr for auth. Dec. mthly exp. 25.11.15 LMcC.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

24 FEB 1915

Kept at Tollington School, Muswell Hill

in the County of Middlesex

Z

by A R Turner & R J Puttick

Lat. 51° 36′ N Long. 0° 7′ W

Time of Observation 9.0 a.m.

Nearest Railway Station Muswell Hill.

Diameter of Rain Gauge 5ins in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 377. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·10	—	—	—	—	·16	—	—	·039	·01	1
2	—	trace	—	trace	—	—	·126	·17	·009	—	·134	·129	2
3	—	trace	·10	·01	·155	—	·31	—	—	—	·10	—	3
4	·185	—	·01	·196	trace	—	—	·05	—	—	·385	·20	4
5	—	—	·09	·36	·075	·06	·44	·53	—	—	trace	—	5
6	—	·12	trace	trace	·019	·15	·14	·02	—	—	·256	·165	6
7	—	·19	·315	·15	·77	·10	·08	·13	—	—	·009	·078	7
8	·0375	·35	·63	·025	·05	·136	·11	—	·02	—	—	·026	8
9	·16	—	·56	·138	—	·326	—	—	·135	—	—	1·457	9
10	·02	·08	—	·053	·055	—	—	—	·15	—	—	trace	10
11	—	·375	·49	—	trace	·24	—	—	·11	—	·255	·22	11
12	·01	·06	·105	—	—	—	·10	—	·225	·01	trace	·42	12
13	—	·28	·11	—	—	—	—	—	·13	·085	·08	·469	13
14	—	·07	·525	—	—	—	·14	—	—	·15	·085	·901	14
15	·045	—	·215	—	—	—	—	—	·07 ↓	·06	·166	·058	15
16	—	—	·04	—	—	—	—	—		—	·015	—	16
17	—	·434	·06	—	—	—	·045	—	·12	—	—	·115	17
18	—	·045	·135	—	—	—	—	—	—	—	—	·369	18
19	—	·035	·185	—	—	·08	·08	—	·044	—	·196	·23	19
20	—	·18	·338	—	—	·05	—	—	·105	trace	—	·15	20
21	—	·45	·075	—	—	·28	—	—	—	·016	—	·075	21
22	—	—	—	·009	·35	·056	·13	—	—	·167	—	not known	22
23	—	—	·165	—	·19	—	trace	·025	—	·098	—	x	23
24	—	—	·06	—	·008	·02	·02	—	—	·01	·15		24
25	·035	—	·16	—	—	—	—	·118	—	·34	trace	x	25
26	—	—	·03	—	—	—	·08	·095	—	·041	·184	(2·00) x	26
27	·06	—	trace	—	—	—	—	—	—	trace	·036	x	27
28	—	·04	trace	—	—	—	—	·01	—	·02	·46	x	28
29	·05		·13	—	—	—	—	—	—	·305	·089	x	29
30	—		·05	—	—	—	—	—	—	·018	·69	·18	30
31	·005		—		·20		·02	—		—		·02	31
Total	·6075	2·709	4·678	·841	1·872	1·498	1·821	1·305	1·068	1·320	3·331 3·331	(7·166) ~~5·466~~	YEAR'S TOTAL 28·216
Rain Days.	10	~~16~~ 14	~~27~~ 24	~~10~~ 8	~~12~~ 10	11	~~15~~ 14	10	11	~~15~~ 13	~~21~~ 18	25	~~157~~ 168

(28·216)

W. 7,500, XI. ·12

W. F.W.

956

FORM A.
BRITISH RAINFALL
12 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Tollington School, Muswell Hill

in the County of Middlesex

by G. Bradley

Lat. 51° 36' N. Long. 0° 7' W

Time of Observation 9.0 a.m

Nearest Railway Station Muswell Hill (G.N.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·15	·135	–	·03	–	–	–	·10	·051	·41	·445	1
2	–	·14	·21	·14	–	–	–	·61	–	·05	–	·075	2
3	~~·37~~	–	·13	·20	–	–	–	·55	·01	–	–	–	3
4	·047	–	–	–	–	–	–	·195	–	–	–	–	4
5	·04	·38	–	–	–	–	–	–	–	·02	–	–	5
6	·245	–	–	·22	·29	–	–	–	–	–	– ~~·08~~	–	6
7	·314	·273	·037	·01	–	–	–	·01	–	–	–	–	7
8	·03	·49	–	·08	–	–	·05	·05	–	–	–	–	8
9	·305	·09	–	·09	–	–	–	·05	–	–	·34	–	9
10	·04	–	·02	–	–	·08	–	·42	–	–	–	–	10
11	·075	–	–	–	–	–	–	·02	–	–	·63	–	11
12	–	·03	–	·24	·49	–	–	·60	–	–	·39	–	12
13	–	·38	–	–	1·54	–	–	–	–	–	–	–	13
14	–	·06	–	–	–	–	1·025	–	·065	–	–	·79	14
15	·14	–	–	–	·07	–	·075	·29	–	–	·26	·13	15
16	–	·34	–	–	–	–	·82	–	–	–	–	·06	16
17	–	·37	–	–	·93	–	·12	·01	–	–	–	·02	17
18	–	·27	–	–	·13	–	–	–	–	–	·41	–	18
19	–	·65	–	–	–	–	·135	–	–	–	–	–	19
20	·39	–	–	·035	–	–	–	–	–	–	–	·28	20
21	·11	–	–	–	–	–	–	–	–	–	–	·05	21
22	·49	·125	·26	–	–	–	·76	–	–	–	–	·13	22
23	·05	·235	·12	–	–	·06	·25	–	·20	–	–	·276	23
24	–	–	–	–	–	–	·11	–	·29	·27	–	·24	24
25	–	–	·20	·08	–	–	·245	–	–	·16	–	·135	25
26	–	·08	–	–	–	·21	·127	–	–	–	–	·43	26
27	–	–	–	–	–	·16	·21	–	–	·41	–	·09	27
28	–	·03	–	–	–	·161	– ~~·185~~	–	1·31	·22	–	–	28
29	–	×	–	–	–	–	·185	·165	–	·12	·121	·02	29
30	·06	×	–	–	–	–	–	–	–	·01	·14	–	30
31	·03	×	–	×	–	×	–	·023	×	1·19	×	·15	31
Total	2·839 2·84	4·093 4·09	1·112 1·11	1·095 1·09	3·48	·671	4·112 ~~3·04~~	2·993	1·975	2·501	2·701	3·391 ~~3·71~~	YEAR'S TOTAL 30·869 ~~30·86~~
Rain Days.	16	17	8	9	7	5	13 ~~14~~	13.	6.	10.	8	~~16~~	~~128~~

mp

W. 8,000. X. 15.

W. 710

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 FEB 1917

Kept at Tollington School, Muswell Hill
in the County of Middlesex,
by G. Bradley.

Lat. 51° 36′ N. Long. 0° 7′ W
Time of Observation 9.0 a.m.
Nearest Railway Station Cranley Gardens G.N.R.
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 11 ins.
" " " " Sea Level 375 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·03	–	–	·23	·02	·03	–	·16	·41	·02	–	1
2	·66	–	·10	–	·21	–	·02	–	·25	·27	·65	–	2
3	–	·39	·13	–	·01	–	·05	–	·27	·13	·42	–	3
4	·23	·08	–	–	–	·39	·03	–	·40	·06	·43	–	4
5	·01	–	–	–	·06	·18	–	–	–	·05	·44	–	5
6	–	–	·40	·27	·04	·12	·35	–	–	·03	·66	–	6
7	·06	–	·35	–	·14	·35	·18	–	–	–	·04	–	7
8	–	–	·02	–	·26	·01	–	–	–	·08	·01	·37	8
9	–	–	–	–	·35	·03	–	–	–	–	·02	·14	9
10	–	·15	·07	·08	–	·37	·22	–	–	–	·01	·14	10
11	·07	·46	·01	·15	–	·14	–	–	–	·07	–	–	11
12	–	·42	·04	·06	·28	·15	·03	·13	·03	·03	–	–	12
13	–	·03	·24	·11	·06	·09	·26	·10	–	–	–	–	13
14	–	·08	–	–	·10	–	–	·39	–	–	–	–	14
15	–	–	·42	·04	–	–	·02	·22	–	·03	–	·65	15
16	·04	·15	·16	·15	–	–	·18	·49		·68	·01	–	16
17	·09	·03	–	·04	–	–	·03	·92	·33	·05	·86	–	17
18	·01	·09	–	·09	–	–	–	·22	·08	·01		–	18
19	·07	·04	·15	·18	–	–	–	–	·21 ~~·08~~	–		·08	19
20	·17	–	·10	·12	–	–	–	–	–	–	·04	·33	20
21	·01	·30	–	–	–	–	–	–	–	·01	·01	·31	21
22	–	–	·07	–	–	–	–	–	–	·03	–	·48	22
23	·01	·01	–	–	–	·11	–	·02	–	·08	·06	·06	23
24	–	·31	–	–	·04	·27	–	·03 [illegible]	–	·04	–	·25	24
25	–	·55	·18	–	·08	–	–	·24	–	·09	–	–	25
26	–	·18	·03	–	–	·04	–	·07	–	·57	–	–	26
27	·08	·01	·01	–	–	·03	–	·29	·09	·01	–	–	27
28	–	·47	–	–	–	·10	–	·01	·31	·48	–	·24	28
29	–	·07	–	–	–	·30	–	1·71	·04	·72	·01	·14	29
30	–	X	–	·03	·01	·02	–	·09	·02	·12	–	–	30
31	–	X	–	X	–	X	–	·07	X	·38	X	·03	31
Total	1·60	3·85	2·48	~~1·29~~ ~~1·29~~ 1·32	1·87	2·72	1·40	5·00	2·19	4·43	3·69	3·22	YEAR'S TOTAL 33·74 ~~33·74~~ 33·77
Rain Days.	14	20	17	12	14	18	12	~~14~~ 16	12	24	16	13	188

W. 8,000, VIII. 16

896

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Muswell Hill
in the County of Middlesex
by Tollington School

Lat. 51° 36′ N Long. 0° 7′ W
Time of Observation 9 a m
Nearest Railway Station Muswell Hill (GNR)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·03	–	·39	–	–	–	*	·07	–	·122	·02	1
2	–	·02	–	·35	–	·04	–		–	·01	·09	–	2
3	–	·05	–	·06	–	–	–		–	·29	·5	–	3
4	–	·15	·15	–	–	–	·06		–	·38	·01	–	4
5	·28	·01	·04	·47	–	–	–		1·16	·095	·12	–	5
6	·02	–	·03	·03	–	·04	–		·09	·028	·16	–	6
7	·22	–	–	–	–	–	·1		–	·28	–	·03	7
8	·13	–	–	·35	–	–	1·04		·5	·26	·199	·26	8
9	·03	–	·02	·15	–	–	·04		–	–	·062	·16	9
10	·29	–	·12	·22	–	–	–		–	–	·023	·03	10
11	·1	–	·35	·24	–	–	–		·09	·385	–	–	11
12	·14	–	·04	·01	–	–	–		–	·46	·016	·012	12
13	·04	–	·14	·03	–	–	–		·03	·045	·003	·023	13
14	·01	–	·02	·29	–	–	–		–	–	·004	·01	14
15	·31	–	–	·02	–	–	·29		–	·05	–	·025	15
16	·12	·16	·02	·18	·15	·59	·13		–	·55	·02	·19	16
17	–	·02	–	·11	·65	–	·25		·48	·35	·01	–	17
18	·05	·07	–	·08	·11	·27	·14		·21	·1	–	–	18
19	·03	·12	·10	–	·26	·02	–		·28	–	–	–	19
20	·06	·19	·09	–	·81	–	·01		·05	–	·08	–	20
21	–	·01	·03	·03	·05	·02	–		–	·02	·06	–	21
22	·02	–	–	·01	–	·11	–		–	·08	·02	–	22
23	·01	·11	–	–	·14	·02	–		–	–	–	–	23
24	–	·06	–	–	–	·07	–		–	·41	·05	·01	24
25	–	·02	·05	–	–	–	–		–	·001	·084	–	25
26	–	·01	·07	–	–	·02	–		·05	–	·478	·001	26
27	–	–	–	–	–	–	–		–	–	–	·03	27
28	–	–	·02	–	–	1·04	–		–	–	–	·04	28
29	–	–	·01	–	·34	·04	·39		–	·22	–	·14	29
30	–		·50	–	–	–	1·53		–	·026	–	·035	30
31	·04		·03		–		·35			·008		·01	31
Total	1·90	1·03	1·83	3·02	2·51	2·28	4·33	*	3·01	4·048	2·111	1·026	YEAR'S TOTAL ~~27·095~~*
Rain Days.	18	15	19	18	8	12	12		11	20	28	14	~~171~~*

* August was not taken.

W. 8,000, IX. 17.

Form A. 1. **METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Muswell Hill Collegiate
in the County of Middlesex
by H. R. Beer ; R. O. Siemann

Lat. 51° 34' 35" N. Long. 0° 9' 10" W.
Time of Observation 9 a.m.
Nearest Railway Station Muswell Hill.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
„ „ „ „ Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–		–	–				·26	·01	·265	1
2		–	–		–	–				·12	–	·099	2
3		·09	–		–	–				·03	–	·01	3
4		–	·095		–	–				·19	–	·025	4
5		–	–		–	–				–	·01	·035	5
6		–	·29		·19	–				–	–	·032	6
7		–	–		–	–				–	·01	·034	7
8		·065	–		·13	–				·04	–	–	8
9		–	–		–	–				–	–	–	9
10		·06	·11		–	·14				–	·01	·022	10
11		–	·05		–	·50				–	–	·265	11
12		–	·15		–					·01	·012	–	12
13		·01	·01		–					·01	·11	·01	13
14	13 days. 1·60 total.	–	–		–	3 days. ·37 total				·035	·18	·012	14
15	·18	–	·27		–	–			·57	·256	·096	·01	15
16	·01	·034	–		–	–			·29	·30	–	·01	16
17	·02	–	–		·16	–			·355	·01	–	·038	17
18	·016	·01	–		·01	–			·21	–	–	·03	18
19	·165	–	–		–	–			–	–	·01	·036	19
20	–	·11	–		–				·015	–	–	·01	20
21	–	–	–	21 days. 2·40 total	–				·74	–	–	·067	21
22	·049	–	–	·35	–				·16	·01	–	·318	22
23	–	–	–	–	–				–	–	–	·424	23
24	·01	–	·06	–	–				–	–	–	·06	24
25	–	·02	–	·035	–				·035	–	–	·01	25
26	·04	–	–	·025	·76				·01	–	·03	·02	26
27	·195	–	–	·285	–				–	–	·67	·15	27
28	·41	–	·24	·036	–				–	–	–	·02	28
29	·24	–	·09	–	–				–	–	·06	·30	29
30	–		–	–	·11				·592	·01	·218	·26	30
31	–		–		–					·217		·09	31
Total	2·935	0·399	1·365	3·131	1·36	~~19 days.~~ ~~1·01~~			~~16 days~~ ~~2·977~~	1·498	1·426	2·664	YEAR'S TOTAL
Days with ·01 in. or more		8	10		6				~~10~~	14	13	28	
Days with ·04 in. or more		4	9		5				7	7	6	11	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Tollington School.

Telephone
774 Hornsey.

In reply please quote

Tetherdown.
Muswell Hill. N. 10.

RAINFALL ORGANIZATION.
Recd........ Ansd: 28.1.21 (3609)
A. C.✓ S. M.
Temp. File........ Perm. File......
Ind.........

Jan. 26th. 1921.

The Superintendent,
British Rainfall Organization,
62 Camden Square, N. W. 1.

Supp 1917 recd
no 1918 + 1919 [illegible]
1920 see attached.

Dear Sir,

Would you kindly inform me if you have yet received any records of observations taken at this station in respect of the year 1920? I received some forms, but on handing them to the student responsible for meteorological observations was informed by him that the information had already been supplied. It has not passed through my hands however.

During the war observations were not, I believe, supplied to you with any regularity, but they have been taken regularly since October 1920 and the records are in my possession. I shall be pleased to supply you with our readings for Oct., Nov., and Dec. 1920 if you have not received them already and wish to have them.

Will you also kindly inform me if the subscription has been paid? If not, I will try to get it paid forthwith, if you will tell me the amount.

Mr. W. Campbell Brown used to subscribe to MM - but has not done so since 1915.
KJG.
27/1/21

Yours sincerely,

pp. K. H. Shelton,
Assistant Science Master. MS.

MUSWELL HILL
SEWAGE FARM
LONDON / MIDDX

1911-20

FORM A2.
BRITISH RAINFALL.
3 MAY 1912

R

Kept at The Sewa
Coppetts Roa
in the County of Mid
The Corpor
by Mr. E. J. Lo
Borough

in.
round ft. in.
ea Level ft.
ame
istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1912
.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.00	.00	.57	.00	.00	.01	.04	.00	.00	.00	.00	1
2	.13	.00	.00	.27	.17	.00	.02	.00	.00	.00	.17	.17	2
3	.01	.03	.00	.00	.17	.00	.00	.02	.00	.00	.10	.13	3
4	.04	.01	.05	.09	.00	.00	.00	.00	.00	.05	.17	.27	4
5	.02	.00	.00	.02	.00	.00	.00	.00	.00	.14	.00	.16	5
6	.35	.00	.16	.01	.00	.00	.00	.00	.00	.00	.00	.25	6
7	.04	.00	.00	.00	.00	.00	.00	.00	.00	.11	.26	.30	7
8	.15	.00	.18	.00	.00	.00	.00	.00	.00	.00	.21	.13	8
9	.08	.00	.01	.02	.00	.00	.00	.00	.00	.00	.00	.02	9
10	.04	.08	.12	.00	.00	.00	.00	.00	.00	.00	.06	.43	10
11	.27	.00	.00	.00	.02	.00	.00	.00	.00	.00	.61	.02	11
12	.02	.00	.47	.00	.18	.07	.00	.00	.04	.00	.28	.00	12
13	.00	.00	.04	.00	.12	.00	.00	.00	.44	.37	.02	.24	13
14	.00	.07	.01	.00	.33	.00	.00	.00	.00	.00	.00	.43	14
15	.00	.06	.20	.00	.00	.00	.00	.00	.00	.01	.03	.00	15
16	.00	.00	.00	.00	.00	.45	.00	.00	.00	.00	.42	.25	16
17	.00	.00	.15	.00	.00	.03	.00	.00	.00	.00	.35	.13	17
18	.00	28	.01	.00	.00	.44	.00	.00	.00	.00	.44	.21	18
19	.00	.00	.00	.00	.00	.11	.00	.14	.21	.17	.22	.08	19
20	.00	.03	.00	.00	.00	.00	.00	.34	.11	.09	.00	.53	20
21	.00	.07	.00	.00	.00	.00	.00	.13	.00	.52	.00	.07	21
22	.08	.01	.02	.00	.00	.03	.00	.00	.00	.07	.00	.44	22
23	.00	.13	.25	.00	.00	.82	.00	.00	.26	.00	.01	.14	23
24	.00	.14	.01	.00	.00	.03	.02	.03	.00	1.26	.00	.22	24
25	.00	.02	.02	.02	.00	.25	.37	.00	.00	.00	.00	.00	25
26	.00	.00	.00	.22	.00	.03	.04	.00	.00	.19	.02	.29	26
27	.00	.44	.08	.03	.00	.00	.00	.00	.11	.00	.05	.07	27
28	.01	.32	.00	.38	.00	.00	.15	.07	.00	.00	.00	.00	28
29	.00		.00	.06	.00	.24	.10	.00	.23	.29	.00	.01	29
30	.00		.00	.05	.02	.02	.00	.03	.03	.20	.00	.00	30
31	.00		.00		.03		.00	.00		.00		.00	31
Total	1.28	1.69	1.78	1.74	1.04	2.52	.71	.80	1.43	3.47	3.42	4.99	TOTAL for year 24.67
	1.28	2.97	4.75	6.49	7.53	10.05	10.76	11.56	12.99	16.46	19.88	24.67	
No. of Rain Days.	14	14	16	12	8	12	7	8	8	13	17	24	153

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 MAY 1912

Kept at The Sewage Farm
Coppetts Road, Muswell Hill
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer & Surveyor.

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1912
.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.00	.00	.57	.00	.00	.01	.04	.00	.00	.00	.00	1
2	.13	.00	.00	.27	.17	.00	.02	.00	.00	.00	.17	.17	2
3	.01	.03	.00	.00	.17	.00	.00	.02	.00	.00	.10	.13	3
4	.04	.01	.05	.09	.00	.00	.00	.00	.00	.05	.17	.27	4
5	.02	.00	.00	.02	.00	.00	.00	.00	.00	.14	.00	.16	5
6	.35	.00	.16	.01	.00	.00	.00	.00	.00	.00	.00	.25	6
7	.04	.00	.00	.00	.00	.00	.00	.00	.00	.11	.26	30	7
8	.15	.00	.18	.00	.00	.00	.00	.00	.00	.00	.21	.13	8
9	.08	.00	.01	.02	.00	.00	.00	.00	.00	.00	.00	.02	9
10	.04	.08	.12	.00	.00	.00	.00	.00	.00	.00	.06	.43	10
11	.27	.00	.00	.00	.02	.00	.00	.00	.00	.00	.61	.02	11
12	.02	.00	.47	.00	.18	.07	.00	.00	.04	.00	.28	.00	12
13	.00	.00	.04	.00	.12	.00	.00	.00	.44	.37	.02	.24	13
14	.00	.07	.01	.00	.33	.00	.00	.00	.00	.00	.00	.43	14
15	.00	.06	.20	.00	.00	.00	.00	.00	.00	.01	.03	.00	15
16	.00	.00	.00	.00	.00	.45	.00	.00	.00	.00	.42	.05	16
17	.00	.00	.15	.00	.00	.03	.00	.00	.00	.00	.35	.13	17
18	.00	28.	.01	.00	.00	.44	.00	.00	.00	.00	.44	.21	18
19	.00	.00	.00	.00	.00	.11	.00	.14	.21	.17	.22	.08	19
20	.00	.03	.00	.00	.00	.00	.00	.34	.11	.09	.00	.53	20
21	.00	.07	.00	.00	.00	.00	.00	.13	.00	.52	.00	.07	21
22	.08	.01	.02	.00	.00	.03	.00	.00	.00	.07	.00	.44	22
23	.00	.13	.25	.00	.00	.82	.00	.00	.26	.00	.01	.14	23
24	.00	.14	.01	.00	.00	.03	.02	.03	.00	1.26	.00	.22	24
25	.00	.02	.02	.02	.00	.25	.37	.00	.00	.00	.00	.00	25
26	.00	.00	.00	.22	.00	.03	.04	.00	.00	.19	.02	.29	26
27	.00	.44	.08	.03	.00	.00	.00	.00	.11	.00	.05	.07	27
28	.01	.32	.00	.38	.00	.00	.15	.07	.00	.00	.00	.00	28
29	.00		.00	.06	.00	.24	.10	.00	.23	.29	.00	.01	29
30	.00		.00	.05	.02	.02	.00	.03	.03	.20	.00	.00	30
31	.00		.00		.03		.00	.00		.00		.00	31
Total	1.28	1.69	1.78	1.74	1.04	2.52	.71	80	1.43	3.47	3.42	4.79	TOTAL for year 24.67
No. of Rain Days.	1.28	2.97	4.75	6.49	7.53	10.05	10.76	11.56	12.99	16.46	19.88	24.67	
	14	14	16	12	8	12	7	8	8	13	17	24	153

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

-5 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at The Sewage Farm, Coppetts Rd Muswell Hill . N
in the County of Middlesex 2
by The Corporation of Hornsey
Mr E. J. Lovegrove.
Borough Engineer & Surveyor

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.08	.01	.00	.11	.31	.00	.05	.31	.00	.19	1
2	.00	.04	.22	.00	.02	.06	.29	.08	.01	.01	.00	.01	2
3	.05	.02	.26	.00	.04	.27	.03	.40	.01	.00	.00	.10	3
4	.34	.00	.60	.00	.24	.12	.00	.04	.00	.00	.17	.01	4
5	.25	.10	.08	.00	.00	.00	.00	.19	.00	.00	.04	.00	5
6	.55	.02	.00	.00	.03	.16	.00	.08	.02	.00	.00	.05	6
7	.00	.00	.00	.00	.04	.45	.02	.18	.00	.00	.00	.04	7
8	.36	.37	.16	.00	.00	.02	.00	.23	.00	.00	.01	.01	8
9	.02	.09	.00	.04	.00	.31	.02	.04	.00	.00	.00	.18	9
10	.00	.06	.00	.00	.00	.02	.00	.12	.02	.00	.07	.19	10
11	.03	.34	.00	.00	.00	.05	.00	.00	.03	.02	.00	.14	11
12	.09	.12	.10	.00	.35	.18	.00	.00	.00	.03	.06	.00	12
13	.00	.00	.01	.00	.00	.00	.04	.00	.00	.00	.08	.04	13
14	.00	.00	.02	.00	.04	.00	.00	.09	.00	.06	.00	.03	14
15	.00	.03	.09	.00	.21	.57	.00	.05	.00	.00	.01	.36	15
16	.26	.00	.05	.00	.05	.03	.00	.12	.00	.07	.07	.02	16
17	.48	.00	.28	.00	.00	.10	.00	.06	.00	.00	.00	.01	17
18	.06	.00	.13	.00	.00	.00	.00	.09	.00	.02	.03	.12	18
19	.20	.07	.12	.00	.00	.00	.08	.44	.00	.00	.00	.00	19
20	.02	.01	.13	.00	.00	.00	.00	.32	.00	.36	.00	.00	20
21	.02	.07	.24	.00	.05	.00	.00	.08	.00	.09	.07	.00	21
22	.21	.19	.09	.00	.02	.00	.25	.16	.00	.05	.01	.06	22
23	.36	.39	.30	.00	.00	.00	.46	.54	.00	.01	.19	.17	23
24	.49	.02	.00	.00	.00	.10	.02	.14	.00	.00	.00	.18	24
25	.00	.02	.00	.00	.00	.25	.00	.72	.00	.00	.23	.47	25
26	.00	.02	.00	.00	.00	.00	.08	.26	.00	.43	.37	.30	26
27	.00	.00	.01	.00	.00	.08	.03	.00	.00	.20	.00	.25	27
28	.00	.05	.00	.01	.00	.03	.20	.06	.05	.35	.34	.14	28
29	.00	.06	.00	.00	.00	.31	.37	.25	1.18	.25	.06	.00	29
30	.00		.00	.00	.25	.00	.02	.04	1.04	.18	.00	.00	30
31	.00		.46		.03		.05	.20		.00		.02	31
Total	3.79	2.09	3.43	.06	1.37	3.22	2.27	4.98	2.41	2.44	1.81	3.09	YEAR'S TOTAL
Rain Days.	3.79 17	5.88 20	9.31 20	9.37 3	10.74 13	13.96 19	16.23 16	21.21 26	23.62 9	26.06 16	27.87 16	30.96 24	✓ 199

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

2 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at The Sewage Farm
Coppetts Road, Muswell Hill
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer & Surveyor

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Muswell Hill G.N. Ry
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.19	.10	.43	.01	.00	.00	.00	.22	.00	.10	.15	1
2	.03	.14	.00	.00	.00	.00	.09	.00	.12	.09	.03	.01	2
3	.00	.00	.03	.21	.42	.00	.00	.00	.00	.00	.01	.05	3
4	.21	.01	.02	.02	.28	.00	.23	.00	.00	.35	.04	.06	4
5	.13	.00	.00	.00	.00	.07	.10	.00	.16	.02	.01	.02	5
6	.01	.02	.06	.00	.09	.17	.11	.00	.03	.15	.02	.08	6
7	.00	.13	.00	.00	.02	05	.12	.07	.00	.44	.14	.00	7
8	.00	.04	.04	.01	.13	.13	.00	.00	.00	.04	.06	.00	8
9	.00	.19	.00	.02	.04	.00	.00	.00	.04	.00	.06	.06	9
10	.03	.00	.09	.09	.02	.00	.63	09	.00	.00	.34	.00	10
11	.73	.00	.00	.47	.11	.00	.00	.04	.00	.44	.10	.00	11
12	.00	.02	.00	.00	.03	.00	.00	.01	.00	01	.45	.00	12
13	.09	.01	.02	.00	.00	.00	.00	.03	.09	.01	.32	.00	13
14	.06	.02	.12	.05	.06	.00	.85	.11	.05	.17	.10	.00	14
15	.24	.06	.20	.23	.00	.00	.18	.00	.02	.00	.00	.00	15
16	.12	.00	.34	.19	.00	.00	.00	.00	.37	.00	.00	.00	16
17	.03	.00	.03	.04	.00	.01	.17	.03	.02	.00	.03	.02	17
18	.03	.00	.07	.12	.00	.00	.00	.00	.01	.00	.05	.00	18
19	.16	.00	.12	.00	.00	.00	.11	.00	.35	.00	.00	.02	19
20	.07	.00	.04	.06	.00	.18	.00	.00	.00	.61	.03	.00	20
21	.02	.00	.17	.09	.00	.00	.03	.00	.00	.20	.70	.00	21
22	.40	.00	.14	.02	.00	.00	.00	.06	.18	.01	.01	.00	22
23	.00	.00	.02	.00	.00	.02	.00	.10	.03	00	.00	.20	23
24	.02	.00	.01	.04	.00	.00	.00	.06	.00	.02	.02	.00	24
25	.00	.03	.00	.19	.00	.03	01	.00	.00	.00	.00	.00	25
26	.00	.07	.22	.08	.00	.00	.00	.12	.00	.67	.00	.22	26
27	.00	.00	.02	.07	.02	.00	.00	.00	.00	.02	.00	.00	27
28	.20	.00	.24	.12	.00	.00	.00	.00	.00	.09	.02	.00	28
29	.07		.07	.43	.60	.00	.00	.06	.00	.04	.00	.00	29
30	.26		.00	.16	.00	.00	.00	.19	.00	.10	.00	.00	30
31	.00		.04		.00		.00	.38		.04		.00	31
Total	2.94	.93	2.21	3.14	1.83	.66	2.63	1.35	1.69	3.52	2.64	.89	YEAR'S TOTAL 24.43
Rain Days.	21	13	23	22	13	8	12	14	14	20	21	11	192

W.7,000, XI. 13

Ex dL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
12 FEB 1915

Kept at The Sewage Farm
Coppetts Road, Muswell Hill
in the County of Middlesex 2
The Corporation of Hornsey
by Mr E J Lovegrove
Borough Engineer & Surveyor

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Muswell Hill
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·39

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.10	.00	.00	.00	.00	.17	.00	.00	.05	.03	1
2	.02	.00	.00	.01	.00	.00	.13	.18	.00	.00	.14	.13	2
3	.00	.00	.10	.01	.13	.00	.37	.00	.00	.00	.09	.00	3
4	.13	.00	.02	.18	.02	.00	.00	.05	.00	.00	.34	.20	4
5	.04	.00	.08	.22	.12	.04	.45	.47	.00	.00	.01	.00	5
6	.00	.12	.01	.00	.00	.13	.11	.03	.00	.00	.48	.18	6
7	.00	.19	.33	.14	.72	.06	.07	.01	.00	.00	.01	.10	7
8	.04	.33	.59	.07	.06	.14	.12	.11	.02	.00	.00	.03	8
9	.14	.00	.54	.09	.00	.29	.00	.00	.13	.00	.00	1.37	9
10	.04	.13	.01	.06	.06	.00	.00	.00	.11	.00	.00	.01	10
11	.00	.30	.46	.00	.02	.26	.00	.00	.14	.00	.30	.21	11
12	.02	.05	.11	.00	.00	.00	.09	.00	.21	.01	.00	.47	12
13	.00	.28	.10	.00	.00	.00	.00	.00	.13	.09	.08	.42	13
14	.00	.07	.49	.00	.00	.00	.14	.00	.00	.14	.09	.79	14
15	.04	.00	.19	.00	.00	.00	.00	.02	.00	.05	.12	.05	15
16	.00	.00	.03	.00	.00	.00	.03	.00	.05	.00	.02	.00	16
17	.00	.43	.07	.00	.00	.00	.00	.00	.11	.00	.01	.16	17
18	.00	.04	.16	.00	.00	.00	.00	.00	.00	.00	.00	.24	18
19	.00	.02	.20	.00	.00	.12	.08	.00	.05	.00	.17	.25	19
20	.00	.19	.31	.00	.00	.06	.00	.00	.13	.00	.00	.12	20
21	.00	.48	.07	.00	.00	.18	.00	.00	.00	.03	.00	.08	21
22	.00	.00	.00	.00	.36	.07	.12	.03	.00	.15	.00	.01	22
23	.00	.00	.15	.00	.20	.03	.01	.01	.00	.12	.00	.02	23
24	.00	.00	.05	.03	.02	.00	.04	.00	.00	.01	.14	.00	24
25	.03	.01	.17	.00	.00	.00	.00	.12	.00	.34	.00	.09	25
26	.02	.00	.03	.00	.00	.00	.07	.07	.00	.06	.19	.55	26
27	.04	.00	.01	.00	.00	.00	.00	.01	.00	.01	.01	.19	27
28	.00	.04	.00	.00	.00	.00	.00	.00	.00	.03	.45	1.10	28
29	.05		.12	.00	.00	.00	.00	.00	.00	.30	.12	.01	29
30	.00	╳	.04	.00	.00	.00	.00	.00	.00	.02	.70	.19	30
31	.02	╳	.00	╳	.17	╳	.02	.00	╳	.00	╳	.03	31
Total	.63	2.68	4.54	.81	1.88	1.38	1.85	1.28	1.08	1.36	3.52	7.03	YEAR'S TOTAL 28.04
Rain Days.	13	15	27	9	11	11	15	13	10	14	20	27	185

W. 8,000. X. 14.

Exd JW.

95 8

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
12 FEB 1916

Kept at The Sewage Farm
Coppetts Road, Muswell Hill
in the County of Middlesex
The Corporation of Hornsey
by Mr. E. J. Lovegrove
Borough Engineer & Surveyor

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Muswell Hill
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·16	·10	·00	·03	·00	·00	·00	·14	·05	·42	·49	1
2	·34	·13	·28	·13	·00	·00	·00	·56	·00	·05	·00	·10	2
3	·42	·00	·06	·20	·00	·00	·03	·50	·02	·00	·00	·47	3
4	·04	·00	·00	·00	·00	·00	·00	·09	·00	·00	·00	·26	4
5	·04	·37	·00	·00	·00	·00	·00	·01	·00	·04	·00	·26	5
6	·24	·01	·01	·22	·20	·00	·80	·02	·00	·00	·00	·48	6
7	·26	·26	·05	·02	·00	·00	·64	·03	·00	·00	·00	·22	7
8	·05	·54	·02	·12	·00	·00	·05	·05	·00	·00	·00	·00	8
9	·00	·09	·00	·08	·00	·08	·00	·06	·00	·02	·37	·70	9
10	·29	·00	·03	·00	·00	·00	·00	·42	·00	·00	·00	·10	10
11	·04	·00	·03	·00	·01	·00	·00	·03	·00	·00	·75	·00	11
12	·09	·03	·01	·22	·47	·00	·00	·76	·00	·03	·37	·00	12
13	·01	·32	·01	·00	1·49	·00	·00	·01	·00	·00	·00	·00	13
14	·00	·04	00	·00	·01	·00	1·08	·04	·07	·00	·00	·77	14
15	·15	·00	·00	·00	·06	·00	·06	·34	·00	·00	·24	·17	15
16	·02	·35	·00	·00	·00	·00	·75	·00	·00	·00	·00	·07	16
17	·00	·36	·00	·00	·83	·00	·10	·02	·00	·00	·00	·00	17
18	·00	·27	·05	·00	·11	·00	·00	·00	·00	·00	·05	·00	18
19	·00	·05	·00	·00	·01	·00	·13	·00	·00	·00	·00	·00	19
20	·33	·01	·02	·00	·00	·00	·00	·00	·00	·01	·00	·30	20
21	·14	·00	·00	·00	·00	·00	·04	·00	·00	·01	·00	·05	21
22	·81	·11	·25	·03	·00	·00	·70	·00	·00	·00	·00	·14	22
23	·00	·18	·12	·01	·00	·06	·20	·00	·20	·32	·00	·28	23
24	·00	·00	·07	·00	·00	·01	·21	·00	·30	·10	·00	·22	24
25	·00	·00	·12	·08	·00	·04	·27	·00	·01	·01	·00	·15	25
26	·00	·10	·00	·00	·00	·19	·09	·00	·00	·00	·00	·42	26
27	·00	·00	·00	·00	·00	·17	·13	·00	·00	·40	·00	·10	27
28	·00	·05	·01	·00	·00	·09	·01	·01	1·35	·11	·00	·00	28
29	·00		·02	·00	·00	·02	·20	·16	·00	·02	·12	·02	29
30	·07		·00	·00	·00	·09	·00	·00	·00	·02	·15	·01	30
31	·03		·00		·00		·00	·04		1·01		·17	31
Total	3·76	3·43	1·26	1·11	3·22	·75	5·49	3·15	2·09	2·20	2·47	5·95	YEAR'S TOTAL 34·88
Rain Days.	19	19	18	10	19	9	18	18	7	15	8	23	174

W. 8,000. X. 15.

931

FORM A.
BRITISH RAINFALL.
10. FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at The Sewage Farm
Coppetts Road, Muswell Hill
in the County of Middlesex
by The Corporation of Hornsey
Mr E J Lovegrove
Borough Engineer & Surveyor.

Lat. 51° 36' 7" Long. 0° 9' 9" W
Time of Observation 9. a.m
Nearest Railway Station Muswell Hill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12	.00	.00	.00	.20	.02	.02	.00	.19	.07	.40	.00	1
2	.64	.02	.11	.00	.22	.00	.00	.00	.19	.34	.02	.00	2
3	.00	.35	.19	.00	.00	.00	.05	.00	.29	.24	.65	.00	3
4	.26	.10	.00	.00	.00	.33	.03	.00	.03	.16	.44	.00	4
5	.03	.00	.02	.00	.08	.17	.00	.00	.00	.06	.48	.01	5
6	.01	.05	.30	.24	.06	.07	.45	.00	.01	.04	.41	.00	6
7	.06	.00	.22	.00	.15	.43	.09	.00	.00	.02	.54	.05	7
8	.01	.00	.02	.00	.33	.00	.00	.00	.00	.00	.01	.31	8
9	.00	.00	.00	.00	.34	.05	.00	.00	.00	.09	.01	.16	9
10	.00	.15	.09	.09	.00	.34	.15	.00	.00	.00	.01	.13	10
11	.07	.14	.02	.14	.00	.16	.00	.00	.02	.00	.01	.01	11
12	.04	.03	.02	.04	.34	.13	.02	.27	.01	.07	.01	.00	12
13	.00	.53	.22	.08	.07	.09	.31	.12	.00	.02	.01	.00	13
14	.00	.36	.00	.05	.11	.00	.01	.46	.00	.01	.00	.24	14
15	.01	.38	.42	.02	.00	.00	.03	.17	.00	.00	.00	.01	15
16	.00	.02	.16	.16	.02	.00	.20	.88	.00	.02	.00	.01	16
17	.08	.09	.00	.04	.00	.00	.04	1.26	.32	.64	.00	.01	17
18	.02	.05	.04	.06	.00	.00	.00	.22	.07	.03	.58	.00	18
19	.12	.02	.15	.18	.00	.00	.00	.00	.18	.00	.79	.07	19
20	.18	.00	.21	.15	.00	.00	.00	.00	.00	.00	.04	.37	20
21	.03	.00	.78	.02	.00	.00	.04	.00	.00	.00	.01	.35	21
22	.02	.03	.07	.00	.00	.00	.00	.00	.00	.03	.01	.49	22
23	.04	.21	.00	.00	.01	.00	.00	.02	.00	.01	.06	.06	23
24	.00	.03	.00	.00	.09	.20	.00	.03	.00	.06	.03	.36	24
25	.00	.47	.13	.00	.02	.00	.00	.23	.00	.05	.12	.01	25
26	.00	.15	.03	.00	.00	.02	.00	.08	.02	.03	.00	.00	26
27	.08	.02	1.11	.00	.00	.03	.00	.34	.08	.53	.00	.00	27
28	.00	.36	.27	.00	.00	.12	.00	.02	.18	.00	.00	.26	28
29	.01	.07	.00	.00	.00	.27	.00	1.75	.04	.43	.00	.14	29
30	.00	✕	.00	.04	.00	.00	.00	.10	.00	.55	.00	.00	30
31	.00	✕	.00	✕	.00	✕	.00	.07	✕	.11	✕	.03	31
Total	1.83	3.63	4.58	1.31	2.04	2.53	1.44	6.02	1.63	3.61	4.64	3.08	YEAR'S TOTAL 36.34
Rain Days.	19	22	21	14	14	16	13	16	14	23	21	20	213

W. 8,000, VIII. 16

Exd C7E

897

FORM A.
BRITISH RAINFALL.
27. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at The Sewage Farm
Coppetts Road - Muswell Hill
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer & Surveyor

Lat. 51° 36' 7" Long. 0° 9' 9" W.
Time of Observation 9 a.m
Nearest Railway Station Muswell Hill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.01	.00	.29	.00	.00	.00	.75	.06	.00	.11	.00	1
2	.00	.02	.00	.36	.00	.04	.00	.06	.00	.00	.07	.00	2
3	.01	.00	.00	.07	.00	.00	.00	.34	.00	.30	.50	.00	3
4	.00	.14	.20	.00	.00	.00	.07	.25	.00	.41	.00	.00	4
5	.27	.00	.05	.43	.00	.00	.00	.06	1.23	.09	.12	.00	5
6	.02	.00	.00	.02	.00	.04	.00	.00	.07	.02	.16	.00	6
7	.23	.00	.04	.00	.00	.00	.15	.00	.00	.32	.00	.03	7
8	.14	.00	.00	.12	.00	.00	.90	.10	.00	.24	.20	.27	8
9	.02	.00	.03	.11	.00	.00	.03	.12	.03	.00	07	.15	9
10	.23	.00	.11	.20	.00	.00	.00	.04	.00	.00	.02	.04	10
11	.13	.00	.37	.22	.00	.00	.00	.00	.15	.33	.00	.00	11
12	.12	.00	.06	.02	.00	.00	.00	.03	.00	.43	.01	.00	12
13	.03	.00	.13	.02	.00	.00	.00	.02	.04	.03	.00	.02	13
14	.00	.00	.02	.29	.00	.00	.00	.16	.00	.00	.00	.00	14
15	.04	.00	.00	.04	.00	.00	.34	.01	.00	.06	.02	.03	15
16	.07	.10	.00	.14	.22	.60	.23	.00	.00	.57	.00	.17	16
17	.00	.02	.00	.12	.55	.00	.26	.08	.50	.34	.00	.01	17
18	.05	.09	.00	.08	.11	.21	.11	.01	.21	.08	.00	.00	18
19	.00	.13	.05	.00	.24	.01	.00	.01	.22	.00	.01	.00	19
20	.06	.19	.08	.00	.77	.00	.02	.00	.07	.00	.05	.00	20
21	.03	.00	.04	.00	.04	.00	.00	.00	.00	.02	.06	.00	21
22	.00	.00	.04	.00	.00	.11	.00	.09	.00	.08	.00	.00	22
23	.00	.10	.00	.00	.13	.01	.00	.13	.00	.00	.00	.03	23
24	.00	.08	.00	.00	.00	.05	.00	.02	.00	.44	.07	.00	24
25	.00	.02	.04	.00	.00	.00	.02	.00	.00	.00	.07	.00	25
26	.00	.00	.08	.00	.00	.01	.00	.30	.04	.00	.50	.01	26
27	.00	.00	.00	.00	.00	.00	.00	.83	.00	.00	.00	.03	27
28	.00	.00	.02	.00	.00	.89	.00	.13	.00	.00	.00	.04	28
29	.00		.02	.00	.32	.03	.42	.13	.00	.25	.00	.13	29
30	.02	╳	.34	.00	.00	.00	1.56	.06	.00	.02	.00	.02	30
31	.06	╳	.07	╳	.09	╳	.35	.03	╳	.00	╳	.02	31
Total	1.53	.90	1.79	2.53	2.38	2.00	4.46	3.76	2.62	4.03	2.04	1.00	YEAR'S TOTAL 29.04
Rain Days.	17	11	19	16	8	11	13	24	11	18	16	15	179

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

15. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at The Sewage Farm
Copperts Road, Muswell Hill
in the County of Middlesex.
The Corporation of Hornsey
by Mr. J. Lovegrove)
Borough Engineer & Surveyor

Lat. 51° 36' 7" Long. 0° 9' 9" W.
Time of Observation 9. a. m
Nearest Railway Station Muswell Hill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·48

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	·01	·00	·16	·00	·00	·00	·02	·00	·00	·11	·05	1
2	·00	·07	·00	·01	·00	·00	·00	·30	·00	·00	·07	·23	2
3	·00	·08	·04	·02	·52	·00	·00	·24	·01	·00	·54	·02	3
4	·00	·09	·15	·05	·00	·00	·00	·06	·52	·02	·78	·01	4
5	·00	·03	·01	·00	·12	·00	·00	·10	·03	·09	·01	·00	5
6	·12	·22	·00	·28	·17	·00	·00	·05	·00	·00	·00	·11	6
7	·03	·11	·00	·08	·10	·01	·00	·02	·19	·05	·12	·00	7
8	·00	·08	·00	·01	·00	·00	·02	·00	·12	·00	·06	·03	8
9	·03	·04	·00	·03	·00	·07	·41	·00	·47	·11	·00	·21	9
10	·00	·00	·00	·06	·00	·00	·72	·00	·01	·03	·02	·33	10
11	·01	·00	·00	·02	·06	·00	·45	·00	·13	·18	·07	·13	11
12	·00	·09	·00	·00	·12	·00	·13	·00	·07	·00	·00	·02	12
13	·01	·02	·00	·00	·22	·00	·21	·00	·25	·00	·00	·02	13
14	·17	·00	·02	·00	·00	·22	·05	·00	·31	·16	·00	·24	14
15	1.18	·00	·00	·91	·00	·01	·06	·00	·03	·00	·00	·08	15
16	·19	·00	·00	·32	·00	·12	·00	·00	·20	·04	·00	·02	16
17	·22	·00	·01	·23	·26	·10	·44	·02	·01	·00	·00	·16	17
18	·62	·00	·00	·00	·00	·24	·09	·00	1·49	·10	·00	·07	18
19	·06	·02	·04	·08	·00	·07	·32	·00	·03	·07	·00	·15	19
20	·02	·14	·00	·70	·00	·02	·09	·00	·08	·15	·00	·05	20
21	·09	·02	·00	·20	·00	·00	·00	·00	·41	·04	·00	·00	21
22	·07	·00	·00	·03	·35	·00	·15	·00	·12	·00	·00	·15	22
23	·03	·00	·00	·01	·32	·00	42	·05	·06	·00	·03	·07	23
24	·00	·23	·00	·00	·00	·04	·11	·00	·07	·00	·03	·00	24
25	·00	·00	·00	·00	·00	·04	·33	·12	·00	·00	·03	·00	25
26	·00	·00	·00	·00	·00	·00	·42	·21	·01	·04	·19	·14	26
27	·00	·02	·02	·10	·00	·00	·03	·18	·04	·00	·10	·02	27
28	·01	·00	·15	·05	·00	·00	·00	·01	·00	·00	·26	·13	28
29	·01		·01	·00	·00	·00	·00	·00	1·30	·00	·02	·00	29
30	·01	X	·46	·00	·00	·00	·00	·00	·01	·00	·05	·05	30
31	·02	X	·00	X	·00	X	·00	·03	X	·06	X	·02	31
Total	2.90	1·27	·91	3·35	2.24	·94	4·45	1·41	5·97	1·14	2·49	2·51	YEAR'S TOTAL 29·58
Rain Days.	19	16	10	20	10	11	18	14	23	14	17	25	199

W, 6,500, VII. 18. w w c

C X M L 849

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

13 FEB 20

Kept at The Sewage Farm
Coppetts Road Muswell Hill
in the County of Middlesex
The Corporation of Hornsey.
by Mr E J Lovegrove
Borough Engineer & Surveyor

Lat. 51° 36′ 7′ Long. 0° 9′ 9″ W
Time of Observation 9 a.m
Nearest Railway Station Muswell Hill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·04	·01	·00	·14	·00	·24	·00	·00	·03	·02	·98	1
2	·29	·00	·01	·00	·13	·00	·13	·01	·32	·08	·10	·15	2
3	·34	·00	·27	·00	·01	·00	·09	·00	·02	·00	·05	·35	3
4	·13	·06	·36	·00	·00	·06	·14	·08	·00	·00	·02	·17	4
5	·01	·42	·36	·00	·00	·00	·15	·00	·12	·00	·01	·29	5
6	·00	·00	·08	·00	·00	·00	·00	·00	·00	·00	·01	·05	6
7	·04	·00	·38	·00	·00	·00	·00	·00	·00	·00	·04	·00	7
8	·07	·00	·06	·00	·00	·00	·00	·00	·00	·00	·01	·00	8
9	·25	·00	·02	·06	·05	·00	·00	·00	·00	·00	·10	·00	9
10	·47	·00	·06	·02	·00	·00	·00	·00	·00	·01	·02	·04	10
11	·04	·00	·10	·29	·00	·00	·30	·00	·00	·00	·01	·01	11
12	·00	·00	·10	·02	·00	·04	·03	·00	·00	·06	·00	·00	12
13	·02	·01	·00	·29	·00	·00	·00	·00	·01	·05	·00	·00	13
14	·34	·00	·00	·26	·00	·00	·05	·00	·32	·00	·00	·02	14
15	·25	·02	·15	·15	·00	·00	·00	·00	·00	·09	·07	·33	15
16	·06	·77	·00	·00	·00	·00	·00	·00	·00	·00	·06	·04	16
17	·00	·43	·03	·01	·00	·00	·00	·00	·00	·00	·24	·00	17
18	·00	·16	·07	·00	·00	·00	·00	·01	·01	·00	·08	·08	18
19	·04	·17	1·00	·00	·00	·27	·16	·37	·09	·00	·12	·02	19
20	·40	·07	·08	·00	·00	·81	·13	·17	·02	·00	·00	·02	20
21	·18	·34	·03	·00	·00	·02	·16	·00	·00	·00	·01	·12	21
22	·00	·18	·00	·00	·00	·02	·10	·00	·18	·00	·03	·34	22
23	·00	·00	·00	·00	·00	·06	·00	·03	·07	·00	·01	·02	23
24	·00	·00	·00	·16	·00	·03	·03	·07	·00	·00	·04	·01	24
25	·03	·00	·00	·08	·08	·02	·00	·23	·00	·00	·00	·05	25
26	·09	·17	·14	·05	·00	·00	·04	·18	·13	·00	·00	·34	26
27	·69	·03	·03	1·12	·00	·00	·00	·53	·00	·00	·00	·04	27
28	·00	·00	·15	·04	·00	·00	·00	·78	·00	·00	·22	·31	28
29	·04		·00	·05	·00	·00	·00	·23	·00	·16	·05	·05	29
30	·01	✕	·03	·21	·00	·22	·00	·10	·00	·04	·22	·30	30
31	·02	✕	·02	✕	·00	✕	·01	·00	✕	·03	✕	·02	31
TOTAL	4·29	2·87	3·54	2·81	·41	1·55	1·76	2·79	1·29	·55	1·54	4·15	YEAR'S TOTAL 27·55
Days with ·01 in. or more	23	14	23	15	5	10	15	13	11	9	23	25	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

804

18 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Sewage Farm
Coppetts Road, Muswell Hill
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer and Surveyor

Lat. 51° 36' 4" Long. 0° 9' 9" W.
Time of Observation 9 a.m.
Nearest Railway Station Muswell Hill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·34

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.00	.40	.08	.00	·35	.00	.00	·29	.00	·26	1
2	.00	.00	.00	.00	.00	·00	.00	·72	.12	·11	.00	·20	2
3	.00	.08	.00	.02	.00	.00	.00	.00	.10	.03	.00	·03	3
4	.00	·04	.00	.07	.00	.00	·10	.06	.01	·16	.00	·02	4
5	.00	.00	.10	.00	.05	·00	·46	·02	.06	.00	.00	·04	5
6	.00	.00	·20	.00	·16	.00	·32	·02	.00	.00	.00	·03	6
7	·03	.00	·04	·27	·04	·00	·21	·00	·00	.00	.00	·04	7
8	·07	·04	.00	·10	·17	·00	·06	·03	.00	·00	·00	·00	8
9	·38	.02	·00	.03	·00	·00	.00	·03	·00	·00	·00	.00	9
10	·49	·04	·12	·00	·00	·13	·07	·00	·00	·00	·00	·02	10
11	·24	·00	·06	·40	·02	·05	·23	·01	·00	·00	·00	·24	11
12	·09	·01	.00	·12	·00	·49	·00	·00	·00	·00	·00	·00	12
13	·12	·00	·11	·20	·00	·00	·00	·00	·00	·03	·12	·00	13
14	·00	·02	·29	·30	·00	·47	·00	·00	·23	·04	·18	·02	14
15	·01	·02	·11	·20	·00	·00	·00	·00	·59	·32	·09	·02	15
16	·00	·00	·00	·14	·00	·04	·00	·00	·13	·26	·00	·00	16
17	·02	·00	·00	·02	·18	·00	·00	·00	·41	·00	·00	·04	17
18	·02	·00	·00	·03	·00	·00	·00	·69	·12	·00	·00	·02	18
19	·13	·00	·00	·26	·00	·05	·00	·00	·00	·00	·00	·03	19
20	·05	·15	·00	·20	·00	·59	·00	·00	·12	·00	·00	·01	20
21	·00	·00	·00	·00	·00	·00	1·07	·03	·55	·00	·00	·05	21
22	·01	·00	·00	·34	·00	·00	·00	·00	·21	·01	·00	·30	22
23	·00	·00	·00	·00	·00	·00	·56	·00	·00	·00	·00	·41	23
24	·03	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	·06	24
25	·00	·03	·02	·06	·00	·00	·20	·00	·03	·00	·00	·00	25
26	·04	·00	·08	·02	·41	·01	·04	·00	·01	·00	·02	·03	26
27	·20	·09	·00	·33	·00	·09	·00	·00	·00	·00	·62	·13	27
28	·44	·00	·16	·03	·03	·03	·07	·00	·00	·00	·01	·02	28
29	·28	·00	·08	·00	·03	·00	·00	·00	·00	·00	·06	·34	29
30	·05		·00	·00	·07	·01	·47	·00	·59	·00	·21	·24	30
31	·01		·01		·04		·02	·00		·19		·14	31
TOTAL	2·71	·54	1·46	3·54	1·28	1·96	4·23	1·61	3·28	1·44	1·31	2·74	YEAR'S TOTAL 26·10
Days with ·01 in. or more	20	11	14	21	12	11	15	9	15	10	8	25	71
Days with ·04 in. or more	13	6	12	15	9	8	14	3	12	7	6	14	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTH FINCHLEY

LONDON/MIDDX

1911-20

911

FORM A2.
BRITISH RAINFALL.

15 JAN 1912

Kept at North
in the County of M
by M. Show

op 5 in.
above Ground ~~5~~ ft. 8 in.
„ Sea Level 295 ft.
9 a.m.
on { Name Woodside Park
Distance ½ mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	2·55		–	–	·03	–	–	·01	–	1
2	·15	–	–	·20	·18	–	–	–	–	–	·21	·22	2
3	·01	·02	–	–	·18	–	–	·02	–	·02	·11	·12	3
4	·05	·02	–	·14s	–	–	–	–	–	–	·12	·31	4
5	·02	–	·07	·02s	–	–	–	–	–	·19	·01	·11	5
6	·42	–	–	·01s	–	–	–	–	–	–	·01	·32	6
7	·05	–	·12	·02	–	–	–	–	–	–	*·26	·30	7
8	·17	–	·19	–	–	–	–	–	–	–	·20	·13	8
9	·10	–	·06	·03	–	–	–	–	–	–	–	·01	9
10	·04	·08	·13	[illegible]	–	–	–	–	–	–	·04	·39	10
11	·27	–	–	–	·01	–	–	–	–	–	·58	·02	11
12	·04	–	·51	–	·12	·05	–	–	·05	–	·30	–	12
13	–	–	·06	–	·24	–	–	–	·41	·90	–	·25	13
14	–	·06	·02	–	·23	–	–	–	–	–	·01	·44	14
15	–	·06	·19	–	–	–	–	–	–	·02	·04	·03	15
16	–	–	–	–	–	·49	–	–	–	–	·41	·04	16
17	–	–	·13	–	–	–	–	–	–	·01	·50	·16	17
18	–	·26	·02	–	–	·05	–	–	–	–	·47	·22	18
19	–	·01	–	–	·02	·36	–	·01	·19	? ·10	·26	·10	19
20	–	·03	·01	–	–	–	–	·24	·10	·11	–	·61	20
21	·01	·07	–	–	–	–	–	–	–	·61	–	·07	21
22	·08	–	·03	–	–	·02	–	·02	–	·14	–	·45	22
23	·01	·13	·25	–	–	·91	–	–	·28	–	·03	·16	23
24	–	·14	·03	–	–	·06	·02	·03	–	1·40		·19	24
25	–	·03	·02	·06	–	·25	1·70	·02	·01	·01		·01	25
26	–	·02	·08	·17	–	·08	·05	·01	–	·17	·01	·30	26
27	–		–	·05	–	–	–	–	·13	–	·01 Fog	·09	27
28	–		–	·25	–	–	·03	·07	–	–	·01	–	28
29	–		–	·03	–	·22	·10	–	·25	·28		–	29
30	–		·01	·06	·03	·03	–	·04	·02	·21		–	30
31	–		–		·10		–	–		–		–	31
Total	1·46	·93	1·93	1·59	1·11	2·52	1·90	·49	1·44	4·17	3·60	5·05	TOTAL for year 26·19
No. of Rain Days	15	13	18	13	9	11	5	10	~~8~~ 9	14	21	25	163
	1·46	2·39	4·32	5·91	7·02	9·54	11·44	11·93	13·37	17·54	21·14	26·19	

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

15 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at North Finchley

in the County of Middlesex

by M. Shoults

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ~~8~~ ft. 8 in.
" " " Sea Level 295 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Woodside Park
Distance 1/2 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	2·55		–	–	·03	–	–	·01	–	1
2	·15	–	–	·20	·18	–	–	–	–	–	·21	·22	2
3	·01	·02	–	–	·18	–	–	·02	–	·02	·11	·12	3
4	·05	·02	–	·14s	–	–	–	–	–	–	·12	·31	4
5	·02	–	·07	·02s	–	–	–	–	–	·19	·01	·11	5
6	·42	–	–	·01s	–	–	–	–	–	–	·01	·32	6
7	·05	–	·12	·02	–	–	–	–	–	–	·26	·30	7
8	·17	–	·19	–	–	–	–	–	–	–	·20	·13	8
9	·10	–	·06	·03	–	–	–	–	–	–	–	·01	9
10	·04	·08	·13	[illegible]	–	–	–	–	–	–	·04	·39	10
11	·27	–	–	–	·01	–	–	–	–	–	·58	·02	11
12	·04	–	·51	–	·12	·05	–	–	·05	–	·30	–	12
13	–	–	·06	–	·24	–	–	–	·41	·90	–	·25	13
14	–	·06	·02	–	·23	–	–	–	–	–	·01	·44	14
15	–	·06	·19	–	–	–	–	–	–	·02	·04	·03	15
16	–	–	–	–	–	·49	–	–	–	–	·41	·04	16
17	–	–	·13	–	–	–	–	–	–	·01	·50	·16	17
18	–	·26	·02	–	–	·05	–	–	–	–	·47	·22	18
19	–	·01	–	–	·02	·36	–	·01	·19	? ·10	·26	·10	19
20	–	·03	·01	–	–	–	–	·24	·10	·11	–	·61	20
21	·01	·07	–	–	–	–	–	–	–	·61	–	·07	21
22	·08	–	·03	–	–	·02	–	·02	–	·14	–	·45	22
23	·01	·13	·25	–	–	·91	–	–	·28	–	·03	·16	23
24	–	·14	·03	–	–	·06	·02	·03	–	1·40		·19	24
25	–	·03	·02	·06	–	·25	1·70	·02	·01	·01		·01	25
26	–	·02	·08	·17	–	·08	·05	·01	–	·17	·01	·30	26
27	–		–	·05	–	–	–	–	·13	–	·01	·09	27
28	–		–	·25	–	–	·03	·07	–	–	·01	–	28
29	–		–	·03	–	·22	·10	–	·25	·28		–	29
30	–		·01	·06	·03	·03	–	·04	·02	·21		–	30
31	–		–		·10		–	–		–		–	31
Total	1·46	·93	1·93	1·59	1·11	2·52	1·90	·49	1·42	4·17	3·60	5·05	TOTAL for year 26·19
No. of Rain Days	15	13	18	13	9	11	5	10	~~8~~ 9	14	21	25	163
	1·46	2·39	4·32	5·91	7·02	9·54	11·44	11·93	13·37	17·54	21·14	26·19	

9,000, IX. '10.

May 31st Severe thunder & lightening, with little rain

July 25. Severe thunderstorm at 5.30 to 6.30 a.m. of 26th Very heavy rain, the bulk of the 1·70 recorded falling in 2 hrs.

July 28th Thunder in the distance.

Aug. 5th Slight showers, but all dried up in gage before 9.a.m cor^d fr auth 8.11.13 W DL

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at North Finchley

in the County of Middlesex

by M. Shoults

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 295 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Woodside Park
Distance ½ mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·08	·03	-	·13	·13	-	·04	·30	-	·16	1
2	-	·02	·17	-	·01	·04	·29	·19	-	-	-	·01	2
3	·01	-	·20	-	·03	·23	·02	·38	-	-	·20	·09	3
4	·35	-	·63	-	·25	-	-	·05	-	-		-	4
5	·21	·09	·08	-	-	·14	-	·19	-	-	·04	·01	5
6	·55	·01	-	-	-	-	-	·04	-	-	-	·12	6
7	-	-	-	-	·03	·54	·03	·20	-	-	·01	-	7
8	·42	·37	·19	-	-	·01	-	·21	·02	-	-	-	8
9	·01	·10	-	·03	-	·12	-	·02	-	-	-	-	9
10	·01	·04	-	-	-	·01	·03	·24	·03	-	·08	·15	10
11	·03	·38	-	-	-	·03	-	-	·03	Fog ·02	-	Some rain fell	11
12	·08	·11	·10	-	·24	·15	-	-	-	Fog ·01	·08	Some rain.	12
13	-	-	·01	-	-	-	·05	-	-	-	·10	·17	11, 12 + 13
14	-	-	·01	-	·05	-	-	·08	-	·05	-	·03	14
15	-	·03	·06	-	·23	·53	-	·04	-	-	·02	·35	15
16	·28	·06	·05	-	·04	·06	-	? -	-	·07	·05	·01	16
17	·54	-	·28	-	-	·10	-	·15	-	-	-	·01	17
18	·06	-	·14	-	-	-	-	·08	-	·01	·01	·13	18
19	·19	-	·10	-	-	-	·09	·14	-	-	-	-	19
20	·01	-	·11	-	·04	-	·01	·63	-	·35	-	-	20
21	·01	·08	·27	-	·04	-	-	·08	-	·07	·05	-	21
22	·20	·21	·08	-	·02	-	·19	·16	-	·04	-	·03	22
23	·42	·40	·31	-	-	-	·61	·56	-	-	·18	·17	23
24	·43	·03	-	-	-	·10	·01	·15	-	-	·25	·18	24
25	·01	·01	-	-	-	·18	-	·67	-	Fog ·01	·38	·50	25
26	-	-	-	-	-	-	·10	·27	-	·42	-	·24	26
27	-	-	·01	-	-	·06	-	-	-	·17	-	·21	27
28	-	·04	-	-	-	·02	·14	? ·07	·06	·41	·35	·14	28
29	-	·04	-	-	-	·24	·48	·28	1·05	·31	·05	-	29
30	-		-	-	·27		-	·02	·96	·12	-	-	30
31	·02		·42		·01		·14	·17		-		·03	31
Total	3·84	2·02	3·30	·06	1·26	2·69	2·32	5·07	2·19	2·36 2·36	1·85	2·74	TOTAL for year 29·79
No. of Rain Days.	20	17	20	2	13	18	15	25	7	15	15	24	·89
. 8,000, X. '11.	5·86	9·16	9·22	10·48	13·17	15·49	20·56	22·75	25·81	26·96	29·70		

April 29 - Slight shower, not measurable -

Aug 16 and 28 Between Aug. 16 and 23 there was one day on which no rain fell. I am not sure which but have put it to the 16th.
On the 28th in measuring, I accidentally spilt a little from the glass, so that the ·07 recorded for Aug. 28 is a guess.

Dec. ~~Nov~~. 11, 12 & 13 The ·17 is the amount of rainfall for these three days.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 14

Ed DW

Kept at North Finchley
in the County of Middlesex
by M. Shoults

Lat. 51° 36½′ Long. 0° 11′ Both approx
Time of Observation 9 a.m.
Nearest Railway Station Woodside Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·19	·08	·25	–	–	–	–	·08	–	·07	·15	1
2	·07	·14	·01	–	·18	–	·05	–	–	·03	·03	–	2
3	–	–	·03	·25	·43	–	–	–	–	–	–	·02	3
4	·21	–	·02	·02	·27	–	·24	–	–	·25	·03	·05	4
5	·08	–	–	–	–	·07	·08	–	·19	·02	·01	·02	5
6	·02	·02	·04	–	·08	·17	·23	–	·03	·15	·02	·06	6
7	–	·13	–	–	·03	·02	·22	·04	–	·43	·11	–	7
8	–	·04	·06	–	·11	·22	–	–	–	·05	–	–	8
9	–	·18	–	·02	·07	~~·22~~	–	–	·04	–	·03	·05	9
10	·01	–	·07	·09	·01	–	·65	·09	–	–	·32	–	10
11	·75	·01	–	·48	·23	–	–	·05	–	·47	·08	–	11
12	–	·01	–	–	–	–	–	~~·11~~	–	·02	·43	–	12
13	·07	·02	·02	–	·02	–	·45	·03	·05	·01	·30	–	13
14	·08	–	·12	·04	·07	–	–	·10	·03	·13	·10	–	14
15	·18	·05	·20	·25	–	–	·21	–	–	–	–	–	15
16	·12	–	·31	·18	–	–	–	–	·26	–	–	–	16
17	·02	·01	·01	·03	–	–	·17	–	·03	–	·02	·02	17
18	·01	–	·14	·10	–	–	–	–	–	–	·04	–	18
19	·10	–	·08	·02	–	–	·10	–	·29	–	–	·02	19
20	·08	–	·03	·03	–	·04	–	–	–	·56	·02	–	20
21	·02	·01	·16	·10	–	–	·02	–	–	·19	·65	–	21
22	·40	–	·12	–	–	–	–	–	·17	–	–	–	22
23	·01	–	–	–	–	·01	–	·15	·03	–	–	·19	23
24	·02	–	–	·04	–	·01	–	·05	–	–	·01	–	24
25	–	·02	–	·19	–	–	–	–	–	·01	–	·01	25
26	–	·03	·22	·07	–	–	–	·09	–	·65	–	·24	26
27	–	–	·02	·10	–	–	–	–	–	·01	–	–	27
28	·18	–	·20	·09	–	–	–	–	–	·09	–	–	28
29	·08		·08	·47	·59	–	–	·05	–	·02	–	·01	29
30	·25		–	·30	–	–	–	·14	–	·08	–	–	30
31	·01		·03		–		–	·41		·02		–	31
Total	2·78	·86	2·05	3·12	2·09	~~·48~~ ·54	2·42	1·20	1·20	3·19	2·27	·84	YEAR'S TOTAL 22·56
Rain Days.	23	14	22	21	12	7	11	11	11	19	17	12	180

W. 7,500, XI. 12

Exd DJJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at North Finchley
in the County of Middlesex
by M. Shoults

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Woodside Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 8 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·06	·03	–	–	·01	·20	–	–	·04	·02	1
2	·01	–	–	–	–	–	·10	·09	–	–	·09	·09	2
3	–	–	·10	–	·14	–	·32	–	–	–	·03	–	3
4	·15	–	·01	·19	–	–	–	·05	–	–	·37	·22	4
5	·01	–	·08	·20	·13	·04	·48	·60	–	–	–	–	5
6	–	·12	–	–	–	·12	·06	–	–	–	·34	·20	6
7	–	·21	·32	·09	·58	·06	·04	·02	–	–	·01	·11	7
8	·04	·32	·62	·11	·04	·14	·12	·08	·02	–	–	·05	8
9	·17	–	·63	·05	–	·25	–	–	·12	–	–	1·53	9
10	·02	·15	–	·05	·06	–	–	–	·21	–	–	–	10
11	–	·27	·45	–	·02	·27	–	–	·06	–	·29	·25	11
12	·02	·05	·11	–	–	–	·07	–	·23	–	·01	·45	12
13	–	·30	·09	–	–	–	–	–	·14	·08	·06	·41	13
14	–	·08	·51	–	–	–	·10	–	–	·18	·10	·36	14
15	·05	–	·18	–	–	–	–	–	–	·03	·08	·06	15
16	–	–	·03	–	–	–	·02	–	·07	–	·01	–	16
17	–	·43	·05	–	–	–	–	–	·08	–	·01	·18	17
18	–	·03	·14	–	–	–	·05	–	–	–	–	·22	18
19	–	·02	·21	–	–	·08	–	–	·04	–	·18	·19	19
20	–	·22	·30	–	–	·03	–	–	·14	–	–	·15	20
21	–	·48	·07	–	–	·06	–	–	–	·02	–	·08	21
22	–	–	–	–	·44	·05	·16	·02	–	·19	–	–	22
23	–	·01	·13	–	·25	·01	·01	–	–	·14	–	–	23
24	·01	–	·03	·03	·02	–	·06	–	–	·02	·13	·01	24
25	·02	–	·16	–	–	–	–	·12	–	·32	·01	·07	25
26	·02	–	·04	–	–	–	·07	·05	–	·03	·15	·57	26
27	·04	–	·01	–	–	–	–	–	–	–	–	·20	27
28	–	·04	–	–	·01	–	–	–	–	·02	·35	1·22	28
29	·06		·13	–	–	–	–	–	–	·32	·10	·01	29
30	–	X	–	–	–	–	–	–	–	·02	·72	·22	30
31	·01	X	–	X	·18	X	·02	–	X	–	X	·02	31
Total	0·63	2·73	4·46	0·75	1·87	1·11	1·69	1·23	1·11	1·37	3·08	6·89	YEAR'S TOTAL 26·92
Rain Days.	14	15	24	8	11	11	16	9	10	12	20	25	175

W. 8,000. X. 14.

TELEPHONE
1292 FINCHLEY.

5A

5/-

Rowsley
North Finchley
Jan. 5./16

A

ackd 6

Dear Sir,

I enclose with this my record of rainfall for 1915. I am sorry that, owing to circumstances caused by the war, it has not been kept as carefully as it should have been. I have had an opportunity

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

6. JAN 1916

944

Kept at North Finchley

in the County of Middlesex

by M. Shoults

Lat. 51° 36½′ Long. 0° 11′

Time of Observation 9 a.m

Nearest Railway Station Woodside Park

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·43	·16	·09	–	·02	–	–	–	·08	·04	·25	·49	1
2	·35	·12	·27	·14	–	–	–	·40	–	·04	–	·21	2
3	·47	–	·05	·18	–	–	·04	·53	·03	–	·01	·35	3
4	·04	–	–	–	–	–	–	·11	–	–	–	·25	4
5	·03	·41	–	–	–	–	–	·02	–	·02	–	·26	5
6	·25	·01	·01	·23	(?) –	–	·82	–	–	–	–	·43	6
7	·23	·25	·05	–	–	–	·61	·02	–	–	–	·20	7
8	·03	·51	·02	·10	–	–	·03	·05	–	–	·36	–	8
9	·01	·10	–	·08	–	·04	–	·05	–	·01	–	·67	9
10	·28	–	·02	–	–	–	–	·33	–	–	–	·11	10
11	·03	–	·02	–	–	–	–	–	–	–	·83	–	11
12	·10	·02	·01	·24	·48	–	–	·41	–	–	·39	–	12
13	·01	·38	–	–	1·47	–	–	–	–	–	–	–	13
14	–	·06	–	–	·05	–	1·15	·30	–	–	–	·73	14
15	·17	–	–	–	–	–	·03	·28	–	–	·23	·12	15
16	–	·36	–	–	–	–	·70	–	–	–	–	·03	16
17	–	·33	–	–	·84	–	·11	·01	–	–	–	–	17
18	–	·25	·07	–	·10	–	–	–	–	–	·03	–	18
19	–	·03	·01	–	·01	–	·12	–	–	·02	–	–	19
20	·34	–	–	–	–	–	–	–	–	–	–	·30	20
21	·17	–	–	–	–	–	·02	–	–	–	–	·07	21
22	·77	·10	·24	·06	–	–	·71	–	–	–	–	·12	22
23	–	·20	·23	–	–	·05	·22	–	·27	·30	–	·30	23
24	–	–	·09	–	–	–	·21	–	·30	·10	–	·22	24
25	–	–	·10	·09	–	·04	–	–	·01	·02	–	·18	25
26	–	·09	–	–	–	·12	·08	–	–	–	–	·50	26
27	–	–	–	–	–	·22	·06	–	1·44	·38	–	·02	27
28	–	·07	·01	–	–	·03	–	–	–	·14	–	–	28
29	–		–	–	–	·01	·16	(?) ·15	–	·01	·14	·01	29
30	·05		–	–	–	·19	–	–	–	·03	·16	·01	30 Total
31	·02		–		–		–	·05		1·16		·18	31 for year
Total	3·78	3·45	1·29	1·12	2·97	·70	5·07	2·71	2·13	2·27	2·40	5·76	33·65
Rain Days.	19	18	16	8	(?) 7	8	16	(?) 14	6	13	9	23	157

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Recd F.W.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at North Finchley
in the County of Middlesex
by M. Shoults

Lat. 51° 36½′ Long. 0° 11′
Time of Observation 9 a.m.
Nearest Railway Station Woodside Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·64	–	–	–	·19	·03	·02	–	·20	·10	·40	–	1
2	·19	·02	·12s	–	·21	·01	–	–	·11	·30	·01	–	2
3	–	·34	·19s	–	–	–	·03	–	·28	·29	·57	–	3
4	·30	·13	·01s	–	–	·43	·01	–	·03	·20	·47	–	4
5	·02	–	·01s	·02	·05	·13	–	–	–	·07	·49	–	5
6	·01	·04	·31s	·23	·03	·22	·42	–	–	·03	·44	·01	6
7	·07	–	·31s	–	·13	·13	·08	–	–	·01	·62	·05	7
8	–	–	·01s	–	·30	–	–	–	–	–	–	·40	8
9	·01	–	·01s	·09	·37	·08	–	–	–	·08	–	·02	9
10	–	·16	·13s	–	–	·45	·14	–	–	·01	·01	·09	10
11	·08	·12	·03	·15	–	·11	–	–	·02	–	–	–	11
12	·03	–	·01	·03	·35	·14	·02	·29	–	·07	·01	·01	12
13	–	·56	·26	·10	·07	·12	·28	·17	–	·03	·01	–	13
14	–	·42	·02	·05	·10	–	–	·23	–	·04	–	·22 Snow	14
15	–	·47	·43	·04	–	–	·03	·21	·01	–	–	–	15
16	·01	·02	·18	·16	–	–	·19	·50	–	–	–	–	16
17	·10	·08	–	·03	·02	–	–	·80	·31	·61	–	–	17
18	·01	·07	·04	·08	–	–	–	·33	·10	·03	·69	–	18
19	·15	–	·17	·24	–	–	–	–	·11	–	·74	·07s	19
20	·18	–	·23	·13	–	–	–	–	–	–	·05	·49	20
21	·02	–	·86	–	–	–	·05	–	–	–	·01	·27	21
22	–	·03 snow	·07	–	–	–	–	–	–	·03	–	·54	22
23	·05	·29 snow	–	–	–	·10	–	–	–	·11	·06	·30	23
24	–	·04 snow	–	–	·08	·24	–	–	–	·08	·03	·14s	24
25	–	·60 snow	·11s	–	–	–	–	·20	–	–	·12	·01	25
26	–	·17 snow	·02s	–	–	–	–	·05	–	·07	–	–	26
27	·08	·01 snow	1·32s	–	–	·09	–	·25	·10	·55	–	–	27
28	–	·46 snow	·40s	–	–	·08	–	·01	·18	·01	–	·25	28
29	–	·08 snow	–	–	–	·29	–	1·73	–	·44	–	·14	29
30	–	X	–	·02	–	–	–	·10	·03	·68	–	–	30
31	–	X	–	X	–	X	–	·05	X	·08	X	·03	31
Total	1·95	4·11	5·25	1·37	1·90	2·65	1·27	4·92	1·48	3·92	4·73	3·04	YEAR'S TOTAL 36·59
Rain Days.	17	20	24	14	12	16	11	14	12	23	17	17	197

W. 8,000, VIII. 16

884

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

24. JAN 1918

Kept at North Finchley

in the County of Middlesex

by M. Shoults

Lat. 51° 36½′ Long. 0° 11′

Time of Observation 9 a.m.

Nearest Railway Station Woodside Park G. N. R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	'03	–	'26S	–	–	–	'80	–	–	'10	–	1
2	'01	'01	–	'40S	–	–	–	'07	–	–	'12	–	2
3	'01	–	–	'09S	–	–	–	'35	–	'37	'37	–	3
4	–	–	'19S	–	–	–	'07	'30	–	'32	–	–	4
5	'25	–	'04	'43S	–	–	–	'09	'91	'09	'16	–	5
6	'02	–	–	'05S	–	'03	–	–	'07	'08	'19	–	6
7	'21	–	'03	–	–	–	'15	–	–	'23	–	'03	7
8	'17	–	–	–	–	–	'88	'08	–	'24	'22	'30	8
9	'05	–	'03	'23S	–	–	'08	–	'04	–	'07	'12	9
10	'27	–	'12	'23S	–	–	–	'22	–	–	–	–	10
11	'12	–	'42	'23S	–	–	–	–	'02	'33	–	–	11
12	'16	–	'06	'03S	–	–	–	'06	–	'47	–	–	12
13	'02	–	'12	'01S	–	–	–	'04	'04	'02	'01 fog	'05	13
14	–	–	'01	'31	–	–	–	'17	–	–	–	–	14
15	'11	–	–	–	–	–	–	'04	–	'07	–	'02	15
16	–	'13	–	'17	'21	'48	'57	–	–	'67	–	'27S	16
17	–	'01	–	'16	'58	–	'23	'05	'53	'27	'01 fog	–	17
18	'04	'07	–	'14	'10	'24	'11	'01	'17	'08	–	–	18
19	–	'15	'06	–	'15	'04	–	–	'21	–	–	–	19
20	'07S	'16	'06S	–	'80	–	'01	–	'11	–	'10	–	20
21	–	–	'04S	'02	–	–	–	–	–	–	'04	–	21
22	–	–	'05S	–	–	'17	–	'09	–	'09	'01	–	22
23	–	'09	–	–	'11	–	–	'20	–	[illegible]	–	'01	23
24	'03S	'08	–	–	–	–	–	'02	–	'38	'06	'01	24
25	–	'02	'03	–	–	–	–	–	–	–	'08S	–	25
26	–	'01	'08S	–	–	–	–	–	'03	–	'48	–	26
27	–	–	'01	–	–	–	–	'96	–	–	–	'01S	27
28	–	–	'03	–	–	'88T	–	'15	–	'–	–	'08S	28
29	–	–	'01	–	'80	'03	'53	'13	–	'27	–	'15 fog	29
30	'02S	X	'36S	–	–	–	1'60	'07	–	'01	–	'03	30
31	'04S	X	'05S	X	–	X	'31	–	X	–	X	'03	31
Total	1·60	'76	1'80	2'76	2'75	1'87	4'54	3'90	2'13	3'99	2'02	1'11	YEAR'S TOTAL 29'23
Rain Days.	17	11	20	15	7	7	11	20	10	17	15	13	163

W. 8,000, IX. 17. N.B. I am not quite sure on which day the '12 recorded for Dec. 9th fell.

3.66

~~W~~ 9118 31

[illegible] 19.11.18

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

17. 1. 19

Kept at Rowsley, Ballards Lane, North Finchley
in the County of Middlesex
by (Miss) M. Shoults

Lat. 51° 36½′ N Long. 0° 11′
Time of Observation 9 a.m.
Nearest Railway Station Woodside Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·24	–	–	–	–	·02	–	·10	·05	1
2	·01	·08	–	·07	–	–	–	·33	–	·01	·33	·23	2
3	–	·01	·02	·05	·58	–	–	–	·02	·04	·44	·02	3
4	–	·08	·17	·03	–	–	–	·06	·45	–	·69	·02	4
5	–	·05	·01	–	·14	–	–	·10	·04	·06	–	·01	5
6	·12	·23	–	·29	·18	–	–	·04	·02	–	–	·08	6
7	·04	·12	–	·06	·12	–	–	·04	·21	·06	·18	·01	7
8	–	·06	–	·02	–	·08	·01	–	·10	·04	·03	·02	8
9	·02s	·05	–	–	–	–	·97	–	·45	·12	–	·26	9
10	·03	–	–	·07	–	–		–	·01	·07	–	·28	10
11	·01	·10	–	·02	·07	–	·45	–	·22	·18	·08	·15	11
12	–	–	–	–		–	·11	–	·08	–	–	·02	12
13	–	·03	–	·01	·31	–	·18	–	·25	–	·01	·04	13
14	·18	–	·02	·03		·27	·05	–	·34	·16	–	·22	14
15	1·30s	–	–	·17	–	–	·09	–	·01	–	–	·08	15
16	·25s	–	–	·28	–	·06	–	–	·19	·45	–	–	16
17	·21	–	–	·28	·92	·05	·30	–	–	–	–	·14	17
18	·59	–	–	–	–	·33	–	–	1·67	·11	–	·08	18
19	·03	–	·04	·08	–	·08	·34	–	·03	·08	–	–	19
20	·02	·16	–	·70	–	–	·09	–	·07	·18	–	–	20
21	·08	·02	–	·22	–	·02	–	–	·41	–	·02	–	21
22	·06	–	–	–	·35	–	·56	·03	·10	–	–	·15	22
23	·02	–	–	–	–	–		·03	·06	–	–	·05	23
24	–	·24	–	·01	·31	·04	–	–	·05	–	·03	·01	24
25	–	–	–	–	·02	·03	·11	·10	–	–	·09	–	25
26	–	–	–	–	–	–	·64	·22	–	·03	·22	·16	26
27	–	·02	–	·05	–	–	–	–	·04	–	·11	·02	27
28	·01 fog	·03	·19	·11	–	–	–	–	–	–	·25	·15	28
29	–		·02	–	–	–	–	–	1·30	–	·02	–	29
30	–	X	·42	–	–	–	–	–	·01	–	·06	·08	30
31	·02 fog	X	–	X	–	X	–	–	X	·06	X	·02	31
Total	~~3·26~~ 3·09	1·28	·89	2·79	3·00	·96	3·90	·95	6·15	1·65	2·66	2·35	YEAR'S TOTAL 29·58 ~~29·84~~
Rain Days.	18	15	8	20	(?) 12	9	15	9	25	15	16	25	~~186~~ 187

W. 6,500, VII. 18. W W C

POST CARD

To be used for written or
printed matter

Only the address to be
written here

NORTH FINCHLEY S.O.
1.45 PM
16 MR
19

Carle Salter Esq.
British Rainfall Organization
62, Camden Square
N.W. 1

27/3/19

Mdx. 31

Rowsley
North Finchley
N 12

Dear Sir,

In answer to your note, I find on referring to my copy of the rainfall returns for Jan. 1918 that the total is 3.00 inches so that I must have made the mistake in copying on to the form I sent you. I am sorry to have given you the trouble of writing.

Yours sincerely
M. Shoults

2.11.20

834

18 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Rowsley

Kept at North Finchley

in the County of Middlesex

by M. Shoults

Lat. 51° 36½' N Long. 0° 11'

Time of Observation 9 a.m

Nearest Railway Station Woodside Park G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ... ft 8 in.

„ „ „ „ Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	·04s	–	–	·19	–	·23	–	–	–	–	1·06	1
2	·28	–	·02	–	·14	–	× ·22	–	·30	–	·14	·11	2
3	·35	–	·28	–	·01	·07	×	–	·02	·22	·05	·02	3
4	·01	·06	·36	–	–	–	·14	·10	–	–	·01	·50	4
5	·01	·47	·40	–	–	–	·28	–	·15	–	·02	·29	5
6	–	–	·09	–	–	–	–	–	–	–	·02	·05	6
7	·03	–	·38	–	–	–	–	–	–	–	–	–	7
8	·07	–	·07	·03	·04	–	–	–	–	–	–	–	8
9	·61	–	·02	·04	–	–	–	–	–	–	·14	–	9
10		–	·11	·03	–	–	–	–	–	–	–	·06	10
11	·04	–	·07	·29	–	–	·26	–	–	–	·01	·01	11
12	·01	–	·11	·02	–	·04	·05	–	–	·05	·05	–	12
13	·02	–	–	·29	–	–	–	–	–	–	–	–	13
14	·37	×	–	–	–	–	·05	–	·43	–	–	·01	14
15	·27	1·20	·17	·49	–	–	–	–	–	–	·02s	·37	15
16	·05	Influenza ×	–	·02	–	–	–	–	–	–	·18s	–	16
17	·01	×	–	–	–	–	–	–	–	–	·23	·02	17
18	·01	–	·12	–	–	–	–	–	–	–	·15	–	18
19	·10	·70	·99	–	–	·30	–	·30	·09	·01	·08	·02	19
20	·35	–	·09	–	–	·75	·37	·18	·01	–	·01	–	20
21	·18	·70	·04	–	–	·02	·16	·01	–	·01	·02	–	21
22	–	·21	–	–	–	·02	·12	–	·19	–	·03	·13	22
23	–	–	–	–	–	–	–	·04	·12	–	–	·01	23
24	–	–	–	·10	–	·02	·03	·08	–	·18	–	·01	24
25	·05	–	–	·12	·08	·03	–	·24	–	–	–	·04	25
26	·08	·20	·11	·06	–	–	·07	·24	–	–	–	·31	26
27	·91s	·03	–	1·23s	–	–	–	·52	–	–	·02	·04	27
28	–	–	·15s	–	–	–	–	·71	–	–	·25	·30	28
29	·04s	–	–	·12	–	–	–	·22	–	·16	·02	·08	29
30	–	×	·04	·27	–	·21	–	·11	–	·02	·33	·33	30
31	–	×	–	×	–	×	–	–	×	–	×	·01	31
TOTAL	4·31	3·61	3·62	3·11	·46	1·46	1·98	2·75	1·31	·65	1·78	3.78 ~~2·78~~	28·82 ~~27·82~~
Days with ·01 in. or more	24	(~~9~~)(12)	19	14	5	9	13	12	8	7	20	22	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

789

11 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at North Finchley

in the County of Middlesex

by M. Shoults

Lat. 51° 36½′ Long. 0° 11′

Time of Observation 9 a.m.

Nearest Railway Station Woodside Park

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·50	·08	–	·36	–	–	·57	·01	·29	1
2	–	–	·01	–	·01	–	·03	·61	·11	·07	–	·12	2
3	·01	·12	–	·08	–	–	–	–	–	·02	–	·03	3
4	–	·03	–	·07	–	–	·12	·05	·10	·16	–	–	4
5	–	·02	·09	–	·05	–	·46	·02	·08	–	·01	·13	5
6	–	–	·18	–	·18	–	–	·02	–	–	–	·02	6
7	·03	·01	·03	·28	–	–	·18	–	–	–	–	·04	7
8	·09	·03	t	·15	·16	–	·08	·05	–	–	–	–	8
9	·39	·02	–	·02	–	–	–	·03	–	–	–	–	9
10	·63	·04	·10	–	–	·17	·08	–	–	·02	–	–	10
11	·24	–	·01	·26	·03	·03	·23	–	–	–	–	·28	11
12	·10	·01	·05	·12	–	·50	–	–	–	·01	·04	–	12
13	·13	·01	–	·12	–	–	–	–	–	–	·06	–	13
14	·01	·01	·27	·32	–	–	–	–	·23	·11 T.	·19	·04	14
15	–	·01	·12	·18	–	–	–	–	·58	·31	·10	·01	15
16	·01	–	–	–	–	·06	–	–	·13	·33	–	–	16
17	·04	–	–	·02	·20	–	–	–	·36	–	–	·03	17
18	·02	–	–	·01	–	–	–	·72	·12	–	·01	·03	18
19	·15	–	–	·38	–	·05	–	–	–	–	–	–	19
20	·05	·14	–	·01	–	·59	1·01	·02	·10	–	–	·03	20
21	–	·01	–	·18	–	–	–	–	·46	–	–	·07	21
22	·02	–	–	·32	–	–	1·14	–	·19	–	–	·30	22
23	–	–	–	–	–	–	–	–	–	–	–	·39	23
24	–	·02	·07	–	–	–	–	–	–	–	–	·05	24
25	·02	·02	·03	·04	–	–	·18	–	–	–	·01	–	25
26	·05	–	·08	–	·23	·02	·04	–	·01	–	·01	·02	26
27	·25	·09	·17	·37	–	·08	–	–	–	–	·66	·14	27
28	·42	·01	·11	·04	·05	·06	·08	–	–	·01	–	·02	28
29	·28	–	·01	–	–	–	–	–	–	–	·08	·35	29
30	·05	✕	–	–	·13	·02	·42	–	·49	·01	·18	·31	30
31	·02	✕	–	✕	·03	✕	·02	–	✕	·20	✕	·09	31
TOTAL	3·01	·60	1·33	3·47	1·15	1·58	4·43	1·52	2·96	1·82	1·36	2·79	YEAR'S TOTAL 26·02
Days with ·01 in. or more	22	17	15	20	11	10	15	8	13	12	12	22	177
Days with ·04 in. or more	14	4	10	16	8	7	13	4	12	7	7	14	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTH HILL
HIGHGATE DEPOT
LOND / MIDDX
1911 - 20

FORM A2.
BRITISH RAINFALL.
- 3 MAY 1912

REGISTE

Kept at The Highgate D
North Hill, H
in the County of Middlesex
The Corporation of
by Mr E. J. Lovegrov
Borough Engineer &

ft. in.

vel ft.

e Direction

IMPORTANT NOTE.—Rain s sult entered to the previous day. If an Observer pref rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1912
.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.00	.01	.66	.00	.00	.01	.05	.00	.00	.00	.00	1
2	.16	.00	.00	.36	.19	.00	.00	.00	.00	.00	.17	.16	2
3	.02	.01	.00	.00	.11	.00	.00	.00	.00	.00	.09	.10	3
4	.05	.02	.07	.06	.00	.00	.00	.00	.00	.05	.33	.27	4
5	.02	.00	.00	.03	.00	.00	.00	.00	.00	.16	.00	.14	5
6	.35	.00	.15	.01	.00	.00	.00	.00	.00	.00	.00	.24	6
7	.03	.00	.00	.02	.00	.00	.00	.00	.00	.14	.28	.28	7
8	.18	.00	.19	.00	.00	.00	.00	.00	.00	.00	.15	.17	8
9	.11	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02	9
10	.05	.10	.13	.00	.00	.00	.00	.00	.00	.00	.04	.41	10
11	.26	.00	.00	.00	.03	.00	.00	.00	.00	.00	.68	.00	11
12	.02	.00	.50	.00	.19	.18	.00	.00	.07	.00	.34	.00	12
13	.00	.00	.09	.00	.13	.00	.00	.00	.51	.21	.01	.23	13
14	.00	.11	.01	.00	.36	.00	.00	.00	.00	.00	.00	.41	14
15	.00	.06	.23	.00	.00	.00	.00	.00	.00	.02	.05	.02	15
16	.00	.00	.00	.00	.00	.46	.00	.00	.00	.00	.41	.04	16
17	.00	.00	.10	.00	.00	.02	.00	.00	.00	.00	.38	.13	17
18	.00	.20	.01	.00	.00	.08	.00	.00	.00	.00	.48	.19	18
19	.00	.00	.00	.00	.02	.17	.00	.17	.21	.13	.24	.09	19
20	.00	.03	.00	.00	.00	.00	.00	.30	.13	.10	.00	.51	20
21	.00	.10	.01	.00	.00	.00	.00	.50	.00	.48	.00	.11	21
22	.09	.00	.09	.00	.00	.03	.00	.00	.00	.03	.00	.42	22
23	.01	.08	.15	.00	.00	.58	.00	.01	.27	.00	.03	.15	23
24	.00	.15	.03	.00	.00	.04	.03	.02	.00	1.23	.00	.26	24
25	.00	.03	.01	.08	.00	.19	.28	.00	.00	.07	.00	.00	25
26	.00	.01	.03	.24	.00	.07	.04	.00	.00	.17	.04	.30	26
27	.00	.43	.08	.02	.00	.00	.00	.00	.13	.00	.06	.09	27
28	.01	.26	.00	.32	.00	.00	.14	.06	.00	.00	.00	.00	28
29	.00		.00	.07	.00	.48	.09	.00	.18	.26	.00	.00	29
30	.00		.00	.08	.04	.04	.00	.01	.03	.17	.00	.00	30
31	.00		.00		.09		.00	.00		.00		.00	31
Total	1.40	1.59	1.89	1.97	1.16	2.34	.59	1.12	1.53	3.22	3.78	4.74	TOTAL for year 25.33
No. of Rain Days.	1.40 15	2.99 14	4.88 18	6.85 13	8.01 9	10.35 12	10.94 6	12.06 8	13.59 8	16.81 14	20.59 17	25.33 23	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 MAY 1912

REGISTER OF RAINFALL IN 1911

Kept at The Highgate Depôt
North Hill, Highgate
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove
Borough Engineer & Surveyor

Rain Gauge { Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station { Name
Distance ..... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1912
.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.00	.01	.66	.00	.00	.01	.05	.00	.00	.00	.00	1
2	.16	.00	.00	.36	.19	.00	.00	.00	.00	.00	.17	.16	2
3	.02	.01	.00	.00	.11	.00	.00	.00	.00	.00	.09	.10	3
4	.05	.02	.07	.06	.00	.00	.00	.00	.00	.05	.33	.27	4
5	.02	.00	.00	.03	.00	.00	.00	.00	.00	.16	.00	.14	5
6	.35	.00	.15	.01	.00	.00	.00	.00	.00	.00	.00	.24	6
7	.03	.00	.00	.02	.00	.00	.00	.00	.00	.14	.28	.28	7
8	.18	.00	.19	.00	.00	.00	.00	.00	.00	.00	.15	.17	8
9	.11	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02	9
10	.05	.10	.13	.00	.00	.00	.00	.00	.00	.00	.04	.41	10
11	.26	.00	.00	.00	.03	.00	.00	.00	.00	.00	.18	.00	11
12	.02	.00	.50	.00	.19	.18	.00	.00	.07	.00	.34	.00	12
13	.00	.00	.09	.00	.13	.00	.00	.00	.51	.21	.01	.23	13
14	.00	.11	.01	.00	.36	.00	.00	.00	.00	.00	.00	.41	14
15	.00	.06	.23	.00	.00	.00	.00	.00	.00	.02	.05	.02	15
16	.00	.00	.00	.00	.00	.46	.00	.00	.00	.00	.41	.04	16
17	.00	.00	.10	.00	.00	.02	.00	.00	.00	.00	.38	.13	17
18	.00	.20	.01	.00	.00	.08	.00	.00	.00	.00	.48	.19	18
19	.00	.00	.00	.00	.02	.17	.00	.17	.21	.13	.24	.09	19
20	.00	.03	.00	.00	.00	.00	.00	.30	.13	.10	.00	.51	20
21	.00	.10	.01	.00	.00	.00	.00	.50	.00	.48	.00	.11	21
22	.09	.00	.09	.00	.00	.03	.00	.00	.00	.03	.00	.42	22
23	.01	.08	.15	.00	.00	.88	.00	.01	.27	.00	.03	.15	23
24	.00	.15	.03	.00	.00	.04	.03	.02	.00	1.23	.00	.26	24
25	.00	.03	.01	.08	.00	.19	.28	.00	.00	.07	.00	.00	25
26	.00	.01	.03	.24	.00	.07	.04	.00	.00	.17	.04	.30	26
27	.00	.43	.08	.02	.00	.00	.00	.00	.13	.00	.06	.09	27
28	.01	.26	.00	.32	.00	.00	.14	.06	.00	.00	.00	.00	28
29	.00		.00	.07	.00	.18	.09	.00	.18	.26	.00	.00	29
30	.00		.00	.08	.04	.04	.00	.01	.03	.17	.00	.00	30
31	.00		.00		.09		.00	.00		.00		.00	31
Total	1.40	1.59	1.89	1.97	1.16	2.34	.59	1.12	1.53	3.22	3.78	4.74	TOTAL for year 25.33
No. of Rain Days.	1.40 13	2.99 14	4.88 18	6.85 13	8.01 9	10.35 12	10.94 6	12.06 8	13.59 8	16.81 14	20.59 17	25.33 23	157

W. 8,000, X. '11.

Ex 1C.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

-5 APR 1913

Kept at The Highgate Depôt, North Hill, Highgate
in the County of Middlesex
by The Corporation of Hornsey
Mr E. J. Lovegrove. Borough Engineer & Surveyor.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·08	·01	·00	·15	·41	·00	·07	·32	·00	·19	1
2	·00	·02	·20	·00	·00	·01	·31	·02	·00	·00	·00	·00	2
3	·07	·01	·25	·00	·05	·30	·02	·40	·00	·00	·00	·06	3
4	·34	·01	·58	·00	·25	·10	·00	·04	·00	·00	·15	·00	4
5	·22	·09	·08	·00	·00	·00	·00	·18	·00	·00	·04	·00	5
6	·56	·01	·00	·00	·00	·29	·00	·08	·01	·00	·00	·02	6
7	·00	·00	·00	·00	·04	·53	·01	·18	·00	·00	·00	·02	7
8	·44	·36	·13	·00	·00	·05	·00	·12	·00	·00	·00	·00	8
9	·00	·09	·00	·05	·00	·25	·02	·05	·00	·00	·00	·16	9
10	·00	·05	·00	·00	·00	·00	·00	·15	·01	·00	·02	·20	10
11	·03	·36	·00	·00	·00	·05	·00	·00	·02	·00	·00	·16	11
12	·09	·10	·10	·00	·17	·19	·00	·00	·00	·01	·06	·00	12
13	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·08	·00	13
14	·00	·00	·00	·00	·04	·00	·00	·11	·00	·06	·00	·01	14
15	·00	·02	·08	·00	·21	·50	·00	·02	·00	·00	·01	·32	15
16	·31	·00	·04	·00	·03	·04	·00	·08	·00	·05	·08	·00	16
17	·57	·00	·27	·00	·00	·07	·00	·05	·00	·00	·00	·00	17
18	·06	·00	·15	·00	·00	·00	·00	·09	·00	·00	·02	·15	18
19	·20	·08	·18	·00	·00	·00	·08	·43	·00	·00	·00	·00	19
20	·02	·00	13 ~~·27~~	·00	·00	·00	·00	·31	·00	·37	·00	·00	20
21	·00	·06	27 ~~·05~~	·00	·03	·00	·00	·10	·00	·07	·05	·00	21
22	·22	·19	25 ~~·32~~	·00	·00	·00	·25	·14	·00	·04	·00	·04	22
23	·42	·41	·32	·00	·00	00	·34	·55	·00	·02	·16	·15	23
24	56	02	·00	·00	·00	·20	·01	·13	·00	·00	·00	·13	24
25	·06	·00	·00	·00	·00	·28	·00	·70	·00	·00	·25	·45	25
26	·00	·02	·00	·00	·00	·00	·16	·28	·00	·44	·32	·27	26
27	·00	·00	·01	·00	·00	·08	·02	·00	·00	·18	·00	·22	27
28	·00	·05	·00	·01	·00	·06	·16	·06	·03	·27	·32	·00	28
29	·00	·03	·00	·00	·00	·38	·35	·26	1·06	·23	·07	·00	29
30	·00		·00	·00	·29	·00	·00	·00	1·03	·14	·00	·00	30
31	·02		·36		·00		·14	·19		·00		·00	31
Total	4·19	1·98	3·23	·07	1·11	3·53	2·28	4·72	2·23	2·20	1·63	2·55	YEAR'S TOTAL
Rain Days.	4·19 17	6·17 19	9·40 18	9·47 3	10·58 9	14·11 18	16·39 14	21·11 25	23·34 7	25·54 13	27·17 14	29·72 16	173

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

2 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at the Highgate Depôt
North Hill, Highgate
in the County of Middlesex
The Hornsey Corporation
by Mr. E. J. Lovegrove
Borough Engineer & Surveyor

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Highgate G.N.Ry
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.22	.06	.26	.00	.00	.00	.00	.30	.00	.10	.09	1
2	.01	.13	.00	.00	.00	.00	.08	.00	.13	.00	.03	.00	2
3	.00	.00	.02	.14	.37	.00	.00	.00	.00	.00	.00	.04	3
4	.22	.00	.00	.01	.33	.01	.20	.00	.00	.17	.04	.04	4
5	.15	.00	.00	.00	.01	.07	.20	.00	.20	.00	.00	.04	5
6	.00	.01	.11	.00	.07	.15	.13	.00	.01	.17	.01	.09	6
7	.00	.11	.00	.00	.01	.02	.11	.07	.00	.42	.11	.00	7
8	.00	.03	.05	.00	.10	.11	.00	.00	.00	.13	.06	.00	8
9	.00	.18	.00	.01	.03	.00	.00	.00	.03	.00	.06	.06	9
10	.00	.00	.08	.10	.00	.00	.33	.10	.00	.00	.33	.00	10
11	.72	.00	.00	.51	.10	.00	.00	.02	.00	.50	.17	.00	11
12	.00	.01	.00	.00	.04	.00	.00	.00	.00	.00	.45	.00	12
13	.09	.01	.02	.00	.00	.00	.00	.02	.06	.00	.30	.00	13
14	.06	.01	.09	.05	.00	.00	.85	.10	.05	.17	.09	.00	14
15	.19	.07	.24	.22	.00	.00	.22	.00	.01	.00	.00	.00	15
16	.13	.00	.39	.18	.00	.00	.00	.00	.39	.00	.00	.00	16
17	.02	.00	.02	.08	.00	.00	.15	.01	.00	.00	.01	.00	17
18	.02	.00	.06	.15	.02	.00	.00	.00	.00	.00	.03	.00	18
19	.14	.00	.07	.01	.03	.00	.12	.00	.34	.00	00	.01	19
20	.09	.00	.04	.04	.00	.05	.00	.00	.00	.55	.02	.00	20
21	.00	.00	.19	.09	.00	.00	.04	.00	.00	.19	.68	.00	21
22	.43	.00	.18	.00	.00	.00	.00	.04	.18	.00	.00	.00	22
23	.00	.00	.00	.00	.00	.01	.00	.17	.02	.00	.00	.21	23
24	.00	.00	.00	.10	.00	.00	.00	.02	.00	.00	.01	.00	24
25	.00	.01	.00	.19	.00	.04	.00	.00	.00	.00	.00	.00	25
26	.00	.05	.22	.04	.00	.00	.00	.12	.00	.66	.00	.19	26
27	.00	.00	.01	.08	.00	.00	.00	.00	.00	.01	.00	.00	27
28	.21	.00	.22	.11	.00	.00	.00	.00	.00	.09	.00	.00	28
29	.06		.08	.44	.57	.00	.00	.06	.00	.06	.00	.00	29
30	.24		.00	.13	.00	.00	.00	.20	.00	.10	.01	.00	30
31	.00		.02		.00		.00	.51		.02		.00	31
Total	2.80	.84	2.17	2.94	1.68	.46	2.43	1.44	1.72	3.24	2.51	.77	YEAR'S TOTAL 23.00
Rain Days.	17	12	20	21	12	8	11	13	12	14	18	9	167

W.7,000, XI. 13

Ex JL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 FEB 1915

Kept at Highgate Depôt.
North Hill, Highgate
in the County of Middlesex
The Corporation of Hornsey
by Mr. E. J. Lovegrove
Borough Engineer & Surveyor

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Highgate
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·36

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·12	·00	·00	·00	·00	·15	·00	·00	·04	·01	1
2	·00	·00	·00	·00	·00	·00	·14	·19	·00	·00	·15	·14	2
3	·00	·00	·10	·00	·13	·00	·45	·00	·00	·00	·10	·00	3
4	·13	·00	·01	·20	·00	·00	·00	·05	·00	·00	·36	·21	4
5	·04	·00	·09	·23	·01	·05	·40	·61	·00	·00	·00	·00	5
6	·00	·12	·00	·01	·00	·16	·12	·00	·00	·00	·18	·17	6
7	·00	·16	·35	·09	·87	·06	·08	·00	·00	·00	·01	·07	7
8	·03	·32	·70	·02	·05	·16	·11	·13	·01	·00	·00	·01	8
9	·15	·00	·67	·20	·00	·33	·00	·00	·13	·00	·00	1·39	9
10	·01	·10	·00	·04	·03	·00	·00	·00	·13	·00	·00	·02	10
11	·00	·30	·44	·00	·00	·14	·00	·00	·11	·00	·23	·20	11
12	·01	·03	·12	·00	·00	·00	·08	·00	·19	·01	·00	·42	12
13	·00	·20	·10	·00	·00	·00	·00	·00	·13	·09	·08	·40	13
14	·00	·06	·40	·00	·00	·00	·14	·00	·00	·13	·05	·70	14
15	·04	·00	·15	·00	·00	·00	·00	·01	·00	·07	·22	·05	15
16	·00	·00	·03	·00	·00	·00	·07	·00	·04	·00	·01	·00	16
17	·00	·41	·06	·00	·00	·00	·00	·00	·06	·00	·00	·14	17
18	·00	·03	·13	·00	·00	·00	·00	·00	·00	·00	·00	·23	18
19	·00	·02	·21	·00	·00	·11	·05	·00	·02	·00	·18	·24	19
20	·00	·18	·34	·00	·00	·05	·00	·00	·12	·00	·00	·15	20
21	·00	·50	·09	·00	·00	·13	·00	·00	·00	·00	·00	·06	21
22	·00	·00	·02	·01	·38	·06	·16	·03	·00	·17	·00	·00	22
23	·00	·00	·16	·00	·18	·03	·00	·00	·00	·08	·00	·01	23
24	·00	·00	·09	·03	·01	·00	·00	·00	·00	·00	·13	·00	24
25	·04	·01	·17	·00	·00	·00	·00	·03	·00	·34	·00	·08	25
26	·03	·00	·03	·00	·00	·00	·12	·19	·00	·06	·16	·54	26
27	·04	·00	·00	·00	·00	·00	·00	·00	·00	·00	·02	·10	27
28	·00	·03	·00	·00	·00	·00	·00	·00	·00	·03	·48	·89	28
29	·04		·09	·00	·00	·00	·00	·00	·00	·29	·08	·00	29
30	·00	╳	·04	·00	·00	·00	·00	·00	·00	·02	·75	·12	30
31	·00	╳	·00	╳	·18	╳	·03	·00	╳	·00	╳	·03	31
Total	·56	2·47	4·71	·83	1·84	1·28	1·95	1·39	·94	1·29	3·23	6·38	YEAR'S TOTAL 26·87
Rain Days.	11	15	25	9	9	11	13	9	10	11	18	25	166

W. 8,000. X. 14.

/

Ent JW

933

FORM A.
BRITISH RAINFALL
12 FEB 1916

REGISTER OF RAINFALL IN 1915

The Highgate Depot,
Kept at North Hill, Highgate
in the County of Middlesex
The Corporation of Hornsey
by Mr E. J. Lovegrove.
Borough Engineer & Surveyor

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Highgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36	.15	.05	.00	.03	.00	.00	.00	.05	.05	.50	.47	1
2	.32	.13	.20	.12	.00	.00	.00	.65	.00	.03	.00	.22	2
3	.33	.00	.06	.19	.00	.00	.00	.40	.01	.00	.00	.32	3
4	.15	.00	.00	.00	.00	.00	.00	.20	.00	.00	.00	.26	4
5	.06	.35	.00	.00	.00	.00	.00	.00	.00	.05	.00	.26	5
6	.26	.00	.00	.17	.35	.00	.78	.02	.00	.00	.00	.54	6
7	.37	.24	.03	.02	.00	.00	.45	.02	.00	.00	.00	.18	7
8	.04	.49	.01	.03	.00	.00	.03	.00	.00	.00	.00	.00	8
9	.00	.08	.00	.10	.00	.06	.00	.10	.00	.01	.36	.69	9
10	.13	.00	.02	.00	.00	.00	.00	.05	.00	.00	.00	.11	10
11	.03	.00	.00	.00	.00	.00	.00	.02	.00	.00	.71	.00	11
12	.09	.00	.00	.25	.50	.00	.00	.48	.00	.02	.38	.02	12
13	.00	.37	.00	.00	1.68	.00	.00	.00	.00	.00	.00	.00	13
14	.00	.06	.00	.00	.00	.00	1.03	.00	.06	.00	.00	.73	14
15	.11	.00	.00	.00	.06	.00	.05	.16	.00	.00	.22	.15	15
16	.00	.32	.00	.00	.00	.00	.78	.03	.00	.00	.00	.03	16
17	.00	.39	.00	.00	.99	.00	.09	.00	.00	.00	.00	.00	17
18	.00	.28	.05	.00	.12	.00	.00	.00	.00	.00	.05	.00	18
19	.00	.06	.00	.00	.01	.00	.12	.00	.00	.00	.00	.03	19
20	.35	.00	.00	.05	.00	.00	.00	.00	.00	.01	.00	.28	20
21	.20	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.03	21
22	.51	.09	.22	.02	.00	.00	.79	.00	.00	.00	.00	.08	22
23	.00	.26	.15	.01	.00	.07	.46	.00	.19	.29	.00	.26	23
24	.00	.00	.05	.00	.00	.00	.07	.00	.27	.13	.00	.25	24
25	.00	.00	.07	.08	.00	.04	.27	.00	.00	.03	.00	.12	25
26	.00	.07	.03	.00	.00	.18	.15	.00	.00	.00	.00	.41	26
27	.00	.00	.00	.00	.00	.09	.30	.00	.00	.40	.00	.05	27
28	.00	.05	.00	.00	.00	.20	.00	.00	1.47	.07	.00	.00	28
29	.00		.00	.00	.00	.01	.41	.15	.00	.00	.09	.00	29
30	.05	X	.00	.00	.00	.02	.00	.00	.00	.03	.15	.00	30
31	.01	X	.00	X	.00	X	.00	.02	X	.96	X	.15	31
Total	3.37	3.39	.94	1.04	3.74	.67	5.78	2.30	2.05	2.09	2.46	5.64	YEAR'S TOTAL 33.47
Rain Days.	17	16	12	11	8	8	15	13	6	14	8	23	151

W. 8,000. X. 15.

908

FORM A.
BRITISH RAINFALL.

10 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Highgate Depot, North Hill
in the County of Middlesex
The Corporation of Hornsey.
by Mr E. J. Lovegrove
Borough Engineer & Surveyor.

Lat. 51° 34′ 49″ Long. 0° 9′ 17″ W.
Time of Observation 9. a.m
Nearest Railway Station Highgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·00	·00	·00	·27	·01	·00	·00	·21	·08	·42	·00	1
2	·46	·02	·12	·00	·25	·00	·00	·00	·20	·43	·01	·00	2
3	·00	·35	·20	·00	·00	·00	·04	·00	·28	·27	·69	·00	3
4	·21	·08	·00	·00	·00	·38	·04	·00	·03	·09	·41	·00	4
5	·02	·00	·01	·00	·05	·24	·00	·00	·00	·04	·40	·00	5
6	·00	·03	·30	·28	·02	·16	·44	·00	·01	·07	·42	·00	6
7	·06	·00	·25	·00	·13	·28	·11	·00	·00	·04	·70	·04	7
8	·00	·00	·02	·00	·32	·01	·00	·00	·00	·00	·02	·30	8
9	·01	·01	·00	·00	·32	·03	·00	·00	·00	·06	·00	·15	9
10	·00	·17	·11	·09	·00	·38	·14	·00	·00	·00	·00	·12	10
11	·07	·13	·02	·15	·00	·11	·00	·00	·02	·00	·00	·02	11
12	·03	·02	·01	·05	·36	·14	·03	·10	·00	·08	·01	·00	12
13	·00	·43	·25	·16	·04	·11	·29	·17	·00	·01	·01	·00	13
14	·00	·42	·02	·01	·11	·00	·00	·28	·00	·01	·00	·16	14
15	·01	·23	·44	·02	·00	·00	·03	·37	·00	·00	·00	·00	15
16	·00	·00	·16	·16	·00	·00	·16	·35	·00	·01	·00	·00	16
17	·08	·08	·00	·03	·00	·00	·02	·68	·29	·68	·00	·00	17
18	·00	·10	·02	·16	·00	·00	·00	·57	·08	·04	·68	·00	18
19	·05	·02	·16	·18	·00	·00	·00	·00	·19	·00	·85	·04	19
20	·14	·01	·27	·11	·00	·00	·00	·00	·00	·00	·03	·35	20
21	·01	·00	·87	·01	·00	·00	·02	·00	·00	·00	·00	·34	21
22	·01	·03	·08	·00	·00	·00	·00	·00	·00	·01	·01	·39	22
23	·02	·19	·00	·00	·02	·09	·00	·00	·00	·00	·02	·14	23
24	·00	·05	·00	·00	·04	·14	·00	·02	·00	·06	·04	·22	24
25	·00	·44	·13	·00	·05	·00	·00	·22	·00	·04	·08	·02	25
26	·00	·15	·01	·00	·00	·04	·00	·07	·01	·03	·00	·00	26
27	·07	·04	1·07	·00	·00	·04	·00	·34	·10	·58	·00	·00	27
28	·00	·43	·24	·00	·00	·07	·00	·03	·20	·00	·00	·25	28
29	·00	·07	·00	·00	·00	·34	·00	1·65	·02	·31	·00	·12	29
30	·00	✕	·00	·00	·00	·00	·00	·09	·00	·80	·00	·00	30
31	·00	✕	·00	✕	·00	✕	·00	·06	✕	·10	✕	·03	31
Total	1·31	3·50	4·76	1·39	1·98	2·57	1·32	5·00	1·62	3·84	4·80	2·69	YEAR'S TOTAL 34·78
Rain Days.	16	23	22	13	13	17	11	15	13	22	17	16	198

W. 8,000, VIII. 16

Cud 079

875

FORM A.
BRITISH RAINFALL.

27. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at The Highgate Depot
North Hill, Highgate
in the County of Middlesex
by The Corporation of Hornsey
Mr. E. J. Lovegrove
Borough Engineer & Surveyor

Lat. 51°34'49" Long. 0°. 9' 17" W
Time of Observation 9. a.m
Nearest Railway Station Highgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level 308 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.20	.00	.00	.00	.88	.03	.00	.12	.00	1
2	.00	.01	.00	.20	.00	.01	.00	.07	.00	.00	.10	.00	2
3	.00	.01	.00	.02	.00	.00	.01	.51	.00	.27	.50	.00	3
4	.00	.15	.15	.00	.00	.00	.08	.09	.00	.37	.00	.00	4
5	.25	.01	.04	.52	.00	.00	.00	.11	.99	.09	.08	.00	5
6	.01	.00	.00	.02	.00	.03	.00	.00	.10	.01	.14	.00	6
7	.20	.00	.00	.00	.00	.00	.11	.00	.00	.34	.02	.02	7
8	.15	.00	.02	.09	.00	.00	.99	.09	.00	.25	.17	.33	8
9	.01	.00	.01	.07	.00	.00	.01	.09	.02	.00	.06	.10	9
10	.22	.00	.09	.13	.00	.00	.00	.01	.00	.00	.01	.02	10
11	.10	.00	.38	.20	.00	.00	.00	.00	.04	.29	.00	.00	11
12	.15	.00	.04	.20	.00	.00	.00	.01	.00	.37	.00	.00	12
13	.01	.00	.13	.02	.00	.00	.00	.02	.02	.01	.00	.02	13
14	.00	.00	.03	.26	.00	.00	.00	.15	.00	.00	.01	.00	14
15	.02	.00	.00	.04	.00	.00	.35	.04	.00	~~.46~~ .26	.00	.00	15
16	.06	.10	.00	.15	.13	.29	.19	.00	.00	~~.46~~	.00	.21	16
17	.00	.01	.00	.11	.52	.00	.25	.10	.47	~~.34~~ .27	.00	.03	17
18	.05	.08	.00	.07	.12	.46	.11	.00	.17	.09	.00	.00	18
19	.00	.16	.08	.00	.28	.00	.00	.01	.27	.00	.00	.00	19
20	.05	.22	.10	.00	.67	.00	.00	.00	.00	.00	.09	.00	20
21	.08	.00	.04	.00	.02	.01	.00	.00	.00	.00	.05	.00	21
22	.00	.00	.02	.00	.00	.05	.00	.08	.00	.08	.01	.00	22
23	.00	.12	.00	.00	.14	.15	.00	.12	.00	.00	.00	.00	23
24	.00	.05	.00	.00	.00	.08	.00	.04	.00	.32	.03	.00	24
25	.00	.02	.06	.00	.00	.00	.00	.00	.00	.00	.10	.00	25
26	.00	.00	.03	.00	.00	.05	.00	.32	.04	.00	.50	.00	26
27	.00	.00	.00	.00	.00	.00	.00	.96	.00	.00	.00	.00	27
28	.00	.00	.05	.00	.00	1.25	.00	.11	.00	.00	.00	.03	28
29	.00		.00	.00	.67	.03	.25	.07	.00	.20	.00	.12	29
30	.01	×	.48	.00	.00	.00	1.03	.05	.00	.01	.00	.01	30
31	.05	×	.14	×	.00	×	.35	.05	×	.00	×	.00	31
Total	1.42	.94	1.89	2.30	2.55	2.41	3.73	3.98	2.15	3.47	1.99	89	YEAR'S TOTAL 27.72
Rain Days.	16	12	18	16	8	11	12	23	10	17	16	10	169

W. 8,000, IX. 17.

22

FORM A.
BRITISH RAINFALL.

3 3. 19

REGISTER OF RAINFALL IN 1918

Kept at The Highgate Depot, North Hill, Highgate

in the County of Middlesex

by The Corporation of Hornsey
Mr. E. J. Lovegrove.
Borough Engineer & Surveyor

Lat. 51° 34' 49" Long. 0° 9' 17" W.

Time of Observation 9. a. m.

Nearest Railway Station Highgate

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 5 ft. 4" in.

" " " " Sea Level 308 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·47

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.01	.00	.07	.00	.00	.00	.00	.00	.00	.11	.05	1
2	.00	.05	.00	.01	.00	.00	.00	.40	.00	.00	.10	.24	2
3	.01	.00	.03	.03	.61	.00	.00	.23	.00	.00	.54	.01	3
4	.00	.07	.14	.02	.00	.00	.00	.07	.77	.01	.54	.00	4
5	.00	.01	.00	.00	.13	.00	.00	.11	.05	.06	.00	.01	5
6	.18	.23	.00	.36	.20	.00	.00	.06	.00	.00	.00	.08	6
7	.04	.09	.00	.03	.10	.00	.00	.00	.14	.09	.14	.01	7
8	.00	.07	.00	.00	.00	.00	.00	.00	.05	.00	.06	.02	8
9	.01	.04	.00	.04	.00	.05	.32	.00	.46	.10	.00	.20	9
10	.02	.00	.00	.09	.00	.00	.68	.00	.02	.02	.01	.40	10
11	.00	.00	.00	.02	.07	.00	.76	.00	.14	.17	.10	.11	11
12	.00	.07	.00	.00	.20	.00	.06	.00	.07	.00	.00	.02	12
13	.02	.01	.00	.00	.09	.00	.20	.00	.25	.00	.00	.01	13
14	.18	.00	.01	.00	.00	.18	.05	.00	.34	.16	.00	.27	14
15	1.40	.00	.00	.70	.00	.01	.03	.00	.01	.00	.00	.08	15
16	.21	.00	.00	.34	.00	.16	.00	.00	.30	.02	.00	.02	16
17	.22	.00	.00	.29	.41	.06	.38	.02	.00	.00	.00	.16	17
18	.60	.00	.00	.00	.00	.22	.08	.00	1.58	.10	.00	.09	18
19	.04	.00	.04	.10	.00	.11	.37	.00	.00	.05	.00	.04	19
20	.01	.16	.00	.65	.00	.01	.08	.00	.07	.15	.00	.10	20
21	.09	.01	.00	.20	.00	.00	.01	.00	.40	.08	.00	.00	21
22	.06	.00	.00	.02	.37	.00	.19	.00	.13	.00	.00	.13	22
23	.02	.00	.00	.02	.26	.00	.39	.06	.05	.00	.00	.02	23
24	.00	.24	.00	.00	.00	.00	.08	.00	.07	.00	.04	.00	24
25	.00	.00	.00	.00	.00	.01	.41	.15	.00	.00	.06	.00	25
26	.00	.00	.00	.00	.00	.00	.21	.13	.00	.00	~~.00~~ .14	.15	26
27	.00	.01	.00	.11	.00	.00	.02	.20	.04	.00	.36	.01	27
28	.01	.04	.14	.02	.00	.00	.00	.00	.00	.00	.00	.12	28
29	.00		.00	.00	.00	.00	.00	.00	1.14	.00	.01	.00	29
30	.01	╳	.54	.00	.00	.00	.00	.00	.01	.00	.00	.06	30
31	.00	╳	.00	╳	.00	╳	.00	.03	╳	.11	╳	.00	31
Total	3.13	1.11	.90	3.12	2.44	.81	4.32	1.46	6.09	1.12	2.21	2.41	YEAR'S TOTAL 29.12
Rain Days.	18	15	6	19	10	9	18	.11	21	13	13	25	198

W. 6,500, VII. 18. W W C

Cox ML

825

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Highgate Depôt North Hill, Highgate
in the County of Middlesex The Corporation of Hornsey
by Mr E J Lovegrove Borough Engineer & Surveyor

Lat. 51° 34' 49" Long. 0° 9' 14" W
Time of Observation 9 a.m
Nearest Railway Station Highgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	·00	·00	·00	·02	·00	·19	·00	·00	·02	·01	·99	1
2	·28	·00	·01	·00	·23	·00	·04	·01	·32	·06	·10	·10	2
3	·32	·00	·30	·00	·01	·00	·08	·00	·01	·00	·04	·22	3
4	·09	·00	·33	·00	·00	·04	·16	·08	·00	·00	·02	·18	4
5	·00	·50	·41	·00	·00	·00	·01	·00	·09	·00	·01	·29	5
6	·03	·00	·06	·00	·00	·00	·00	·00	·00	·00	·01	·02	6
7	·02	·00	·36	·00	·00	·00	·00	·00	·00	·00	·03	·00	7
8	·06	·00	·05	·00	·00	·00	·00	·00	·00	·00	·01	·00	8
9	·20	·00	·02	·19	·02	·00	·00	·00	·00	·00	·07	·00	9
10	·40	·00	·05	·01	·00	·00	·00	·00	·00	·00	·00	·04	10
11	·01	·00	·10	·27	·00	·00	·33	·00	·00	·00	·00	·00	11
12	·00	·00	·06	·04	·00	·04	·02	·00	·00	·06	·00	·00	12
13	·00	·01	·00	·28	·00	·00	·00	·00	·01	·02	·00	·00	13
14	·35	·00	·00	·32	·00	·00	·08	·00	·57	·00	·00	·02	14
15	·20	·00	·16	·24	·00	·00	·00	·00	·00	·04	·07	·30	15
16	·05	·80	·00	·00	·00	·00	·00	·00	·00	·00	·10	·05	16
17	·00	·45	·04	·02	·00	·00	·00	·00	·00	·00	·17	·00	17
18	·00	·15	·08	·00	·00	·00	·00	·00	·02	·00	·09	·06	18
19	·00	·20	·93	·00	·00	·12	·17	·30	·13	·00	·20	·05	19
20	·40	·06	·09	·00	·00	·88	·24	·16	·00	·00	·04	·02	20
21	·20	·31	·00	·00	·00	·00	·19	·00	·00	·00	·00	·11	21
22	·00	·13	·00	·00	·00	·00	·09	·00	·12	·00	·01	·35	22
23	·00	·00	·00	·00	·00	·05	·00	·00	·08	·00	·01	·04	23
24	·00	·00	·00	·16	·00	·02	·01	·09	·00	·20	·02	·00	24
25	·00	·00	·00	·07	·05	·02	·01	·19	·00	·00	·00	·05	25
26	·14	·20	·11	·07	·00	·00	·12	·12	·09	·00	·00	·30	26
27	·75	·02	·02	1·30	·00	·00	·00	·30	·00	·00	·00	·03	27
28	·00	·00	·18	·03	·00	·00	·00	·80	·00	·00	·15	·31	28
29	·03	·00	·00	·06	·00	·00	·00	·25	·00	·20	·09	·02	29
30	·00		·02	·31	·00	·23	·00	·12	·00	·00	·29	·27	30
31	·01		·01		·00		·01	·00		·00		·00	31 √
TOTAL	4·01	2·83	3·39	3·37	·33	1·40	1·75	2·42	1·44	·60	1·54	3·82	YEAR'S TOTAL 26·90
Days with ·01 in. or more	19	11	21	15	5	8	16	11	10	7	21	22	166 √

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 779

18 FEB 1921

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Highgate Depôt
North Hill, Highgate
County of Middlesex
by The Corporation of Hornsey
Mr E J Lovegrove
Borough Engineer and Surveyor

Lat. 51° 34′ 49″ Long. 0° 9′ 17″ W
Time of Observation 9 a.m
Nearest Railway Station Highgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level 308 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·46	·07	·00	·34	·00	·00	·35	·00	·21	1
2	·00	·00	·01	·00	·00	·00	·01	1·05	·08	·09	·00	·09	2
3	·00	·09	·00	·01	·00	·00	·00	·00	·08	·01	·00	·00	3
4	·00	·03	·00	·06	·00	·00	·15	·05	·00	·17	·00	·01	4
5	·00	·00	·11	·00	·02	·00	·60	·03	·03	·00	·00	·01	5
6	·00	·00	·17	·00	·12	·00	·41	·03	·00	·00	·00	·00	6
7	·00	·00	·01	·28	·00	·00	·25	·00	·00	·00	·00	·01	7
8	·05	·02	·00	·12	·13	·00	·04	·00	·00	·01	·00	·00	8
9	·41	·01	·00	·03	·00	·09	·00	·02	·00	·00	·00	·00	9
10	·50	·04	·09	·01	·00	·18	·05	·00	·00	·00	·00	·01	10
11	·19	·00	·09	·37	·02	·02	·25	·00	·00	·00	·00	·20	11
12	·06	·00	·00	·12	·00	·68	·00	·00	·00	·00	·00	·00	12
13	·11	·01	·10	·22	·00	·00	·00	·00	·00	·01	·09	·00	13
14	·00	·00	·34	·29	·00	·27	·00	·00	·19	·04	·16	·04	14
15	·00	·02	·07	·25	·00	·00	·02	·00	·60	·24	·13	·01	15
16	·00	·00	·01	·10	·00	·06	·00	·00	·23	·43	·00	·02	16
17	·00	·00	·00	·00	·20	·00	·00	·00	·39	·01	·00	·04	17
18	·02	·00	·00	·02	·01	·00	·00	·78	·16	·00	·00	·03	18
19	·11	·01	·00	·21	·00	·07	·00	·00	·00	·00	·00	·05	19
20	·08	·16	·00	·14	·00	·68	·00	·00	·13	·00	·00	·00	20
21	·00	·00	·00	·00	·00	·00	1·06	·00	·61	·00	·00	·05	21
22	·00	·00	·00	·32	·00	·00	·00	·00	·20	·01	·00	·29	22
23	·00	·00	·00	·00	·00	·00	·59	·00	·00	·00	·00	·42	23
24	·00	·00	·07	·00	·00	·00	·00	·00	·00	·00	·00	·04	24
25	·00	·0[illegible]	·02	·01	·00	·00	·13	·00	·04	·00	·00	·00	25
26	·02	·00	·06	·00	1·35	·00	·01	·00	·00	·00	·00	·03	26
27	·13	·05	·00	·35	·00	·08	·00	·00	·00	·00	·66	·11	27
28	·50	·00	·16	·03	·01	·00	·07	·00	·00	·00	·02	·01	28
29	·27	·00	·06	·00	·00	·00	·01	·00	·00	·00	·04	·30	29
30	·03	X	·00	·00	·13	·00	·45	·00	·60	·00	·19	·25	30
31	·00	X	·00	X	·02	X	·01	·00	X	·18	X	·09	31
TOTAL	2·48	·46	1·37	3·40	2·08	2·04	4·45	1·96	3·34	1·55	1·29	2·32	YEAR'S TOTAL 26·74
Days with ·01 in. or more	14 ~~8~~	11 X	15 ~~4~~	20 ~~5~~	11 ~~5~~	8 X	18 ~~5~~	6 ~~8~~	13 X	12 ~~5~~	7 X	23 ~~9~~	~~49~~ 158
Days with ·04 in. or more	11	4	11	14	6	7	13	3	12	7	6	14	108

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

50

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

NORTH WOOLWICH
P.S.
LONDON
1911 - 1920

Kept at North W…

in the County of L…

by

…ns

…in.

…und – ft. 8½ in.

…Level 12 ft.

…m

…ne N. Woolwich

…tance ¼ mile Direction W.

IMPORTANT … result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·74				·02					1
2	·14			·17	·10						·16	·06	2
3					·10						·03	·12	3
4	·03	·02	·07	·08					·01	·06	·18	·16	4
5										·12		·15	5
6	·15		·19	·03								·18	6
7	·11			·02						·20	·25	·09	7
8	·10		·10								·29	·25	8
9	·13		·01	·01								–	9
10	·02	·10	·03								·07	·37	10
11	·23										·64	-	11
12			·44		·16				·01		·20	–	12
13			·11		·15				·39	·19	·01	·08	13
14		·06	·01		·20							·37	14
15		·02	·26							·02	·02		15
16						·45					·37	·01	16
17			·13								·29	·07	17
18		·12	·03								·50	·18	18
19						·06		·14	·18	·09	·15	·05	19
20			·02					·16		·10		·50	20
21		·09						·42	·07	·45		·05	21
22	·02		·10							·06		·27	22
23		·10	·07			·80			·20		·02	·09	23
24		·10					·02			1.34		·24	24
25		·05	·02	·04		·15	·15	·01					25
26			·11	·17		·13				·07	·02	·26	26
27		·30	·06	·03					·16	·02	·02	·04	27
28		·10		·18				·07			·02		28
29				·11		·16	·20		·09	·15			29
30				·06				·33	·02	·14			30
31					·03								31
Total	·96	1.06	1.76	1.64	·74	1.75	·37	1.15	1.13	3.01	3.24	3.59	TOTAL for year 20.40
No. of Rain Days.	10	11	17	12	6	6	3	7	9	14	18	21	134

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at North Woolwich Pumping Station

in the County of London. 2

by

RAIN GAUGE
Pattern Glaishers
Diameter of top 8 in.
Height of top above Ground — ft. 8½ in.
„ „ „ Sea Level 12 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name N. Woolwich
Distance ¼ mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·74				·02					1
2	·14			·17	·10						·16	·06	2
3					·10						·03	·12	3
4	·03	·02	·07	·08					·01	·06	·18	·16	4
5										·12		·15	5
6	·15		·19	·03								·18	6
7	·11			·02						·20	·25	·09	7
8	·10		·10								·29	·25	8
9	·13		·01	·01								–	9
10	·02	·10	·03								·07	·37	10
11	·23										·64	–	11
12			·44		·16				·01		·20	–	12
13			·11		·15				·39	·19	·01	·08	13
14		·06	·01		·20							·37	14
15		·02	·26							·02	·02		15
16						·45					·37	·01	16
17			·13								·29	·07	17
18		·12	·03								·50	·18	18
19						·06		·14	·18	·09	·15	·05	19
20			·02					·16		·10		·50	20
21		·09						·42	·07	·45		·05	21
22	·02		·10							·06		·27	22
23		·10	·07			·80			·20		·02	·09	23
24		·10					·02			1.34		·24	24
25		·05	·02	·04		·15	·15	·01					25
26			·11	·17		·13				·07	·02	·26	26
27		·30	·06	·03					·16	·02	·02	·04	27
28		·10		·18				·07			·02		28
29				·11		·16	·20		·09	·15			29
30				·06				·33	·02	·14			30
31					·03								31
Total	·96	1.06	1.76	1.64	·74	1.75	·37	1.15	1.13	3.01	3.24	3.59	TOTAL for year 20.40
No. of Rain Days.	10	11	17	12	6	6	3	7	9	14	18	21	134

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
13 JAN 1913

REGISTER OF Ex M L RAINFALL IN 1912

Kept at North Woolwich Pumping Station

in the County of London 2

by The London County Council

Lat. Long.

Time of Observation 9 0 a m

Nearest Railway Station N. Woolwich

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 8½ in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·03	-	-	·05	·20	-	·05	·28	-	·15	1
2	-	-	·22	-	-	-	·26	-	-	-	-	-	2
3	·06	·02	·03	-	-	·07	-	·33	-	-	-	·05	3
4	·26	·02	·57	-	·25	·11	-	-	-	-	·12	-	4
5	·15	-	·02	-	-	-	-	·09	-	-	·04	-	5
6	·40	-	-	-	-	-	-	·07	-	-	-	·10	6
7	-	·03	·02	-	·04	·53	·14	·04	-	-	-	-	7
8	·27	·23	·10	-	-	·06	-	·15	-	-	-	-	8
9	-	·05	-	·02	-	·13	-	-	-	-	-	·11	9
10	-	-	-	-	-	-	-	·25	·02	-	·02	·27	10
11	-	·22	-	-	-	·05	-	-	-	-	-	·10	11
12	·02	·04	·04	-	·15	·17	-	-	-	-	·01	-	12
13	-	·02	-	-	-	-	·02	-	-	-	·06	-	13
14	-	-	-	-	-	-	-	·06	-	·05	-	-	14
15	-	-	·16	-	·30	·60	-	-	-	-	-	·50	15
16	·22	-	·01	-	·05	·04	-	·04	-	-	-	-	16
17	·48	-	·13	-	-	·02	-	·03	-	-	-	-	17
18	·03	-	·12	-	-	-	-	·05	-	·03	·07	·06	18
19	·09	·05	·10	-	-	-	·02	·20	-	-	-	-	19
20	-	-	·22	-	-	-	-	·04	-	·40	-	-	20
21	-	·03	·07	-	·02	-	-	·12	-	·04	·04	-	21
22	·17	·10	-	-	-	-	·15	·14	-	-	-	-	22
23	·41	·26	·30	-	-	-	·08	·32	-	-	·20	·12	23
24	·20	·01	-	-	-	·20	-	·12	-	-	-	·10	24
25	·12	·02	-	-	-	·10	-	·97	-	-	·18	·40	25
26	-	·01	-	-	-	-	-	·26	-	·28	·26	·27	26
27	-	-	-	-	-	-	-	·02	-	·11	-	·12	27
28	-	·07	-	-	-	·04	·06	·09	·08	·16	·39	·11	28
29	-	-	-	-	-	-	·19	-	·69	·11	-	-	29
30	-		-	-	·10	-	-	·03	1.16	·07	-	-	30
31	-		·05		-		·08	·16		-		-	31
Total	2.92	1.18 4.10	2.19 6.29	·02 6.31	·91 7.22	2.17 9.39	1.20 10.59	3.58 14.17	2.00 16.17	1.53 17.70	1.39 19.09	2.46	YEAR'S TOTAL 21.55
Rain Days.	14	16	17	1	7	14	10	22	5	10	11	14	141

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at North Woolwich Pumping Station
in the County of London
by The London County Council

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station N. Woolwich
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 8½ in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·22	·03	·21	–	·04	–	–	·13	–	–	·09	1
2	·06	·18	–	–	·03	–	·05	–	·02	–	·10	–	2
3	–	–	·10	·14	·35	–	–	–	–	–	–	·03	3
4	·11	–	–	–	·20	–	·08	–	–	·26	–	–	4
5	·35	–	–	–	–	·03	·16	–	·27	·04	–	–	5
6	·02	–	·12	–	·02	·07	·26	–	–	·34	·17	·06	6
7	–	·04	–	·02	·02	–	·20	·09	–	·36	·04	–	7
8	–	–	·02	–	·25	·12	–	–	–	·02	·02	–	8
9	–	·09	–	–	·04	–	–	–	·04	–	·02	–	9
10	–	–	·12	·03	–	–	·23	·08	–	–	·61	·03	10
11	·33	–	–	·41	·16	–	–	–	–	·63	·15	–	11
12	–	–	–	–	·02	–	–	–	·02	–	·32	–	12
13	·10	–	·03	–	–	–	–	·04	·02	–	·35	–	13
14	·05	–	·07	–	–	–	·22	·02	·03	·13	·03	–	14
15	·56	·06	·25	·18	–	–	·16	–	·25	–	–	–	15
16	·17	–	·28	·11	–	–	–	–	·43	–	–	–	16
17	·02	–	·06	·07	–	–	·20	–	–	–	–	–	17
18	–	–	·17	·08	–	–	·03	–	–	–	–	–	18
19	·16	–	–	–	–	·07	·14	–	·10	–	–	–	19
20	·13	–	·36	·02	–	–	–	–	–	·55	–	–	20
21	–	–	·07	·07	–	–	·07	–	–	·20	·54	–	21
22	·50	·02	·20	–	–	–	–	–	·14	–	–	–	22
23	–	–	–	–	–	–	–	·28	–	–	·02	·30	23
24	–	–	·04	–	–	·02	–	–	–	–	–	–	24
25	–	–		·20	–	–	–	–	–	–	–	–	25
26	–	·05	·19	·01	–	–	–	·27	–	·77	–	·15	26
27	–	–	·02	·02	–	–	–	–	–	·05	–	–	27
28	20	–	·13	–	–	–	–	–	–	·15	–	–	28
29	·07		·02	·30	·35	–	–	·24	–	·02	–	–	29
30	·18		–	·20	–	–	–	·20	–	·05	–	–	30
31	–		–		–		–	·69		·07		–	31
Total	3.02	·66	2·28	2·07	1·44	·35	1·80	1·91	1·45	3·64	2·37	·66	YEAR'S TOTAL 21·65
Rain Days.	17	7	19	16	10	6	12	9	11	15	12	6	140

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
29 JAN 1915

Kept at North Woolwich Pumping Station
in the County of London 2 8/4 RL
by The London County Council

Lat. Long.
Time of Observation 9.0 a.m
Nearest Railway Station N. Woolwich
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 8½ in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	·02	·15	-	-	-	-	1
2	-	-	-	·03	-	-	·07	·26	-	-	·04	·27	2
3	-	-	·15	·07	·08	-	·02	-	-	-	-	-	3
4	·06	-	-	·16	-	-	-	-	-	-	·28	·22	4
5	·02	-	·04	·17	·15	·03	·32	·19	-	-	-	-	5
6	-	·06	-	·08	-	·20	·06	-	-	-	·08	·06	6
7	-	·18	·26	·41	·61	·16	·06	-	-	-	-	·03	7
8	·03	·25	·63	·05	·02	·25	·05	·04	-	-	-	·02	8
9	·16	-	·64	·03	-	·02	-	-	-	-	-	·92	9
10	·03	·06	-	·11	·03	-	-	-	·05	-	-	-	10
11	-	·36	·29	-	-	·09	-	-	·16	-	·36	·36	11
12	-	-	·10	-	-	-	·02	-	·15	-	-	·45	12
13	-	·15	·07	-	-	-	-	-	·10	·13	·07	·34	13
14	-	·04	·15	-	-	·05	·42	-	-	·10	·05	·41	14
15	-	-	·14	-	-	-	-	-	-	·03	·47	·04	15
16	-	-	·02	-	-	-	-	-	-	-	-	-	16
17	-	·26	·07	-	-	-	-	-	·03	-	-	·07	17
18	-	·04	·04	-	-	-	-	-	-	-	-	·21	18
19	-	-	·24	-	-	·09	·06	-	-	-	·17	·30	19
20	-	·06	·22	-	-	·12	-	-	·02	-	-	·02	20
21	-	·58	·07	-	-	-	-	-	-	-	-	·03	21
22	-	·02	-	-	·35	·40	·13	-	-	·05	-	·03	22
23	-	-	·05	-	-	-	·02	-	-	·06	-	-	23
24	-	-	·02	-	·09	-	-	-	-	·02	·11	-	24
25	·02	-	·16	-	-	-	-	·07	-	·25	-	·09	25
26	-	-	·02	-	-	-	·07	·07	-	·04	·10	·39	26
27	-	-	·02	-	-	-	-	-	-	-	·02	·07	27
28	-	-	·02	-	-	-	-	-	-	·02	·30	1.01	28
29	-		·03	-	-	-	-	-	-	·23	·07	-	29
30	-	X	·04	-	-	-	-	-	-	·02	·27	·04	30
31	-	X	-	X	·28	X	·02	-	X	-	X	-	31
Total	·32	2.06	3.49	1.11	1.61	1.41	1.34	·78	·51	·95	2.39	5.38	YEAR'S TOTAL 21.35
Rain Days.	6	12	24	9	8	10	14	6	6	11	14	22	142

W. 8,000. X. 14.

ex LCC

85

FORM A.
BRITISH RAINFALL.

24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at North Woolwich Pumping Station

in the County of London 2

by The London County Council

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station N. Woolwich

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 8½ in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·09	·04	-	·02	-	-	-	·07	-	·22	·29	1
2	·10	·11	·07	·12	.	.	-	·46	-	·03	.	·10	2
3	·47	-	·03	·22	.	-	-	·90	·02	-	.	·42	3
4	·02	-	-	-	-	-	-	·03	-	-	-	·23	4
5	·04	·23	-	-	-	.	.	-	-	·02	-	·32	5
6	·30	-	.	20	·03	-	·64	-	.	.	-	·17	6
7	·32	·19	-	-	-	.	·04	·02	.	-	-	·13	7
8	·10	·32	-	·03	-	.	·11	·26	.	-	.	-	8
9	-	-	.	·02	-	·02	-	·07	.	·05	30	·59	9
10	·21	-	.	-	-	-	.	·80	.	-	-	·19	10
11	-	-	·03	-	-	-	.	-	.	-	·77	·04	11
12	·05	·03	-	·27	·42	-	-	·19	.	·02	·29	-	12
13	-	·43	-	-	1·51	-	-	·13	.	.	.	-	13
14	-	·03	-	-	-	.	·28	-	.	-	-	·24	14
15	·10	-	-	.	·06	-	-	·15	.	-	·21	·04	15
16	-	·13	-	-	-	-	·52	.	.	-	·09	·17	16
17	-	·19	-	-	1·07	-	·02	-	.	.	-	.	17
18	·02	·06	·04	-	·27	-	-	-	-	-	·05	-	18
19	-	·16	-	.	.	.	·04	-	.	-	.	-	19
20	·25	-	-	·09	.	-	.	-	.	-	.	·28	20
21	·21	-	-	.	.	-	.	-	.	·02	-	·07	21
22	89	·06	·11	.	.	.	·50	.	.	-	.	·10	22
23	.	·19	-	-	-	·04	·24	-	.	·30	.	·24	23
24	.	-	-	-	.	-	·66	-	·18	·11	.	·58	24
25	.	-	·19	·16	-	-	·15	.	.	-	.	·20	25
26	.	·05	.	-	-	·18	·03	-	-	-	.	·30	26
27	.	-	-	-	.	·08	·35	-	-	·29	.	·04	27
28	.	·03	-	-	-	·09	-	.	1·41	·28	.	-	28
29	.		-	.	-	-	24	·15	-	-	·10	·02	29
30	·02	X	-	.	-	·75	-	-	-	-	·27	-	30
31	·03	X	-	X	-	X	-	-	X	·56	X	·15	31
Total	3.56	2.30	·51	1.11	3.38	1.16	3.82	3.16	1.68	1.68	2.30	4.91	YEAR'S TOTAL 29.57 ✓
Rain Days.	17	16	7	8	7	6	14	11	4	10	9	23	132 ✓

W. 8,000. X. 15.

Exd JW

78

FORM A.
BRITISH RAINFALL.

18. JAN 1

REGISTER OF RAINFALL IN 1916

Kept at North Woolwich Pumping Station North Woolwich.

in the County of London

by London County Council.

Lat. 51° 29' 57" N Long. 0° 4' 15" E.

Time of Observation 9. a.m.

Nearest Railway Station North Woolwich (G.E)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	–	–	–	0·15	–	–	–	0·18	–	0·19	–	1
2	0·31	0·02	0·05	–	0·16	–	0·02	–	0·14	0·32	0·07	–	2
3	–	0·41	0·12	–	–	–	0·07	=	0·18	0·21	0·44	–	3
4	0·17	0·11	–	–	–	0·17	–	–	0·02	–	0·35	–	4
5	–	–	=	–	0·06	0·03	0·27	–	–	0·03	0·27	–	5
6	–	0·07	0·26	0·42	–	0·04	0·23	–	–	–	0·23	–	6
7	–	–	0·25	–	0·10	0·14	0·48	–	–	–	0·64	0·03	7
8	–	–	0·02	–	0·19	–	–	–	–	–	–	0·19	8
9	0·07	–	0·09	–	0·21	–	–	–	–	0·05	–	0·08	9
10	–	0·15	–	0·07	–	0·38	0·10	–	–	–	–	0·09	10
11	–	0·16	0·04	0·15	–	0·14	–	–	0·02	–	–	–	11
12	–	–	–	0·04	0·24	0·10	0·02	0·04	–	0·04	–	–	12
13	–	0·24	0·22	0·10	0·09	0·04	0·38	0·11	–	–	–	–	13
14	–	0·34	–	0·04	0·07	–	–	0·42	–	–	–	0·10	14
15	–	0·22	0·23	–	–	–	0·02	0·10	–	–	–	–	15
16	0·02	–	0·15	0·12	–	–	0·58	0·04	–	–	–	–	16
17	0·03	0·07	–	–	–	–	0·02	0·20	0·21	0·46	–	–	17
18	–	0·19	–	0·10	–	–	–	0·12	0·04	0·04	0·89	–	18
19	0·04	0·03	0·10	0·09	–	–	–	–	0·07	=	0·62	–	19
20	0·11	–	0·24	–	–	–	–	–	–	–	0·02	0·30	20
21	–	–	0·58	–	–	–	0·28	–	–	–	–	0·20	21
22	–	–	0·07	–	–	–	–	–	–	–	–	0·37	22
23	0·02	0·45	0·03	–	–	0·05	–	–	–	0·03	0·03	0·25	23
24	–	0·07	–	–	0·08	0·07	–	0·02	–	0·08	0·02	0·33	24
25	–	0·42	0·16	–	–	–	–	0·15	–	0·07	0·08	–	25
26	–	0·16	0·05	–	–	0·03	–	1·30	–	–	–	–	26
27	0·07	–	0·82	–	–	0·09	–	0·45	–	0·68	–	–	27
28	–	0·42	0·16	=	–	0·03	–	–	–	–	–	0·14	28
29	–	0·05	=	–	–	0·19	–	1·12	0·08	0·16	–	0·12	29
30	=	X	=	–	0·20	–	–	0·09	–	0·17	–	–	30
31	–	X	–	X	=	X	–	0.05	X	0·11	X	0·05	31
Total	0·86 ✓	3.49 ✓	3.64 ✓	1·13 ✓	1·55 ✓	1·59 ✓	2.47 ✓	4·21 ✓	0.94 ✓	2.45 ✓	3.85 ✓	2·25 ✓	YEAR'S TOTAL 28.34 ✓
Rain Days.	10 ✓	18 ✓	19 ✓	9 ✓	11 ✓	14 ✓	12 ✓	14 ✓	9 ✓	14 ✓	13 ✓	13 ✓	156 ✓

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

16 JAN 1918

Kept at North Woolwich Pumping Station

in the County of London

by the London County Council.

Lat. 51°29'37"N. Long. 0°4'15". E.

Time of Observation 9 a.m

Nearest Railway Station North Woolwich (G·E·Ry).

Diameter of Funnel of Rain Gauge 8 ins

Height of top of Gauge above Ground — ft. 10 ins

" " " " Sea Level 12·83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·12	—	—	—	1·17	0·01	—	0·06	—	1
2	—	—	—	0·33	—	0·02	—	0·08	—	—	0·03	—	2
3	—	—	—	0·05	—	—	—	0·43	—	0·18	0·34	—	3
4	—	0·10	0·12	—	—	—	0·03	0·05	—	0·36	—	—	4
5	0·23	—	—	0·22	—	—	—	0·22	0·59	0·12	0·05	—	5
6	—	—	—	—	—	0·02	—	—	0·05	0·02	0·08	—	6
7	0·11	—	—	—	—	—	0·09	—	—	0·20	—	—	7
8	0·09	—	—	0·04	—	—	0·87	0·28	—	0·22	0·10	0·30	8
9	—	—	0·05	0·14	—	—	—	0·04	0·05	—	—	0·28	9
10	0·24	—	0·12	0·02	—	—	—	0·05	—	—	—	0·05	10
11	0·06	—	0·42	0·14	—	—	—	—	0·21	0·26	—	—	11
12	0·05	—	—	—	—	—	—	0·07	—	0·33	—	—	12
13	0·04	—	0·17	0·02	—	—	—	0·02	0·02	0·07	—	—	13
14	—	—	—	0·11	—	—	—	—	—	—	—	—	14
15	0·04	—	—	—	—	—	0·22	0·45	—	0·02	—	—	15
16	—	0·18	—	0·08	0·15	0·11	0·23	—	—	0·23	—	0·31	16
17	—	—	—	0·09	0·49 ~~0·15~~	—	0·38	0·09	0·28	0·08	—	—	17
18	0·03	0·03	—	0·13	0·03 ~~0·49~~	—	0·13	—	0·13	—	—	—	18
19	—	0·11	0·02	—	0·68 ~~0·03~~	0·05	—	—	0·19	—	—	—	19
20	—	0·15	0·03	—	0·96 ~~0·68~~	—	—	—	—	—	0·05	—	20
21	0·02	—	—	—	0·07 ~~0·96~~	—	—	—	—	—	0·04	—	21
22	—	—	0·10	—	— ~~0·07~~	—	—	0·16	—	0·07	—	—	22
23	—	0·10	—	—	0·16	—	—	0·03	—	—	—	—	23
24	—	—	—	—	—	0·11	—	0·01	—	0·11	0·03	—	24
25	—	—	0·08	—	—	—	—	—	—	—	0·06	—	25
26	—	—	0·02	—	—	—	—	0·26	0·03	—	0·53	0·02	26
27	—	—	—	—	—	—	—	0·70	—	—	—	—	27
28	—	—	—	—	—	1·30	—	0·05	—	—	—	0·06	28
29	—	×	—	—	0·52	0·02	0·21	0·05	—	0·18	—	0·19	29
30	—	×	0·32	—	—	—	1·45	0·05	—	0·02	—	0·03	30
31	0·08	×	0·04	×	—	×	0·60	—	×	—	×	—	31
Total	0·99	0·67	1·49	1·49	3·06	1·63	4·21	4·26	1·56	2·47	1·37	1·24	YEAR'S TOTAL 24·44
Rain Days.	11	6	12	13	8	7	10	20	10	16	11	8	132

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

Ex ML

FORM A2.
BRITISH RAINFALL.
20.1.19

Kept at North Woolwich Pumping Station

in the County of London

by London County Council.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 0 ft. 10 in.
,, ,, ,, Sea Level 12·83 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name North Woolwich (GERy)
Distance 880 yds Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·06	—	—	—	—	—	—	0·09	0·10	1
2	—	0·14	—	0·03	—	—	—	0·39	—	—	0·18	0·13	2
3	—	0·02	0·05	0·02	0·54	—	—	0·03	—	—	0·51	0·02	3
4	—	0·04	0·11	0·10	—	—	—	—	0·26	—	0·47	0·03	4
5	—	0·03	—	—	0·27	—	—	0·10	0·14	0·06	—	—	5
6	0·20	0·17	—	0·21	0·20	—	—	—	0·20	—	—	0·07	6
7	0·03	0·13	—	0·04	0·14	—	—	—	0·10	0·18	0·10	—	7
8	—	0·06	—	—	—	—	—	—	0·05	—	—	0·02	8
9	—	—	—	—	—	0·02	0·33	—	0·31	0·12	—	0·16	9
10	0·08	—	—	0·10	—	—	0·50	—	0·02	0·11	0·05	0·23	10
11	—	—	—	0·02	0·03	—	1·92	—	0·02	0·29	0·14	0·10	11
12	—	0·05	—	—	0·12	—	0·14	—	0·03	—	—	0·02	12
13	0·03	—	—	—	0·16	—	0·28	—	0·13	—	—	—	13
14	0·13	—	—	0·02	—	0·26	0·08	—	0·22	0·15	—	0·34	14
15	1·20	—	—	0·77	—	—	0·28	—	—	—	—	0·05	15
16	0·21	—	—	0·30	—	—	—	0·02	0·06	—	—	—	16
17	0·33	—	—	0·22	0·43	0·10	1·55	—	—	—	—	0·16	17
18	0·50	—	—	—	—	0·15	0·04	—	0·60	0·26	—	0·07	18
19	0·07	—	0·06	0·12	—	0·06	0·20	—	0·02	0·09	—	0·14	19
20	—	0·12	—	0·46	—	—	0·28	—	0·18	0·12	—	0·05	20
21	0·06	—	—	0·34	—	—	—	—	0·61	0·21	—	—	21
22	0·03	—	—	0·08	0·30	—	0·20	—	0·15	—	—	0·18	22
23	0·02	—	—	—	0·26	—	0·55	0·07	—	—	—	0·04	23
24	—	0·24	—	0·02	—	0·05	0·69	—	0·11	—	0·04	—	24
25	—	—	—	0·08	—	0·07	0·43	0·24	—	—	0·05	—	25
26	—	—	—	—	0·03	—	0·53	0·18	—	0·03	0·09	0·13	26
27	—	0·02	—	0·09	—	—	—	0·14	0·27	—	0·11	—	27
28	—	0·02	0·21	—	—	—	—	0·02	—	—	0·29	0·14	28
29	—		—	—	—	—	—	—	1·24	—	—	—	29
30	—		0·46	—	—	—	—	—	0·12	0·05	0·02	0·06	30
31	—		0·04		—		—	0·11		0·03		—	31
Total	2·89	1·04	0·93	3·08	2·48	0·71	8·00	1·30	4·84	1·70	2·14	2·24	TOTAL for year. 31·35
No. of Rain Days.	13	12	6	19	11	7	16	10	21	13	13	21	162

100—(25883—3C—C.14)—6.1.12—6997

72

27 FEB 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at North Woolwich

in the County of London

by the London County Council

Lat. Long. Information

Time of Observation already given.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29	0.07	-	-	-	-	0.31	-	-	0.11	0.08	0.76	1
2	0.30	-	-	-	0.13	-	0.40	0.02	0.01	0.12	0.05	0.13	2
3	0.24	-	0.44	-	-	-	0.23	-	0.07	-	0.05	0.35	3
4	0.15	0.04	0.40	-	-	0.06	0.04	0.05	-	-	0.03	0.09	4
5	0.06	0.33	1.10	-	-	-	-	-	0.02	-	-	0.26	5
6	0.03	-	0.05	-	-	-	-	-	-	-	-	0.03	6
7	0.02	-	0.23	-	-	-	-	-	-	-	0.13	-	7
8	0.09	-	0.04	-	-	-	-	-	-	-	0.06	-	8
9	0.26	-	-	0.02	0.10	-	-	-	-	-	0.08	-	9
10	0.10	-	0.02	0.02	-	-	-	-	-	-	-	-	10
11	0.02	-	0.10	0.32	-	-	0.32	-	-	-	-	-	11
12	0.03	-	0.04	-	-	0.03	0.15	-	-	0.05	-	-	12
13	0.02	0.02	-	0.23	-	-	-	-	0.-	0.02	-	0.02	13
14	0.29	-	-	0.31	-	-	0.14	-	0.38	-	-	-	14
15	0.16	-	0.08	0.32	-	-	-	-	-	0.04	-	0.14	15
16	0.13	0.53	-	0.03	-	-	-	-	-	-	0.10	0.04	16
17	-	0.54	0.02	-	-	-	-	-	-	-	0.15	-	17
18	-	0.32	0.07	-	-	-	-	-	0.04	-	0.06	0.06	18
19	0.05	0.08	0.38	0.03	-	0.29	0.18	0.22	0.05	-	0.04	0.02	19
20	0.12	0.04	0.03	-	-	1.04	0.45	0.14	-	-	-	-	20
21	0.23	0.18	-	-	-	0.02	0.10	-	-	-	-	0.05	21
22	-	0.11	-	-	-	-	0.13	-	0.20	-	0.06	0.24	22
23	-	-	-	-	-	0.08	0.04	0.02	0.11	-	-	-	23
24	-	-	-	0.20	-	0.03	-	0.02	-	0.11	0.05	-	24
25	-	-	-	0.14	0.10	-	-	0.19	-	-	-	0.03	25
26	0.07	0.16	0.15	0.03	-	-	0.04	0.23	0.10	-	-	0.24	26
27	0.35	0.09	0.05	1.30	-	-	-	0.41	-	-	-	-	27
28	-	-	0.20	0.06	-	-	-	0.67	-	-	0.20	0.32	28
29	0.05	-	-	0.06	-	0.02	-	0.37	-	0.43	0.10	0.10	29
30	-		-	0.28	-	0.18	-	0.15	-	0.02	0.23	0.26	30
31	0.03		0.03		-		-	-		-		-	31
TOTAL	3.09	2.51	3.43	3.35	0.33	1.75	2.53	2.49	0.98	0.90	1.47	3.14	YEAR'S TOTAL 25.97
Days with ·01 in. or more	23	13	18	15	3	9	13	12	9	8	16	18	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd 970

7'

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2 JAN 1921

Kept at North Woolwich P.S.

in the County of London

by London County Council

Lat. Long.

Time of Observation

Nearest Railway Station do

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·33	—	—	0·21	—	—	0·27	—	0·20	1
2	—	—	0·17	—	—	—	—	0·51	0·04	0·04	—	0·04	2
3	—	0·06	—	0·01	—	0·01	—	—	0·04	—	—	—	3
4	—	0·05	—	0·13	—	—	0·09	0·02	—	—	—	0·03	4
5	—	—	0·14	—	0·03	—	0·54	0·22	0·04	—	—	0·01	5
6	—	—	0·20	—	0·12	—	0·18	—	—	—	—	0·02	6
7	—	—	0·04	0·11	0·12	—	0·20	—	—	—	—	0·01	7
8	0·05	0·03	—	0·09	0·05	—	0·05	—	—	—	—	—	8
9	0·33	—	—	0·02	—	—	—	—	—	—	—	—	9
10	0·52	0·07	0·07	0·03	—	0·06	0·08	—	—	—	—	—	10
11	0·18	—	0·07	0·24	—	—	0·35	—	—	—	—	0·20	11
12	0·07	—	—	0·07	—	0·25	—	—	—	—	—	0·03	12
13	0·18	—	0·09	0·12	—	—	—	—	0·02	—	—	—	13
14	—	—	0·17	0·09	—	0·17	0·01	—	0·16	0·02	0·14	—	14
15	—	—	0·05	0·15	—	—	0·01	—	0·84	0·07	0·05	0·03	15
16	—	—	—	0·09	—	0·07	—	—	0·09	0·21	—	—	16
17	—	—	—	0·01	0·11	—	—	—	0·26	—	—	0·01	17
18	0·03	—	—	—	—	—	—	1·05	0·07	—	—	—	18
19	0·12	—	—	0·22	—	0·03	—	—	0·01	—	—	0·07	19
20	0·03	0·20	—	0·11	—	0·40	—	—	0·17	—	—	—	20
21	—	—	—	0·01	—	—	0·61	0·03	0·81	—	—	0·01	21
22	—	—	—	0·29	—	—	—	—	0·20	—	—	0·29	22
23	—	—	—	—	—	—	0·30	—	—	—	—	0·35	23
24	—	—	0·03	—	—	—	—	—	—	—	—	0·01	24
25	—	0·05	—	0·06	—	—	0·10	—	—	—	—	—	25
26	—	—	0·21	0·02	—	0·01	0·01	—	—	—	—	—	26
27	0·10	0·08	—	0·25	—	0·17	0·02	—	—	—	0·37	0·05	27
28	0·42	—	0·10	0·05	0·02	—	0·04	—	—	—	0·02	0·02	28
29	0·21	—	0·04	—	—	—	—	—	—	—	0·02	0·16	29
30	—		—	—	0·13	—	0·41	—	0·35	—	0·16	0·13	30
31	—		—		—		—	—		0·16		0·08	31
TOTAL	2·24	0·54	1·38	2·50	0·58	1·17	3·21	1·83	3·10	0·77	0·76	1·75	YEAR'S TOTAL 19·83
Days with ·01 in. or more	12	7	13	22	7	9	17	5	14	6	6	20	138
Days with ·04 in. or more	10	6	12	16	5	6	13	3	12	5	4	10	102

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

written 17.III.15

REGIST

FORM A.
BRITISH RAINFALL.

13 MAR 1915

NORTHWOOD
THE KNOLL
1914 - 1915

Kept at The Knoll ... m
in the County of Middle ... thwood
by Mr T. A. Ti
... in.
...und 1 ft. 3 in.
...Level 240 ft.

IMPORTANT ... result entered to the previous day. If a... rule, he is earnestly requested to add the ... the space provided for it at the end of ... of rain, the selection and pla... Rainfall Organization are give... cation to Dr. H. R. Mill, 62,

Jan. 1, following.
·05

THE KNOLL,
NORTHWOOD, R.S.O.
MIDDLESEX.

Mr Tilley regrets she made a mistake in the rainfall register, The amount measured for Jan 1st was .05 —

March 18th

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												.51	1
2											.05	.07	2
3		.01									.03	.10	3
4	.19	.01										.02	4
5	.04										.32	.32	5
6		.14									.01	.19	6
7											.20	.28	7
8	.10	.22									.21	.12	8
9	.20	.23										.02	9
10												1.32	10
11		.17										.01	11
12	.02	.06									.31	.28	12
13	.01	.26										.41	13
14		.07									.03	.39	14
15	.08		.67				.04			.36	.18	.38	15
16			.22				.03	.01	.08	.02		.04	16
17		.40	.04				.13		.18				17
18			.09									.23	18
19	.01	.08	.12				.11				.11	.36	19
20		.24	.24								.19	.12	20
21		.40	.12			.17						.12	21
22		.04	.05			.06				.43		.06	22
23		.11			.17	.05	.09			.09			23
24	.01		.14			.02	.01			.08			24
25	.03		.06	.01	.02			.04			.11		25
26			.09					.18		.43	.01	.28	26
27	.04		.08							.06	.19	.35	27
28	.01	.04	.01								.02	.23	28
29	.06		.03							.04	.37	1.32	29
30		X	.14		.04					.05	.14	.41	30
31		X		X		X			X		X		31
	–	.40	–	–	.13	.01	.05	–	–	–	.51	.05	YEAR'S TOTAL
Total	.80	2.56	6.13	.83	1.42	1.77	2.09	1.22	1.03	1.62	2.48	7.94	29.69
Rain Days.	13	17	24	9	19	11	14	13	6	10	19	26	171
	.80	2.96	5.73	.83	1.55	1.65	2.13	1.17	1.03	1.62	2.99	7.48	29.9

W. 8,000. X. 14.

written
17.III.15

REGIST

FORM A.
BRITISH RAINFALL.

13 MAR 1915

Kept at The Knoll Northwood

in the County of Middlesex

by Mr T. A. Tilley

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Northwood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Level 240 ft.

IMPORTANT

previous day. If ar
requested to add the
for it at the end of
the selection and pla
Organization are give
Dr. H. R. Mill, 62,

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
cation to

Jan. 1, following.
·05

THE KNOLL,
NORTHWOOD, R.S.O.
MIDDLESEX.

Mr Tilley regrets she made a mistake in the rainfall register, The amount measured for Jan 1st was .05 —

March 18th

Date	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Date.
1	[illegible]											.51	1
2	[illegible]										.05	.07	2
3	[illegible]	.01									.03	.10	3
4	.19	.01										.02	4
5	.04										.32	.32	5
6		.14									.01	.19	6
7											.20	.28	7
8	.10	.22									.21	.12	8
9	.20	.23										.02	9
10												1.32	10
11		.17										.01	11
12	.02	.06									.31	.28	12
13	.01	.26										.41	13
14		.07									.03	.39	14
15	.08		.61				.04			.36	18	.38	15
16			.22				.03	.01	.06	.02		.04	16
17		.40	.04				.13		.18				17
18			.09									.23	18
19	.01	.08	.12				.11				.11	.36	19
20		.24	.24								.19	.12	20
21		.48	.12			.17						.12	21
22		.04	.05			.06				.43		.06	22
23		.11			.17	.05	.09			.09			23
24	.01		.14			.02	.01			.08			24
25	.03		.06	.01	.02			.04			.11		2
26			.09					.18		.43	.01	.28	26
27	.04		.08							.06	.19	.35	27
28	.01	.04	.01								.02	.23	28
29	.06		.03							.04	.37	1.32	29
30		X	.14		.04					.05	.14	.41	30
31		X		X		X			X		X		31
	–	.40	–	–	.13	.01	.05	–	–	–	.51	.05	YEAR'S TOTAL
Total	~~.80~~	~~2.56~~	~~6.13~~	~~.83~~	~~1.42~~	~~1.77~~	~~2.09~~	~~1.22~~	~~1.03~~	~~1.62~~	~~2.48~~	~~7.94~~	~~29.89~~
Rain Days.	13	18 19	24	9	10 19	11	14	14 13	6	10	18 19	26	171 17
	.80	2.96	5.73	.83	1.55	1.65	2.13	1.17	1.03	1.62	2.99	7.48	29.9

W. 8,000. X. 14.

written 17.III.15

R N

FORM A.
BRITISH RAINFALL.

13 MAR 1915

Kept at The R r

in the County of M horood

by Mr. T. A

in.

nd 1 ft. 3 in.

Level 240 ft.

IMPORTANT result entered to the previous day. If a rule, he is earnestly requested to add the the space provided for it at the end of of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.40			.13	.01	.05				.51	1
2								.12			.05	.07	2
3		.01		.02			.11	.24			.03	.10	3
4	.19	.01	.30	.01	.21		.31	.01				.02	4
5	.04		.13	.22	.06			.09			.32	.32	5
6		.14	.90	.15	.04	.06	.43	.30			.01	.19	6
7					.77	.05	.20	.03			20	.28	7
8	.10	.22	0.99	.20	.04	.14	.22	.03			.21	.12	8
9	.20	.23		.04		.13	.14	.10				.02	9
10			.61	.10		.54		.01	.09			1.32	10
11		.17		.08	.07			.01	.24			.01	11
12	.02	.06	.44			.42					.31	.28	12
13	.01	.26	.15				.26		.26			.41	13
14		.07	.17						.18	.06	.03	.39	14
15	.08		.61				.04			.36	18	.38	15
16			.22				.03	.01	.08	.02		.04	16
17		.40	.04				.13		.18				17
18			.09									.23	18
19	.01	.08	.12				.11				.11	.36	19
20		.24	.24								.19	.12	20
21		~~.40~~ .48	.12			.17						.12	21
22		.04	.05			.06				.43		.06	22
23		.11			.17	.05	.09			.09			23
24	.01		.14			.02	.01			.08			24
25	.03		.06	.01	.02			.04			.11		2
26			.09					.18		.43	.01	.28	26
27	.04		.08							.06	.19	.35	27
28	.01	.04	.01								.02	.23	28
29	.06		.03							.04	.37	1.32	29
30		X	.14		.04					.05	.14	.41	30
31		X		X		X			X		X		31
	–	·40	–	–	·13	·01	·05	–	–	–	·51	·05	YEAR'S TOTAL
Total	~~.80~~	~~2.56~~	~~6.13~~	~~.83~~	~~1.42~~	~~1.77~~	~~2.09~~	~~1.22~~	~~1.03~~	~~1.62~~	~~2.48~~	~~7.94~~	~~29.89~~
Rain Days.	13	17	24	9	10	11	14	13	6	10	18	26	171
	·80	2·96	5·73	·83	1·55	1·65	2·13	1·17	1·03	1·62	2·99	7·48	29·9

W. 8,000. X. 14.

and pr auth 26.VI.16

942

FORM A.
BRITISH RAINFALL
APR 1916

REGISTER OF RAINFALL IN 1915

Kept at The Knoll Northwood
in the County of Middlesex
by Mrs L. A. Tilley

Lat. Long.
Time of Observation 9
Nearest Railway Station Northwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.15	.09								.40	.45	1
2	.17	—	.29			.03		.58	.29	.09		.19	2
3	.37	.19	.05				.02	.59				.32	3
4	.03	—						.04		.01		.29	4
5	.03	—						.03		.06		.30	5
6	.23	—					.80	.05				.29	6
7	.13	—					.67	.08				.24	7
8	.04	—					.04	[illegible]					8
9	—	.05				.06		.12			.26	.58	9
10	.30							.1[illegible]		.01			10
11	.02		.05		.01		.63	—			.73	.12	11
12	.10			.32	.70			.13			.33		12
13	.01				1.10		.13	—					13
14	.16	.64						.13	.08			.81	14
15	—	.04			.05			.04			.15	.16	15
16	—	.31						.13				.16	16
17	—	.35			.68		.76	.02		.03		.06	17
18	.30	.15	.09		.07		.06				.02	.01	18
19	—	.05					.13						19
20	—	—		.06	.01							.18	20
21	—	.04					.02					.08	21
22	.96		.39				.65					.19	22
23	—	—				.01			.36			.27	23
24	—	—					.75		.51	.65		.26	24
25	—	—		.05		.04	.21			.05		.13	25
26	—	—				.10	.23		.01			.54	26
27	—	.09				.48	.32		.01	.37		.04	27
28	—	—				.03			.68	.10			28
29	—	—	.02			~~.0~~	.13	.15				.02	29
30	.06	X				.08				.20	40		30
31		X	[illegible]	X		X			X	.80	X	.16	31
Total	3.29	2.06	.98	.43	2.62	~~.43~~ .83	5.55	2.20	1.94	2.37	2.29	5.85	YEAR'S TOTAL 30.61 30.41
Rain Days.	16	11	8	3	7	8	17	14	7	11	8	24	134

W. 8,000. X. 15.

cord for aut
Sep. 13 co

~~entered~~ ? Sep 13
3.IV.12

RE … H

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

NORTHWOOD

THE GRANGE

1911

Kept at Northwo… 5 in.
…e Ground 1 ft. - in.
in the County of M… Sea Level 220 ft.
by A. P. Bla… a.m.
Name Northwood
Distance ½ mile Direction E

IMPORTANT NOT…—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.53	.01 ~~.04~~		.01	.07					1
2	.09			.27	.20	—		.01			.27	.18	2
3	.03	.01			.21						.11	.07	3
4	.02	.03	.07	.07					.01	.06	.09	.34	4
5	.35	.01							.01	.07		.05	5
6	.04		.10	.03							.02	.38	6
7										.10	.38	.26	7
8	.16		.23	.04							.12	.14	8
9	.07										.01	.04	9
10		.05	.18								.05	.26	10
11	.29				.25				.01		.63	.03	11
12	.01		.47		.07						.26		12
13			.05		.46	.03			(.50)	.36		.33	13
14		.05	.02		.13						.01	.32	14
15		.07	.10							.01	.05	.02	15
16						.24					.39	.07	16
17			.02			.14					.31	.20	17
18		.19	.02			.25					.40	.32	18
19						.24	.02		.19	.08	.22	.15	19
20		.05	.01					.42	.10	.04		.58	20
21	.03	.05								.63		.07	21
22	.09		.01			.06		.30		.16		.05	22
23		.15	.12			.55			.22	.01	.03	.16	23
24		.16	.02			.12	.01	.03		.86		.21	24
25		.06	.02	.07		.21	.26		.02	.07			25
26		.03	.01	.20	.02	.04	.02			.15	.02	.35	26
27		.42	.07	.05			.01	.02	.13			.17	27
28		.49		.26	08			.06			.09		28
29				.03		.22	.13		.22	.31			29
30						.05		.07	02	.15			30
31					46								31
Total	1.21	1.82	1.52	1.55	1.89	2.15	0.46	0.48	0.93 (1·43)	3.06	3.46	4.75	TOTAL for year 23.78 (24·28)
No. of Rain Days.	12	15	17	10	10	12	7	8	10	15	19	24	159

W. 8,000, X. '11.

Corrected
7 Sep 13
3.IV.12

Cor'd for [illegible]
Sep. 13 [illegible]

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

Kept at Northwood Grange

in the County of Middlesex

by A. P. Blathwayt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 220 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Northwood
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03			.53	.01 ~~.04~~		.01	.07					1
2	.09			.27	.20			.01			.27	.18	2
3	.03	.01			.21						.11	.07	3
4	.02	.03	.07	.07					.01	.06	.09	.34	4
5	.35	.01							.01	.07		.05	5
6	.04		.10	.03							.02	.38	6
7										.10	.38	.26	7
8	.16		.23	.04							.12	.14	8
9	.07										.01	.04	9
10		.05	.18								.05	.26	10
11	.29				.25				.01		.63	.03	11
12	.01		.47		.07						.26		12
13			.05		.46	.03			(.50)	.36		.33	13
14		.05	.02		.13						.01	.32	14
15		.07	.10							.01	.05	.02	15
16						.24					.39	.07	16
17			.02			.14					.31	.20	17
18		.19	.02			.25					.40	.32	18
19						.24	.02		.19	.08	.22	.15	19
20		.05	.01					.42	.10	.04		.58	20
21	.03	.05								.63		.07	21
22	.09		.01			.06		.30		.16		.05	22
23		.15	.12			.55			.22	.01	.03	.16	23
24		.16	.02			.12	.01	.03		.86		.21	24
25		.06	.02	.07		.21	.26		.02	.07			25
26		.03	.01	.20	.02	.04	.02			.15	.02	.35	26
27		.42	.07	.05			.01	.02	.13			.17	27
28		.49		.26	08			.06			.09		28
29				.03		.22	.13		.22	.31			29
30						.05		.07	02	.15			30
31					46								31
Total	1.21	1.82	1.52	1.55	1.89	2.15	0.46	0.48	~~0.93~~ (1.43)	3.06	3.46	4.75	TOTAL for year 23.78 (24.28)
No. of Rain Days.	12	15	17	10	10	12	7	8	10	15	19	24	159

W. 8,000, X. '11.

RE

NORTHWOOD
HAZELMERE
LONDON / MIDDX
1911-20

FORM A2. BRITISH RAINFALL.
14 MAR 1912

Kept at Haslerne

in the County of Mi

by L. McBea

in.

Ground 1 ft.

Sea Level ft.

a.m

Name Northwood

Distance 200 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	00	·00	·47	·00	·00	·00	·06	·00	·00	·00	·00	1
2	·10	·01	·00	·32	·21	·00	·00	·00	·00	·00	·26	·22	2
3	0	·02	·00	00	·17	·00	·00	·00	·00	00	·10	·08	3
4	·04	·03	·07	·06	·00	·00	·00	·00	·00	·05	·00	·37	4
5	·04	·00	·00	·05	·00	·00	·00	·00	·00	·08	·00	·02	5
6	·33	·00	·10	·03	·00	·00	·00	·00	·00	·00	·02	·49	6
7	·02	·00	·00	·01	·00	·00	·00	·00	·00	·10	·31	·23	7
8	·17	·00	·24	·00	·00	·00	·00	·00	·00	·00	·14	·17	8
9	·07	·00	·00	·00	·00	·00	·00	·00	·00	·00	·02	·07	9
10	·04	·05	·14	·00	·00	·00	·00	·00	·00	·00	·07	·45	10
11	·24	·00	·00	·00	·20	·00	·00	·00	·00	·00	·66	·05	11
12	·03	·00	·46	·00	·11	·00	·00	·00	·00	·00	·24	·00	12
13	·00	·00	·06	00	·44	·00	·00	·00	·49	·38	·01	·37	13
14	·00	·05	·00	·00	·11	·00	·00	·00	·00	·01	·05	·41	14
15	·00	·06	·12	·00	·00	·00	·00	·00	·00	·01	·01	·03	15
16	·00	·00	·00	·00	·00	·27	·00	·00	·00	·00	·38	·08	16
17	·00	·00	·03	·00	·00	·19	·00	·00	·00	·00	·32	·19	17
18	·00	·20	·00	·00	·00	·21	·00	·00	·00	·00	·42	·29	18
19	·00	·00	·01	·00	00	·27	·00	·00	·16	·08	·21	·19	19
20	·00	·06	·00	·00	·00	·00	·00	·50	·08	·03	·01	·62	20
21	00	·04	·01	·00	·00	·01	·00	·35	·00	·71	·00	·06	21
22	·11	·00	·01	·00	·00	·04	·00	·01	·00	·10	·00	·58	22
23	·00	·11	·11	·00	·00	·62	·00	·00	·21	·05	·00	·25	23
24	·00	·16	·04	·00	·00	·00	·02	·03	·00	·86	·03	·12	24
25	·02	·07	·03	·07		·12	·26	·00	·01	·08	·00	·01	25
26	·00	·04	·03	·20	·02	·21	·03	·01	·00	·15	·01	·35	26
27	·00	·34	·10	·05	·00	·06	·02	·00	·12	·00	·04	·18	27
28	·00	·38	·00	·25	·10	·00	·00	·06	·00	·00	·05	·00	28
29	·00		·01	·00	·00	·20	·00	·00	·19	·32	·00	·00	29
30	·00		·01	·00	·06	·03	·12	·12	·02	·12	·02	·01	30
31	·00			·00	·57		·00	·00	~~·00~~	·00		·00	31
Total	1·24	1·62	1·58	1·51	1·99	2·23	·45	1·14	1-28	3-13	3-38	5-89	TOTAL for year 25-44
No. of Rain Days	13	15	18	10	10	12	5	8	8	16	22	26	163

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 19[illegible]

FORM A2.
BRITISH RAINFALL.
14 MAR 1912

Kept at Haslemere Northwood

in the County of Middlesex

by L. McBean

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft.
	" " " Sea Level	ft.

Time of Observation 9 a.m

Nearest Railway Station { Name Northwood
Distance 200 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	00	·00	·47	·00	·00	·00	·06	·00	·00	·00	·00	1
2	·10	·01	·00	·32	·21	·00	·00	·00	·00	·00	·26	·22	2
3	0	·02	·00	00	·17	·00	·00	·00	·00	00	·10	·08	3
4	·04	·03	·07	·06	·00	·00	·00	·00	·00	·05	·00	·37	4
5	·04	·00	·00	·05	·00	·00	·00	·00	·00	·08	·00	·02	5
6	·33	·00	·10	·03	·00	·00	·00	·00	·00	·00	·02	·49	6
7	·02	·00	·00	·01	·00	·00	·00	·00	·00	·10	·31	·23	7
8	·17	·00	·24	·00	·00	·00	·00	·00	·00	·00	·14	·17	8
9	·07	·00	·00	·00	·00	·00	·00	·00	·00	·00	·02	·07	9
10	·04	·05	·14	·00	·00	·00	·00	·00	·00	·00	·07	·45	10
11	·24	·00	·00	·00	·20	·00	·00	·00	·00	·00	·66	·05	11
12	·03	·00	·46	·00	·11	·00	·00	·00	·00	·00	·24	·00	12
13	·00	·00	·06	00	·44	·00	·00	·00	·49	·38	·01	·37	13
14	·00	·05	·00	·00	·11	·00	·00	·00	·00	·01	·05	·41	14
15	·00	·06	·12	·00	·00	·00	·00	·00	·00	·01	·01	·03	15
16	·00	·00	·00	·00	·00	·27	·00	·00	·00	·00	·38	·08	16
17	·00	·00	·03	·00	·00	·19	·00	·00	·00	·00	·32	·19	17
18	·00	·20	·00	·00	·00	·21	·00	·00	·00	·00	·42	·29	18
19	·00	·00	·01	·00	00	·27	·00	·00	·16	·08	·21	·19	19
20	·00	·06	·00	·00	·00	·00	·00	·50	·08	·03	·01	·62	20
21	00	·04	·01	·00	·00	·01	·00	·35	·00	·71	·00	·06	21
22	·11	·00	·01	·00	·00	·04	·00	·01	·00	·10	·00	·58	22
23	·00	·11	·11	·00	·00	·62	·00	·00	·21	·05	·00	·25	23
24	·00	·16	·04	·00	·00	·00	·02	·03	·00	·86	·03	·12	24
25	·02	·07	·03	·07		·12	·26	·00	·01	·08	·00	·01	25
26	·00	·04	·03	·20	·02	·21	·03	·01	·00	·15	·01	·35	26
27	·00	·34	·10	·05	·00	·06	·02	·00	·12	·00	·04	·18	27
28	·00	·38	·00	·25	·10	·00	·00	·06	·00	·00	·05	·00	28
29	·00		·01	·00	·00	·20	·00	·00	·19	·32	·00	·00	29
30	·00		·01	·00	·06	·03	·12	·12	·02	·12	·02	·01	30
31	·00			·00	·57		·00	·00	~~·00~~	·00		·00	31
Total	1·24	1·62	1·58	1·51	1·99	2·23	·45	1·14	1-28	3-13	3-38	5-89	TOTAL for year 25-44
No. of Rain Days	13	15	18	10	10	12	5	8	8	16	22	26	163

9,000, IX. '10.

Cor for auth. 8.11-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
16 JAN 1913

Kept at ~~Haslemere~~ Northwood
in the County of Middlesex
by L. McBean

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Northwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0 ·08			0 ·10	·05		0 ·08	0 ·30		0 ·18	1
2			0 ·07			0 ·05	·32	0 ·03		0 ·01			2
3	0 ·06		0 ·14			0 ·25	·03	0 ·33	0 ·02			0 ·09	3
4	0 ·30		0 ·62		0 ·12	0 ·16		0 ·04			0 ·22		4
5	0 ·24	0 ·13	0 ·11					0 ·37			0 ·02	0 ·02	5
6	0 ·54	0 ·04				0 ·07		0 ·36	0 ·04			0 ·06	6
7	0 ·52		0 ·01		0 ·06	0 ·49	·05	0 ·34				0 ·06	7
8	0 ·02	0 ·31	0 ·23	0 ·03		0 ·08	0 [illegible]	0 ·10		0 ·02		0 ·02	8
9	0 [illegible]	0 ·20	0 ·02	0 ·09		0 ·02	0 ·03	0 ·04				0 ·27	9
10	0 00	0 ·03		0 ·01		0 ·04		0 ·45			0 ·10	0 ·17	10
11	0 ·10	0 ·30				0 ·02					0 ·02	0 ·16	11
12	0 ·07	0 ·12	0 ·14		0 ·21	0 ·09				0 ·02	0 ·06		12
13	0 ·00	0 ·01	0 ·01			0 ·01					0 ·09		13
14	0 ·02	0 ·00						0 ·09		0 ·06	0 ·01	0 ·03	14
15	0 ·02	0 ·02	0 ·15		0 ·23	0 ·42		0 ·03			0 ·01	0 ·29	15
16	0 ·37		0 ·08		0 ·02	0 ·01		0 ·18		0 ·09	0 ·07		16
17	0 ·20		0 ·24			0 ·09		0 ·08			0 ·01		17
18	0 ·34		0 ·20					0 ·16			0 ·01	0 ·09	18
19	0 ·13	·08	0 ·18				0 ·30	0 ·54					19
20	0 ·02	·08	0 ·15			0 ·01	0 ·05	0 ·11		0 ·39			20
21	0 ·03	·19	0 ·38		0 ·31			0 ·09		0 ·09	0 ·08		21
22	0 ·34	·34	0 ·09		0 ·11		0 ·08	0 ·15		0 ·03	0 ·01	0 ·05	22
23	0 ·31	·02	0 ·35				0 ·04	0 ·44		0 ·03		0 ·18	23
24	0 ·40		0 ·01					0 ·10			0 ·01	0 ·29	24
25	0 ·01					0 ·17		0 ·45			0 ·30	0 ·50	25
26		·02				0 ·04	0 ·18	0 ·33		0 ·47	0 ·40	0 ·17	26
27										0 ·18	[illegible]	0 ·21	27
28		·07				0 ·01		0 ·14	·04	0 ·45	0 ·44	0 ·30	28
29						0 ·42	0 ·24	0 ·28	1 ·53	0 17			29
30					0 ·43	0 ·03	0 ·02	0 ·02	0 ·94	0 ·20			30
31			0 ·33		0 ·22		0 ·22	0 ·22		0 ·03		0 ·09	31
Total	4 ·04	1 ·96	3 ·59	0 ·13	1 ·71	2 ·58	1 ·61	5 ·56 5.47	2 ·65	2·54	1 ·86	3 23 3.23	YEAR'S TOTAL 31 37
Rain Days.	20	16	21	3	9	21	13	26	6	16	17	20	188

31·37

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
27 JAN 1914

Kept at Haslemere, Northwood
in the County of Middlesex
by L. McBean

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Northwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	0·14	0·11	0·29	0·00	0·00	0·00	0·00	0·20	0·00	0·09	0·11	1
2	0·02	0·12	0·02	0·00	0·02	0·00	0·10	0·00	0·03	0·20	0·05	0·03	2
3	0·02	0·00	0·06	0·23	0·51	0·00	0·00	0·00	0·00	0·04	0·00	0·03	3
4	0·24	0·00	0·01	0·02	0·11	0·00	0·08	0·00	0·00	0·11	0·04	0·09	4
5	0·11	0·00	0·00	0·00	0·00	0·02	0·14	0·00	0·30	0·02	0·01	0·07	5
6	0·01	0·07	0·05	0·00	0·10	0 ~~·02~~ ·13	0·39	0·00	0·01	0·42	0·06	0·12	6
7	0·00	0·10	0·00	0·00	0·05	0·00	0·00	0·10	0·00	0·56	0·08	0·03	7
8	0·00	0·00	0·03	0·00	0·10	0·16	0·00	0·00	0·00	0·08	0·02	0·01	8
9	0·00	0·23	0·00	0·00	0·03	0·01	0·00	0·00	0·06	0·00	0·04	0·04	9
10	0·00	0·00	0·08	0·05	0·03	0·00	0·16	0·10	0·00	0·00	0·54	0·00	10
11	0·49	0·00	0·00	0·48	0·03	0·00	0·00	0·06	0·00	0·68	0·44	0·00	11
12	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·00	0·01	0·30	0·00	12
13	0·05	0·00	0·02	0·00	0·00	0·00	0·00	0·01	0·07	0·00	0·29	0·00	13
14	0·09	0·00	0·08	0·04	0·00	0·00	0·45	0·06	0 ~~·05~~	0·13	0·8	0·00	14
15	0·17	0·09	0·18	0·28	0·00	0·00	0·13	0·00	0·05	0·00	0 00	0·00	15
16	0·13	0·00	0·30	0·08	0·00	0·00	0·00	0·00	0·10	0·00	0·00	0·00	16
17	0·03	0·04	0·06	0·03	0·00	0·00	0·11	0·01	0·00	0·00	0·03	0·12	17
18	0·02	0·00	0·18	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·01	18
19	0·35	0·00	0·03	0·02	0·11	0·00	0·09	0·00	0·25	0·00	0·01	0·00	19
20	0·08	0·00	0·08	0·04	0·02	0·06	0·00	0·00	0·00	0·52	0·00	0·00	20
21	0·00	0·00	0·18	0·05	0·00	0·00	0·02	0·00	0·00	0·15	0·59	0·00	21
22	0·48	0·00	0·13	0·06	0·41	0·00	0·00	0·00	0·00	0·00	0·00	0·00	22
23	0·00	0·00	0·00	0·00	0·00	0·00	0 ~~·21~~	0·21	0·22	0·00	0·01	0·23	23
24	0·02	0·00	0·00	0·04	0·00	0·00	0 ~~·10~~	0·10	0·00	0·00	0·02	0·00	24
25	0·00	0·07	0·21	0·15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	25
26	0·00	0·00	0·00	0·10	0·00	0·00	0 ~~·07~~	0·07	0·00	0·62	0·00	0·22	26
27	0·00	0·00	0·04	0·08	0·02	0·00	0·00	0·00	0·00	0·04	0·00	0·00	27
28	0·36	0·00	0·21	0·15	0·00	0·00	0·00	0·00	0·00	0·12	0·00	0·00	28
29	0·04	0·00	0·11	0·60	0·00	0·00	0 ~~·10~~	0·10	0·00	0·04	0·00	0·05	29
30	0·23	0	0·00	0·02	0·00	0·00	0 ~~·04~~	0·04	0·00	0·29	0·04	0·00	30
31	0·00		0·09		0·00		0 ~~·32~~	0·32		0·00		0·00	31
Total	2·98	0·86	2·26	2·92	1·56	0·38	1·67	1·18	1·29	4·03	2·78	1·16	YEAR'S TOTAL 23·07
Rain Days.	20	8	22	21	14	5	10	12	10	17	20	14	173

✓ [illegible] 19.IV.15 W 8JJ

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
7 - APR 1915

Kept at Haslemere, Northwood

in the County of Middlesex 1

by L. McBean

Lat. .... Long. —

Time of Observation 9 a.m.

Nearest Railway Station Northwood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	–	–	–	·01	·12	–	–	–	·01	1
2	–	–	–	·02	–	·01	·12	·26	–	–	09	·10	2
3	–	–	·04	·02	·20	–	·33	·01	–	–	–	–	3
4	·20	–	·02	·21	·06	–	–	·12	–	–	·36	·30	4
5	·02	–	·13	·17	·04	·07	·45	·30	–	–	–	–	5
6	–	·14	·01	–	·03	·14	·09	·03	–	–	–	·28	6
7	–	·20	·37	·22	·80	·05	·20	·05	–	–	–	·10	7
8	·10	·21	·74	·05	·06	·14	·12	·09	–	–	·20	·04	8
9	·19	·01	·62	·11	·01	·60	–	·01	·10	–	·01	1·32	9
10	·01	·15	·01	·09	·07	–	–	–	·21	–	–	–	10
11	–	–	·50	·01	–	·45	–	–	·06	–	–	–	11
12	·02	·05	·16	–	–	–	·26	–	·28	·01	·28	·49	12
13	–	·24	·15	–	–	–	–	–	·19	·05	·02	·36	13
14	–	·07	·57	–	–	–	·05	–	~~09~~	·38	·11	·40	14
15	·08	–	·19	–	–	–	·01	·02	·09	·04	·11	·01	15
16	–	–	·04	–	–	–	·12	–	·17	·07	03	–	16
17	–	·40	·09	–	–	–	–	–	·02	–	–	34	17
18	–	·01	·13	–	–	–	·01	–	–	–	–	–	18
19	–	·07	·28	–	–	–	·11	–	–	–	·11	·03	19
20	–	·22	·15	–	–	–	–	·01	·03	–	·19	·13	20
21	–	·46	·06	–	–	·17	–	–	–	–	·01	·05	21
22	–	·06	·02	·01	·17	·06	·09	·05	–	·43	–	–	22
23	–	·12	·15	–	·21	·04	–	·01	·05	·09	–	–	23
24	–	·01	·05	–	·02	–	–	–	–	·07	·12	–	24
25	–	–	·10	–	–	–	–	·17	–	·33		·26	25
26	–	–	·09	–	–	–	·09	·02	–	·07	·19	·37	26
27	·08	–	·02	–	–	–	–	–	–	–	·30	·23	27
28	–	·04	–	–	·04	–	–	–	–	·05	–	1·26	28
29	·05	–	·16	–	–	–	–	–	–	·26	·49		29
30	–	✕	·05	–	–	–	–	–	–	–	·36	·43	30
31	–	✕		✕	·15	✕	·05	–	✕	–	✕	–	31
Total	·75	2·46	4·93	·91	1·86	1·73	2·11	1·27	1·20	1·85	~~3·08~~ 2·98	6·51	YEAR'S TOTAL 28·66 28·56
Rain Days.	9	17	28	10	13	10	16	15	10	12	17	20	177

W. 8,000. X. 14.

Cor.d pr. with 27.2.16 ~~W 93~~

941

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Haslemere, Northwood

in the County of Middlesex

by L. McBean

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Northwood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·22	05	–	·03	–	·02	·57	–	·05	·12	·50	1
2	20	·14	06	·13	–	·02	–	·62	–	–	–	·73	2
3	40	–	–	12	–	–	–	·05	·01	–	–	·09	3
4	03	–	–	–	–	–	–	·02	–	–	–	·34	4
5	–	38	–	–	·01	–	–	·08	–	·06	–	·31	5
6	29	–	01	26	–	–	·87	–	–	–	–	·25	6
7	09	33	05	–	–	–	·63	–	–	–	–	–	7
8	04	44	02	·04	–	–	·05	–	–	–	–	–	8
9	–	–	–	·08	–	·06	–	·13	–	–	·28	·65	9
10	31	–	02	–	–	–	–	·13	–	–	–	·14	10
11	02	–	04	–	–	–	–	–	–	·01	·64	–	11
12	09	·20	–	·24	·45	–	–	·15	–	–	·53	–	12
13	–	·44	–	–	1·33	–	–	–	–	–	–	–	13
14	–	·02	–	–	–	–	1·12	–	·07	–	~~83~~	·83	14
15	15	·05	–	–	·06	–	–	·14	–	–	~~05~~	·05	15
16	–	·52	–	–	·02	–	·77	–	–	–	–	–	16
17	–	·24	–	–	·73	–	·07	·14	–	–	–	–	17
18	–	·13	07	–	·04	–	·15	–	–	–	–	–	18
19	–	·06	–	–	–	–	–	–	–	–	–	–	19
20	·32	–	–	·06	·01	–	–	–	–	–	–	·24	20
21	·25	·04	–	–	–	–	·02	–	–	–	–	·08	21
22	·68	·13	·33	–	–	–	·94	–	–	–	–	·11	22
23	·02	·28	·09	–	–	·01	·43	–	·39	·58	–	·20	23
24	–	–	·02	–	–	·02	–	–	·55	·15	–	·34	24
25	–	–	·04	06	–	·04	·22	–	·02	·06	·18	·13	25
26	–	·08	·01	–	–	–	·37	–	·01	–	–	·54	26
27	–	–	–	–	–	·58	·20	–	–	·45	–	–	27
28	–	·05	·02	–	–	·05	–	–	1·17	·05	–	–	28
29	–	–	·01	–	–	–	·16	·11	–	–	·13	·02	29
30	·04	✕	–	–	–	·08	–	–	–	–	·15	–	30
31	–	✕	–	✕	–	✕	–	·22	✕	1·49	✕	·16	31
Total	3·38	3·55 3·75	·84	·99	2·68	·86	6·02	2·36	2·22	2·90	2·03	5·71	YEAR'S TOTAL 33 84 33·74
Rain Days.	16	18	15	8	9	8	15	12	7	9	7	19	143

W. 8,000. X. 15.

914

FORM A. BRITISH RAINFALL.

23 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Haslemere, Northwood
in the County of Middlesex
by L. McBean

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Northwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18		·07		·18	·03	03		·15	·03	·26		1
2	·44	·04	·14		·19				·13	·45	·01		2
3		·47	·07						·18	·31	·31		3
4	·30	·10	·10			·43	·06			·14	·48		4
5		·02			·06	·22	·01			·11	·57		5
6	·03	·05	·50	·24	·01	·10	·42			·05	·40		6
7	·11		·17		·16	·14	·50				·66		7
8					·29	·04						·30	8
9					·17	·16				·09		·04	9
10				·07		·26	·05				·03	·05	10
11				·15		·20						·15	11
12		·15		·18	(·10)	·13	·15	·25		·06			12
13		·43	·38		·02	·04	·23	·18		·01			13
14		·46		·03	·10			·83					14
15		·36	·18					·09		·12			15
16		·02	·50	·05			·30						16
17	·10	·11		·20				1·00	·32	·49		·05	17
18		·10	·05	·10				·30	·28		·84	·10	18
19	·15		·19	·23					·27	·12	·63	·10	19
20	·01		·33	·01							·03	·46	20
21			·72				·14					·35	21
22			·02		·03	·02				·06		·50	22
23		Snow				·24		·01				·10	23
24		30	·07			·15		·05		·18	·04	·35	24
25		Snow	·05		·10			·21		·02	·15		25
26								·06		·08			26
27	·07	·84				·08		·31	·16	·18			27
28		·35	1·01			·13			·15	·13		·26	28
29			·31			·14		1·68	·02	·27	·02	·14	29
30		X		·08		·24		·06		·45			30
31		X		X		X		05	X	·12	X	·03	31
Total	1·39	3·80	4·86	1·34	1·41	2·75	1·89	5·08	1·66	3·47	4·43	2·98	YEAR'S TOTAL 35·06
Rain Days.	9	18	18	11	11	18	10	14	9	21	14	15	168

W. 8,000, VIII. 16

882

FORM A.
BRITISH RAINFALL
10 JUN 19

REGISTER OF RAINFALL IN 1917

Kept at Haslemere Northwood
in the County of Middlesex
by L. McBean

Lat. ✓ Long.
Time of Observation 9 a.m
Nearest Railway Station Northwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·68	·04		·07	·02	1
2				·56	·00	·08		·07					2
3				·04				·32		·30	·01		3
4		22		·07			·08	·16		·25			4
5	·28		·26	·26				·01	·16	·10	·11		5
6	27		·14		·00	·09			·12		·07	·01	6
7	26				00	·25	·16		·09	·32		·03	7
8	25			·09			·82	·50		·28	·18		8
9	3		·10	·11			·10	·11	·02		·08	·07	9
10			·16	·24				~~41~~			·02		10
11	38		·43	·11						·50			11
12	·16	·02								·47			12
13	·04		·11	·20					·03				13
14				·05				·18					14
15	·08						·22	·10					15
16		·10		·18	·11	·31	·10	·01		·72		·42	16
17	·02				·73		·26		·49	26			17
18	·07	~~10~~		·21	·10	·21		·05	·22	20			18
19	·02		·05		·06	·21	·15		·07				19
20		·45			·50		·05				·07		20
21			·18	·02	·03	·04					·03		21
22			·01			·14				·07			22
23		·15			·10			·06					23
24		·06				·04		·11		·31			24
25			·05					·07		·01			25
26								·24	·04			·06	26
27								1·00					27
28			·08			2·03		·04			·30		28
29						·06	·86			·25			29
30	·06	×	·46				1·50	·10				·28	30
31		×	·06	×		×	·53		×	·03	×		31
Total	1·92	1·00	2·09	2·14	1·63	3·46	4·83	3·81	1·28	4·07	·94	·89	YEAR'S TOTAL 28·06
Rain Days.	13	6	13	13	7	11	12	18	10	15	10	7	135

W. 8,000, IX. 17.

No 976 Cor. for auth. 29

REGISTER OF RAINFALL IN 19~~19~~18

FORM A.
BRITISH RAINFALL

4.7.19

Kept at Haslemere Northwood

in the County of Middlesese

by L. McBean

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Northwood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05							·18	·09	1
2		·05						·36		·02	·42	·18	2
3		·10	·12	·10	·57			·06		·01	·31	·02	3
4		07						·01	·45		·32	·02	4
5		·03			·09			·15	·17	·02			5
6	·08	·07		·20				·04				·09	6
7	·02	·17		·13	·35			·04		·05	·15		7
8		·05							·33	·07		·02	8
9		·11		·07		·15	·37		·38	·15		·16	9
10	·04			·11			·42		·03		·04	·31	10
11							·27		·20	·42	·08	·09	11
12		·10			·37		·20						12
13	·02				·38		·21		·12			·11	13
14			·04			·18	·03		·40	·18		·07	14
15	1·32			1·26			·14					·20	15
16	·25			·05		·08	·02		·77	·11			16
17	·26			·28	·07	·59	·18	·05				·10	17
18	·54					·24	·10		·35	·07		·07	18
19		·02		·08		·05	·20	·03	·04	·06		·10	19
20	·02	·03		·50		·04	·09		·09	·28			20
21	·14	·10		1·22					·38	·04		·06	21
22	·10				·07				·09			·12	22
23	·04			·02	·44		·88	·02	·01		·03	·02	23
24		·16				·01	·05		·04		·14		24
25							·30	·22		·02			25
26		·02					·21	·02	·01	·04		·10	26
27							·06	·23	·05		·14	·06	27
28		·06	·17	·13		·01		·02			·15	·17	28
29									1·30				29
30			·40						·12			05	30
31								·03		·09			31
Total	2·83	1·14	·73	4·20	2·34	1·35	3·73	~~1·29~~ 1·28	4·33	1·63	1·96	2·21	YEAR'S TOTAL ~~28·74~~ 27·73
Rain Days.	12	15	4	14	8	9	17	14	20	16	11	22	162

W, 6,500, VII. 18. W W C

832

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

22 JUN 20

Kept ~~at~~ Haslemere Northwood
in the County of Middlesex
by L. McBean

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Northwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·37	·00	·00	·00	·00	·00	·37	·00	·00	·00	·04	1·12	1
2	·28	·00	·00	·00	·00	·00	·05	·01	·16	·05	·14	·22	2
3	·30	·00	·00	·00	·00	·00	·25	·00	·06	·00	·05	·30	3
4	·10	·15	·75	·00	·00	·07	·09	·05	·04	·00	·04	·10	4
5	·02	·26	·61	·00	·00	·00	·08	·00	·15	·00	·00	·28	5
6	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·02	6
7	·20	·00	·33	·00	·00	·00	·00	·00	·00	·00	·12	·00	7
8	·04	·00	·00	·06	·00	·00	·00	·00	·00	·00	·03	·00	8
9	·02	·00	·07	·00	·00	·00	·00	·00	·00	·00	·04	·12	9
10	·05	·00	·00	·00	·00	·00	·00	·00	·00	·02	·00	·00	10
11	·00	·00	·20	·21	·00	·00	·00	·00	·00	·00	·00	·00	11
12	·09	·00	·05	·00	·05	·05	·36	·00	·00	·04	·00	·05	12
13	·02	·00	·00	·28	·00	·00	·00	·00	·00	·07	·12	·00	13
14	·24	·00	·00	·36	·00	·00	·05	·00	·40	·00	·00	·03	14
15	·10	·00	·13	·20	·00	·00	·00	·00	·00	·00	·03	·64	15
16	·23	100	·00	·02	·00	·00	·00	·00	·00	·00	·11	·03	16
17	·00	·46	·00	·00	·00	·00	·00	·00	·00	·00	·24	·00	17
18	·00	·36	·00	·00	·00	·00	·00	·00	·06	·00	·16	·08	18
19	·19	·00	1·12	·00	·00	·00	·40	·00	·04	·00	·13	·00	19
20	·20	·07	·05	·00	·00	1·05	·12	·11	·01	·00	·00	·03	20
21	·28	·37	·00	·00	·00	·00	·20	·18	·00	·00	·00	·05	21
22	·00	·12	·00	·00	·00	·04	·00	·00	·35	·00	·04	·35	22
23	·00	·00	·00	·00	·00	·01	·00	·00	·09	·03	·03	·00	23
24	·00	·24	·00	·18	·00	·04	·15	·06	·00	·25	·15	·00	24
25	·00	·03	·00	·06	·01	·09	·00	·06	·00	·00	·00	·05	25
26	·18	·02	·15	·00	·00	·00	·00	·46	·09	·00	·00	·45	26
27	·99	·00	·05	1·14	·00	·00	·00	·02	·00	·00	·00	·00	27
28	·00	·00	·00	·00	·00	·00	·00	·30	·00	·00	·00	32~~38~~	28
29	·01	·00	·11	·00	·00	·00	·00	·93	·00	·15	·00	·05	29
30	·00	✕	·04	·21	·00	·15	·00	·19	·00	·00	·38	·42	30
31	·05	✕	·00	✕	·00	✕	·01	·10	✕	·02	✕	·00	31
Total	3·96	3·08	3·66	2·72	·06	1·50	2·13	2·47	1·45	·63	1·85	4·71	YEAR'S TOTAL 28·22
Rain Days.	21	11	13	10	2	8	12	12	11	8	17	20	145

W. 6,500. VII. 18. w w c

CXML 784

3 JAN 19

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wealdstone House, Harrow

in the County of Middlesex

by Honora O.E. Cobb

Lat. 51° 36′ 19″ N Long. 0° 20′ 19″ W.

Time of Observation 9 AM

Nearest Railway Station Harrow L & N W Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·47	·08		·35			·45		·21	1
2			·01				·35	·59	·07			·10	2
3		·09		·03					·07	·02			3
4		·04		·09			·14	·08	↑	·24		·08	4
5			·07		·05		·57	·02				·01	5
6			·13		·13		·30	·01				·01	6
7			·01	·27			·19						7
8		·04		·15	·04		·30	·07					8
9	·40			·01				·01					9
10	·92	·05	·08			·04	·10						10
11	·17		·07	·15	·04	·03	·15						11
12	·08			·12		·72						snow ·09	12
13	·13		·11	·20							·05		13
14		·01	·31	·20		·20	·04		+	·39	·18	·01	14
15			·08	·21					+	·28	·07		15
16				·18		·07			+	·11		·02	16
17	·03			·04	·19				+			·03	17
18								·67	+			·03	18
19	·21			·19	·01	·07		·03					19
20		·07		·15		·65			+				20
21							·62		+			·07	21
22				·26			·02		+			·25	22
23							1·60					·41	23
24	·06		·09									·04	24
25		·04	·03				·17						25
26	·07		·13		·03		·02					·04	26
27	·29	·06		·21		·09	·02				·66	·07	27
28	·44		·10	·08	·11	·05	·10				·01		28
29	·25		·02				·07		for the rest of the month		·11	·23	29
30	·04	✕			·11		·35		↓ 2·01+		·16	·24	30
31	·02	✕		✕	·01	✕			✕	·12	✕	·07	31
TOTAL	3·11	·40	1·24	3·01	·80	1·92	5·46	1·48	2·15	1·61	1·24	2·01	YEAR'S TOTAL 24·43
Days with ·01 in. or more	14	8	14	18	11	9	19	8	(11)	7	7	19	~~134~~ (145)*
	12	7	10	16	8	8	16	4	(9)	6	6	13	(115)

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

* excluding September

Grade

RE

NORTHWOOD
MURRAY RD.
1911 - 1913

FORM A2.
BRITISH RAINFALL.

1-JAN 1912

Kept at Danehurst.

in the County of Mi

by H. Dane MC

r Zambra.

5 in.

e Ground 1 ft. 3 in.

Sea Level ~~24~~ 240 ft.

a.m

Name Northwood

Distance 3 yds. ~~30~~ Direction E.N.E.

IMPORTANT NOTE and the result entered to the previous day. If an Ob prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
9.0.a.m.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·47	·01		·02	·08			·01		1
2	·07	·01		·34	·21			·01			·22	·18	2
3	·04	·02			·21					·01	·10	·05	3
4	·05	·03	·09	·07						·05	·11	·37	4
5	·03	·01		·05					·01	·07			5
6	·36		·10									·24	6
7	·04		·01	·03						·10	·33	·32	7
8	·15		·22								·15	·16	8
9	·07		·04								·02	·04	9
10	·03	·06	·17	·02							·07	·33	10
11	·27		·01		·20						·62	·04	11
12	·03		·48		·04	·07			·02		·19	·02	12
13			·06		·47				·49	·38	·06	·33	13
14		·05	·13		·13							·34	14
15		·07								·02	·05	·03	15
16						·28					·38	·06	16
17	·01		·02			·19				·01	·28	·18	17
18		·21	·02			·19					·42	·24	18
19						·32			·16	·03	·23	·21	19
20	·02	·05						·50	·07	·07		·69	20
21	·02	·07	·01					·34		·61		·09	21
22	·09					·05		·01		·19		·53	22
23		·13	·12			·61			·20		·03	·14	23
24	·01	·16				·08	·02	·03		·82		·20	24
25		·07	·04	·07		·24	·25		·01	·09		·01	25
26		·02	·02	·21	·02	·04	·05	·02		·15	·02	·34	26
27		·43		·06			·03		·12		·01	·16	27
28	·01	·42		·26	·10			·07		·01	·07		28
29				·02		·22	·12		·20	·30	·01		29
30			·01		·05	·03		·10	·02	·10		·01	30
31					·60					·01			31
Total	1·34	1·81	1·55	1·60	2·04	2·32	·49	1·16	1·30	3·02	3·38	5·34	TOTAL for year 25·35
No. of Rain Days	~~17~~ 18	16	17	11	11	12	6	9	10	18	21	26	175 ~~174~~

9,000, IX. '10.

Jfrade

RE

Lambra.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Danehurst. Northwood MURRAY

in the County of Middlesex

by H. Dane MRCS LRCP.

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. 3 in.
	„ „ „ Sea Level	~~24~~ 240 ft.

Time of Observation 8·0 a.m

Nearest Railway Station { Name Northwood
Distance 300 yds. Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
9·0·a.m.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·47	·01		·02	·08			·01		1
2	·07	·01		·34	·21			·01			·22	·18	2
3	·04	·02			·21					·01	·10	·05	3
4	·05	·03	·09	·07						·05	·11	·37	4
5	·03	·01		·05					·01	·07			5
6	·36		·10									·24	6
7	·04		·01	·03						·10	·33	·32	7
8	·15		·22								·15	·16	8
9	·07		·04								·02	·04	9
10	·03	·06	·17	·02							·07	·33	10
11	·27		·01		·20						·62	·04	11
12	·03		·48		·04	·07			·02		·19	·02	12
13			·06		·47				·49	·38	·06	·33	13
14		·05	·13		·13							·34	14
15		·07								·02	·05	·03	15
16						·28					·38	·06	16
17	·01		·02			·19				·01	·28	·18	17
18		·21	·02			·19					·42	·24	18
19						·32			·16	·03	·23	·21	19
20	·02	·05						·50	·07	·07		·69	20
21	·02	·07	·01					·34		·61		·09	21
22	·09					·05		·01		·19		·53	22
23		·13	·12			·61			·20		·03	·17	23
24	·01	·16				·08	·02	·03		·82		·20	24
25		·07	·04	·07		·24	·25		·01	·09		·01	25
26		·02	·02	·21	·02	·04	·05	·02		·15	·02	·34	26
27		·43		·06			·03		·12		·01	·16	27
28	·01	·42		·26	·10			·07		·01	·07		28
29				·02		·22	·12		·20	·30	·01		29
30			·01		·05	·03		·10	·02	·10		·01	30
31					·60					·01			31
Total	1·34	1·81	1·55	1·60	2·04	2·32	·49	1·16	1·30	3·02	3·38	5·34	TOTAL for year 25·35
No. of Rain Days	~~17~~ 18	16	17	11	11	12	6	9	10	18	21	26	175 ~~174~~

9,000, IX. '10.

made

cor for arith 8.11.13 xt

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

1 JAN 1913

MURRAY
RY

Kept at Danehurst, Northwood

in the County of Middlesex

by H. Dane, Mrs. [illegible]

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 240 ft.

Time of Observation 8. 0 a.m

Nearest Railway Station
Name Northwood
Distance 300 yds Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
9.0.a.m

Date	Jan.	Feb.	March.	April.	May,	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·08	·04		·09	·30		·18	1
2		·02	·08			·04	·30	·03		·01		·02	2
3	·05		·15		·01	·23	·03	·33	·01	·01	·01	·09	3
4	·24		·63		·11	·15		·08			·20	·01	4
5	·19	·13	·10					·41			·03		5
6	·52	·01				·06		·37	·04			·05	6
7	·01				·04	·47	·05	·32				·05	7
8	·41	·31	·21					·10			·01	·02	8
9	·03	·20	·02	·02	~~·04~~	·05	·03	·02		·01		·25	9
10	·01	·03	·01	·10		·03		·45		·01	·09	·15	10
11	·08	·30	·01			·01			·02	·01	·01	·15	11
12	·05	·13	·12		·20	·08				·01	·07	·02	12
13	·01		·02								·09	·05	13
14	·01		·03		·02			·08		·07	·02	·02	14
15	·31	·03	·12		·21	·42		·02		·01	·02	·27	15
16	·20		·07		·02			·19		·08	·07		16
17	·40		·27			·09		·09				·03	17
18	·11		·17					·15			·01	·12	18
19	·11	·07	·19				·30	·54			·01	·01	19
20	·03		·13				·03	·10		·38	·01	·01	20
21	·03	·09	·39		·29			·10		·08	·08		21
22	·30	·26	·09		·12		·08	·13		·02	·01	·06	22
23	·28	·34	·35				·04	·45	·01	·03	·16	·17	23
24	·36	·02	·01					·09				·14	24
25			·01			·18		·41			·29	·50	25
26		·02					·19	·35		·44	·39	·22	26
27			·03			·03				·18		·21	27
28		·05					·01	·05	·03	·50	·37	·31	28
29		·03				·45	·25	·34	1·47	·17		·02	29
30					·42	·03	·01	·02	·93	·20		·01	30
31			·30		·20		·21	·22		·02		·06	31
Total	3·74 3.74	2·04	3·58	·12	1·64	2·40	1·57	5·44	2·60	2·54	1·95	3·20	TOTAL for year 30·82 30·82
No. of Rain Days.	22	17	25	2	11	16	14	26	8	20	20	28	209

W. 8,000, X. '11.

[illegible]

FORM A2.
BRITISH RAINFALL.
1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Danehurst. Northwood E + R

MURRAY ROAD

in the County of Middlesex

by H. Dane MRCS. LRCP.
J Mrs & A. Tilley

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 240 ft.

Time of Observation 8.0 a.m.

Nearest Railway Station
Name Northwood.
Distance 300 yds Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
9.0.a.m.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·10	·26					·20		·10	·11	1
2	·02	·25	·01	·01	·01		·10		·02	·18	·05		2
3	·02		·06	·22	·31					·03			3
4	·23			·01	·10		·08			·10	·03	·08	4
5	·11					·02	·13		·28	·01	·01	·07	5
6	·01	·08	·06	·01	·09	·14	·36		·01	·16	·05	·11	6
7		·14			·06	·02		·10		·75			7
8		·02	·03		·11	·14				·08	·05	·03	8
9		·20			·03				·05				9
10		·01	·08	·05			·15	·09			·54		10
11	·47			·46	·05			·05		·65	·37		11
12		·02			·02					·01	·28	·01	12
13	·05		·02						·05		·22		13
14	·08	·02	·10	·05			·43	·05		·12	·13		14
15	·20	·05	·20	·30			·15						15
16	·13		·07	·16					·09				16
17	·02	·04	·30	·03			·15	·01			·03	·10	17
18	·01		·22	·09							·03	·01	18
19	·32		·04	·03	·08		·12		·23			·02	19
20	·08		·07	·04	·01	·06				·51			20
21	·01		·20	·04			·02			·14	·55		21
22	·45		·15	·07					·18	·01			22
23						·01		·13	·05	·01			23
24	·01		·02	·04		·01		·08		·01		·18	24
25		·02		·17						·01	·01		25
26		·05	·17	·10				·07		·60	·01	·19	26
27			·01	·09	·02					·02	·01		27
28	·34		·23	·16					·01	·11	·01	·02	28
29	·04		·09	·57	·40			·08		·03		·01	29
30	·23							·04		·29			30
31								·30		·01			31
Total	2·87 ✓	·90 ✓	2·23 ✓	2·96 ✓	1·29 ✓	·40 ✓	1·69 ✓	1·00 ✓	1·17 ✓	3·84 ✓	2·48 ✓	·94 ✓	TOTAL for year 21·77 ✓
No. of Rain Days.	21	12	21	22	13	7	10	11	11	22	18	13.	181 ✓

W. 8,000, X. '11.

S.a

NORWOOD WEST

LONDON

1901, 1903 - 1910

Kept at W

in the County of

by W.

35 N Lon. 0° 6' W

servation 9 am.

5 inches.

p above Ground 1 foot.

" Sea Level 221 feet.

NOTE.—Full instructio *of the Rainfall,"* which is s *Systematic Observation and Record* amden Square, London, N.W.

Date.	Jan.	Feb.								Oct.	Nov.	Dec.	*Date.*
	in.	in.								in.	in.	in.	
1	·02	—								21	—	—	1
2	—	—								14	—	—	2
3	—	—	·06	·55	—	·10	—	—	—	·14	·01	—	3
4	—	·48	·17	—	—	—	—	·01	—	·38	·01	—	4
5	—	—	·05	·04	—	—	—	·08	—	·02	·01	·02	5
6	·03	—	·15	·08	·05	—	·01	·01	—	·14	·01	—	6
7	·12	—	·13	·02	·10	—	—	—	—	—	·01	·08	7
8	·09	—	·13	·09	·05	—	—	—	·25	·05	—	·08	8
9	—	—	—	·02	·59	—	—	—	·01	—	—	·30	9
10	—	·01	—	·18	—	—	—	—	—	—	—	—	10
11	·01	—	—	·18	—	—	—	·14	·05	—	·02	·07	11
12	—	—	—	·02	—	·11	—	·02	—	—	·04	·81	12
13	—	—	—	·16	—	·05	—	—	—	—	·30	·15	13
14	—	·02	—	·04	—	·01	—	·36	—	—	·01	·02	14
15	·01	—	·07	·15	—	—	—	·02	—	·07	—	—	15
16	·02	·04	—	·12	—	·05	—	—	·62	·35	—	—	16
17	—	·03	—	—	—	·01	—	—	·10	·03	·01	·11	17
18	·07	—	—	—	—	—	—	—	—	·75	—	—	18
19	·15	·03	·35	—	—	·08	—	—	—	—	·02	—	19
20	—	—	·20	—	—	·01	—	—	·30	—	—	—	20
21	—	·07	—	—	—	·45	—	—	·04	·01	·09	—	21
22	·01	—	—	—	—	—	·05	—	—	·02	·17	—	22
23	—	—	—	—	—	·01	·05	—	—	—	—	·21	23
24	·07	—	·02	—	—	—	·28	—	—	·04	—	·62	24
25	·02	—	·03	—	·02	—	·35	·30	—	—	·02	·03	25
26	·01	·16	—	·01	—	—	·65	·18	—	·01	·01	—	26
27	·10	—	—	·03	—	—	·41	·53	—	—	—	—	27
28	·03	·22	—	—	—	—	·13	—	—	—	—	·35	28
29	—		·13	—	·07	·08	—	—	—	·04	—	·31	29
30	—		·42	—	·06	·86	—	—	—	—	—	·06	30
31	—		·04		—		—	·36		—		·05	31
Totals	·76	1·06	2·16	1·73	·94	1·86	2·16	2·02	1·37	2·40	·74	3·27	
Total from Jan. 1												20·47	

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

S. a.

REGISTER OF RAINFALL IN 1901

Kept at West Norwood
in the County of Surrey
by W. Marriott

RAIN GAUGE.
Lat. 51° 25' 35" N. Lon. 0° 6' W
Time of Observation 9 am.
Diameter 5 inches
Height of top above Ground 1 foot.
" " Sea Level 221 feet.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·03	—	—	·04	·01	·01	—	·21	—	—	1
2	—	—	·18	·04	—	—	·22	—	—	·14	—	—	2
3	—	—	·06	·55	—	·10	—	—	—	·14	·01	—	3
4	—	·48	·14	—	—	—	—	·01	—	·38	·01	—	4
5	—	—	·05	·04	—	—	—	·08	—	·02	·01	·02	5
6	·03	—	·15	·08	·05	—	·01	·01	—	·14	·01	—	6
7	·12	—	·13	·02	·10	—	—	—	—	—	·01	·08	7
8	·09	—	·13	·09	·05	—	—	—	·25	·05	—	·08	8
9	—	—	—	·02	·59	—	—	—	·01	—	—	·30	9
10	—	·01	—	·18	—	—	—	—	—	—	—	—	10
11	·01	—	—	·18	—	—	—	·14	·05	—	·02	·07	11
12	—	—	—	·02	—	·11	—	·02	—	—	·04	·81	12
13	—	—	—	·16	—	·05	—	—	—	—	·30	·15	13
14	—	·02	—	·04	—	·01	—	·36	—	—	·01	·02	14
15	·01	—	·07	·15	—	—	—	·02	—	·07	—	—	15
16	·02	·04	—	·12	—	·05	—	—	·62	·35	—	—	16
17	—	·03	—	—	—	·01	—	—	·10	·03	·01	·11	17
18	·07	—	—	—	—	—	—	—	—	·75	—	—	18
19	·15	·03	·35	—	—	·08	—	—	—	—	·02	—	19
20	—	—	·20	—	—	·01	—	—	·30	—	—	—	20
21	—	·07	—	—	—	·45	—	—	·04	·01	·09	—	21
22	·01	—	—	—	—	—	·05	—	—	·02	·17	—	22
23	—	—	—	—	—	·01	·05	—	—	—	—	·21	23
24	·07	—	·02	—	—	—	·28	—	—	·04	—	·62	24
25	·02	—	·03	—	·02	—	·35	·30	—	—	·02	·03	25
26	·01	·16	—	·01	—	—	·65	·18	—	·01	·01	—	26
27	·10	—	—	·03	—	—	·41	·53	—	—	—	—	27
28	·03	·22	—	—	—	—	·13	—	—	—	—	·35	28
29	—		·13	—	·07	·08	—	—	—	·04	—	·31	29
30	—		·42	—	·06	·86	—	—	—	—	—	·06	30
31	—		·04		—		—	·36		—		·05	31
Totals	·76	1·06	2·16	1·73	·94	1·86	2·16	2·02	1·37	2·40	·74	3·27	
Total from Jan. 1												20·47	

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

S.

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at West Norwood, S.E.
in the County of Surrey.
by W. Marriott, Esq.

Lat. 51° 25' 35"N Long. 0° 6' W
Nearest Railway Station

RAIN GAUGE.
Time of Observation 9am
Diameter 5 in.
Height of top above Ground ~~2~~ 1 ft. in.
" " Sea Level 221 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.04	.18	.20	.05	—	—	.06	—	—	—	—	1
2	.05	.01	.21	.13	.21	—	—	.30	.05	—	.23	—	2
3	.11	—	—	.09	.21	—	—	—	—	.11	—	.10	3
4	.86	—	.08	.05	.01	—	—	.01	1.05	.29	—	—	4
5	.03	—	.11	—	.05	—	—	—	.01	.12	—	—	5
6	.02	—	.03	—	.29	—	—	—	.02	.15	—	—	6
7	—	.02	.12	.03	.11	—	—	—	—	.03	—	.18	7
8	.03	—	—	—	—	.56	—	—	.10	.13	.06	.15	8
9	.03	.01	.07	—	.44	.25	—	.17	.04	.05	.05	.21	9
10	.01	—	.05	—	.36	1.11	—	.23	.34	.10	—	.40	10
11	—	—	—	—	.04	.37	—	.93	—	.65	.02	.07	11
12	—	—	—	—	—	—	.02	—	.02	.45	.06	.14	12
13	—	—	—	.01	—	.87	—	.16	—	—	—	.02	13
14	—	—	.01	.05	—	1.00	—	.16	—	.08	.02	—	14
15	—	.03	—	—	—	.73	—	.02	—	.01	—	—	15
16	—	—	.01	—	.31	.37	.08	.25	—	.02	—	—	16
17	.27	—	.15	—	.16	.50	.55	.04	—	—	.04	—	17
18	.03	—	—	—	—	.03	.03	.27	.01	.07	—	.01	18
19	.06	—	—	—	—	.76	.01	.04	—	.01	—	.01	19
20	.01	—	—	—	—	—	—	.18	—	.05	—	—	20
21	—	.02	—	—	—	—	.04	—	—	.39	.01	—	21
22	.10	.09	—	—	.01	—	—	—	.07	.07	—	—	22
23	—	.04	.21	—	—	—	1.55	.11	—	—	.05	—	23
24	.06	.22	.02	—	—	—	—	1.06	.01	.22	—	—	24
25	.02	.13	.09	.31	—	—	.74	.04	.02	.68	—	—	25
26	—	.26	—	.41	—	—	.33	—	.10	.47	.05	—	26
27	.39	.44	.20	.06	.04	—	.08	.07	.18	.34	1.04	.03	27
28	—	.06	.19	.38	.22	—	.41	.12	.04	.01	.36	.01	28
29	—		.20	.02	.05	—	.20	—	.40	.01	.02	—	29
30	—		.06	.17	.55	—	.07	.01	—	—	—	—	30
31	.13		—		—		—	—		29		—	31
Totals	2.27	1.37	1.99	1.91	3.11	6.55	4.11	4.23	2.46	4.80	2.01	1.33	
Total from Jan. 1												36.14	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

189 days

Sa

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1904

Kept at West Norwood,
in the County of Surrey.
by W. Marriott,

Lat. 51° 26′ N. Long. 0° 6′ W.
Nearest Railway Station West Norwood
RAIN GAUGE.
Time of Observation 9 am
Diameter 5 in.
Height of top above Ground 1 ft. – in.
" " Sea Level 221 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·15	·05	—	·09	·17	·07	—	·16	·04	·01	—	1
2	·01	·17	·33	·03	·19	—	·30	—	·10	·21	—	·03	2
3	·09	·15	·09	·06	—	—	·02	—	·06	—	—	—	3
4	·07	·03	—	·09	—	—	—	·12	—	—	—	·11	4
5	—	·01	·09	·06	·07	—	—	—	—	·13	—	·17	5
6	—	·04	·02	—	·03	—	—	—	·16	·48	·31	·88	6
7	·03	·21	·13	·03	·06	—	—	·01	·10	·01	·38	·01	7
8	·02	·07	—	—	·02	—	—	—	·09	—	·14	·01	8
9	·02	·43	·01	—	·04	·10	—	—	—	·02	·06	·16	9
10	·19	·31	—	—	·10	—	—	—	—	·02	·37	·09	10
11	·01	—	—	—	·02	·01	—	·08	—	—	—	·08	11
12	·25	·32	—	·20	—	—	·01	—	·03	—	—	·07	12
13	·18	·03	—	·01	—	·01	—	—	—	—	·01	·01	13
14	·04	·06	·02	·01	—	·23	—	·03	·19	—	—	·29	14
15	—	—	—	·11	—	—	—	·01	—	—	·01	·01	15
16	—	·18	—	—	—	—	—	·35	—	·27	—	·01	16
17	·07	·06	—	—	—	—	—	·10	—	·04	·02	—	17
18	·06	—	—	—	—	—	—	—	—	·01	·01	·04	18
19	·04	·11	·05	—	—	—	·05	—	—	·01	·01	·01	19
20	·05	·01	—	—	·41	—	—	—	—	—	—	—	20
21	—	·02	·08	—	·02	—	—	—	—	·23	·07	·01	21
22	·01	—	—	·50	—	—	·01	·11	·01	·06	·01	·01	22
23	—	—	—	—	·08	—	—	·02	·17	·13	·13	·02	23
24	—	—	·02	—	·11	·14	—	·01	·15	—	—	—	24
25	—	·01	·03	—	—	·09	·52	·01	—	—	—	·02	25
26	·07	—	—	·02	·03	·07	·03	—	—	—	—	·01	26
27	·29	—	—	—	·13	—	·08	—	·01	—	·01	·01	27
28	·21	·02	·08	—	—	—	—	—	—	—	—	·04	28
29	·14	·01	·12	·07	·02	—	·15	—	—	—	—	·04	29
30	·43		·16	—	·11	—	·22	—	·10	·04	·01	—	30
31	·33		·01		·48		—	·93		·07		—	31
Totals	2·65	2·40	1·29	1·19	2·01	·82	1·46	1·78	1·33	1·77	1·56	2·14	1·90
Total from Jan. 1		5·05	6·34	7·53	9·54	10·36	11·82	13·60	14·93	16·70	18·26	20·40 ✓	

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

5a

24 KL

FORM A.
BRITISH RAINFALL.
8 JAN 1906

REGISTER OF RAINFALL IN 1905

Kept at West Norwood

in the County of Surrey

by W. Marriott

Lat. .... Long. ....

Nearest Railway Station ....

RAIN GAUGE.
Time of Observation 9 am
Diameter 5 in.
Height of top above Ground 1 ft. – in.
" " Sea Level 221 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·04	—	·10	·04	·01	·01	·03	—	·39	·01	1
2	·11	—	·01	—	·14	—	·01	·12	—	—	·31	·01	2
3	—	—	—	—	·10	—	—	·23	—	·01	·18	·01	3
4	·08	·01	·02	·03	—	·12	—	·01	—	·21	·20	—	4
5	·13	—	·15	·05	—	·92	·04	·13	·10	·03	·05	·04	5
6	·01	·02	·01	·13	—	·51	—	·03	·02	·01	—	·05	6
7	—	·16	·11	·06	—	·44	—	—	·10	—	—	·03	7
8	—	—	·26	·02	—	·10	—	—	·04	—	—	·12	8
9	·16	—	·03	·41	—	·26	·28	·01	·33	—	—	·01	9
10	—	—	·26	·34	—	·60	·01	·04	—	—	·33	—	10
11	—	—	·21	·01	—	·06	—	—	·05	·01	·44	—	11
12	—	—	·31	—	—	·09	—	—	—	·02	·15	·02	12
13	—	·05	·32	·01	—	—	—	—	·12	—	·16	·01	13
14	—	—	·42	·02	—	—	—	—	—	—	·09	—	14
15	—	·05	·62	—	—	·15	—	—	·01	·14	·01	—	15
16	·52	·04	·03	·12	·08	·46	—	—	—	—	—	—	16
17	—	—	·49	—	—	·09	·02	—	—	—	—	·01	17
18	—	—	·02	·01	·04	—	·01	·03	—	—	—	—	18
19	·01	·03	—	·05	·04	·04	—	·23	—	—	—	·01	19
20	—	·16	—	·03	—	—	—	·02	—	—	—	—	20
21	—	·01	—	—	—	—	—	·01	·02	·08	—	—	21
22	—	·01	—	—	—	—	·32	·25	—	—	·05	—	22
23	—	·04	·05	·02	—	—	·03	—	—	·01	·08	—	23
24	—	·02	—	—	—	—	—	—	·02	·01	—	—	24
25	—	·05	·08	·10	—	·08	—	·04	·26	—	·03	·01	25
26	—	·16	·01	·02	—	·01	—	·04	·06	—	·35	—	26
27	·01	·02	·02	—	—	·01	·12	·35	·01	—	—	·09	27
28	·01	—	—	·01	—	—	—	1·11	·25	·19	·09	·03	28
29	·01		·06	·05	—	·28	—	·04	·03	·08	—	·11	29
30	·01		—	·19	·27	·69	—	·01	—	·16	·23	·01	30
31	—		·01		·05		—	—		·08		—	31
Totals	1·06	·83	3·54	1·68	·82	5·01	·85	2·41	1·45	1·04	3·14	·61	189
Total from Jan. 1	1·06	1·89	5·43	4·11	4·93	12·94	13·49	16·50	14·95	18·99	22·16	22·44	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

5 a

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
29 MAR 1907

Kept at West Norwood
in the County of Surrey
by W. Marriott

Lat. 51° 26′ N Long. 0° 6′ W
Nearest Railway Station West Norwood
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 221 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	.02	-	-	.09	-	-	-	.47	.01	-	1
2	.06	.09	-	-	.06	.01	-	.16	-	.37	.08	-	2
3	.28	.05	-	-	-	-	-	-	-	-	.30	.02	3
4	.21	-	-	-	-	-	-	-	1.04	.01	.50	.01	4
5	.39	-	.01	-	-	-	-	-	-	-	-	.12	5
6	.02	.02	-	-	-	-	-	-	-	-	.65	.07	6
7	.12	-	-	-	-	-	-	-	-	.22	.46	-	7
8	.01	.16	.10	-	-	-	-	-	-	.24	.92	.12	8
9	.26	.10	-	-	-	-	-	-	-	.16	.04	-	9
10	-	.10	.32	-	-	-	-	.05	-	.01	-	-	10
11	.16	.03	.07	-	-	-	-	-	-	-	-	.08	11
12	.57	-	.06	-	-	-	-	-	.02	.07	-	.02	12
13	.03	.03	.03	.06	-	-	.01	.08	.21	-	-	.19	13
14	-	.14	.04	-	-	.02	-	-	.41	.01	.02	-	14
15	.04	.02	-	-	.01	.02	.03	.05	.07	.01	.12	.25	15
16	.67	.27	-	-	.10	.15	-	.04	.26	-	.26	.18	16
17	.08	.38	-	-	-	-	-	.17	.08	.08	.30	-	17
18	.18	.15	.06	.03	-	-	.12	-	.09	.18	.05	.01	18
19	-	.04	.05	-	-	-	.05	-	.02	.02	.06	-	19
20	.10	-	.09	-	.73	-	-	-	-	-	.27	-	20
21	.03	-	.03	.06	-	-	-	-	-	-	.01	-	21
22	-	.03	-	-	-	-	-	-	-	.05	-	-	22
23	-	.01	.06	.05	.07	.27	-	-	.01	-	-	-	23
24	.35	.05	.06	.07	-	-	-	.26	.01	-	-	.09	24
25	.04	-	.08	-	.04	-	-	-	-	-	.01	.35	25
26	-	.06	.03	-	.36	-	-	-	-	.04	-	.06	26
27	-	.05	-	.24	.07	-	.36	-	-	-	.01	.13	27
28	-	.01	-	-	-	2.04	-	-	-	.52	-	.11	28
29	.03		-	.05	-	.07	.05	-	-	.37	-	.06	29
30	-		-	.12	.01	-	-	-	-	.37	.04	.23	30
31	-		-		.02		-	-	-	-		.05	31
Total	3.63	1.81	1.11	0.68	1.47	2.67	.62	.81	2.16	3.20	4.11	2.15	TOTAL for year 24.42
No. of Rain Days	20	21	16	8	10	8	6	7	11	18	19	19	163

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ed arts

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at West Norwood
Lambeth S of Thames
in the County of Surrey
by William Marriott

Lat. 51° 26′ N Long. 0° 6′ W
Nearest Railway Station West Norwood
Time of Observation 9 a.m
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 221 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	·01	–	–	·11	·69	–	–	–	·24	–	–	1
2	·06	–	–	·02	·04	·02	–	·31	·07	–	–	·23	2
3	–	–	–	–	·10	–	·12	–	·12	·38	·02	–	3
4	–	·07	–	–	–	·02	·03	–	·13	–	–	·09	4
5	·01	–	·16	·05	·01	·09	–	–	·07	·29	–	–	5
6	–	–	–	·70	–	·02	·01	·25	·01	·07	–	·07	6
7	–	–	·05	·43	·26	–	–	–	–	–	·02	·33	7
8	–	·01	·03	·01	·21	–	·01	–	–	·19	–	·13	8
9	–	·12	·12	–	·02	·06	·04	·04	–	·03	·01	·32	9
10	·20	·25	·06	·51	–	–	·18	·18	–	·13	·01	–	10
11	–	·07	·01	–	–	·08	–	–	–	·18	·01	·27	11
12	–	·38	·17	·27	·08	·03	–	–	–	–	·04	·60	12
13	·01	·01	·02	–	·06	·18	·01	–	–	·01	–	·46	13
14	–	·02	·03	·02	·17	·04	·01	·20	–	·33	–	·01	14
15	–	·02	·08	–	·04	·25	–	·12	–	–	·01	–	15
16	–	–	·08	·03	–	–	–	·01	–	·18	–	–	16
17	–	·02	·02	·12	–	–	–	·55	–	·13	·16	–	17
18	·01	·02	–	–	·01	·01	–	·02	–	·20	·47	·02	18
19	–	·39	·06	–	–	–	–	·08	–	·22	–	·01	19
20	·02	·02	–	·08	·04	–	–	·08	–	·06	–	–	20
21	–	·01	–	·25	·01	–	·11	–	–	·02	–	–	21
22	–	–	–	–	·22	·02	·15	·07	–	·06	·13	·14	22
23	–	–	–	–	·10	·10	–	–	–	·03	·02	·03	23
24	·02	–	–	–	–	·20	–	–	–	·01	·21	–	24
25	–	–	–	·23	·11	·07	·01	·03	·03	·04	·24	–	25
26	–	–	–	·30	–	–	·12	·24	–	–	·53	–	26
27	·05	–	–	·04	–	·06	·01	–	–	·01	·28	–	27
28	·07	–	–	·13	–	–	·03	–	–	–	·09	–	28
	–		–	–	–	·74	·05	–	–	·27	–	–	29
30	–		–	·28	·13	–	·06	–	·09	·03	·01	–	30
31	–		–		·12		–	–		–		–	31
Total	·92	1·42	·89	3·47	1·84	2·68	·95	2·18	·52	3·11	2·26	2·71	TOTAL for year 22·95
No. of Rain Days	10	15	13	17	19	18	16	14	7	23	17	14	183

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sa

Ex. JHL

REGISTER OF RAINFALL IN 1908

BRITISH F

Kept at West Norwood

in the County of ~~Surrey~~ Lond S

by W. Marriott Esq

Lat. Long.

Nearest Railway Station

Time of Observation 9 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" " " Sea Level 2

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the me of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on a to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·19	—	—	·78	—	—	·11	—	—	—	1
2	—	·01	·02	·01	·36	—	—	—	·11	·01	—	—	2
3	—	·04	·27	·01	·10	—	·37	—	·77	—	—	—	3
4	—	—	·06	·04	—	1·29	·13	—	·04	—	·01	·07	4
5	—	—	·35	·20	·13	·01	—	·09	—	—	—	·02	5
6	—	·01	·05	—	·06	—	—	—	—	—	—	·13	6
7	1·11	·01	·04	—	·08	·02	·02	—	—	·01	—	—	7
8	·12	—	·05	—	—	—	·11	—	—	—	—	·24	8
9	—	·01	·07	·06	—	·02	·17	—	·01	·19	—	·17	9
10	—	—	·04	—	—	—	·03	·12	—	·01	·01	·17	10
11	—	—	—	·01	·38	—	—	—	—	—	·05	—	11
12	—	—	·01	·01	—	—	·69	—	—	—	·11	·13	12
13	—	·01	—	—	·09	—	·21	—	—	—	·07	·16	13
14	—	—	—	—	·10	—	·31	—	—	—	·02	·19	14
15	—	·07	·03	—	·09	—	·15	—	·10	—	—	·01	15
16	·02	·22	·06	—	—	·50	·71	—	—	·46	·05	·06	1
17	—	·19	·01	—	—	·01	·52	—	—	·01	—	·18	1
18	·01	·04	—	—	—	—	·04	—	—	·33	·15	—	18
19	·01	—	·01	·10	—	—	—	—	—	—	—	·08	19
20	—	·15	—	·02	—	—	—	·45	·04	·36	—	—	20
21	—	—	—	—	—	—	—	·01	·01	·02	·24	—	21
22	·01	·04	·12	·02	·06	—	—	·31	·02	—	·01	—	22
23	·02	—	—	·72	—	—	—	·76	·39	—	—	—	23
24	—	·14	·07	·03	·02	—	—	·06	·03	·03	·10	—	24
25	—	·13	·70	·29	—	—	—	·46	·03	·05	—	—	25
26	·12	·07	·02	—	—	—	—	·14	—	·09	—	—	26
27	·01	·09	·07	·15	—	—	—	·31	·03	·40	—	·06	27
28	·02	·07	—	·42	—	—	—	·27	—	·01	—	·02	28
29	·01	—	·09	·15	·37	—	—	·03	—	—	·02	·36	29
30	·04		·30	·07	—	—	—	·19	—	—	—	—	30
31	—		—		·06	—	—	·38		—		·07	31
Total	1·50	1·30	2·63	2·31	1·90	2·63	3·46	3·58	1·69	1·98	·84	2·12	TOTAL for year 25·94
No. of Rain Days	12	17	22	17	13	7	13	14	13	14	12	17	171

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sa.

REGISTER OF RAINFALL IN 1909

Exd Rmf

FORM A2.
BRITISH RAINFALL.
4 JAN 1910

Kept at West Norwood

in the County of ~~Surrey~~ London

by Wm Marriott

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 221 ft.

Time of Observation 9 am.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·06	—	·05	·38	—	·15	·08	—	—	·19	1
2	—	—	·22	—	—	·10	—	·01	—	·04	·03	·39	2
3	·01	—	·22	—	—	·28	·37	—	—	·04	·02	·25	3
4	—	—	—	—	—	·18	—	—	·16	·12	—	·06	4
5	—	·02	·06	—	—	·16	·03	—	·04	·01	—	·13	5
6	·02	—	·51	—	—	·03	·39	—	—	—	—	·07	6
7	·14	—	·20	—	—	—	·11	—	·16	·65	—	—	7
8	·01	—	·07	—	—	—	—	—	·15	·01	—	—	8
9	·04	·16	—	—	—	—	·21	—	·04	—	·01	·04	9
10	·20	·06	·05	—	—	·09	·02	—	·16	·13	·01	·13	10
11	—	·05	·02	—	—	·13	·07	—	—	·11	—	·01	11
12	·02	—	—	·05	—	·79	—	—	·23	—	·04	·05	12
13	·07	—	·18	·15	·10	—	·13	—	·20	·12	·05	—	13
14	·22	·01	·08	·02	—	—	·04	—	—	—	·12	—	14
15	·11	—	·03	—	—	—	·35	—	·09	·15	·01	·03	15
16	—	—	—	·08	·09	—	·06	·03	·03	·20	·04	·19	16
17	—	—	—	·01	—	—	—	·49	—	·05	·05	·24	17
18	·07	—	·15	—	·17	—	—	·14	—	·01	—	—	18
19	·01	—	·11	·55	—	—	—	·01	—	·01	·01	·03	19
20	·01	—	·04	—	—	·03	—	·37	—	·19	—	—	20
21	—	—	·08	—	—	·08	—	—	—	—	—	·35	21
22	—	—	·07	·12	—	·09	—	—	·13	·01	—	·03	22
23	—	—	—	·13	—	·22	·08	·16	·04	·12	—	·09	23
24	—	—	·27	—	·54	·46	·19	·49	·03	—	—	·03	24
25	—	—	·07	·07	·15	·23	·02	·19	·09	·05	·01	·05	25
26	—	·04	—	·10	·17	·64	·05	—	·02	·76	—	·01	26
27	—	·06	·15	·23	·02	·02	1·02	—	—	·38	·04	·07	27
28	·01	·20	·13	·07	·09	·24	—	—	·48	·81	—	—	28
29	·02		·05	·22	—	·18	·04	·04	·34	·02	·42	—	29
30	—		·28	·07	—	—	·16	—	·06	—	—	·01	30
31	·08		·02		—		·02	·01		·17		·08	31
Total	1·04	·61	3·12	1·87	1·38	4·33	3·36	2·09	2·53	4·16	·86	2·53	TOTAL for year 27·88
No. of Rain Days	16	9	24	14	9	19	19	12	19	23	14	23	201

7,000. X. '09.

Ex.

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
17 FEB 1911

Kept at West Norwood

in the County of Surrey S. of Thames

by Wm. Marriott

Rain Gauge { Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station { Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·02	–	–	·07	·08	·20	·14	–	·18	·02	·42	1
2	–	·03	–	–	·25	·04	·20	·01	–	·07	–	·21	2
3	–	–	–	–	·09	–	·33	·03	–	–	·48	·29	3
4	·01	–	–	·10	·05	·02	–	·45	–	–	–	·20	4
5	–	·03	–	·04	·14	–	·69	·08	–	–	–	·02	5
6	–	·25	·03	·02	·05	–	·02	–	–	–	·10	·02	6
7	–	·01	·02	·01	·01	·11	·08	–	·04	–	·03	–	7
8	·03	·05	–	–	·05	–	–	·04	–	–	·01	·16	8
9	·06	–	·45	·01	·06	·47	–	–	–	–	–	·19	9
10	·09	·04	–	–	–	·34	–	–	–	–	·08	·10	10
11	·0~~8~~9	·13	·42	–	·18	·01	–	·02	–	·33	·04	·18	11
12	–	·03	·11	·03	·10	·02	–	·02	–	·48	·03	·23	12
13	·02	·04	–	·17	·02	–	–	·03	·59	·03	·51	·11	13
14	–	·47	–	·03	–	–	–	–	·20	–	–	·35	14
15	·05	·04	–	·10	–	–	–	–	·03	–	·01	·35	15
16	·06	·04	·05	·50	–	–	–	–	–	·10	–	·13	16
17	·09	·14	·05	–	·24	–	·07	·01	–	·14	–	·03	17
18	·02	·03	·04	–	·43	–	·39	·21	–	·15	–	–	18
19	–	·02	–	·05	·06	–	–	–	–	·17	·05	–	19
20	–	·49	–	–	–	–	·17	–	–	–	·02	·02	20
21	–	·04	–	·19	·02	–	·10	·03	–	–	–	·04	21
22	·06	·42	–	·12	–	·01	·17	·08	–	–	–	–	22
23	·49	·13	–	·05	–	·15	–	·04	–	–	·39	–	23
24	·11	·26	–	·05	–	·05	·14	–	–	–	·05	·06	24
25	–	·25	–	·02	–	·90	·12	·45	–	·02	–	·02	25
26	–	·06	–	·01	–	–	–	·11	–	–	–	·09	26
27	·60	–	–	–	–	·17	·01	–	–	·34	·68	–	27
28	·05	·13	–	·24	·13	–	·03	·11	–	–	–	–	28
29	–		–	–	–	·06	–	·38	·05	·03	–	–	29
30	–		–	·01	·03	·34	–	·01	–	·03	·41	–	30
31	–		–		·07		–	–		·61		–	31
Total	1·94	3·15	1·17	1·76	2·05	2·75	2·75	2·25	·91	2·68	3·21	3·22	TOTAL for year 27·83
No. of Rain Days	16	24	8	19	19	15	15	19	5	14	16	21	191

9,000, IX. '10.

Ser

NUNHEAD

WATER WORKS

LONDON

1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Nu

in the County of

by H.

in.

ound 1 ft. – in.

Level ft.

m.

me Nunhead

tance Direction

IMPORTANT he result entered to the previous day. If sal rule, he is earnestly requested to add th in the space provided for it at the end t of rain, the selection and h Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	·01	·70	–	–	–	·03	–	–	–	–	1
2	·16	–	–	·21	·11	–	–	–	–	–	·15	·08	2
3	·01	·02	–	–	·11	–	–	–	–	–	·05	·10	3
4	·02	·01	·07	·05	–	–	–	–	–	·05	·13	·18	4
5	·02	·01	·01	–	–	–	–	–	–	·12	·01	·16	5
6	·17	–	·22	·01	–	–	–	–	–	–	–	·22	6
7	·02	–	·01	·02	–	–	–	–	–	·07	26 ·26	·07	7
8	·11	–	·11	–	–	–	–	–	–	–	·30	·20	8
9	·13	–	·02	·03	–	–	–	–	–	–	·01	·04	9
10	·02	·09	·04	·01	–	–	–	–	–	–	·05	·34	10
11	·27	–	–	–	·01	–	–	–	·03	–	·64	–	11
12	·03	–	·45	–	·41	·02	–	–	·42	–	·33	–	12
13	–	–	·05	–	·15 ·11	–	–	–	–	·33	·01	·13	13
14	–	·09	·01	–	·01	–	–	–	–	–	–	·40	14
15	–	·02	·20	–	+	–	–	–	–	·03	·02	·01	15
16	–	·01	·01	–	–	·62	–	–	–	–	·38	·01	16
17	–	–	·01	–	–	–	–	–	–	–	·25	·09	17
18	–	·15	·03	–	·03	·01	–	–	·23	–	·33	·13	18
19	–	–	·01	–	–	·12	–	·65	–	·16	·19	·10	19
20	·01	·02	·03	–	–	–	–	·11	–	·11	–	·48	20
21	–	·09	·01	–	–	–	–	·48	–	·51	–	·05	21
22	·05	–	·13	–	–	·01	–	–	·26	·05	–	·38	22
23	–	·10	·06	–	–	·87	–	–	–	–	·02	·10	23
24	·01	·13	·01	–	–	·02	·04	·01	–	1·13	–	·27	24
25	–	·02	–	·05	·01	·09	·04	–	–	·02	–	·02	25
26	–	·02	·10	·18	–	·25	–	–	·15	·09	·01	·25	26
27	–	·33	·05	·04	–	–	–	–	–	·01	·04	·05	27
28	–	·10	–	·15	–	–	·06	·06	·11	–	·02	·01	28
29	–		–	·11	·02	17	·14	–	–	·22	·01	–	29
30	–		–	·01	·49	·01	–	·48	–	·13	–	–	30
31	–						–	–				–	31
Total	1·07	1·21	1·65	1·57	1·46	2·19	·28	1·82	1·20	3·03	3·21 3·20	3·87	22.56 TOTAL for year 22·55
No. of Rain Days	15	15	23	13	10	11	4	7	6	15	21	25	165

9,000, IX. '10.

Sa

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Nunhead Works.

in the County of Surrey

by H. Woodcock.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Nunhead
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	·01	·70	–	–	–	·03	–	–	–	–	1
2	·16	–	–	·21	·11	–	–	–	–	–	·15	·08	2
3	·01	·02	–	–	·11	–	–	–	–	–	·05	·10	3
4	·02	·01	·07	·05	–	–	–	–	–	·05	·13	·18	4
5	·02	·01	·01	–	–	–	–	–	–	·12	·01	·16	5
6	·17	–	·22	·01	–	–	–	–	–	–	–	·22	6
7	·02	–	·01	·02	–	–	–	–	–	·07	·26 ·26	·07	7
8	·11	–	·11	–	–	–	–	–	–	–	·30	·20	8
9	·13	–	·02	·03	–	–	–	–	–	–	·01	·04	9
10	·02	·09	·04	·01	–	–	–	–	–	–	·05	·34	10
11	·27	–	–	–	·01	–	–	–	·03	–	·64	–	11
12	·03	–	·45	–	·41	·02	–	–	·42	–	·33	–	12
13	–	–	·05	–	·15 ·11	–	–	–	–	·33	·01	·13	13
14	–	·09	·01	–	·01	–	–	–	–	–	–	·40	14
15	–	·02	·20	–	+	–	–	–	–	·03	·02	·01	15
16	–	·01	·01	–	–	·62	–	–	–	–	·38	·01	16
17	–	–	·01	–	–	–	–	–	–	–	·25	·09	17
18	–	·15	·03	–	·03	·01	–	–	·23	–	·33	·13	18
19	–	–	·01	–	–	·12	–	·65	–	·16	·19	·10	19
20	·01	·02	·03	–	–	–	–	·11	–	·11	–	·48	20
21	–	·09	·01	–	–	–	–	·48	–	·51	–	·05	21
22	·05	–	·13	–	–	·01	–	–	·26	·05	–	·38	22
23	–	·10	·06	–	–	·87	–	–	–	–	·02	·10	23
24	01	·13	·01	–	–	·02	·04	·01	–	1·13	–	·27	24
25	–	·02	–	·05	·01	·09	·04	–	–	·02	–	·02	25
26	–	·02	·10	·18	–	·25	–	–	·15	·09	·01	·25	26
27	–	·33	·05	·04	–	–	–	–	–	·01	·04	·05	27
28	–	·10	–	·15	–	–	·06	·06	·11	–	·02	·01	28
29	–		–	·11	·02	·17	·14	–	–	·22	·01	–	29
30	–		–	·01	·49	·01	–	·48	–	·13	–	–	30
31	–						–	–				–	31
Total	1·07	1·21	1·65	1·57	1·46	2·19	·28	1·82	1·20	3·03	3·21 3·20	3·87	TOTAL for year 22·56 22·55
No. of Rain Days	15	15	23	13	10	11	4	7	6	15	21	25	165

9,000, IX. '10.

Wrote re Sept. 10 [illegible] 28.II.13 Ex J.C.

20 II 13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
5 JAN 1913

Kept at M. W. B. Nunhead Works.

in the County of ~~Surrey~~ London!

by H. Woodcock

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 170 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Nunhead. S.E.R.
Distance ¼ mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·11	-	-	·11	·30	-	·10	·35	-	·12	1
2	-	-	·17	-	-	·01	·28	·10	·01	·03	-	·01	2
3	·05	·02	·07	-	-	·06	·02	·33	-	-	-	·04	3
4	·19	·01	·47	-	·14	·14	·01	·02	-	-	·11	·01	4
5	·16	·03	·04	-	-	-	-	·22	-	-	·04	·01	5
6	·42	·02	-	-	·01	-	-	·11	-	-	-	·06	6
7	·01	·01	-	-	·05	·70	·10	·23	-	-	-	·02	7
8	·25	·22	·10	-	-	·03	·03	·16	-	-	-	-	8
9	·01	·06	-	·02	-	·60	·01	·03	-	-	-	·13	9
10	-	·03	·01	-	-	-	-	·20	·04	-	·08	·24	10
11	·02	·35	-	-	-	·03	-	·03	·02	-	·01	·11	11
12	·03	·06	·06	-	·15	·15	-	-	-	-	·01	·02	12
13	·01	·03	·01	-	-	-	-	·05	·01	-	·04	·01	13
14	-	-	-	-	·02	-	-	·10	-	·07	·01	·03	14
15	-	·02	·04	-	·36	·57	-	·02	-	-	·03	·32	15
16	·28	·01	·02	-	·02	·01	-	·05	-	·04	·05	·01	16
17	·32	-	·21	-	-	·02	-	·03	-	-	·01	·02	17
18	·18	-	·13	-	-	-	-	·03	-	·02	·04	·07	18
19	·11	·07	·10	-	-	-	·03	·37	-	-	·01	·01	19
20	·01	·01	·15	-	-	-	-	·05	-	·45	-	-	20
21	-	·02	·08	-	·03	-	-	·13	-	·05	·04	-	21
22	·20	·12	·04	-	·02	-	·19	·12	-	·01	·01	·03	22
23	·37	·36	·33	-	·01	-	·01	·34	-	·04	·15	·15	23
24	·26	·01	-	-	-	·11	·01	·19	-	-	-	·10	24
25	·14	-	-	-	-	·11	-	·78	-	-	·16	·35	25
26	-	·03	-	-	-	-	-	·36	-	·31	·23	·25	26
27	-	-	-	-	-	·05	-	-	-	·11	-	·13	27
28	-	·06	-	·01	-	·03	·17	·02	·06	·19	·40	·07	28
29	-	·01	-	-	-	·17	·24	·11	·93	·13	·05	-	29
30	-		-	-	·27		·01	·01	1·28	·16	-	-	30
31	·01		·08		-		·11	·10		·03		-	31
Total	3·03	1·56 4·59	2·22 6·81	·03 6·84	1·08 7·92	2·90 10·82	1·52 12·34	4·29 16·63	2·45 19·08	1·99 21·07	1·48 22·55	2·32 24·87	TOTAL for year 24·87
No. of Rain Days	20	22	19	2	11	17	15	28	8	15	19	25	201

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL 7 - JAN 1914

METROPOLI... BOARD ... DEPT. -5 JAN. 1914

Kept at Nunhead Works
in the County of Surrey
by H Woodcocks

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station Nunhead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·25	·03	·11	–	–	–	–	·20	·01	·03	·09	1
2	·02	·17	–	·01	–	–	·06	–	·02	·10	·08	·01	2
3	·01	–	·02	·19	·33	–	–	–	–	·01	–	·03	3
4	·13	–	·01	·03	·25	–	·13	–	–	·15	–	·06	4
5	·27	–	–	–	·01	·07	·10	–	·28	·02	·01	·06	5
6	·02	·01	·11	–	·03	·03	·23	–	–	·15	·16	·06	6
7	–	·05	–	–	·03	–	·12	·21	–	·53	·07	–	7
8	–	·02	·05	–	·12	·11	–	–	–	·09	–	·01	8
9	–	·11	–	–	·04	–	–	–	·08	–	·04	·02	9
10	·01	·01	·11	·11	–	–	·04	·01	–	–	·53	–	10
11	·24	·01	–	·41	·04	–	–	–	–	·65	·15	–	11
12	–	–	–	–	·03	–	–	–	–	–	·27	–	12
13	·05	–	·04	–	–	–	–	·01	–	·01	·28	–	13
14	·05	–	·08	·06	–	–	·37	·09	·02	·11	·05	–	14
15	·32	·06	·21	·12	–	–	·14	–	·01	·01	–	–	15
16	·15	–	·28	·06	–	–	·01	–	·40	–	–	–	16
17	·03	·02	·05	·03	–	–	·08	–	–	–	–	–	17
18	·01	–	·08	·10	–	–	·02	–	–	–	·01	–	18
19	·12	–	·08	–	–	–	·14	–	·20	–	–	–	19
20	·21	–	·29	·02	–	·10	–	–	–	·45	·02	–	20
21	·01	·01	·15	·05	–	–	·06	–	–	·21	·60	–	21
22	·37	–	·22	·03	–	–	–	·25	·13	·01	–	–	22
23	·01	–	–	–	–	·03	–	·14	·02	–	·01	·33	23
24	·01	–	·03	·02	–	·02	–	·01	–	·01	·02	–	24
25	–	·03	·01	·20	–	·02	–	–	–	–	·01	–	25
26	–	·06	·17	·02	–	–	–	·18	–	·85	–	·17	26
27	–	·01	·02	·09	·03	–	–	–	–	·02	–	–	27
28	·22	–	·21	·06	–	–	–	–	–	·13	–	·01	28
29	·05		·04	·39	·47	–	–	·06	–	·04	–	–	29
30	·19		–	·08	–	–	–	·22	–	·10	–	–	30
31	–		·02		–		–	·71		·13		–	31
Total	2.51	82	2·31	2·19	1·38	38	1·50	1·89	1·36	3·79	2·34	·85	YEAR'S TOTAL 21·32
Rain Days.	23	14	23	21	11	7	13	11	10	22	17	11	183

82 [illegible] Ex LMcC. 9

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Nunhead M. W. W.
in the County of London R. Bank
by G. Woodroffe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.20			.01		1
2							.14	.07			.45	.17	2
3			.08	.02	.09		.07				.01		3
4	.03		.02	.14				.03			.23	.21	4
5	.04		.04	.15	.18	.02	.35	.40			.02		5
6		.09	.02	.12		.21	.01	.02			.06	.06	6
7		.15	.16	.30	.43	.03	.06					.04	7
8	.06	.26	.71	.02	.05	.04	.07	.05	.02			.02	8
9	.17	.01	.65	.06		.06			.12			1.35	9
10	.01	.04	.03	.06	.05				.11			.02	10
11		.37	.34			.05			.12		.26	.34	11
12		.04	.10				.09		.13	.01	.02	.40	12
13	.01	.13	.07						.11	.08	.07	.42	13
14		.03	.15			.80	.13			.13	.03	.48	14
15	.02	.01	.14				.12	.02		.01	.53	.05	15
16			.02						.03				16
17		.28	.07									.07	17
18		.05	.17									.22	18
19		.02	.22			.05	.04		.04		.20	.29	19
20		.09	.35			.06			.06			.04	20
21		.58	.08									.03	21
22		.03	.02	.01	.40	.11	.13			.04			22
23			.06		.10	.08	.07			.05		.02	23
24			.05	.01	.04						.10	.01	24
25	.02		.21					.11		.24	.01	.07	25
26	.01		.03				.02	.08		.06	.12	.40	26
27	.03							.01			.03	.09	27
28	.01	.01								.04	.34	.88	28
29	.02		.05							.31	.08	.01	29
30			.03							.04	.33	.08	30
31					.19		.02					.03	31
Total	.43	2.19	3.87	.89	1.53	1.51	1.32	.99	.74	1.01	2.90	5.80	YEAR'S TOTAL 23.18
Rain Days.	12	17	26	10	9	11	14	10	9	11	19	26	174

W.7,000, XI. 13

20

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
18 JAN 1916

M.W.B.

Kept at Nunhead Works
in the County of London 1
by H. Woodcock

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1915													
1	·44	·10	·01	-	·03	-	-	-	·02	·04	·31	·31	1
2	·20	·10	·19	·12	-	·01	-	·43	·03	·04	-	·15	2
3	·31	·01	·06	·18	·02	-	-	·49	·03	-	-	·44	3
4	·05	-	-	-	-	-	-	·13	-	-	-	·21	4
5	·05	·36	-	-	-	-	-	-	-	·03	-	·28	5
6	·37	·02	-	·25	-	-	·41	-	-	-	-	·13	6
7	·14	·20	·01	-	-	·05	·08	-	-	-	-	·15	7
8	·11	·48	-	·05	-	-	·13	·20	-	-	-	-	8
9	-	·03	-	·10	-	·07	-	·06	-	·03	·30	·66	9
10	·20	-	·01	-	-	-	-	·90	-	-	-	·16	10
11	·03	-	·01	-	-	-	-	·02	-	-	·72	·01	11
12	·05	·04	-	·29	·48	-	-	·03	-	·01	·24	-	12
13	·01	·42	-	-	1·31	-	-	·15	-	-	-	-	13
14	-	·04	-	-	·01	-	·19	-	·02	-	-	·33	14
15	·06	-	-	-	·04	-	-	·03	-	-	·17	·04	15
16	·02	·15	-	-	·02	-	·65	·01	-	-	-	·06	16
17	-	·21	-	-	·87	-	·02	·19	-	-	-	-	17
18	·01	·18	S ·03	-	·24	-	-	-	-	-	·06	-	18
19	-	·19	-	-	·01	-	·06	-	-	·02	-	-	19
20	·26	-	-	·02	-	-	-	-	-	·02	-	·24	20
21	S. ·15	-	-	-	-	-	·01	-	-	·03	-	·05	21
22	S. ·70	·04	·16	·03	-	-	·60	-	-	-	-	·07	22
23	S. ·13	S. ·22	·06	·01	-	·06	·22	-	·15	·42	-	·26	23
24	-	S. ·05	·05	-	-	·01	·04	-	·20	·17	-	·47	24
25	-	-	·03	·22	-	-	·21	-	-	·01	-	·14	25
26	·02	·06	-	-	-	·11	·36	-	-	-		·41	26
27	-	-	-	-	-	·07	·04	-	-	·25	-	-	27
28	-	·05	-	-	-	·03	-	-	1·55	·12	-	-	28
29	-	-	S.-01	-	-	·01	·02	·15	-	·01	·13	-	29
30	·02		-	-	-	-	-	-	-	·01	·36	-	30
31	·01		-		-		-	-		·83		·20	31
Total	3·34	2·95	·63	1·27	3·03	·42	3·04	2·79	2·00	2·04	2·29	4·77	YEAR'S TOTAL 28·57
Rain Days.	22	6·29 20	6·92 12	8·19 10	11·22 10	11·64 9	14·68 15	17·47 13	19·47 7	21·51 16	23·80 8	28·57 21	163

W. 8,000. X. 15.

9L ✓ Ex. 9L 19

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Nunhead Works

in the County of London R. Bank

by G. Woodroffe M.W.B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02				.30				.20	.09	.22		1
2	.34	.03	.08		.32		.02		.09	.33	.07		2
3		.52	.10		.01		.02		.11	.22	.55		3
4	.19	.11	.02			.19			.05	.01	.35		4
5					.10	.09				.05	.37		5
6		.03	.38	.31	.02	.13	.40			.01	.28		6
7	.03		.50		.18	.30	.50				.70	.05	7
8					.18	.02					.01	.24	8
9					.21	.01				.05		.09	9
10		.15	.15	.06		.40	.09	.01	.03			.09	10
11	.03	.15	.02	.12		.25						.01	11
12	.02	.02		.03	.30	.14		.02		.05			12
13		.20	.24	.05	.04	.06	.10	.12		.01			13
14		.30	.03	.02	.07	.01	.01	.29				.08	14
15		.21	.23	.01			.04	.11		.03			15
16	.01		.13	.13			.13	.10					16
17	.04	.09		.02			.03	.30	.25	.60		.03	17
18		.06	.02	.16				.51	.02	.15	.69	.01	18
19	.05	.05	.14	.10					.09		.67	.01	19
20	.12		.29						.01		.04	.31	20
21	.02		.42				.01					.24	21
22		.01	.06								.01	.39	22
23	.01	.19	.02			.03					.03	.16	23
24		.12			.09			.02		.13		.26	24
25		.53	.13					.24		.05	.07	.03	25
26		.26	.06			.03		.43		.06			26
27	.03		.75			.65		.39	.03	.39			27
28		.30	.16			.21		.09	.05	.01		.11	28
29		.06	.01			.23		1.09	.03	.20		.13	29
30		X			.21			.09		.21			30
31		X		X		X		.08	X	.13	X	.04	31
Total	.91	3.39	3.94	1.01	2.03	2.75	1.35	3.89	.96	2.78	4.06	2.28	YEAR'S TOTAL 29.35
Rain Days.	13	20	22	11	13	16	11	16	12	20	14	18	186

W. 8,000. X. 15.

18

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

12 JAN

Kept at Nunhead Works
in the County of London
by H. Woodcock

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Nunhead
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	.12 s	-	-	-	1.23	-	-	.03	-	1
2	-	-	-	.32 s	-	.02	-	.07	-	-	.17	-	2
3	.01	-	-	.05	-	-	-	.34	-	.19	.15		3
4	-	.10 s	.07	.01	-	-	.22	.25	.	.32	-	-	4
5	.24	-	.08	.28	-	-	-	.05	.54	.15	.06	-	5
6	-		.04	.07	-	.04	-	-	.18	.03	.08	-	6
7	.12	-	-	-	-	-	.13	-	-	.23	-	-	7
8	.06	-	-	.08	-	-	.83	.17	.04	.22	.15	.28	8
9	.12	-	.02	.07	-	-	.02	.07	.02	-	.03	.18	9
10	.20 s	-	.07	.09	-	-	-	.03	-	-	-	.05	10
11	.09	.05	.48	.10	-	-	-	-	.40	.20	-	-	11
12	.05	.02	.04	.03	-	-	-	.06	-	.38	.01	-	12
13	.02	-	.18	.04	.05	-	-	.02	.03	.07	-	-	13
14	-	-	.01	.13	-	-	-	.05	-	-	-	.01	14
15	.05	-	-	.01	-	-	.20	.02	-	.01	-	.02	15
16	.03	.17	-	.08	.23	-	.16	-	-	.26	-	.25	16
17	.01	-	-	.08	.60	-	.26	.07	.30	.14	-	-	17
18	.02	.05	-	.08	.07	.07	.12	.22	.15	.09	-	-	18
19	.01	.14	.13	-	.28	.10	-	-	.15	-	-	-	19
20	.02 s	.17	.06	-	.67	-	.03	-	.03	-	.05	-	20
21	- -	.02	.02 s	.01	.02	-	-	-	-	-	.02	-	21
22	.03	-	.01 s	-	-	-	-	.07	-	.07	-	-	22
23	-	.08	.01 s	-	12	-	-	.04	-	.04	-	.02	23
24	-	.02	-	-	-	.10	.01	.02	-	.11	.04	.06	24
25	-	-	.04 s	-	-	-	-	-	.	-	-	-	25
26	-	-	.05 s	-	-	-	-	.36	.04	-	.55	-	26
27	-	-	.03	-	-	-	-	.80	-	-	.01	.02	27
28	-	.01	.02	-		1.50	-	.03	-	-	-	.05	28
29	-	-	-	-	.73	.07	.19	.02	-	.20	-	.19	29
30	-	X	.25 s	-	-	-	1.70	.07	-	.02	-	.03	30
31	.04 s	X	.06 s	X	-	X	.45	.01	X	-	X	.01	31
Total	1.12	.83	1.67	1.65	2.77	1.90	4.32	4.07	1.88	2.73	1.35	1.17	YEAR'S TOTAL 25.46
Rain Days.	17	11	20	18	9	7.	13	23	11	18	13	13	173

W. 8,000, IX. 17.

14

FORM A.
BRITISH RAINFALL.
25. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Nunhead Works
in the County of Surrey London
by H. Woodcock

Lat. Long. –
Time of Observation 9 a.m.
Nearest Railway Station Nunhead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·05	–	–	–	–	–	–	·12	·07	1
2	·01	·14	–	·07	–	–	–	·30	–	–	·13	·15	2
3	–	–	·05	·02	·36	–	–	·59	–	–	·40	·04	3
4	–	·03	·15	·02	–	–	–	·03	·31	–	·37	–	4
5	–	·03	·02	–	·16	–	–	·05	·25	·06	–	·01	5
6	·21	·09	–	·25	·20	–	–	·02	·03	–	–	·06	6
7	Snow ·06	·10	–	·13	·23	–	–	·01	·10	·09	·07	·01	7
8	–	·04	–	·01	–	–	–	–	·09	·03	·06	·03	8
9	Snow ·02	·02	–	·06	–	·04	·28	–	·22	·09	–	·18	9
10	·02	–	–	·16	–	·02	·32	–	–	·03	·04	·29	10
11	–	–	–	·03	·03	–	1·70	–	·05	·20	·10	·09	11
12	–	·03	–	–	·20	–	·10	–	·02	–	–	·02	12
13	Snow ·05	–	–	–	·11	–	·23	–	·10	–	–	·01	13
14	·11	–	·02	·01	–	·25	·04	–	·18	·16	–	·16	14
15	·98	–	–	·66	–	–	·20	–	–	–	–	·10	15
16	Snow ·40	–	–	·26	–	·05	–	–	·10	–	–	·01	16
17	·30	–	·01	·17	·10	·46	1·40	·04	·40	–	–	·14	17
18	·45	–		·01	–	·14	·07	–	·60	·21	–	·06	18
19	·04	–	·04	·07	–	·13	·16	–	[illegible]	·10	–	·07	19
20	·02	·10	–	·47	–	·02	·17	–	·14	·17	–	·01	20
21	·06	·01	–	·20	–	–	–	–	·53	·11	–	–	21
22	·04	–	–	·05	·39	–	·30	–	·06	·01	–	·13	22
23	·03	–	–	·02	·19	–	·40	·04	·06	–	–	·09	23
24	–	·21	–	–	·01	·04	·80	–	·12	–	·03	–	24
25	–	–	–	·11	–	·01	·26	·30	–	–	·10	–	25
26	–	–	–	–	–	–	·37	·06	[illegible]	·07	·10	·08	26
27	–	·02	–	·11	–	–	·03	·14	·71	–	·10	·02	27
28	–	·02	·15	·02	–	–	–	·04	[illegible]	–	·20	·11	28
29	–	–	–	–	–	–	–	–	1·00	–	·03	–	29
30	–	×	·40	–	–	–	–	–	·03	·03	–	·13	30
31	–	×	·02	×	–	×	–	·16	×	·04	×	·01	31
Total	2·80	·84	·86	2·96	1·98	1·16	6·83	1·78	4·20	1·40	1·85	2·08	YEAR'S TOTAL 28·74
Rain Days.	16	13	9	23	11	10	17	13	20	15	14	26	187

W. 6,500, VII. 18. W W O

Eoc Dh

15

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

29 JAN 20

Kept at NUNHEAD WORKS (M.W.B)

in the County of LONDON

by H. WOODCOCK.

Lat. Long.

Nearest Railway Station

Time of Observation 9 A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 170 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·05S	·	·	·	·	·15	·	·	·14	·	·75	1
2	·30	·	·01	·	·06	·	·06	·	·06	·04	·10	·07	2
3	·14	·	·40	·	·	·	·20	·	·04	·	·03	·29	3
4	·08	·	·44	·	·	·09	·32	·	·	·	·02	·09	4
5	·02	·30S	·59	·	·	·	·	·	·02	·	·	·22	5
6	·03	·	·05	·	·	·	·	·	·	·	·	·04	6
7	·02	·	·19	·	·	·	·	·	·	·	·03	·	7
8	·15	·	·05	·04	·	·	·	·	·	·	·02	·	8
9	·14	·	·	·01	·15	·	·	·	·	·	·03	·	9
10	·14	·	·03	·	·	-	·	·	·	·	·	-	10
11	·03	·	·07	·25	·	·	·27	·	·	·	-	·02	11
12	·01	·	·02	·	·	·02	·13	·	·	·06	·	-	12
13	·01	·	·	·20	·	·	·	·	·	·05	·	·01	13
14	·19	·	·	·21	·	·	·06	·	·52	·	·	·01	14
15	·22	·	·07	·17	·	·	·	·	·	·	·	·11	15
16	·05	·50	·	·	·	·	·	·	·	·	·10	·05	16
17	·	·30	·04	·02	·	·	·	·	·	·	·12	·	17
18	·	·25	·06	·	·	·	·	·	·03	·	·08	·06	18
19	·06	·08	·23	·	·	·17	·15	·23	·08	·	·05	·01	19
20	·05	·04	·03	·	·	·86	·40	·14	·	·	·03	-	20
21	·20	·20	·02	·	·	·07	·09	·	·01	·	·02	·02	21
22	·	·	·	·	·	·	·13	·	·23	·	·02	·22	22
23	·	·10	·	·	·	·03	·	·05	·04	·	·01	·10	23
24	·	·	·	·27	·	·01	·04	·	·	·16	·03	·01	24
25	·	·	·	·	·	·	·	·18	·	·	·	·02	25
26	·06	·17	·11	·10	·	·	·08	·23	·	·	·	·23	26
27	·23	·06	·05	·87	·	·	·	·36	·	·	·	·02	27
28	·02	·	·15S	·04	·	·	·02	·56	·	·	·15	·30	28
29	·05		·	·02	·	·	·	·45	·	·29	·02	·08	29
30			·02	·23	·	·14	·	·18	·	·02	·20	·22	30
31	·02		·05		·		·02	·		·01		·04	31
Total	2·43	2·05	2·68	2·43	·21	1·39	2·12	2·38	1·03	·77	1·06	2·99	TOTAL for year 21·54
No. of Rain Days	24	11	21	13	2	8	15	9	9	8	18	24	162

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

FORM AM. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at MET. WATER BOARD NUNHEAD WORKS
in the County of London
by The Resident Engineer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30			·26			·41		·16	1
2			·06					·44	·04	·01		·03	2
3		·04							·09			·01	3
4		·05		·04			·22	·01		·10			4
5			·15		·02		·50	·20	·03			·06	5
6			·12		·14		·22					·03	6
7	·02		·24	·12	·05		·14					·02	7
8		·02		·16	·04		·04						8
9	·24	·02		·02									9
10	·43	·03	·10			·08	·04				·02		10
11	·11		·01	·22			·31					snow. ·20	11
12	·09			·08		·32				·01			12
13	·22		·09	·13					·02		·01		13
14			·19	·12		·13			·13	·02	·13		14
15	·01	·02	·03	·15					·59	·09	·04		15
16				·13					·37	·09			16
17					·11	·05			·43	·08		·02	17
18	·02							·94	·28			·04	18
19	·12			·20		·01						·04	19
20	·05	·25		·05		·48			·05				20
21							·56	·02	·45			·01	21
22				·28					·13			·39	22
23							·28					·32	23
24												·02	24
25		·03		·01			·10						25
26	·02	·29	·23	·01		·01	·04						26
27	·09	·04	·03	·14		·14	·12				·45	·04	27
28	·30		·15	·15	·03		·09				·01	·02	28
29	·15		·04								·04	·11	29
30	·02				·10		·22		·41	·03	·19	·10	30
31					·02					·18		·05	31
TOTAL	1·92	·85	1·44	2·34	·54	1·22	3·26	1·64	3·32	1·02	·89	1·64	YEAR'S TOTAL 20·14
Days with ·01 in. or more	15	10	13	18	8	8	15	5	13	10	8	19	142

(44,283). Wt.21,958—218—7500. 10/19. Gp.132. A.&E.W.

10 5 10 15 5 6 15 3 11 6 5 11 102

14

4.4.21

3 Jan 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at NUNHEAD WORKS
in the County of LONDON
by METROPOLITAN WATER BOARD (SOUTHERN DISTRICT).

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30			·26			·41		·16	1
2			·06					·47	·04	·01		·03	2
3		·07							·09			·01	3
4		·05		·07			·22	·01		·10			4
5			·15		·02		·50	·20	·03			·06	5
6			·12		·14		·22					·03	6
7	·02		·24	·12	·05		·17					·02	7
8		·02		·16	·07		·07						8
9	·27	·02		·02									9
10	·43	·03	·10			·08	·07				·02		10
11	·11		·01	·22			·31					·20	11
12	·09			·08		·32				·01			12
13	·22		·09	·13					·02		·01		13
14			·19	·12		·13			·13	·02	·13		14
15	·01	·02	·03	·15					·59	·09	·04		15
16				·13					·37	·09			16
17					·11	·05			·43	·08		·02	17
18	·02							·97	·28			·04	18
19	·12			·20		·01						·04	19
20	·05	·25		·05		·48			·05				20
21							·56	·02	·75			·01	21
22				·28					·13			·39	22
23							·28					·32	23
24												·02	24
25		·03		·01			·10						25
26	·02	·29	·23	·01		·01	·07						26
27	·09	·07	·03	·14		·14	·12				·45	·04	27
28	·30		·15	·15	·03		·09				·01	·02	28
29	·15		·04								·04	·11	29
30	·02				·10		·22		·41	·03	·19	·10	30
31					·02					·18		·05	31
TOTAL	1·92	~~0·00~~ ·85	1·44	2·34	0·54	1·22	3·26	1·67	3·32	1·02	0·89	1·67	YEAR'S TOTAL ~~19·29~~ 20·14
Days with ·01 in. or more	15	19	13	18	8	8	15	5	13	10	8	19	142
Days with ·04 in. or more	10	5	10	15	5	6	15	3	11	6	5	11	102

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3219

Metropolitan Water Board.
SOUTHERN DISTRICT.

F. G. SHARROCK,
M.INST.C.E.,
ENGINEER.

PLEASE REFER TO	YOUR REF.

EH/FM

ENGINEER'S OFFICE,
BRIXTON HILL, S.W.2

5th April, 1921.

The Superintendent,
British Rainfall Organisation,
62, Camden Square, N.W.1.

Dear Sir,

Rainfall at Nunhead Works.

I am obliged for the information contained in your letter of yesterday's date concerning the two returns that have been received by you in respect of the rainfall at the above-mentioned station during the year 1920. The return forwarded from this office of the 27th January was based on the figures returned to me by the Resident Engineer at the station in question, who, however, furnished you with a return direct. Consequently you will find the omission of ·25" for 20th February from both the monthly and annual returns that have been forwarded by me. I am glad to rectify this inconsistency and hereby confirm a rainfall of the magnitude mentioned for that date.

1H

Yours faithfully,

F. G. Sharrock

DL 8a

12

RE

OLD FORD
LONDON
1911 – 1920

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Old For
in the County of N. of
by Met Water Board

9 ft. in.
18·7 ft.
Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·55				·02					1
2	·21			·16	·15						·16	·09	2
3	·04				·11						·08	·07	3
4	·02		·05	·06						·02	·17	·16	4
5	·02	·02		·03						·20	·02	·18	5
6	·20		·19									·13	6
7	·03			·01						·09	·31	·16	7
8	·10		·10								·33	·19	8
9	·11		·02	·03								·02	9
10	·04	·10	·06	·01							·08	·28	10
11	·28	—			·08						·61		11
12	·04		·43		·18	·04			·02		·18		12
13			·12		·12				·40	·54	·04	·12	13
14		·06			·17							·36	14
15		·05	·17							·01	·03	·01	15
16						·66					·34	·01	16
17	·01		·12								·20	·09	17
18		·18	·02			·21					·41	·14	18
19					·02	·13		·41	·22	·11	·18	·07	19
20		·01	·03					·08	·06	·09		·43	20
21		·11	·01					·14	·15	·42		·09	21
22	·05		·08							·14		·34	22
23		·09	·10			·79			·26		·02	·10	23
24		·12	·01			·02	·05			·93		·31	24
25		·04		·03		·16	·04			·01			25
26			·07	·23	·02	·12				·10	·01	·25	26
27		·31	·08	·01					·16		·05	·06	27
28	—	·14		·19	·10		·06	·03			·05		28
29				·06		·16	·15		·13	·17	·01		29
30				·07	·05				·04	·15	—		30
31					·06								31
Total	1·18	1·23	1·66	1·44	1·06	2·29	·30	·68	1·44	2·98	3·28	3·66	TOTAL for year 21·20
No. of Rain Days	14	12	17	13	11	9	4	5	9	14	20	23	151

9,000, IX. '10.

DL 50

RE

FORM A2. BRITISH RAINFALL.

23 JAN 1912

12

Kept at Old Ford

in the County of N. of Thames 2

by Met Water Board

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 9 ft. in.
" " " Sea Level 187 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·55				·02					1
2	·21			·16	·15						·16	·09	2
3	·04				·11						·08	·07	3
4	·02		·05	·06						·02	·17	·16	4
5	·02	·02		·03						·20	·02	·18	5
6	·20		·19									·13	6
7	·03			·01						·09	·31	·16	7
8	·10		·10								·33	·19	8
9	·11		·02	·03								·02	9
10	·04	·10	·06	·01							·08	·28	10
11	·28				·08						·61		11
12	·04		·43		·18	·04			·02		·18		12
13			·12		·12				·40	·54	·04	·12	13
14		·06			·17							·36	14
15		·05	·17							·01	·03	·01	15
16						·66					·34	·01	16
17	·01		·12								·20	·09	17
18		·18	·02			·21					·41	·14	18
19					·02	·13		·41	·22	·11	·18	·07	19
20		·01	·03					·08	·06	·09		·43	20
21		·11	·01					·14	·15	·42		·09	21
22	·05		·08							·14		·34	22
23		·09	·10			·79			·26		·02	·10	23
24		·12	·01			·02	·05			·93		·31	24
25		·04		·03		·16	·04			·01			25
26			·07	·23	·02	·12				·10	·01	·25	26
27		·31	·08	·01					·16		·05	·06	27
28		·14		·19	·10		·06	·03			·05		28
29				·06		·16	·15		·13	·17	·01		29
30				·07	·05				·04	·15			30
31					·06								31
Total	1·18	1·23	1·66	1·44	1·06	2·29	·30	·68	1·44	2·98	3·28	3·66	TOTAL for year 21·20
No. of Rain Days	14	12	17	13	11	9	4	5	9	14	20	23	151

9,000, IX. '10.

82 ✓ Ex. J. C. 25

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Old Ford Well

in the County of Thames, Left Bank

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06			.02	.29		.03	.26		.17	1
2		.02	.23			.05	.25	.09	.01				2
3	.04		.11			.11		.44				.06	3
4	.30	.01	.52		.21	.07		.02			.12		4
5	.15	.06	.03			.01		.14			.06		5
6	.60	.02				.15		.05				.06	6
7					.03	.58	.02	.04				.01	7
8	.28	.23	.07			.10	.04	.14		.01			8
9	.01	.05		.01		.44	.01	.05		.01		.13	9
10		.02						.43			.04	.24	10
11	.01	.25				.04			.01	.01		.10	11
12	.04	.07	.07		.16	.14				.01	.01		12
13	.01	.01	.01				.01				.05		13
14					.03			.03		.08	.01	.02	14
15		.01	.06		.18	.45		.01			.01	.37	15
16	.20		.01		.03	.04		.05		.03	.05		16
17	.58		.21			.04		.03				.01	17
18	.04		.10					.06		.02	.04	.08	18
19	.12	.07	.09				.03	.50					19
20	.02	.01	.09			.01		.09		.40			20
21		.02	.09		.10			.17		.04	.04		21
22	.24	.12	.01		.02		.16	.10		.05		.06	22
23	.38	.38	.31					.50		.01	.20	.15	23
24	.27	.02				.25		.13				.12	24
25	.19					.12		.82			.23	.48	25
26		.01						.23		.36	.29	.31	26
27						.03				.13		.20	27
28		.06					.10	.01	.08	.24	.30	.07	28
29				.02		.11	.16	.14	.76	.14	.01		29
30					.11				1.10	.15			30
31			.17		.03		.13	.17					31
Total	3.48	1.44	2.24	.03	.90	2.76	1.20	4.44	1.99	1.95	1.46	2.64	TOTAL for year 24.53
No. of Rain Days.	18	19	18	2	10	19	11	25	6	17	15	18	178

W. 8,000, X. '11.

26

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Old Ford
in the County of London
by M. W. Bd.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	·24	·03	·19					·15		·05	·06	1
2	·02	·13			·02		·04		·09		·03		2
3			·02	·08	·37							·01	3
4	·16			·01	·17		·10			·14		·01	4
5	·27					·05	·16		·15	·01		·04	5
6			·07		·03	·11	·93			·21	·07	·05	6
7		·10			·11		·20	·04		·35	·04		7
8		·03	·02		·09	·19				·06			8
9		·11			·04				·03		·04	·06	9
10			·07	·11			·40	·07			·28		10
11	·42			·44						·53	·15		11
12		·01			·01						·40		12
13	·07		·01					·02		·01	·34		13
14	·02	·01	·06	·06			·52	·04		·15	·09		14
15	·30	·07	·28	·14			·11		·01				15
16	·14		·28	·10					·41				16
17	·03	·02	·03	·02			·16						17
18			·03	·12							·03		18
19	·10		·10	·02		·02	·11		·14				19
20	·11		·22	·04		·05				·34	·01		20
21			·17	·08			·05			·20	·62		21
22	·31		·16					·04	·17				22
23			·01			·02		·22	·02			·30	23
24				·02									24
25				·18		·02							25
26		·01	·19	·01				·20		·73		·17	26
27			·03	·05						·03			27
28	·21		·15	·07						·16			28
29	·05		·03	·32	·41			·24		·09			29
30	·18			·12				·12		·03			30
31								·43		·18			31
Total	2·40	·73	1·96	2·18	1·25	·46	2·78	1·42	1·17	3·22	2·15	·70	YEAR'S TOTAL 2042
Rain Days.	16	10	20	20	9	7	11	10	9	16	13	8	149

W. 7,500, XI. 12

DL

24

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Old Ford Well

in the County of London L. Bank 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02					.19			.03		1
2	.01						.11	.07			.24	.21	2
3			.11	.03	.10		.05						3
4	.05		.01	.13				.02			.27	.16	4
5	.03		.07	.16	.15	.03	.49	.33					5
6		.07		.06		.19		.02			.05	.09	6
7		.13	.37	.13	.90	.33	.06					.10	7
8	.02	.28	.68	.09	.01	.10	.05	.06					8
9	.14		.58	.09		.04			.04			1.05	9
10	.02	.04		.05	.06				.08				10
11		.34	.30		—	.11			.21		.39	.39	11
12		.04	.09				.04		.14			.30	12
13		.13	.09						.12	.08	.09	.36	13
14		.03	.24			.03	.11			.10	.06	.34	14
15		.02	.17							.05	.21	.05	15
16	.02		.03				.06		.01				16
17		.27	.04						.02			.12	17
18		.04	.13								.01	.29	18
19		.02	.20			.54	.03		.04		.19	.36	19
20		.07	.36			.11			.05			.04	20
21		.52	.06			.02				.01		.03	21
22					.24	.12	.18			.06			22
23			.07		.18		.03		—	.06		.05	23
24			.01	.01							.13		24
25	.02	—	.14					.08		.26	—	.05	25
26			.02				.11	.06		.07	.17	.46	26
27	.02		.01					.01			.03	.10	27
28	.01	.03								.02	.53	1.18	28
29	.02		.05							.26	.06		29
30			.04							.02	.55	.08	30
31					.25							.03	31
Total	.36	2.03	3.89	.75	1.89	1.62	1.32	.84	.71	.99	3.01	5.84	YEAR'S TOTAL 2325
Rain Days.	11	15	25	9	8	11	12	9	9	11	16	22	158

W.7,000, XI. 13

Exd J.W.

83

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
17 FEB 1916

Kept at Old Ford

in the County of ~~Middlesex~~ LONDON 2

by W. Hubble

Lat. 51" - 32' 12" N Long. 0° - 1" - 9" W.
Time of Observation 9 a.m
Nearest Railway Station Old Ford. N. L. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 18·40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·12	·08		·03				·08	·03	·24	·41	1
2	·21	·15	·20	·11				·54		·02	·01	·06	2
3	·38		·06	·19	·01			·62	·03	·01		·48	3
4	·02							·03				·21	4
5	·06	·20								·03	·01	·21	5
6	·29			·18	·20		·48					·36	6
7	·58	·21	·03			·03	·04					·16	7
8	·03	·49		·03			·11	·06					8
9		·02		·06		·04		·05		·02	·35	·68	9
10	·28		·02					·39		·01		·12	10
11	·05		·02					·07			·62	·03	11
12	·06	·02		·24	·46			·14		·01	·50		12
13		·35			1·45			·03					13
14		·01					·48					·38	14
15	·10				·04		·02	·60			·27	·06	15
16	·02	·17					·50					·10	16
17		·24			·95		·05	·10					17
18		·17	·04		·16						·04		18
19		·13					·04						19
20	·29			·05								·25	20
21	·15						·01			·04	·01	·05	21
22	·74	·05	·12				·70					·09	22
23	·01	·17	·06			·18	·27		·15	·31		·25	23
24						·01	·04		·19	·10		·37	24
25			·16	·13			·12					·09	25
26		·06				·17	·04					·44	26
27						·24	·37			·27		·04	27
28		·03				·01			1·46	·14			28
29			·02				·27	·12			·12	·01	29
30	·01	X				·04					·22		30
31	·03	X		X		X			X	·76	X	·13	31
Total	3·63	2·59	·81	·99	3·30	·72	3·54	2·75	1·91	1·75	2·39	4·98	YEAR'S TOTAL 29·36
Rain Days.	19	14	11	8	8	8	16	12	5	13	11	1 0 23	151

W. 8,000. X. 15.

MB

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

76

23 JAN 1917

Kept at Old Ford.

in the County of Middlesex. London

by W. Hubble.

Lat. 51°-32'-12"N Long. 0°-1'-9"W

Time of Observation 9.0.a.m.

Nearest Railway Station Old Ford. N.L.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 18.70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04				.18				.15	.01	.31		1
2	.43	.02	.08		.19		.02		.19	.31	.01		2
3		.31	.13				.02		.10	.20	.58		3
4	.17	.10	.04			.28			.02	.02	.29		4
5	.02				.05	.23	.02			.04	.25		5
6		.05	.27	.33	.02	.15	.29			.01	.26		6
7	.09		.26		.14	.18	.54				.63	.04	7
8			.03		.26					.01		.22	8
9					.22					.05		.12	9
10		.14	.10	.07		.41	.02					.08	10
11	.04	.12	.01	.15		.20			.01				11
12	.03	.02		.04	.21	.11	.04			.04			12
13		.30	.26	.17	.06	.06	.30	.15					13
14		.31		.03	.09			.69		.02		.10	14
15		.24	.25				.01	.08				.01	15
16		.01	.05	.14			.14	.06					16
17	.05	.08		.03			.01	.80	.29	.50			17
18		.09	.02	.10				.16	.03	.04	.76		18
19	.05		.09	.11					.11		.65	.01	19
20	.12		.21								.03	.25	20
21			.65				.01					.31	21
22		.02	.06							.02		.40	22
23	.02	.24				.03				.01	.04	.15	23
24		.10			.02	.02		.01		.08	.02	.33	24
25		.35	.15		.07			.26		.07	.11	.02	25
26		.19	.02			.01		.49		.03			26
27	.08		.91			.01		.58	.03	.44			27
28		.39	.26			.04			.02			.13	28
29		.05				.25		1.19	.05	.18		.15	29
30				.01	.10			.11		.33			30
31								.04		.16		.04	31
Total	1.14	3.13	3.95	1.18	1.61	1.98	1.42	4.62	1.00	2.57	3.94	2.36	YEAR'S TOTAL 28.90
Rain Days.	12	20	20	11	13	14	12	13	11	21	13	16	176

W. 7,500, XI. ·12

81

74
25

FORM A.
BRITISH RAINFALL.

26. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Old Ford

in the County of London L. B. Thames

by M. W. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·11			–	·96	·01		·07		1
2				·46		·03		·06			·02		2
3				·04				·45		·21	·34		3
4		·12	·15		–		·03	·07		·45			4
5	·25		·03	·29				·21	·53	·11	·05		5
6			·06	·04		·06			·05	·02	·08		6
7	·15						·13			·19		·02	7
8	·10			·10			·83	·14	·02	·22	·16	·20	8
9	·03		·03	·12			·02	·06	·03		·05	·21	9
10	·23		·05	·11				·03				·04	10
11	·08		·42	·08					·17	·23			11
12	·11		·04					·06		·43			12
13	·03		·12	·01				·02	·02	·05		·02	13
14	·01		·01	·11				·18					14
15	·02						·11	·01		·04			15
16	·04	·18		·11	·19		·05			·40		·31	16
17				·07	·45		·32	·10	·34	·22			17
18	·02	·06		·12	·06	·75	·08	·02	·16	·02			18
19	·02	·12	·07		·47	·16		·03	·16				19
20	·03	·22	·05		·80			·01			·07		20
21			·02		·03					·01	·03	·03	21
22	·02		·03					·05		·07			22
23		·09	·02		·14			·05				·01	23
24	·01	·02				·07		·02		·14	·03		24
25			·04								·08		25
26			·08					·22	·03		·57		26
27			·02					·80	·01				27
28			·01			1·33		·12				·07	28
29			·05		1·49	·03	·15	·10		·14		·16	29
30	·01		·30				1·45	·04		·02		·03	30
31	·04		·06				·59					·02	31
Total	1·20	·82	1·66	1·77	3·63	2·43	3·76	3·81	1·53	2·97	1·55	1·12	YEAR'S TOTAL 26·25
Rain Days.	18	8	21	14	8	7	11	24	12	18	12	12	165

W. 8,000, VIII. 16

3·66

B. Made

~~26~~ 71

REGISTER OF RAINFALL IN 1918

Eng Dl

FORM A.
BRITISH RAINFALL.
27 · 1 · 19

Kept at Old Ford
in the County of London, Thames L. B.
by M. W. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·10					–		·08	·08	1
2		·08		·08				·40			·09	·19	2
3		·01	·04	·03	·47			·56	·01		·46		3
4		·07	·15	·02				·07	·35		·42	·02	4
5			·02		·16			·07	·17	·08			5
6	·16	·18		·22	·19			·17				·08	6
7	·04	·13		·08	·11			·01	·09	·20	·07	·02	7
8		·02		·02					·06	·02	·04	·04	8
9	·02	·05	·01	·02		·01	·27		·34	·10		·15	9
10	·07			·08		·01	·61		·03	·01	·02	·37	10
11	·01			·02	·09		1·33		·11	·14	·10	·09	11
12		·05			·20		·08		·12			·03	12
13	·02	·01			·08		·15		·17				13
14	·13		·01			·34	·06		·32	·17		·21	14
15	1·15			·93			·31		·01			·08	15
16	·22			·32		·05			·12			·01	16
17	·21			·32	1·20	·77	1·54	·03				·14	17
18	·65					·18	·02		·78	·19		·04	18
19	·04		·03	·10		·20	·28		·03	·06		·14	19
20	·02	·15		·48		·01	·17		·14	·09		·05	20
21	·05	·01		·20			·01		·56	·04			21
22	·04			·08	·42		·24		·12			·17	22
23	·02			·01	·30		·40	·04	·01			·06	23
24		·24				·05	·78		·10		·03		24
25				·02		·03	·32	·19			·04		25
26							·37	·10		·04	·15	·09	26
27		·03		·09			·03	·13	·06		·09	·01	27
28	·01	·03	·14			·01					·25	·11	28
29	·01		·01						1·18		·01		29
30		X	·44						·01	·03	·01	·11	30
31	·01	X		X		X		·11	X	·03	X	·02	31
Total	2·88	1·08	·85	3·22	3·22	1·66	6·97	1·88	4·89	1·20	1·56	2·31	YEAR'S TOTAL 32·02
Rain Days.	19	15	9	20	10	11	18	12	23	14	15	24	190

W. 8,000, VIII. 16

written for missin months 11·3·20

REGISTER OF RAINFALL IN 1919

70

FORM A.
BRITISH RAINFALL.

17 MAR 20

Kept at Old Ford

in the County of London L. Bank

by M. N. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.28	.05		.01	.03		.18			.14		.73	1
2	.30				.18		.15	.02	.07	.08	.08	.10	2
3	.17		.36		.01		.27		.04		.04	.38	3
4	.08	.06	.35			.08	.35	.01			.02	.14	4
5	.04	.32	.69						.04			.30	5
6	.01		.08									.04	6
7	.02		.30								.09		7
8	.16		.05	.06							.04		8
9	.08		.02	.08	.08						.04		9
10	.28		.04	.01								.01	10
11	.01		.08	.30			.31					.01	11
12	.02		.05			.04	.09			.06			12
13	.01			.23						.03		.01	13
14	.20			.26			.09		.41				14
15	.30	.02	.01	.27						.06		.10	15
16	.04	.54		.01							.10	.04	16
17		.49	.06	.02							.18		17
18		.24	.07						.06		.06	.06	18
19	.02	.13	.65			.29	.11	.15	.04		.09	.01	19
20	.21	.03	.03			.86	.31	.08	.02		.01		20
21	.19	.18				.03	.11				.01	.12	21
22		.11					.11		17		.04	.29	22
23						.04	.01	.02	.02		.02	.01	23
24				16		.02	03	.02		.14	.03	.01	24
25	.01			.13	.15			.15				.02	25
26	.05	.13	.17	.07			.03	.04	13			.24	26
27	.32	.07	.03	1.32				.45				.02	27
28	.02		.20	.05			.01	.62			.09	.28	28
29	.02							.27		36	.06	.04	29
30		X	.01	.23		.23		.13		.02	.19	.19	30
31	.02	X	.01	X		X			X		X	.01	31
Total	2.86	2.37	3.26	3.21	.45	1.59	2.16	1.96	1.00	.89	1.19	3.16	YEAR'S TOTAL 24.10
Rain Days.	25	13	20	16	5	8	15	12	10	8	18	24	174

W. 6,500, VII. 18. w w c

69

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Old Ford.
in the County of Lond
by Metro: Water Board.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·37	·02		·27			·63	·05	.18	1
2			·04	-				·72	·05	·03		.05	2
3		·06		-					·06			.02	3
4		·03		·06			·14	·02		·08		.01	4
5			·16	-	·03		·41	·19	·05	·02		.05	5
6			·27	-	·12		·29	·01				.02	6
7	·02		·05	·22			·15					.01	7
8	·04	·02		·16	·12		·10					.	8
9	·33	·02		·02								.	9
10	·60	·04	·09	-		·10	·07					.	10
11	·21		·07	·28	·01	·03	·35					.	11
12	·08			·07		·35						.29	12
13	·16		·07	·12							·03	.	13
14			·18	·17		·27			·20		·15	.02	14
15		·01	·08	·18					·82	·08	·14	.	15
16			·01	·24		·09			·16	·32		.02	16
17				-	·13				·55			.02	17
18	·04			·09				·90	·15			.04	18
19	·11			·19		·05						.05	19
20	·06	·33		·16		·46			·15			.	20
21				-			·71	·04	·48			.03	21
22				·28					·07			.33	22
23				-			·32					·36	23
24			·03	-								.03	24
25		·02		·03			·09					.	25
26	·01		·14	·02			·02					.	26
27	·10	·08	·05	·32		·06					·38	.10	27
28	·50	·01	·21	·05	·03		·04				·01	.02	28
29	·20		·03	-							·03	·23	29
30	·01	X			·08		·46		·42		·14	.14	30
31	·01	X		X	·04	X			X	·16	X	.07	31
TOTAL	2·51	·62	1.48	3·03	·58	1·41	3·42	1·88	3·16	1·32	·93	2.09	YEAR'S TOTAL 22.43 ✓
Days with ·01 in. or more	16	10	15	19	9	8	14	6	12	7	8	22	146 ✓
	12	15	12	16	5	7	13	4	12	5	5	12	107

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Se

OLD FORD
WICK LANE
LONDON

1911 - 1918

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Old ... ogical

in the County of Lo ... d 1 ft. in. ... evel 35 ft.

by ... Old Ford

... nce 1/8 mile Direction S.

IMPORTANT NO... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·62				·01					1
2	·21			·14	·15						·15	·10	2
3	–				·11						·08	·06	3
4	·01		·05	·04						·01	·16	·16	4
5	·01			·02						·18	·01	·19	5
6	·22		·18									·16	6
7	·03									·08	·27	·17	7
8	·10		·10								·30	·18	8
9	·10		·02									·02	9
10	·03	·10	·07								·09	·33	10
11	·29				·12						·63		11
12	·03		·44		·25	·04			·02		·17		12
13			·10		·10				·40	·50	·02	·13	13
14		·05			·18							·38	14
15		·03	·17								·04		15
16						·67					·36	·02	16
17			·13								·24	·09	17
18		·15	·01			·17					·40	·15	18
19					·01	·11		·44	·21	·11	·19	·07	19
20			·02					·09	·05	·09		·46	20
21			·01					·16	·08	·48		·09	21
22	·04	·10	·08							·13		·35	22
23		·09	·09			·83			·27		·01	·10	23
24		·12				·01	·03			·98		·34	24
25		·04		·04		·16	·03			·01			25
26			·06	·23	·02	·12				·09	·01	·27	26
27		·32	·07						·16		·05	·05	27
28		·14		·20	·10		·16	·03			·05		28
29				·05		·15	·12		·13	·18			29
30				·07	·03				·03	·13			30
31					·06								31
Total	1·10	1·14	1·60	1·41	1·13	2·26	·34	·73	1·35	2·97	3·23	3·87	TOTAL for year ✓ 21·13
No. of Rain Days.	12	10	16	9	11	9	4	5	9	13	19	22	139.

W. 8,000, X. '11.

Se

gical

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Old Ford

in the County of London 2

by

RAIN GAUGE { Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 35 ft.

Time of Observation 9. a.m

Nearest Railway Station { Name Old Ford
Distance 1/8 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·62				·01					1
2	·21			·14	·15						·15	·10	2
3	–				·11						·08	·06	3
4	·01		·05	·04						·01	·16	·16	4
5	·01			·02						·18	·01	·19	5
6	·22		·18									·16	6
7	·03									·08	·27	·17	7
8	·10		·10								·30	·18	8
9	·10		·02									·02	9
10	·03	·10	·07								·09	·33	10
11	·29				·12						·63		11
12	·03		·44		·25	·04			·02		·17		12
13			·10		·10				·40	·50	·02	·13	13
14		·05			·18							·38	14
15		·03	·17								·04		15
16						·67					·36	·02	16
17			·13								·24	·09	17
18		·15	·01			·17					·40	·15	18
19					·01	·11		·44	·21	·11	·19	·07	19
20			·02					·09	·05	·09		·46	20
21			·01					·16	·08	·48		·09	21
22	·04	·10	·08							·13		·35	22
23		·09	·09			·83			·27		·01	·10	23
24		·12				·01	·03			·98		·34	24
25		·04		·04		·16	·03			·01			25
26			·06	·23	·02	·12				·09	·01	·27	26
27		·32	·07						·16		·05	·05	27
28		·14		·20	·10		·16	·03			·05		28
29				·05		·15	·12		·13	·18			29
30				·07	·03				·03	·13			30
31					·06								31
Total	1·10	1·14	1·60	1·41	1·13	2·26	·34	·73	1·35	2·97	3·23	3·87	TOTAL for year ✓ 21.13
No. of Rain Days.	12	10	16	9	11	9	4	5	9	13	19	22	139.

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL

13 JAN 1913

REGISTER OF RAINFALL IN 1912

E & D

Kept at Old Ford Penstock House

in the County of London 2

by The London County Council

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Old Ford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.	.07	.	-	.06	.36	.	.03	.26	-	.19	1
2	-	-	.24	.	-	.01	.24	.08	-	.	.	-	2
3	.04	-	.08	.	-	.16	.	.43	-	-	-	.06	3
4	.30	-	.60	-	.21	.07	.	.03	-	.	.12	-	4
5	.15	.	.03	-	-	-	.	.14	-	-	.06	-	5
6	.63	-	-	-	-	.12	-	.04	.	-	-	.06	6
7	-	-	-	-	.03	.62	.02	.04	-	-	.	-	7
8	.31	.22	.08	-	-	.10	.03	.14	-	.	-	-	8
9	-	.05	-	.02	-	.57	.	.04	-	-	-	.13	9
10	-	.02	-	-	-	-	.	.49	-	-	.04	.25	10
11	-	.27	-	.	-	.03	.	-	.02	-	-	.11	11
12	.03	.07	.07	.	.15	.12	.	.	-	-	.02	-	12
13	.01	-	-	-	-	.	.02	.	.	-	.04	.01	13
14	-	.	-	.	.03	.	.	.03	-	.10	.01	.02	14
15	-	.01	.06	.	.19	.46	.	-	.	-	.01	.37	15
16	.20	-	.01	-	.02	.04	.	.04	-	.03	.05	-	16
17	.58	-	.21	-	-	.03	.	.03	-	-	-	-	17
18	.04	-	.10	-	-	.	.	.07	-	.02	.04	.07	18
19	.12	.06	.10	-	-	-	.02	.48	-	-	-	-	19
20	.01	-	.10	-	-	-	.	.07	-	.38	-	-	20
21	-	.02	.09	-	.12	.	-	.16	-	.03	.04	-	21
22	.25	.13	-	-	.01	-	.17	.10	-	.04	-	.06	22
23	.38	.37	.33	-	-	-	.08	.50	-	-	.20	.17	23
24	.26	.03	-	-	-	.21	.	.13	-	.	-	.11	24
25	.20	-	-	-	-	.11	.	.85	-	-	.23	.51	25
26	-	.02	-	-	-	.	.	.26	-	.37	.29	.31	26
27	-	-	-	-	-	.03	.	-	-	.15	-	.23	27
28	-	.06	-	-	-	.	.09	.	.05	.26	.35	.07	28
29	-	-	-	-	-	.06	.13	.16	.82	.14	.01	-	29
30	-	.	-	-	.16	-	-	-	1.12	13	-	-	30
31	-		.18		-		.16	.17		-		-	31
Total	3.51	1.33 4.84	2.35 7.19	0.02 7.21	0.92 8.13	2.80 10.93	1.32 12.25	4.48 16.73	2.04 18.77	1.91 20.68	1.61 22.19	2.73	YEAR'S TOTAL 24.92
Rain Days.	16	13	16	1	9	17	11	23	5	12	15	17	155

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
19 JAN 1914

Kept at Old Ford E4 RA

in the County of London

by The London County Council

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Old Ford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.25	.04	.21	-	-	-	-	.15	-	.04	.06	1
2	.02	.13	-	-	.02	-	.05	-	.09	-	.02	-	2
3	-	-	.03	.07	.39	-	-	-	-		-	.01	3
4	.18	-	-	.01	.18	-	.10	-	-	.13	-	.01	4
5	.29	-	-	-	-	.05	.16	-	.16	.01	-	.04	5
6	-	.01	.06	-	.03	.10	.57	-	-	.20	.07	.05	6
7	-	.10	-	-	.10	-	.13	.06	-	.38	.05	-	7
8	-	.02	.03	-	.12	.17	-	-	-	.05	.01	-	8
9	-	.12	-	-	.05	-	-	-	.03	-	.05	.05	9
10	-	-	.08	.13	-	-	.51	.08	-	-	.28	-	10
11	.43	-	-	.45	-	-	-	-	-	.54	.12	-	11
12	-	-	-	-	.01	-	-	-	-	-	.42	-	12
13	.06	-	.02	-	-	-	-	.03	-	-	.34	-	13
14	.02	-	.06	.07	-	-	.52	.04	-	.15	.10	-	14
15	.34	.07	.27	.18	-	-	.11	-	.02	-	-	-	15
16	.15	-	.32	.10	-	-	-	-	.40	-	-	-	16
17	.01	.02	.02	.03	-	-	.16	-	-	-	.01	-	17
18	-	-	.04	.13	.01	-	-	-	-	-	.03	-	18
19	.11	-	.10	.01	.02	.03	.12	-	.16	-	-	-	19
20	.12	-	.22	.04	-	.06	-	-	-	.36	.02	-	20
21	-	-	.15	.07	-	-	.05	-	-	.20	.65	-	21
22	.33	-	.15	-	-	-	-	.06	.18	-	-	-	22
23	-	-	.02	-	-	.02	-	.22	.02	-	-	.31	23
24	-	-	-	.02	-	-	-	.01	-	-	-	-	24
25	-	.02	-	.18	-	-	-	-	-	-	.01	-	25
26	-	.01	.20	.02	-	-	-	.20	-	.75	-	.17	26
27	-	-	.02	.07	-	-	-	-	-	.03	-	-	27
28	.22	-	.16	.06	-	-	-	-	-	.16	-	-	28
29	.05		.02	.32	.46	-	-	.20	-	.06	-	.01	29
30	.20		-	.18	-	-	-	.12	-	.03	-	-	30
31	-		-		-		-	.47		.15		-	31
Total	2.53 ✓	.75 ✓	2.01 ✓	2.35 ✓	1.39 ✓	.43 ✓	2.48 ✓	1.49 ✓	1.21 ✓	3.20 ✓	2.22 ✓	.71 ✓	YEAR'S TOTAL 20.77 ✓
Rain Days.	15	10	20	20	11	6	11	11	9	15	16	9	153 ✓

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
29 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Old Ford Penstock House
in the County of London 2
by The London County Council

Lat. ______ Long. ______
Time of Observation 9.0 a.m.
Nearest Railway Station Old Ford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.	·02	-	.	-	-	·25	-	.	·02	·01	1
2	-	.	-	·01	.	.	·11	·06	.	.	·30	·19	2
3	.	.	·12	·03	·12	-	·03	-	.	.	-	-	3
4	·07	.	·02	·15	-	.	-	·03	.	.	·29	·18	4
5	·03	.	·07	·16	·18	·02	·50	·36	.	.	-	.	5
6	-	·08	-	·07	-	·21	-	·01	.	.	·03	·09	6
7	-	·17	·39	·15	·94	·35	·05	-	.	.	.	·10	7
8	·03	·27	·66	·09	·02	·06	·06	·07	.	.	-	-	8
9	·14	-	·55	·09	-	·04	.	.	·06	.	-	1.05	9
10	·02	·05	-	·05	·05	-	.	.	·07	-	-	-	10
11	-	·38	·34	-	.	·01	-	.	·22	.	·42	·37	11
12	.	·05	·10	.	.	-	·04	.	·17	.	·01	·32	12
13	.	·15	·11	.	.	-	.	.	·11	·07	·07	·36	13
14	.	·03	·25	.	.	·02	·09	.	.	·10	·06	·38	14
15	·01	·01	·17	.	.	.	.	.	.	·05	·23	·05	15
16	·01	-	·02	.	.	.	·05	.	·01	.	-	-	16
17	.	·30	·06	.	.	.	.	.	·03	.	.	·16	17
18	.	·03	·16	.	.	.	.	.	.	.	.	·26	18
19	.	·02	·21	.	.	·47	·02	.	·04	.	·19	·41	19
20	.	·08	·35	.	.	·08	.	.	·05	.	.	·04	20
21	.	·57	·07	.	.	·02	.	.	.	·01	.	·03	21
22	-	-	-	·01	·23	·13	·20	.	.	·05	.	-	22
23	.	.	·08	.	·17	·01	·03	.	.	·06	.	·04	23
24	.	.	·01	·01	.	.	.	.	.	·04	·14	-	24
25	·03	.	·15	.	.	.	.	·09	.	·26	.	·05	25
26	.	.	·03	.	.	.	·10	·06	.	·07	·18	·49	26
27	·02	.	.	.	.	.	.	·02	.	.	·02	·10	27
28	·01	·03	.	.	.	.	.	.	.	·03	·51	1.11	28
29	·01		·05	.	.	.	.	.	.	·26	·09	-	29
30	.	X	·05	.	.	.	.	.	.	·01	·60	·08	30
31	.	X	.	X	·25	X	·01	.	X	.	X	·03	31
Total	·38	2.22	4.04	·82	1·96	1.42	1.29	·95	·76	1.01	3.16	5.90	YEAR'S TOTAL 23.91
Rain Days.	11	15	24	11	8	12	13	9	9	12	16	23	163

W. 8,000. X. 14.

Col M7

84

FORM A.
BRITISH RAINFALL.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Old Ford Penstocks

in the County of London 2

by The London County Council

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station Old Ford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	.13	.07	.17	.02	-	-	-	.05	.03	.24	.41	1
2	.24	.16	.22	.20	-	-	-	.52	-	.03	-	.04	2
3	.39	-	.06	-	.01	-	-	.63	.03	-	-	.48	3
4	.02	-	-	-	-	-	-	.02	-	-	-	.22	4
5	.04	.22	-	.18	.05	-	-	-	.	.02	.01	.24	5
6	.28	.01	-	-	.25	-	.51	-	.	.	-	.33	6
7	.60	.21	.02	.02	-	.02	.04	.02	.	-	-	.16	7
8	.05	.53	.01	.05		-	.09	.04	.	-	-	-	8
9	-	.02	-	-	-	.04	-	.05	.	.02	.35	.70	9
10	.28	-	.01	-	-	.	-	.37	.	.	-	.15	10
11	.04	-	.01	.25	-	-	-	.07	.	-	.63	.01	11
12	.06	.02	-	-	.45	-	-	.16	.	.01	.45	.01	12
13	.01	.37	-	-	1.46	-	-	.02	-	.	-	-	13
14	-	.02	-	-	-	.	.49	.01	.02	.	-	.42	14
15	.10	-	-	.01	.05	-	-	.55	.	.	.26	.06	15
16	.01	.21	-	-	-	.	.54	-	-	.	-	.12	16
17	-	.28	-	-	.94	.	.05	.20	.	.	-	-	17
18	.01	.21	.03	-	.13	-	-	-	.	.	.03	-	18
19	-	.12	-	.04	-	.	.05	-	.	.	-	-	19
20	.30	-	-	-	.	-	-	-	.	.	.	.24	20
21	.03	-	-	.01	-	-	-	-	.	.03	.	.04	21
22	.87	.05	.11	.02	-	-	.75	-	.	-	.	.10	22
23	-	.18	.05	-	-	.18	.24	-	.11	.32	-	.25	23
24	-	-	.01	.10	-	.01	.04	-	.20	.07	.	.23	24
25	.	-	.14	.	-	-	.11	-	-	-	.	.10	25
26	.01	.06	-	-	-	.18	.04	-	-	-	.	.46	26
27	-	-	-	-	-	.26	.35	-	-	.27	.	.05	27
28	.02	.02	-	-	-	.01	-	-	1.47	.15	.	-	28
29	-		-	-	-	.01	.27	.11	-	-	.10	.01	29
30	-	X	-	-	-	.03	-	-	-	.02	.22	-	30
31	03	X	-	X	-	X	-	.01	X	.77	X	.15	31
Total	3.72	2.82	.74	1.05	3.36	.74	3.57	2.78	1.88	1.74	2.29	4.98	YEAR'S TOTAL 29.67
Rain Days.	21	18	.12	11	9	9	14	15	6	12	9	24	160

W. 8,000. X. 15.

77

FORM A.
BRITISH RAINFALL.

18. JAN. 1917

REGISTER OF RAINFALL IN 1916.

Kept at Penstock House, Wick Lane, Old Ford. E

in the County of London.

by London County Council

Lat. 51° 32' 14" Long. 0° 1' 30" W.

Time of Observation 9. a.m.

Nearest Railway Station Old Ford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 43 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	—	0·01	—	0·18	—	—	—	0·21	0·01	0·30	—	1
2	0·45	0·02	0·05	—	0·19	—	0·01	—	0·14	0·32	0·01	—	2
3	—	0·38	0·13	—	—	—	0·02	—	0·10	0·22	0·59	—	3
4	0·17	0·11	0·02	—	0·01	0·30	—	—	0·01	0·01	0·33	—	4
5	0·01	—	0·01	—	0·04	0·22	0·02	—	—	0·04	0·35	—	5
6	—	0·05	0·04	0·33	0·03	0·13	0·38	—	—	0·01	0·29	—	6
7	0·09	—	0·40	—	0·14	0·15	0·50	—	—	0·01	0·64	0·03	7
8	—	—	0·05	—	0·25	0·01	—	—	—	—	—	0·23	8
9	0·01	—	—	—	0·27	—	—	—	—	0·05	—	0·12	9
10	—	0·13	0·08	0·07	—	0·44	0·02	—	—	—	—	0·09	10
11	0·04	0·12	0·01	0·15	—	0·16	—	—	0·01	—	—	—	11
12	0·02	0·02	0·01	0·04	0·27	0·10	0·03	0·01	—	0·04	—	—	12
13	—	0·30	0·25	0·18	0·05	0·04	0·27	0·14	—	0·01	—	—	13
14	—	0·33	—	0·04	0·08	—	—	0·70	—	0·02	—	0·10	14
15	—	0·24	0·26	—	—	—	0·02	0·07	—	—	—	0·01	15
16	—	0·01	0·16	0·18	—	—	0·14	0·06	—	—	—	—	16
17	0·04	0·08	—	0·03	—	—	—	0·67	0·27	0·52	—	—	17
18	—	0·11	0·02	0·12	—	—	—	0·17	0·03	0·03	0·72	—	18
19	0·05	—	0·08	0·11	—	—	—	—	0·11	—	0·69	0·01	19
20	0·11	—	0·22	—	—	—	—	—	—	—	0·01	0·26	20
21	—	—	0·61	—	—	—	0·01	—	—	—	—	0·31	21
22	—	0·02	0·05	—	—	—	—	—	—	0·01	—	0·42	22
23	0·01	0·04	—	—	—	0·02	—	0·01	—	0·02	0·03	0·14	23
24	—	0·19	—	—	0·07	—	—	0·01	—	0·08	0·01	0·33	24
25	—	0·27	0·14	—	0·01	—	—	0·29	—	0·09	0·11	—	25
26	—	0·19	0·03	—	—	0·01	—	0·45	—	0·02	—	—	26
27	0·07	—	0·88	—	—	—	—	0·55	0·02	0·51	—	—	27
28	—	0·35	0·26	—	—	0·04	—	0·01	0·02	—	—	0·22	28
29	—	0·04	—	—	—	0·25	—	1·12	0·04	0·19	—	0·15	29
30	—	×	—	0·02	0·11	—	—	0·10	—	0·33	—	—	30
31	—	×	—	×	—	×	—	0·04	×	0·15	×	0·05	31
Total	✓ 1·11	✓ 3.00	✓ 3.77	✓ 1·27	✓ 1·70	✓ 1·87	✓ 1·42	✓ 4.40	✓ 0·96	✓ 2·69	✓ 4.08	✓ 2·47	YEAR'S TOTAL 28·74 ✓
Rain Days.	13 ✓	20 ✓	23 ✓	11 ✓	14 ✓	13 ✓	11 ✓	16 ✓	11 ✓	22 ✓	13 ✓	15 ✓	182 ✓

W. 8,000, VIII. 16

End 4/1 75

FORM A.
BRITISH RAINFALL.

16. JAN. 1918

REGISTER OF RAINFALL IN 1917

Kept at Old Ford (Penstock House)

in the County of London

by the London County Council

Lat. 51° 32′ 14″ N. Long. 0° 1′ 30″ W

Time of Observation 9 a.m.

Nearest Railway Station Old Ford, (North London Rly)

Diameter of Funnel of Rain Gauge 8 ins.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 43·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·11	—	—	—	0·97	0·01	—	0·06	—	1
2	—	—	—	0·43	—	0·03	—	0·06	—	—	0·02	—	2
3	—	—	—	0·04	—	—	—	0·41	—	0·20	0·33	—	3
4	—	0·11	0·18	—	—	—	0·03	0·10	—	0·41	—	—	4
5	0·26	—	0·03	0·24	—	—	—	0·20	0·68	0·11	0·05	—	5
6	—	—	0·05	0·11	—	0·02	—	—	0·05	0·01	0·07	—	6
7	0·16	—	—	—	—	—	0·12	—	—	0·20	—	0·01	7
8	0·09	—	—	0·10	—	—	0·85	0·15	0·02	0·22	0·15	0·18	8
9	0·03	—	0·03	0·13	—	—	0·02	0·05	0·03	—	0·04	0·20	9
10	0·25	—	0·06	0·11	—	—	—	0·03	—	—	—	0·03	10
11	0·09	—	0·41	0·08	—	—	—	—	0·16	0·24	—	—	11
12	0·10	—	0·04	—	—	—	—	0·05	—	0·40	—	—	12
13	0·03	—	0·11	0·01	—	—	—	0·02	0·02	0·04	—	—	13
14	—	—	—	0·10	—	—	—	0·19	—	—	—	—	14
15	0·01	—	—	—	—	—	0·13	0·01	—	0·04	—	—	15
16	0·04	0·17	—	0·10	0·18	—	0·11	—	—	0·38	—	0·23	16
17	—	0·01	—	0·06	0·44	—	0·33	0·09	0·34	0·24	—	—	17
18	0·01	0·04	—	0·11	0·06	0·54	0·08	0·02	0·16	0·02	—	—	18
19	0·01	0·11	0·05	—	0·50	0·18	—	0·02	0·16	—	—	—	19
20	0·01	0·23	0·05	—	0·78	—	—	—	—	—	0·06	—	20
21	0·02	—	0·01	—	0·02	—	—	—	—	—	0·02	—	21
22	0·01	—	0·02	—	—	—	—	0·04	—	0·06	—	—	22
23	—	0·08	0·01	—	0·17	—	—	0·05	—	—	—	—	23
24	—	0·01	—	—	—	0·08	—	0·01	—	0·14	0·02	—	24
25	—	—	0·03	—	—	—	—	—	—	—	0·07	—	25
26	—	—	0·07	—	—	—	—	0·25	0·04	—	0·54	—	26
27	—	—	0·02	—	—	—	—	0·79	—	—	—	0·01	27
28	—	—	—	—	—	1·46	—	0·11	—	—	—	0·05	28
29	—	X	0·06	—	1·18	—	0·15	0·11	—	0·14	—	0·14	29
30	—	X	0·26	—	—	—	1·45	0·04	—	0·02	—	0·02	30
31	0·05	X	0·12	X	—	X	0·56	0·01	X	—	X	0·01	31
Total	1·17 ✓	0·76 ✓	1·61 ✓	1·72 ✓	3·33 ✓	2·31 ✓	3·83 ✓	3·78 ✓	1·67 ✓	2·87 ✓	1·43 ✓	0·88 ✓	YEAR'S TOTAL 25·36 ✓
Rain Days.	16 ✓	8 ✓	19 ✓	14 ✓	8 ✓	6 ✓	11 ✓	24 ✓	11 ✓	17 ✓	12 ✓	10 ✓	156 ✓

W. 8,000, IX. 17.

72

Ex ml

REGISTER OF RAINFALL IN 1918

FORM A2.
BRITISH RAINFALL.

20. 1. 19

Kept at Old Ford Penstock House
Wick Lane. Old Ford. E
in the County of London

by London County Council

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 43·00 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Old Ford (N·L·Ry)
Distance 250 yds Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0·10	—	—	—	—	—	—	0·08	0·07	1
2	—	0·09	—	0·06	—	—	—	0·41	—	—	0·08	0·19	2
3	—	—	0·03	0·02	0·45	—	—	0·48	0·01	—	0·47	—	3
4	—	0·06	0·14	0·02	—	—	—	0·06	0·30	—	0·48	0·01	4
5	—	0·01	0·01	—	0·14	—	—	0·07	0·17	0·08	—	—	5
6	0·15	0·15	—	0·22	0·18	—	—	0·11	—	—	—	0·08	6
7	0·04	0·12	—	0·07	0·11	—	—	0·01	0·09	0·18	0·06	—	7
8	—	0·02	—	0·01	—	—	—	—	0·08	0·01	0·03	0·04	8
9	0·01	0·04	—	0·01	—	0·01	0·28	—	0·34	0·10	—	0·15	9
10	0·04	—	—	0·07	—	0·01	0·55	—	0·02	0·01	0·02	0·38	10
11	—	—	—	0·01	0·08	—	1·26	—	0·10	0·13	0·09	0·09	11
12	—	0·04	—	—	0·19	—	0·06	—	0·08	—	—	0·02	12
13	0·01	0·01	—	—	0·07	—	0·13	—	0·18	—	—	—	13
14	0·13	—	0·01	—	—	0·35	0·05	—	0·34	0·17	—	0·20	14
15	1·33	—	—	0·86	—	—	—	—	—	—	—	0·08	15
16	0·20	—	—	0·28	—	0·03	0·51	—	0·13	0·01	—	0·01	16
17	0·20	—	—	0·32	1·12	1·03	1·62	0·02	—	—	—	0·14	17
18	0·61	—	—	—	—	0·19	0·02	—	0·81	0·18	—	0·03	18
19	0·03	—	0·03	0·08	—	0·17	0·29	—	0·02	0·05	—	0·11	19
20	0·01	0·15	—	0·48	—	0·01	0·16	—	0·14	0·08	—	0·06	20
21	0·05	0·01	—	0·20	—	—	—	—	0·53	0·04	—	—	21
22	0·04	—	—	0·07	0·47	—	0·23	—	0·12	—	—	0·16	22
23	0·01	—	—	—	0·27	—	0·40	0·03	0·01	—	—	0·05	23
24	—	0·23	—	—	—	0·05	0·67	—	0·09	—	0·01	—	24
25	—	—	—	0·01	—	0·03	0·30	0·20	—	—	0·03	—	25
26	—	—	—	—	—	—	0·38	0·05	—	0·03	0·15	0·09	26
27	—	0·03	—	0·09	—	—	0·04	0·12	0·05	—	0·08	0·01	27
28	—	0·02	0·29	—	—	—	—	—	—	—	0·25	0·10	28
29	—		0·01	—	—	—	—	—	1·18	—	0·01	—	29
30	—		0·42	—	—	—	—	—	—	0·02	0·02	0·09	30
31	—		—		—		—	0·11		0·03		0·01	31
Total	·2·86	0·98	0·85	2·98	3·08	1·88	6·95	·1·67	4·79	1·12	1·86	2·17	TOTAL for year. 31·19
No. of Rain Days.	15	14	8	19	10	10	17	12	21	15	15	23	179

100—(25883—3C—C.14)—6.1.12—6997

49

FORM A.
BRITISH RAINFALL

REG

PALMERS GREEN
BROOMFIELD PARK
LONDON / MIDDX
1918 -20

Kept at Broomfield Par
in the County of Midd
by D. Sutherland Sur
Council

lmers Green 9. N. 13
auge 8" in.
Ground 1 ft. 0 ½ in.
Sea Level 137·52 ft.

IMPORTANT NOT he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	0·01	-	0·19	0·01	0·01	-	-	-	-	0·11	0·02	1
2	0·06	0·01	-	0·01	0·47	-	-	0·21	-	-	0·12	0·19	2
3	.	-	0·03	0·01	0·01	0·01	-	0·32	-	-	0·46	-	3
4	0·05	-	0·14	0·07	0·09	0·01	-	0·04	0·59	-	0·80	-	4
5	0·01	-	-	.	0·09	0·01	-	0·10	0·02	0·11	-	-	5
6	0·19	-	-	0·24	0·12	0·01	-	0·01	-	0·01	-	0·09	6
7	0·06	0·12	-	0·13	0·01	0·01	-	-	0·12	0·02	0·11	-	7
8	0·05	-	-	-	0·01	0·02	-	-	0·12	0·01	0·02	-	8
9	0·03	0·03	-	-	-	0·02	0·23	-	0·47	0·12	-	0·16	9
10	-	0·04	-	-	0·01	0·02	0·55	-	0·01	0·01	-	0·42	10
11	.	-	-	0·01	0·05	-	0·40	-	0·17	0·17	0·11	0·10	11
12	0·01	0·06	-	0·01	0·08	-	0·13	-	-	-	-	-	12
13	.	0·01	-	0·01	0·17	-	0·19	-	0·12	-	0·01	-	13
14	0·16	-	0·02	0·01	0·02	0·20	0·03	-	0·34	0·21	-	0·21	14
15	.	-	-	0·73	0·02	-	0·03	-	-	-	-	0·07	15
16	.	.	-	0·52	0·01	-	0·01	-	0·23	0·02	-	0·01	16
17	0·21	-	-	0·25	0·16	-	0·44	-	-	-	-	0·14	17
18	0·58	-	-	-	0·01	0·23	0·02	-	1·75	0·11	-	0·09	18
19	0·03	-	0·03	0·06	0·02	0·20	0·32	-	-	0·04	-	0·18	19
20	.	0·11	-	0·60	0·01	-	0·04	-	0·03	0·16	-	0·08	20
21	0·07	-	-	0·20	0·02	-	-	-	0·36	-	-	0·01	21
22	0·04	-	-	0·01	0·25	-	0·04	-	0·11	-	-	~~0·10~~	22
23	.	-	-	0·01	0·27	-	0·48	0·03	0·09	-	-	0·10	23
24	.	0·18	-	0·01	0·01	-	0·09	-	0·05	-	0·02	0·01	24
25	.	0·01	-	0·01	0·01	0·01	-	0·11	-	-	0·03	-	25
26	.	0·01	-	0·01	-	-	0·42	0·06	-	0·02	0·19	0·10	26
27	.	0·01	-	0·28	-	-	-	0·17	0·03	-	0·09	-	27
28	.	-	0·17	0·01	0·01	-	-	-	-	-	0·28	0·12	28
29	.	-	0·01	0·01	0·01	-	-	-	0·42	-	-	-	29
30	.	×	0·45	0·01	0·01	-	-	-	-	-	0·04	0·04	30
31	.	×	0·01	×	0·01	×	-	0·01	×	-	×	-	31
Total	1·55	0·60	0·86	3·41	1·97	~~0·75~~ ·76	3·42	1·06	5·03	1·01	2·39	2·14	YEAR'S TOTAL 24·20
Rain Days.	14	12	8	25	28	13	16	10	18	13	14	19	190

FORM A.
BRITISH RAINFALL
225

REGISTER OF RAINFALL IN 1918

Kept at Broomfield Park Palmers Green N13.

in the County of Middlesex

by D. Sutherland Surveyor Southgate Council
Council Offices. N. 13

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Palmers Green G.N.R.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 ½ in.

" " " " Sea Level 137·52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	0·01	-	0·19	0·01	0·01	-	-	-	-	0·11	0·02	1
2	0·06	0·01	-	0·01	0·47	-	-	0·21	-	-	0·12	0·19	2
3	·	-	0·03	0·01	0·01	0·01	-	0·32	-	-	0·46	-	3
4	0·05	-	0·14	0·07	0·09	0·01	-	0·04	0·59	-	0·80	-	4
5	0·01	-	-	·	0·09	0·01	-	0·10	0·02	0·11	-	-	5
6	0·19	-	-	0·24	0·12	0·01	-	0·01	-	0·01	-	0·09	6
7	0·06	0·12	-	0·13	0·01	0·01	-	-	0·12	0·02	0·11	-	7
8	0·05	-	-	-	0·01	0·02	-	-	0·12	0·01	0·02	-	8
9	0·03	0·03	-	-	-	0·02	0·23	-	0·47	0·12	-	0·16	9
10	·	0·04	-	-	0·01	0·02	0·55	-	0·01	0·01	-	0·42	10
11	·	-	-	0·01	0·05	-	0·40	-	0·17	0·17	0·11	0·10	11
12	0·01	0·06	-	0·01	0·08	-	0·13	-	-	-	-	-	12
13	·	0·01	-	0·01	0·17	-	0·19	-	0·12	-	0·01	-	13
14	0·16	-	0·02	0·01	0·02	0·20	0·03	-	0·34	0·21	-	0·21	14
15	·	-	-	0·73	0·02	-	0·03	-	-	-	-	0·07	15
16	·	-	-	0·52	0·01	-	0·01	-	0·23	0·02	-	0·01	16
17	0·21	-	-	0·25	0·16	-	0·44	-	-	-	-	0·14	17
18	0·58	-	-	-	0·01	0·23	0·02	-	1·75	0·11	-	0·09	18
19	0·03	-	0·03	0·06	0·02	0·20	0·32	-	-	0·04	-	0·18	19
20	·	0·11	-	0·60	0·01	-	0·04	-	0·03	0·16	-	0·08	20
21	0·07	-	-	0·20	0·02	-	-	-	0·36	-	-	0·01	21
22	0·04	-	-	0·01	0·25	-	0·04	-	0·11	-	-	~~0·10~~	22
23	·	-	-	0·01	0·27	-	0·48	0·03	0·09	-	-	0·10	23
24	·	0·18	-	0·01	0·01	-	0·09	-	0·05	-	0·02	0·01	24
25	·	0·01	-	0·01	0·01	0·01	-	0·11	-	-	0·03	-	25
26	·	0·01	-	0·01	-	-	0·42	0·06	-	0·02	0·19	0·10	26
27	·	0·01	-	0·28	-	-	-	0·17	0·03	-	0·09	-	27
28	·	-	0·17	0·01	0·01	-	-	-	-	-	0·28	0·12	28
29	·	-	0·01	0·01	0·01	-	-	-	0·42	-	-	-	29
30	·	X	0·45	0·01	0·01	-	-	-	-	-	0·04	0·04	30
31	·	X	0·01	X	0·01	X	-	0·01	X	-	X	-	31
Total	1·55	0·60	0·86	3·41	1·97	·76 ~~0·75~~	3·42	1·06	5·03	1·01	2·39	2·14	YEAR'S TOTAL 24·20
Rain Days.	14	12	8	25	28	13	16	10	18	13	14	19	190

W. 6,500, VII. 18. w w c

855

£4-Pl

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

12 JAN 20

Kept at Broomfield Park Palmers Gn

in the County of Middlesex

by R Phillips, Acting Surveyor Town Hall Palmers Green

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station Palmers Green G.N.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0½ in.

" " " " Sea Level 137.52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.46	0.02			0.02		0.20					1.04	1
2	0.28	S 0.06	0.01		0.26		0.16		0.24	0.12	0.12	0.09	2
3	0.32		0.30				0.09				0.04	0.32	3
4	0.14	0.04	0.34			0.06	0.18	0.09			0.01	0.15	4
5		S 0.35	0.45				0.10		0.09		0.01	0.29	5
6			0.07									0.07	6
7	0.03		0.36								0.05		7
8	0.09		0.06								0.01		8
9	0.23		0.01	0.02	0.09						0.19		9
10	0.39		0.05	0.03							0.01	0.02	10
11	0.02		0.10	0.28		~~0.25~~	0.25						11
12			P.S. 0.10	0.02		0.02	0.09			0.04			12
13				0.27						0.04			13
14	0.31			0.30			0.06		0.40			0.02	14
15	0.20	0.02	0.15	0.18						0.06		0.27	15
16	0.04	0.84		0.02							0.11	0.03	16
17		P.S. 0.41		0.01							0.23	0.01	17
18		P.S. 0.39	0.05								0.06	0.13	18
19	0.02	0.18	Sleat 0.90			0.17	0.12	0.32	0.08		0.07		19
20	0.43	0.08	0.05			0.87	0.12	0.18					20
21	0.19	0.36	0.03				0.12					0.12	21
22		0.18					0.09		0.16		0.03	0.32	22
23								0.02	0.06		0.01		23
24				0.14		0.01	0.02	0.06		0.16	0.04		24
25	0.02			0.03				0.19				0.04	25
26	0.09	0.14	0.13	0.05			0.02	0.25	0.11			0.35	26
27	0.69	0.02	0.02	S. 1.63				0.50				0.02	27
28			S. 0.14	0.07				0.85			0.20	0.30	28
29	0.03			0.02				0.23		0.17	0.03	0.05	29
30		X	0.01 S	0.23		0.18		0.10		0.01	0.23	0.29	30
31		X		X		X			X	0.03	X	0.01	31
TOTAL	3.98	3.09	3.33	3.30	0.34	1.31	1.62	2.79	1.14	0.63	1.45	3.94	YEAR'S TOTAL 26.95
Days with ·01 in. or more	19	14	20	16	3	6	14	11	7	8	18	21	157

809

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

15 JAN 1921

Kept at Broomfield Park
in the County of Middlesex
by A. Moore

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Palmers Green.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·54	0·17		0·31			0·32		0·26	1
2								0·63	0·07	0·12		0·08	2
3		0·06		0·01					0·09	0·02		0·02	3
4		0·03		0·07			0·05	0·06		0·15		0·03	4
5			0·10		0·02		0·43		0·07			0·02	5
6			0·18		0·13		0·29	0·02				0·02	6
7	0·02		0·06	0·21			0·14					0·02	7
8	0·08	0·02		0·11	0·17		0·09	0·02					8
9	0·37	0·02		0·02				0·02				0·01	9
10	0·74	0·03	0·09			0·08	0·05						10
11	0·24		0·05	0·38	0·02	0·05	0·17					0·26 s	11
12	0·07			0·11		0·42							12
13	0·12		0·09	0·19							0·07		13
14		0·02	0·32	0·23		0·26			0·14	0·10	0·17	0·03	14
15			0·07	0·24					0·50	0·23	0·07		15
16				0·13		0·04			0·29	0·21			16
17	0·01			0·02	0·15				0·36			0·04	17
18	0·02			0·01				0·70	0·16			0·02	18
19	0·12			0·24									19
20	0·04	0·18		0·20		0·60			0·09				20
21							1·00	0·02	0·54			0·05	21
22				0·35					0·21			0·29	22
23							0·58					0·41	23
24			0·06									0·04	24
25		0·03		0·03			0·17		0·04				25
26	0·03		0·05		0·49							0·02	26
27	0·18	0·05		0·37		0·07	0·15				0·58	0·12	27
28	0·50		0·25	0·02	0·02	0·05	0·05						28
29	0·28		0·08		0·05						0·05	0·34	29
30	0·04				0·11		0·38		0·55		0·16	0·26	30
31					0·03		0·04			0·17		0·10	31
Total	2·86	0·44	1·40	3·48	1·36	1·57	3·90	1·47	3·11	1·32	1·10	2·44	Year's Total 24·45
Days with ·01 in. or more	16	9	12	20	11	8	15	7	13	8	6	21	146
Days with ·04 in. or more	12	3	12	14	7	8	15	3	13	7	6	12	112

58

R

Kept at Kings Sch
Gro
in the County of
by

PIMLI~~CO~~
KINGS SCHOLARS POND
PUMPING STATION
LONDON
1911 - 1918

ological

Fo
BRITISH RAINFALL
26 JAN 1912

in.
nd 11 ft. 6 in.
Level 30·5 ft.
z m
e Vauxhall
nce 3/8 mile, Direction E

IMPORTANT NO result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05			·62				·02					1
2	·18			·24	·20						·17	·09	2
3		·02			·16						·05	·11	3
4	·10	·01	·08	·04						·03	·26	·20	4
5	·02									·23	·02	·22	5
6	·30		·19									·23	6
7	·03									·13	·43	·13	7
8	·15		·16								·28	·28	8
9	·14		·02	·02								·06	9
10	·05	·12	·08								·11	·50	10
11	·33				·50						·62		11
12	·04		·47		·09	·02			·03		·26		12
13			·07		·11				·37	·20	·02	·22	13
14		·10	·02		·20							·42	14
15		·06	·19								·04	·02	15
16						·70					·37	·03	16
17						·03					·24	·14	17
18		·21	·02								·43	·18	18
19					·12	·19		·90	·20	·11	·22	·05	19
20		·02	·02					·20	·03			·51	20
21		·15						·10	·03	·59		·07	21
22	·06		·09			·01				·22		·38	22
23		·15	·06			·90			·30		·02	·12	23
24		·16				·04	·06			1·01		·30	24
25		·04		·06		·15	·48			·02		·02	25
26		·06	·04	·26	·05	·41	·02			·11	·02	·29	26
27		·39	·06	·03				·06	·17	·02	·10	·09	27
28		·15		·24			1·59				·03		28
29				·08		·18	·08		·12	·22			29
30					·03			·20		·18			30
31					·34								31
Total	1·45	1·64	1·57	1·59	1·80	2·63	2·23	1·48	1·25	3·07	3·69	4·66	TOTAL for year 27·06 ✓
No. of Rain Days.	12	14	15	9	10	10	5	6	8	13	19	24	145 ✓

W. 8,000, X. '11.

50

R

Fo
BRITISH RAINFALL.
26 JAN 1912

Kept at King's Scholars Pond ~~Sewer~~ P.S. Grosvenor Road
in the County of London
by

2

RAIN GAUGE
Pattern Meteorological
Diameter of top 8 in.
Height of top above Ground 11 ft. 6 in.
" " " Sea Level 30·5 ft.
Time of Observation 9·0 am
Nearest Railway Station: Name Vauxhall
Distance 3/8 mile, Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·62				·02					1
2	·18			·24	·20						·17	·09	2
3		·02			·16						·05	·11	3
4	·10	·01	·08	·04						·03	·26	·20	4
5	·02									·23	·02	·22	5
6	·30		·19									·23	6
7	·03									·13	·43	·13	7
8	·15		·16								·28	·28	8
9	·14		·02	·02								·06	9
10	·05	·12	·08								·11	·50	10
11	·33				·50						·62		11
12	·04		·47		·09	·02			·03		·26		12
13			·07		·11				·37	·20	·02	·22	13
14		·10	·02		·20							·42	14
15		·06	·19								·04	·02	15
16						·70					·37	·03	16
17						·03					·24	·14	17
18		·21	·02								·43	·18	18
19					·12	·19		·90	·20	·11	·22	·05	19
20		·02	·02					·20	·03			·51	20
21		·15						·10	·03	·59		·07	21
22	·06		·09			·01				·22		·38	22
23		·15	·06			·90			·30		·02	·12	23
24		·16				·04	·06			1.01		·30	24
25		·04		·06		·15	·48			·02		·02	25
26		·06	·04	·26	·05	·41	·02			·11	·02	·29	26
27		·39	·06	·03				·06	·17	·02	·10	·09	27
28		·15		·24			1·59				·03		28
29				·08		·18	·08		·12	·22			29
30					·03			·20		·18			30
31					·34								31
Total	1·45	1·64	1·57	1·59	1·80	2·63	2·23	1·48	1·25	3·07	3·69	4·66	TOTAL for year 27·06 ✓
No. of Rain Days.	12	14	15	9	10	10	5	6	8	13	19	24	145 ✓

W. 8,000, X. '11.

Ex Dd

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
13 JAN 1913

Kept at King's Scholars Pond Pumping Stn

in the County of London 2

by The London County Council

Lat. Long.

Time of Observation 9.0 a.m

Nearest Railway Station Vauxhall

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 11 ft. 6 in.

" " " " Sea Level 30.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·08	-	-	·10	·20	-	·08	·37	-	·54	1
2	-	-	·30	·03	-	·05	·28	·29	-	·02	-	-	2
3	·06	-	·06	-	-	·11	-	·42	-	-	·01	·07	3
4	·30	-	·50	-	·16	·19	-	·03	-	-	·12	-	4
5	·22	·05	·04	-	-	-	-	·15	-	-	·06	-	5
6	·48	·03	-	-	-	·19	-	·08	-	-	-	·03	6
7	-	-	·04	-	·07	·84	·12	·14	-	-	-	·02	7
8	·28	·27	·12	-	-	·09	·03	·35	-	-	-	-	8
9	-	·07	-	·03	-	·18	·02	·06	-	-	-	·12	9
10	-	·03	-	-	-	-	-	·22	-	-	·06	·25	10
11	·03	·36	-	-	-	·02	-	·02	·02	-	-	·13	11
12	·05	·07	·08	-	·15	·11	-	-	-	-	·03	·02	12
13	·02	·04	-	-	-	-	-	·04	-	-	·05	-	13
14	-	-	·06	-	·03	-	-	·14	-	·06	-	·03	14
15	-	03	·08	-	·37	·65	-	·02	-	-	·02	·41	15
16	·35	-	·02	-	·03	-	-	·04	-	·03	·05	-	16
17	·52	-	·19	-	-	·05	-	·04	-	-	-	·02	17
18	·06	-	·11	-	-	-	-	·05	-	·03	·03	·09	18
19	·12	·07	·11	-	-	-	·03	·61	-	-	-	-	19
20	·02	·02	·12	-	-	-	-	·08	-	·46	-	-	20
21	-	·04	·16	-	·03	-	-	·09	-	·06	·05	-	21
22	·25	·16	·06	-	·04	-	·14	·16	-	·03	-	·06	22
23	·30	·36	·36	-	-	-	·07	·28	-	·04	-	·19	23
24	·30	·01	·02	-	-	·65	·03	·33	-	-	·16	·14	24
25	·29	-	-	-	-	·18	-	·87	-	-	·20	·54	25
26	-	·03	-	-	-	-	-	42	-	·33	·43	·44	26
27	-	-	-	-	-	·10	-	-	-	·19	-	·19	27
28	-	·08	-	-	-	·05	·11	·05	·02	·19	·43	·09	28
29	-	·02	-	-	-	·11	·24	·14	·99	·15	·06	-	29
30	-		-	-	·39	-	-	·09	1.19	·19	-	-	30
31	·01		·21		-		·06	·12		·05		-	31
Total	3.66	1.74	2.72	·06	1.27	3.67	1.33	5.33	2.30	2.20	1.82	3.38	YEAR'S TOTAL
		5.40	8.12	8.18	9.45	13.12	14.45	19.78	22.08	24.28	26.10		29.48
Rain Days.	18	18	20	2	9	17	12	28	5	15	15	19	178

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
19 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Kings Scholars Pond Pumping Station

in the County of London 5E4 121

by The London County Council

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Vauxhall

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 11 ft. 6 in.

" " " " Sea Level 30' - 6" ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·28	·05	·12	–	–	–	–	·23	–	·05	·08	1
2	·04	·20	–	–	–	–	·06	–	·03	·04	·08	–	2
3	–	–	·04	·13	·37	–	–	–	–	–	–	·02	3
4	·17	–	–	·01	·29	–	·11	–	–	·12	·02	·09	4
5	·35	–	–	–	–	·06	·12	–	·23	·02	–	·08	5
6	–	·03	·10	–	·04	·06	·20	–	–	·12	·08	·07	6
7	–	·09	–	–	·12	·01	·03	·16	–	·46	·06	–	7
8	–	·04	·03	–	·06	·17	–	–	–	·08	·06	–	8
9	–	·14	–	·01	·03	–	–	–	·04	–	·04	·03	9
10	–	–	·12	·05	–	–	·03	·03	–	–	·33	–	10
11	·32	–	–	·48	·03	–	–	–	–	·54	·20	–	11
12	–	–	–	–	·05	–	–	–	–	–	·25	–	12
13	·06	–	·04	–	–	–	–	·03	·05	–	·30	–	13
14	·10	–	·06	·07	–	–	·48	·05	·07	·14	·03	–	14
15	·34	·06	·27	·27	–	–	·18	–	·04	–	–	–	15
16	·09	–	·35	·13	–	–	·04	–	·49	–	–	–	16
17	·03	–	·12	·05	–	–	·09	–	–	–	–	–	17
18	–	–	·14	·10	–	–	–	–	–	–	·03	–	18
19	·17	–	·07	·01	·02	·03	·14	–	·29	–	–	–	19
20	·14	–	·28	·03	–	·08	–	–	–	·35	·04	–	20
21	–	·03	·13	·11	–	–	·04	–	–	·18	·70	–	21
22	·43	–	·14	·02	–	–	–	·11	·15	–	–	–	22
23	–	–	·03	–	–	·04	–	·22	·02	–	–	·35	23
24	·02	–	·02	·05	–	·02	–	·02	–	–	–	–	24
25	–	·02	–	·18	–	·05	–	–	–	–	–	–	25
26	–	·02	·17	·04	–	–	–	14	–	·74	–	·28	26
27	–	–	·02	·07	·03	–	–	–	–	·02	–	–	27
28	·20	–	·20	·10	–	–	–	–	–	·08	–	–	28
29	·06		·05	·46	·51	–	–	·07	–	·02	–	–	29
30	·27		–	·05	–	–	–	·15	–	·07	–	–	30
31	–		·05		–		–	·59		·68		–	31
Total	2.82 ✓	·91 ✓	2.48 ✓	2.54 ✓	1.55 ✓	·52 ✓	1.52 ✓	1.59 ✓	1.64 ✓	3.06 ✓	2.27 ✓	1.00 ✓	YEAR'S TOTAL 21.88 ✓
Rain Days.	17	10	22	22	11	9	12	11	11	16	15	8	164 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
29 JAN 1915

Kept at Kings Scholars Pond Pumping Stn.
in the County of London 2
by The London County Council

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Vauxhall
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 11 ft. 6 in.
" " " " Sea Level 30' - 6" ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.	·02	.	-	-	-	·28	.	.	·02	·02	1
2	-	.	-	.	-	-	·19	·23	-	.	·39	·25	2
3	·01	.	·07	·02	·16	-	·06	-	.	.	·08	-	3
4	·06	.	·03	·17	-	.	-	·02	-	.	·23	·27	4
5	·04	.	·06	·18	·11	·02	·33	·67	.	.	·02	-	5
6	-	·11	·02	·10	-	·20	·03	·03	-	.	·07	·09	6
7	-	·21	·22	·18	·87	·03	·09	-	.	.	.	·08	7
8	·06	·29	·71	·03	·02	·07	·07	·08	·04	.	.	·02	8
9	·18	-	·47	·10	-	·07	-	-	·07	-	-	1.20	9
10	·01	·07	·03	·05	·05	-	-	.	·09	-	·02	·02	10
11	-	·38	·39	-	-	·07	-	-	·19	.	·29	·24	11
12	·02	·08	·12	.	.	.	·18	.	·14	·02	-	·35	12
13	-	·18	·13	.	.	-	-	-	·13	·09	·08	·30	13
14	-	·05	·23	.	.	·57	·01	.	·03	·10	·05	·45	14
15	·02	·02	·16	.	.	.	·10	·01	-	.	·43	06	15
16	-	-	·03	.	.	.	-	.	·03	.	-	-	16
17	.	·30	·08	.	.	.	.	.	·01	-	-	·17	17
18	.	·05	·15	.	.	.	.	.	-	.	-	·27	18
19	.	·03	·22	.	.	·26	·05	.	·04	·02	·17	·39	19
20	.	·13	·35	.	.	·07	-	.	·11	-	.	·06	20
21	.	·56	·09	.	.	·02	-	.	.	·02	.	·04	21
22	.	.	·02	.	·21	·29	·11	·02	.	·12	-	-	22
23	-	.	·11	.	·13	·03	·08	.	.	·08	-	·04	23
24	.	.	·03	·01	.	·01	-	.	.	.	·12	-	24
25	·03	.	·11	-	.	.	-	·11	.	·29	-	·09	25
26	-	.	·05	.	.	.	·03	·07	.	·05	·15	·53	26
27	·03	.	-	.	.	.	.	.	.	-	·03	·11	27
28	·02	·03	.	.	.	.	.	.	.	·04	·48	·79	28
29	·03		·07	.	.	.	.	.	.	·22	·11	-	29
30	.		·05	.	.	.	.	.	.	·02	·46	·15	30
31	.		-		·12		·02	.		-		·04	31
Total	·51	2.49	4.02	·84	1.67	1.71	1.35	1.52	·88	1.07	3.20	6.03	YEAR'S TOTAL 25.29
Rain Days.	12	15	27	9	8	13	14	10	11	12	18	25	174

W. 8,000. X. 14.

49
FORM A.
BRITISH RAINFALL.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kings Scholars Pond P.S.
in the County of London 2
by The London County Council

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Vauxhall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 11 ft. 6 in.
" " " " Sea Level 30.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.43	.16	.01	-	.02	-	-	-	.07	.03	.26	.50	1
2	.40	.18	.22	.15	-	.02	.	.54	-	.03	.	.13	2
3	.34	-	.08	.18	.02	-	-	.46	.08	-	-	.41	3
4	.06	-	-	.	-	-	-	.37	-	-	-	.28	4
5	.05	.48	-	-	-	.	-	.01	.	.02	.	.26	5
6	.32	.03	-	.27	.03	.	.79	.02	-	-	.	.34	6
7	.30	.21	.02	-	.	.	.09	.03	-	-	.	.18	7
8	.14	.52	-	.08	-	.	.11	.07	-	-	.	-	8
9	-	.03	-	.09	-	.07	.	.06	.	.03	.32	.63	9
10	.24	-	.02	-	-	.	-	.45	.	-	-	.19	10
11	.02	-	.03	-	.02	.	-	-	-	-	.61	.04	11
12	.07	.03	-	.26	.41	.	-	.14	.	.01	.35	-	12
13	.01	.38	-	-	1.05	-	-	.07	.	-	-	-	13
14	-	.04	-	-	-	.	.36	.03	.04	-	-	.44	14
15	.10	-	-	-	.04	.	-	.41	-	-	.20	.08	15
16	.02	.22	-	-	-	.	.59	-	-	.	-	.17	16
17	-	.34	-	-	.72	-	.03	.06	-	-	-	.01	17
18	.01	.30	.05	-	.15	.	-	.	.	.	.02	-	18
19	-	.17	.	-	.01	.	.08	.	.	.	-	-	19
20	.33	-	-	.04	-	-	-	.	.	.	-	.23	20
21	.07	-	-	-	-	-	.01	.	-	.03	-	.05	21
22	.99	.11	.12	.03	-	.	.65	-	.	-	.	.10	22
23	-	.27	.06	-	.	.06	.32	-	.04	.43	.	.27	23
24	-	.02	.04	-	-	.01	.05	.	.24	.16	.	.38	24
25	-	-	.03	.14	-	.02	.17	.	-	-	-	.12	25
26	.02	.07	-	.	-	.08	.13	.	-	.	-	.43	26
27	-	-	-	-	-	.22	.33	.	-	.27	-	.06	27
28	-	.05	-	-	-	.07	-	.	1.40	.26	-	-	28
29	-	-	-	.	-	-	.21	.17	-	.02	.10	.	29
30	.03	X	-	.	-	.01	-	-	-	.02	.19	-	30
31	.02	X	-	X	.	X	.	.02	X	.67	X	.20	31
Total	3.97	3.61	.68	1.24	2.47	.56	3.92	2.91	1.87	1.98	2.05	5.50	YEAR'S TOTAL 30.76
Rain Days.	21	19	.11	9	10	9	15	16	6	13	8	23	160

43

FORM A.
BRITISH RAINFALL.

18. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Kings Scholars Pond Pumping Station, Grosvenor Road. Pimlico. S.W.
in the County of London
by London County Council.

Lat. 51° 29′ 11″ N Long. 0° 7′ 46″ W
Time of Observation 9. a.m.
Nearest Railway Station Victoria. S.W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 12 ft. — in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·01	—	—	0·20	0·01	0·01	—	0·21	0·08	0·34	—	1
2	0·47	0·03	0·07	—	0·31	—	0·02	—	0·31	0·33	0·02	—	2
3	—	0·40	0·11	—	—	—	0·02	—	0·20	0·25	0·64	—	3
4	0·19	0·12	—	—	—	0·28	—	—	0·06	—	0·33	—	4
5	0·01	—	0·01	0·01	0·08	0·07	—	—	—	0·05	0·49	—	5
6	—	0·06	0·11	0·23	0·05	0·06	0·34	—	—	0·01	0·27	—	6
7	0·05	—	0·22	—	0·18	0·06	0·24	—	—	—	0·54	0·07	7
8	—	—	0·02	—	0·19	0·02	=	—	—	—	—	0·19	8
9	0·01	—	—	—	0·24	0·01	—	—	—	0·06	—	0·05	9
10	—	0·16	0·04	0·07	—	0·32	0·05	0·10	—	—	—	0·09	10
11	0·02	0·11	0·01	0·16	0·01	0·18	—	—	0·01	—	—	0·01	11
12	0·03	0·03	—	0·04	0·26	0·12	0·02	0·03	0·01	0·05	=	—	12
13	0·01	0·26	0·20	0·08	0·02	0·07	0·20	0·19	—	0·02	—	—	13
14	—	0·37	0·01	0·03	0·07	=	—	0·85	—	0·04	—	0·07	14
15	—	0·19	0·22	0·02	—	—	0·05	0·09	—	0·02	—	0·01	15
16	0·01	0·02	0·13	0·15	0·01	—	0·13	0·28	—	—	—	—	16
17	0·05	0·10	—	0·01	—	—	0·03	0·55	0·27	0·48	—	—	17
18	—	0·06	0·02	0·17	—	—	—	0·53	0·07	0·18	0·63	—	18
19	0·07	0·05	0·15	0·14	—	—	—	—	0·13	—	0·58	0·01	19
20	0·13	—	0·21	—	=	—	—	—	—	—	0·02	0·40	20
21	0·01	—	0·37	0·02	=	—	—	—	—	—	—	0·24	21
22	0·01	—	0·04	—	=	—	—	—	—	0·01	—	0·41	22
23	0·01	0·10	0·01	—	—	0·02	—	0·01	—	0·05	0·03	0·10	23
24	—	0·10	—	—	0·05	0·02	—	0·03	—	0·09	0·02	0·29	24
25	—	0·25	0·17	—	—	=	—	0·48	—	0·03	0·10	—	25
26	—	0·16	0·04	—	—	0·03	—	0·73	—	0·05	—	—	26
27	0·04	—	0·90	—	—	0·02	—	0·44	0·07	0·62	—	—	27
28	—	0·27	0·17	—	—	0·04	—	0·02	0·04	0·01	—	0·15	28
29	—	0·04	—	—	—	0·27	—	0·92	0·02	0·19	—	0·14	29
30	—	×	—	—	0·21	—	—	0·08	—	0·26	—	—	30
31	—	×	—	×	—	×	—	0·08	×	0·21	×	0·03	31
Total	1·15 ✓	2·89 ✓	3·23 ✓	1·13 ✓	1·88 ✓	1·60 ✓	1·11 ✓	5.41 ✓	1.40 ✓	3.09 ✓	4.01 ✓	2.26 ✓	YEAR'S TOTAL 29.16 ✓
Rain Days.	17 ✓	21 ✓	22 ✓	13 ✓	14 ✓	17 ✓	11 ✓	17 ✓	12 ✓	22 ✓	13 ✓	16 ✓	195 ✓

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
16. JAN

REGISTER OF RAINFALL IN 1917

Kept at Kings Scholars Pond Pumping Station
in the County of London
by the London County Council.

Lat. 51° 29′ 11″ N Long. 0° 7′ 46″ W
Time of Observation 9 a.m.
Nearest Railway Station Victoria (District Ry)
Diameter of Funnel of Rain Gauge 8 ins
Height of top of Gauge above Ground 12 ft. — in.
" " " " Sea Level 30·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·02	—	0·18	—	—	0·02	1·08	0·02	—	0·04	0·01	1
2	—	—	—	0·38	—	0·03	—	0·09	—	—	0·18	—	2
3	0·01	—	—	0·03	—	—	—	0·31	—	0·20	0·14	—	3
4	—	0·14	0·10	—	—	—	0·13	0·18	—	0·41	—	—	4
5	0·24	—	0·06	0·19	—	—	—	0·03	1·16	0·14	0·10	—	5
6	—	—	0·02	0·02	—	0·04	—	—	0·13	0·03	0·05	—	6
7	0·21	—	—	—	—	—	0·09	—	—	0·18	—	0·02	7
8	0·07	—	0·01	0·07	—	—	0·71	0·09	0·03	0·22	0·14	0·18	8
9	0·01	—	0·04	0·08	0·02	—	0·02	0·07	0·03	0·02	0·04	0·16	9
10	0·20	—	0·07	0·13	—	—	—	0·02	—	—	0·01	0·02	10
11	0·11	—	0·41	0·12	—	—	—	0·01	0·28	0·21	—	—	11
12	0·10	—	0·03	0·03	—	—	—	0·03	—	0·33	—	—	12
13	0·01	—	0·14	0·03	—	—	—	0·02	0·03	0·04	—	—	13
14	—	—	0·01	0·12	—	—	—	0·13	—	—	—	—	14
15	0·02	—	—	0·01	—	—	0·09	0·02	—	0·03	—	—	15
16	0·04	0·13	—	0·09	0·17	0·14	0·20	—	—	0·42	—	0·20	16
17	—	—	—	0·09	0·53	—	0·39	0·12	0·37	0·27	—	—	17
18	0·02	0·04	—	0·07	0·05	0·13	0·11	0·04	0·17	0·07	—	—	18
19	0·01	0·13	0·08	—	0·34	0·13	—	—	0·14	—	—	—	19
20	0·02	0·18	0·04	—	0·73	—	0·02	0·01	—	—	0·06	—	20
21	0·01	—	0·02	—	0·02	0·02	—	—	—	—	0·02	—	21
22	—	—	0·02	—	—	—	—	0·06	—	0·06	—	—	22
23	—	0·11	0·02	—	0·12	—	—	0·08	—	0·02	—	—	23
24	—	0·02	—	—	—	0·09	—	0·01	—	0·14	0·08	0·03	24
25	—	0·01	0·03	—	—	—	—	—	—	—	0·05	—	25
26	—	—	0·03	—	—	—	—	0·33	0·03	—	0·50	—	26
27	—	—	0·02	—	—	—	—	0·83	—	—	—	—	27
28	—	—	—	—	—	1·29	—	0·08	—	—	—	0·04	28
29	—	✕	0·05	—	0·28	0·02	0·13	0·02	—	0·16	—	0·11	29
30	—	✕	0·34	—	—	—	1·52	0·04	—	0·02	—	0·01	30
31	0·05	✕	0·07	✕	—	✕	0·45	0·01	✕	—	✕	—	31
Total	1·13	0·78	1·61	1·64	2·26	1·89	3·88	3·71	2·39	2·97	1·41	0·78	YEAR'S TOTAL 24·45
Rain Days.	16	9	21	16	9	9	13	25	11	19	13	10	171

REGISTER OF RAINFALL IN 1918

FORM A2. BRITISH RAINFALL.

Kept at Kings Scholars Pond P.S.
77, Grosvenor Road

in the County of Pimlico. S.W.. ~~London~~

by London County Council.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 12 ft. 0 in.
" " " Sea Level 30 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Victoria
Distance 1520 yds. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·10	—	—	—	—	—	—	0·11	0·08	1
2	—	0·07	—	0·05	—	—	—	0·29	—	0·02	0·09	0·16	2
3	—	0·02	0·02	—	0·33	—	—	0·26	0·02	—	0·51	0·04	3
4	—	0·07	0·14	—	—	—	—	0·04	0·48	—	0·51	—	4
5	—	—	—	—	0·10	—	—	0·12	0·50	0·07	—	—	5
6	0·20	0·11	—	0·29	0·14	—	—	0·28	—	—	—	0·05	6
7	0·02	0·03	—	0·11	0·16	—	—	0·02	0·10	0·18	0·09	—	7
8	—	0·18	—	—	—	—	—	—	0·08	—	0·06	0·06	8
9	0·02	0·03	—	0·06	—	0·02	0·29	—	0·31	0·13	—	0·21	9
10	—	—	—	0·12	—	—	0·74	—	0·05	0·02	0·04	0·29	10
11	—	—	—	0·03	0·06	—	1·71	—	0·04	0·16	0·09	0·11	11
12	—	0·03	—	—	0·27	—	0·09	—	0·03	—	—	0·02	12
13	0·03	—	—	—	0·11	—	0·22	—	0·18	—	—	—	13
14	0·16	—	0·02	—	—	0·20	0·04	—	0·29	0·11	—	0·21	14
15	0·97	—	—	0·65	—	—	0·45	—	—	—	—	0·09	15
16	0·21	—	—	0·21	—	0·15	—	—	0·25	—	—	0·02	16
17	0·24	—	—	0·16	0·27	0·33	0·39	0·05	—	—	—	0·14	17
18	0·59	—	—	—	—	0·16	0·13	—	0·64	0·16	—	0·04	18
19	0·03	—	0·05	0·09	—	0·19	0·27	—	0·04	0·06	—	0·08	19
20	0·02	0·14	—	0·51	—	0·02	0·12	—	0·12	0·11	—	0·05	20
21	0·08	—	—	0·26	—	—	0·02	—	0·52	0·05	—	—	21
22	0·05	—	—	0·03	0·32	—	0·23	—	0·15	—	—	0·17	22
23	0·04	—	—	0·02	0·21	—	0·40	0·03	0·08	—	—	0·04	23
24	—	0·22	—	—	—	0·05	0·83	—	0·09	—	0·03	—	24
25	—	—	—	0·06	—	0·02	0·50	0·15	—	0·02	0·05	—	25
26	—	—	—	—	—	—	0·44	0·10	0·03	0·06	0·13	0·15	26
27	—	0·02	—	0·09	—	—	0·06	0·12	0·09	—	0·14	0·08	27
28	—	0·04	0·34	—	—	—	—	—	—	—	0·22	0·15	28
29	—		—	—	—	—	—	—	0·94	—	0·05	—	29
30	—		0·38	—	—	—	—	—	—	0·02	0·02	0·10	30
31	—		—		—		—	0·11		0·04		—	31
Total	2·66	0.96	0·95	2·84	1·97	1·14	7·43	1·57	5·03	1·21	2·14	2·34	TOTAL for year. 30·24
No. of Rain Days.	14	12	6	17	10	9	18	12	22	15	15	22	172